



SENSORINEURAL HEARING LOSS

RMA ID Number	Reference List for RMA014-6 as at April 2022
---------------	--

57904	Abel SM (2005). Hearing loss in military aviation and other trades: investigation of prevalence and risk factors. <i>Aviat Space Environ Med</i> , 76(12): 1128-35.
90816	Adams M, Doherty C, O'Kane A, et al (2016). Malignant meningitis secondary to oesophageal adenocarcinoma presenting with sensorineural hearing loss: a series of three cases and discussion of the literature. <i>Eur Arch Otorhinolaryngol</i> , 273(9): 2481-6.
58527	Agrawal Y, Niparko JK, Dobie RA (2010). Estimating the effect of occupational noise exposure on hearing thresholds: the importance of adjusting for confounding variables. <i>Ear Hear</i> , 31(2): 234-7.
90817	Ahmadzadeh A, Daraei M, Jalessi M, et al (2017). Hearing status in patients with rheumatoid arthritis. <i>J Laryngol Otol</i> , 131(10): 895-9.
58175	Ahmed HO, Dennis JH, Badrans O, et al (2001). Occupational noise exposure and hearing loss of workers in two plants in eastern Saudi Arabia. <i>Ann Occup Hyg</i> , 45(5): 371-80.
57949	Aimoni C, Bianchini C, Borin M, et al (2010). Diabetes, cardiovascular risk factors and idiopathic sudden sensorineural hearing loss: a case-control study. <i>Audiol Neurotol</i> , 15(2): 111-5.
57903	Akbayir N, Calis AB, Alkim C, et al (2005). Sensorineural hearing loss in patients with inflammatory bowel disease: a subclinical extraintestinal manifestation. <i>Dig Dis Sci</i> , 50(10): 1938-45.
90819	Akinpelu OV, Mujica-Mota M, Daniel SJ (2014). Is type 2 diabetes mellitus associated with alterations in hearing? A systematic review and meta-analysis. <i>Laryngoscope</i> , 124(3): 767-76.
90657	Akkara SA, Singhania A, Akkara AG, et al (2014). A study of manifestations of extrapulmonary tuberculosis in the ENT region. <i>Indian J Otolaryngol Head Neck Surg</i> , 66(1): 46-50.
90820	Akyol AG, Nazliel B, Oner Y, et al (2014). Chronic bilateral hearing loss in an immunocompetent patient. An atypical course of tuberculous meningitis. <i>Neurosci</i> , 19(4): 322-5.
90658	Al Jabr I (2016). Hearing loss among adults with sickle cell disease in an endemic region: a prospective case-control study. <i>Ann Saudi Med</i> , 36(2): 135-8.
56565	Aladag I, Eyibilen A, Guven M, et al (2009). Role of oxidative stress in hearing impairment in patients with type two diabetes mellitus. <i>J Laryngol Otol</i> , 123(9): 957-63.
6040	Alberti PW (1979). Noise and the ear. Ballantyne J and Groves J (Eds). <i>Scott-Brown's Diseases of the Ear, Nose and Throat</i> , 4th Edition, Vol 2 Chapter 18: 551-622. Butterworths London.
6157	Al-Hady MR, Shehata O, El-Mously M, et al (1990). Audiological findings following head trauma. <i>J Laryngol Otol</i> , 104(12): 926-36.

90821	Amali A, Hosseinzadeh N, Samadi S, et al (2017). Sensorineural hearing loss in patients with chronic suppurative otitis media: Is there a significant correlation? <i>Electron Physician</i> , 9(2): 3823-7.
6043	American Medical Association (1993). Ear, nose, throat, and related structures. Guides to the Evaluation of Permanent Impairment, 4th Edition, Chapter 9: 224-34. American Medical Association.
59063	Andres E, Kurtz JE, Maloisel F, et al (2001). Otological manifestations of acute leukaemia: report of two cases and review of literature. <i>Clin Lab Haematol</i> , 23(1): 57-60.
57862	Angrisani RM, de Azevedo MF, Pereira LD, et al (2009). A study on otoacoustic emissions and suppression effects in patients with Vitiligo. <i>Braz J Otorhinolaryngol</i> , 75(1): 111-5.
6139	Anonymous (1991). Noise and hearing loss. <i>Lancet</i> , 338(8758): 21-2.
58254	Anonymous (1991). Report of the informal working group on prevention of deafness and hearing impairment programme planning. World Health Organization. WHO Geneva.
6138	Anteunis LJ, Wanders SL, Hendriks JJ, et al (1994). A prospective longitudinal study on radiation-induced hearing loss. <i>Am J Surg</i> , 168(5): 408-11.
89473	Anzalone CL, Lane JI, Link MJ, et al (2017). Arteriovenous lesions of the internal auditory canal. <i>Otol Neurotol</i> , 38(5): e46-9.
90822	Aoki M, Tanahashi S, Mizuta K, et al (2015). Treatment for progressive hearing loss due to Paget's disease of bone - A case report and literature review. <i>J Int Adv Otol</i> , 11(3): 267-70.
90659	Arduc A, Isik S, Allusoglu S, et al (2015). Evaluation of hearing functions in patients with euthyroid Hashimoto's thyroiditis. <i>Endocr</i> , 50(3): 708-14.
59064	Asatryan A, Pool V, Chen RT, et al (2008). Live attenuated measles and mumps viral strain-containing vaccines and hearing loss: Vaccine Adverse Event Reporting System (VAERS), United States, 1990-2003. <i>Vaccine</i> , 26(9): 1166-72.
57933	Aslan S, Serarslan G, Teksoz E, et al (2010). Audiological and transient evoked otoacoustic emission findings in patients with vitiligo. <i>Otolaryngol Head Neck Surg</i> , 142(3): 409-14.
59156	Aubart-Cohen F, Klein I, Alexandra JF, et al (2007). Long-term outcome in Susac syndrome. <i>Medicine (Baltimore)</i> , 86(2): 93-102. [Abstract]
57978	Augustsson I, Engstrand I (2006). Hearing ability according to screening at conscription; comparison with earlier reports and with previous screening results for individuals without known ear disease. <i>Int J Pediatr Otorhinolaryngol</i> , 70(5): 09-13.
58459	Austin DF, Konrad-Martin D, Griest S, et al (2009). Diabetes-related changes in hearing. <i>Laryngoscope</i> , 119(9): 1788-96.
91063	Australian Standard (1990). Sound level meters. Part 1: Non-integrating. Australian Standard, AS 1259.1-1990. Standards Australia.
6109	Awasthi SK, Singh G, Dutta RK, et al (1990). Audiovestibular involvement in leprosy. <i>Indian J Lepr</i> , 62(4): 429-34.
57912	Aydeniz A, Gursoy S, Zincirkeser S (2009). Coexistence of the monostatic Paget's disease, sensorimotor neuropathy and elderly onset rheumatoid arthritis. <i>Rheum Int</i> , 29(5): 561-3.
19755	Backus RM, DeGroot JC, Tange RA, et al (1987). Pathological findings in the human auditory system following long-standing gentamycin ototoxicity. <i>Arch Otorhinolaryngol</i> , 244(2): 69-73.
58897	Bagger-Sjöback D, Rask-Andersen H (2008). Pathology of the vestibular system. <i>Scott-Brown's Otolaryngology, Head and Neck Surgery</i> , 7th Edition, Vol 3 Part 19, Section B, Chapter 240a: 3675-705.

90823	Bailey HH, Kim K, Verma AK, et al (2010). A randomized, double-blind, placebo-controlled phase 3 skin cancer prevention study of {alpha}-difluoromethylornithine in subjects with previous history of skin cancer. <i>Cancer Prev Res (Phila)</i> , 3(1): 35-47.
58261	Bainbridge KE, Cheng YJ, Cowie CC (2010). Potential mediators of diabetes-related hearing impairment in the U.S. population: National Health and Nutrition Examination Survey 1999-2004. <i>Diabetes Care</i> , 33(4): 811-6.
58262	Bainbridge KE, Hoffman HJ, Cowie CC (2008). Diabetes and hearing impairment in the United States: audiometric evidence from the National Health and Nutrition Examination Surveys, 1999-2004. <i>Ann Intern Med</i> , 149(1): 1-10.
59066	Bakthavachalam S, Driver MS, Cox C, et al (2004). Hearing loss in Wegener's granulomatosis. <i>Otol Neurotol</i> , 25(5): 833-7.
32494	Balatsouras DG (2004). The evaluation of noise-induced hearing loss with distortion product otoacoustic emissions. <i>Med Sci Monit</i> , 10(5): CR218-22.
19805	Ballantyne J (1973). Ototoxicity: a clinical review. <i>Audiology</i> , 12(5): 325-36.
323	Ballenger JJ (1991). Noninflammatory diseases of the labyrinth. <i>Diseases of the Nose, Throat, Ear, Head, and Neck</i> , 14th Edition: 1209. Lea & Febiger, London.
57910	Ballesteros F, Alobid I, Tassies D, et al (2009). Is there an overlap between sudden neurosensorial hearing loss and cardiovascular risk factors? <i>Audiol Neurotol</i> , 14(3): 139-45.
88947	Ballivet de Regloix S, Crambert A, Maurin O, et al (2017). Blast injury of the ear by massive explosion: a review of 41 cases. <i>J R Army Med Corps</i> , 163(5): 333-8.
90824	Basner M, Brink M, Bristow A, et al (2015). ICBEN review of research on the biological effects of noise 2011-2014. <i>Noise Health</i> , 17(75): 57-82.
90660	Bass JK, Hua CH, Huang J, et al (2016). Hearing loss in patients who received cranial radiation therapy for childhood cancer. <i>J Clin Oncol</i> , 34(11): 1248-55.
19759	Bauer EP, Westhofen M, Kehrl W (1992). The ototoxicity of the cystostatic drug carboplatin in patients with head- neck tumors. <i>Laryngorhinootologie</i> , 71(8): 412-5 [Article in German].
6047	Bauer P, Korpert K, Neuberger M, et al (1991). Risk factors for hearing loss at different frequencies in a population of 47,388 noise-exposed workers. <i>J Acoust Soc Am</i> , 90(6): 3086-98.
90825	Baxter R, Lewis N, Bohrer P, et al (2016). Sudden-onset sensorineural hearing loss after immunization: A case-centered analysis. <i>Otolaryngol Head Neck Surg</i> , 155(1): 81-6.
57966	Bergemalm PO, Lyxell B (2005). Appearances are deceptive? Long-term cognitive and central auditory sequelae from closed head injury. <i>Int J Audiol</i> , 44(1): 39-49.
57985	Bertolini P, Lassalle M, Mercier G, et al (2004). Platinum compound-related ototoxicity in children. Long-term follow-up reveals continuous worsening of hearing loss. <i>J Pediatr Hematol Oncol</i> , 26(10): 649-55.
57531	Bhandare N, Jackson A, Eisbruch A, et al (2010). Radiation therapy and hearing loss. <i>Int J Radiat Oncol Biol Phys</i> , 76(3 Suppl): S50-7.
57886	Bhavana K, Tyagi I, Kapila RK (2008). Chikungunya virus induced sudden sensorineural hearing loss. <i>Int J Pediatr Otorhinolaryngol</i> , 72(2): 257-9.
59152	Bhide SA, Harrington KJ, Nutting CM (2007). Otological toxicity after postoperative radiotherapy for parotid tumours. <i>Clin Oncol (R Coll Radiol)</i> , 19(1): 77-82. [Abstract]

57968	Biassoni EC, Serra MR, Richtert U, et al (2005). Recreational noise exposure and its effects on the hearing of adolescents. Part II: development of hearing disorders. <i>Int J Audiol</i> , 44(2): 74-85.
6046	Bies DA, Hansen CH (1990). An alternative mathematical description of the relationship between noise exposure and hearing loss. <i>J Acoust Soc Am</i> , 88(6): 2743-54.
6144	Black FO (1992). Perilymphatic fistula. <i>Am J Otol</i> , 13(1): 31.
57425	Blanchet C, Pommie C, Mondain M, et al (2008). Pure-tone threshold description of an elderly French screened population. <i>Otol Neurotol</i> , 29(4): 432-40.
6108	Bohne BA, Marks JE, Glasgow GP (1985). Delayed effects of ionizing radiation on the ear. <i>Laryngoscope</i> , 95(7 Pt 1): 818-28.
57866	Bohnker B, Rovig G, Page J, et al (2003). Navy hearing conservation program: Hearing threshold comparisons to Navy SEALS and divers. <i>Undersea Hyperb Med</i> , 30(2): 155-62.
59057	Boki KA, Ioannidis JP, Segas JV, et al (2000). How significant is sensorineural hearing loss in primary Sjogren's syndrome? An individually matched case-control study. <i>J Rheumatol</i> , 28(4): 798-801.
57853	Bonelli A, Fontanella WM, Passerini S, et al (2002). Airbag and hearing loss: our experience. <i>Rev Laryngol Otol Rhinol</i> , 123(1): 53-4.
6074	Borchgrevink HM (Ed) (1990). Effects of noise and blasts. Proceedings of the International Congress on Noise XXI Nordic Congress of Military Medicine: 3, 7-18.1.
58526	Bortoli R, Santiago M (2007). Chloroquine ototoxicity. <i>Clin Rheumatol</i> , 26(11): 1809-10.
57855	Botelho CT, Paz AP, Goncalves AM, et al (2009). Comparative study of audiometrics tests on metallurgical workers exposed to noise only as well as noise associated to the handling of chemical products. <i>Braz J Otorhinolaryngol</i> , 75(1): 51-7.
73482	Bradberry SM, Wilkinson JM, Ferner RE (2014). Systemic toxicity related to metal hip prostheses. <i>Clin Toxicol (Phila)</i> , 52(8): 837-47.
57992	Bray A, Szymanski M, Mills R (2004). Noise induced hearing loss in dance music disc jockeys and an examination of sound levels in nightclubs. <i>J Laryngol Otol</i> , 118(2): 123-8.
19513	Brien JA (1993). Ototoxicity associated with salicylates. A brief review. <i>Drug Saf</i> , 9(2): 143-8.
58156	Brink LL, Talbott EO, Burks JA, et al (2002). Changes over time in audiometric thresholds in a group of automobile stamping and assembly workers with a hearing conservation program. <i>AIHA J (Fairfax, Va)</i> , 63(4): 482-7.
6156	Browning GG, Swan IR, Gatehouse S (1982). Hearing loss in minor head injury. <i>Arch Otolaryngol</i> , 108(8): 474-7.
6107	Brummett RE (1993). Ototoxic liability of erythromycin and analogues. <i>Otolaryngol Clin North Am</i> , 26(5): 811-9.
57946	Brydoy M, Oldenburg J, Klepp O, et al (2009). Observational study of prevalence of long-term Raynaud-like phenomena and neurological side effects in testicular cancer survivors. <i>J Natl Cancer Inst</i> , 101(24): 1682-95.
6039	Burns W (1973). Noise and Man, 2nd Edition, 109-14. John Murray, London.
57900	Burr H, Lund SP, Sperling BB, (2005). Smoking and height as risk factors for prevalence and 5-year incidence of hearing loss. A questionnaire-based follow-up study of employees in Denmark aged 18-59 years exposed and unexposed to noise. <i>Int J Audiol</i> , 44(9): 531-9.

58896	Burton MJ, Harvey RJ (2008). Idiopathic sudden sensorineural hearing loss. Scott-Brown's Otolaryngology, Head and Neck Surgery, 7th Edition, Vol 3 Part 19, Section B, Chapter 238e: 3577-93. Hodder Arnold, London.
6143	Busis SN (1991). Noise-induced hearing loss: The Sixth question. <i>Am J Otol</i> , 12(2): 81-2.
32473	Byrne D, Sinclair S, Noble W (1998). Open earmold fittings for improving aided auditory localization for sensorineural hearing losses with good high-frequency hearing. <i>Ear Hear</i> , 19(1): 62-71.
88916	Cabbarzade C, Ozgen B, Sennaroglu L (2014). Radiological quiz. Sudden sensorineural hearing loss due to multiple sclerosis. <i>Otolaryngol Pol</i> , 68(5): 264-7.
57932	Cadoni G, Scorpelli A, Cianfrone F, et al (2010). Serum fatty acids and cardiovascular risk factors in sudden sensorineural hearing loss: a case-control study. <i>Ann Otol Rhinol Laryngol</i> , 119(2): 82-8.
90827	Campo P, Morata TC, Hong O (2013). Chemical exposure and hearing loss. <i>Dis Mon</i> , 59(4): 119-38.
59153	Capaccio P, Ottaviani F, Cuccarini V, et al (2007). Genetic and acquired prothrombotic risk factors and sudden hearing loss. <i>Laryngoscope</i> , 117(3): 547-51. [Abstract]
90828	Caroca C, Vicente V, Campelo P, et al (2017). Rubella in Sub-Saharan Africa and sensorineural hearing loss: a case control study. <i>BMC Public Health</i> , 17(1): 146.
75192	Carrara VI, Phy AP, Nwee P, et al (2008). Auditory assessment of patients with acute uncomplicated Plasmodium falciparum malaria treated with three-day mefloquine-artesunate on the north-western border of Thailand. <i>Malar J</i> , 7: 233.
90833	Casella G, Corbetta D, Zolezzi M, et al (2015). Symptomatic sensorineural hearing loss in patients with ulcerative colitis. <i>Tech Coloproctol</i> , 19(12): 729-31.
90835	Cassilde AL, Barnaud G, Baccar S, et al (2014). Sudden-onset bilateral deafness revealing early neurosyphilis. <i>Eur Ann Otorhinolaryngol Head Neck Dis</i> , 131(6): 389-91.
75193	Castelli F, Odolini S, Autino B, et al (2010). Malaria prophylaxis: a comprehensive review. <i>Pharmaceuticals (Basel)</i> , 3(10): 3212-39.
90836	Cervantes SS, Barrs DM (2015). Sudden sensorineural hearing loss associated with intralabyrinthine hemorrhage. <i>Otol Neurotol</i> , 36(8): e134-5.
57878	Chadwick GM, Asher AL, Van Der Veer CA, et al (2008). Adverse effects of topical papaverine on auditory nerve function. <i>Acta Neurochir (Wien)</i> , 150(9): 901-9; discussion 909.
59154	Chae SW, Cho JH, Lee JH, et al (2002). Sudden hearing loss in chronic myelogenous leukaemia implicating the hyperviscosity syndrome. <i>J Laryngol Otol</i> , 116(4): 291-3. [Abstract]
57906	Chan SH, Ng WT, Kam KL, et al (2009). Sensorineural hearing loss after treatment of nasopharyngeal carcinoma: a longitudinal analysis. <i>Int J Radiat Oncol Biol Phys</i> , 73(5): 1335-42.
90839	Chang IJ, Kang CJ, Yueh CY, et al (2015). The relationship between serum lipids and sudden sensorineural hearing loss: a systematic review and meta-analysis. <i>PLoS One</i> , 10(4): e0121025.
57835	Chang SJ, Chang CK (2009). Prevalence and risk factors of noise-induced hearing loss among liquefied petroleum gas (LPG) cylinder infusion workers in Taiwan. <i>Ind Health</i> , 47(6): 603-10.
58150	Chao TK (2004). Sudden sensorineural hearing loss after rapid reduction of blood pressure in malignant hypertension. <i>Ann Otol Rhinol Laryngol</i> , 113(1): 73-5.

57434	Chasin WD (1979). The clinical management of otologic disorders. LJ Bradford, WG Hardy (Eds). Hearing and Hearing Impairment, Part II. Chapter 8: 93-108. Grune & Stratton, New York.
90843	Chawki S, Aouzerate J, Trad S, et al (2016). Bilateral sudden sensorineural hearing loss as a presenting feature of systemic lupus erythematosus: Case report and brief review of other published cases. Medicine, 95(36): e4345.
90844	Chen HC, Chung CH, Wang CH, et al (2017). Increased risk of sudden sensorineural hearing loss in patients with hepatitis virus infection. PLoS One, 12(4): e0175266.
58460	Chen WC, Jackson A, Budnick AS, et al (2006). Sensorineural hearing loss in combined modality treatment of nasopharyngeal carcinoma. Cancer, 106(4): 820-9.
90845	Chen YH, Young YH (2016). Bilateral simultaneous sudden sensorineural hearing loss. Neurol Sci, 362: 139-43.
57924	Cheng AG, Johnston PR, Luz J, et al (2009). Sensorineural hearing loss in patients with cystic fibrosis. Otolaryngol Head Neck Surg, 141(1): 86-90.
57947	Cheng S, da Cruz M (2010). Sweet's disease and profound, bilateral, sensorineural hearing loss. J Laryngol Otol, 124(1): 105-7.
90661	Cheraghi S, Nikoofar P, Fadavi P, et al (2015). Short-term cohort study on sensorineural hearing changes in head and neck radiotherapy. Med Oncol, 2(7): 200.
19756	Chiodo AA, Alberti PW (1994). Experimental, clinical and preventive aspects of ototoxicity. Eur Arch Otorhinolaryngol, 251(7): 375-92.
90846	Cho J, Cheon H, Park JH, et al (2017). Sudden sensorineural hearing loss associated with inner ear lesions detected by magnetic resonance imaging. PLoS One, 12(10): e0186038.
90847	Choi YH, Hu H, Mukherjee B, et al (2012). Environmental cadmium and lead exposures and hearing loss in US adults: the National Health and Nutrition Examination Survey, 1999 to 2004. Environ Health Perspect, 120(11): 1544.
57961	Christenson BJ, Marjala AR (2010). Two cases of sudden sensorineural hearing loss after methadone overdose. Ann Pharmacother, 44(1): 207-10.
90848	Chroni M, Prappa E, Kokkevi I (2018). Bilateral sudden sensorineural hearing loss as a first symptom of infective endocarditis: two case reports. J Laryngol Otol, 132(4): 368-371.
90662	Chung SD, Chen PY, Lin HC, et al (2014). Sudden sensorineural hearing loss associated with iron-deficiency anemia: a population-based study. JAMA Otolaryngol Head Neck Surg, 140(5): 417-22.
90849	Ciorba A, Bovo R, Prosser S, et al (2009). Considerations on the physiopathological mechanism of inner ear damage induced by intravenous cocaine abuse: cues from a case report. Auris Nasus Larynx, 36(2): 213-7.
6137	Clark K, Sowers MR, Wallace RB, et al (1995). Age-related hearing loss and bone mass in a population of rural women aged 60-85 years. Ann Epidemiol, 5(1): 8-14.
57897	Clark WW, Bohl CD (2005). Hearing levels of firefighters: risk of occupational noise-induced hearing loss assessed by cross-sectional and longitudinal data. Ear Hear, 26(3): 327-40.
58458	Coates H (2008). Ear drops and ototoxicity. Aust Prescr, 31(2): 40-1.
57890	Coelho DH, Roland JT, Golfinos JG (2008). Posterior fossa meningiomas presenting with Meniere's-like symptoms: case report. Neurosurg, 63(5): E1001.
90850	Cohen BE, Durstenfeld A, Roehm PC (2014). Viral causes of hearing loss: a review for hearing health professionals. Trends Hear, 18: 1-17.

59155	Committee on Noise-Induced Hearing Loss and Tinnitus Associated with Military Service from World War II to the Present (2006). LE Humes, LM Joellenbeck, JS Durch (Eds). <i>Noise and Military Service - Implications for Hearing Loss and Tinnitus</i> , The National Academic Press, Washington DC.
58253	Concha-Barrientos M, Campbell-Lendrum D, Steenland K (2004). Occupational noise. Assessing the burden of disease from work-related hearing impairment at national and local levels. Pruss-Ustun A, et al [Eds]. <i>Environmental Burden of Disease</i> , Series No 9. World Health Organization, Geneva.
57989	Corapci I, Armagan O, Tascioglu F, et al (2004). Sensorineural hearing loss in a patient with ankylosing spondylitis. <i>Rheumatol Int</i> , 24(4): 252-3.
57945	Corbett CE, El Khouri M, Costa AN, et al (2007). Health evaluation of gold miners living in a mercury-contaminated village in Serra Pelada, Para, Brazil. <i>Arch Environ Occup Health</i> , 62(3): 121-8.
90851	Croll PH, Voortman T, Vernooij MW, et al (2019). The association between obesity, diet quality and hearing loss in older adults. <i>Aging</i> , 11(1): 48-62.
88918	Crowson MG, Hertzano R, Tucci D, et al (2017). Emerging therapies for sensorineural hearing loss. <i>Otol Neurotol</i> , 38(6): 792-803.
90852	Cruickshanks KJ, Nondahl DM, Dalton DS, et al (2015). Smoking, central adiposity, and poor glycemic control increase risk of hearing impairment. <i>J Am Geriatr Soc</i> , 63(5): 918-24.
90853	Crumling MA, King KA, Duncan RK (2017). Cyclodextrins and iatrogenic hearing loss: new drugs with significant risk. <i>Front Cell Neurosci</i> , 11: 355.
6067	Cullen JR, Cinnamond MJ (1993). Hearing loss in diabetics. <i>J Laryngol Otol</i> , 107(3): 179-82.
57174	Curhan SG, Eavey R, Shargorodsky J, et al (2010). Analgesic use and the risk of hearing loss in men. <i>Am J Med</i> , 123(3): 231-7.
58354	Curhan SG, Eavey R, Shargorodsky J, et al (2011). Prospective study of alcohol use and hearing loss in men. <i>Ear Hear</i> , 32(1): 46-52.
90855	Curhan SG, Eavey R, Wang M, et al (2015). Prospective study of alcohol consumption and self-reported hearing loss in women. <i>Alcohol</i> , 49(1): 71-7.
90856	Curhan SG, Shargorodsky J, Eavey R, et al (2012). Analgesic use and the risk of hearing loss in women. <i>Am J Epidemiol</i> , 176(6): 544-54.
6154	Cusimano F, Cocita VC, D'Amico A (1989). Sensorineural hearing loss in chronic otitis media. <i>J Laryngol Otol</i> , 103(2): 158-63.
57427	da Costa SS, Rosito LP, Dornelles C (2009). Sensorineural hearing loss in patients with chronic otitis media. <i>Eur Arch Otorhinolaryngol</i> , 266(2): 221-4.
59065	Dalton DS, Cruickshanks KJ, Klein R, et al (1998). Association of NIDDM and hearing loss. <i>Diabetes Care</i> , 21(9): 1540-44.
57861	Dalton DS, Cruickshanks KJ, Wiley TL, et al (2001). Association of leisure-time noise exposure and hearing loss. <i>Audiology</i> , 40(1): 1-9.
57917	Danhauer JL, Johnson CE, Byrd A, et al (2009). Survey of college students on iPod use and hearing health. <i>J Am Acad Audiol</i> , 20(1): 5-27; quiz 83-4.
91252	Davies RA (2016). Audiometry and other hearing tests. <i>Handb Clin Neurol</i> , 137: 157-76. [Abstract]
59158	Davis TC, Thedinger BA, Greene GM (2000). Osteomas of the internal auditory canal: a report of two cases. <i>Am J Otol</i> , 21(6): 852-6. [Abstract]
90857	Dawes P, Cruickshanks KJ, Moore DR, et al (2014). Cigarette smoking, passive smoking, alcohol consumption, and hearing loss. <i>J Assoc Res Otolaryngol</i> , 15(4): 663-74.

57859	de Azevedo AF, Pinto DC, de Souza NJ, et al (2007). Sensorineural hearing loss in chronic suppurative otitis media with and without cholesteatoma. <i>Braz J Otorhinolaryngol</i> , 73(5): 671-4.
58151	de Beer BA, Graamans K, Snik AF, et al (2003). Hearing deficits in young adults who had a history of otitis media in childhood: use of personal stereos had no effect on hearing. <i>Pediatrics</i> , 111(4): e304-8.
57967	De Capitani EM, Vieira RJ, Madureira PR, et al (2005). Auditory neurotoxicity and hepatotoxicity after MSMA (monosodium methanarsenate) high dose oral intake. <i>Clin Toxicol (Phila)</i> , 43(4): 287-9.
90858	Dedhia K, Chi DH (2016). Pediatric sudden sensorineural hearing loss: Etiology, diagnosis and treatment in 20 children. <i>Int J Pediatr Otorhinolaryngol</i> , 88: 208-12.
32471	Dempsey JJ (1985). 6000 Hz as an early indicator of noise-induced hearing loss. <i>Ear Hear</i> , 6(3): 159-60.
39952	DePalma RG, Burris DG, Champion HR, et al (2005). Blast injuries. <i>N Engl J Med</i> , 352(13): 1335-42.
59104	Department of Justice and Attorney-General (2004). Noise code of practice 2004. <i>Workplace Health and Safety Queensland</i> : 1-34.
90859	Dhanda N, Taheri S (2017). A narrative review of obesity and hearing loss. <i>Int J Obes</i> , 41(7): 1066-73.
90860	Dhanjal H, Rainsbury J, Irving RM (2014). Bilateral sensorineural hearing loss and labyrinthitis ossificans secondary to neurosarcoidosis. <i>Cochlear Implants Int</i> , 15(6): 337-40.
90863	Diao M, Tian F, Sun J (2014). Sudden sensorineural hearing loss as the first manifestation of chronic myeloid leukaemia: case report. <i>J Laryngol Otol</i> , 128(11): 1015-7.
90861	Diaz RC (2009). Inner ear protection and regeneration: a 'historical' perspective. <i>Curr Opin Otolaryngol Head Neck Surg</i> , 17(5): 363-72.
90862	Dietrich J, Gondi V, Mehta M (2019). Delayed complications of cranial irradiation. Retrieved 6 February 2019, from https://www.uptodate.com/contents/delayed-complications-of-cranial-irradiation
6158	Dobie RA (1994). Separating noise-induced from age-related hearing loss. <i>West J Med</i> , 160(6): 564-5.
57894	Dobie RA (2008). The burdens of age-related and occupational noise-induced hearing loss in the United States. <i>Ear Hear</i> , 29(4): 565-77.
6136	Dommerby H, Tos M (1986). Sensorineural hearing loss in chronic adhesive otitis. <i>Arch Otolaryngol Head Neck Surg</i> , 112(6): 628-34.
58172	Donath J, Krasznai M, Fornet B, et al (2004). Effect of bisphosphonate treatment in patients with Paget's disease of the skull. <i>Rheumatology (Oxford)</i> , 43(1): 89-94.
58346	Douglas SA, Sanli H, Gibson WP (2008). Meningitis resulting in hearing loss and labyrinthitis ossificans - does the causative organism matter? <i>Cochlear Implants Int</i> , 9(2): 90-6.
57930	Draper TH, Bamiou DE (2009). Auditory neuropathy in a patient exposed to xylene: case report. <i>J Laryngol Otol</i> , 123(4): 462-5.
58475	Drettner B, Hedstrand H, Klockhoff I, et al (1975). Cardiovascular risk factors and hearing loss. A study of 1000 fifty-year-old men. <i>Acta Otolaryngol</i> , 79(5-6): 366-71.
58457	Dullemeijer C, Verhoef P, Brouwer IA, et al (2010). Plasma very long-chain N-3 polyunsaturated fatty acids and age-related hearing loss in older adults. <i>J Nutr Health Aging</i> , 14(5): 347-51.
59134	Dunne AA, Wiegand A, Prinz H, et al (2004). Chlamydia pneumoniae IgA seropositivity and sudden sensorineural hearing loss. <i>Otolaryngol Pol</i> , 58(3): 427-8. [Abstract]

58170	Edmonds JL, Kirse DJ, Kearns D, et al (2002). The otolaryngological manifestations of mitochondrial disease and the risk of neurodegeneration with infection. <i>Arch Otolaryngol Head Neck Surg</i> , 128(4): 355-62.
90864	Ekin S, Turan M, Arisoy A, et al (2016). Is there a relationship between obstructive sleep apnea (OSA) and hearing loss? <i>Med Sci Monit</i> , 22: 3124-8.
57836	El Dib RP, Silva EM, Morais JF, et al (2008). Prevalence of high frequency hearing loss consistent with noise exposure among people working with sound systems and general population in Brazil: A cross-sectional study. <i>BMC Public Health</i> , 8: 151.
6078	El Shazly MA, Linthicum FH (1991). Microfissures of the temporal bone: Do they have any clinical significance? <i>Am J Otol</i> , 12(3): 169-71.
57954	El Zir E, Mansour S, Salameh P, et al (2008). Environmental noise in Beirut, smoking and age are combined risk factors for hearing impairment. <i>East Mediterr Health J</i> , 14(4): 888-96.
57867	El-Shazly A (2006). Toxic solvents in car paints increase the risk of hearing loss associated with occupational exposure to moderate noise intensity. <i>B-ENT</i> , 2(1): 1-5.
90866	Emamifar A, Bjoerndal K, Hansen IM (2016). Is hearing impairment associated with rheumatoid arthritis? A review. <i>Open Rheumatol J</i> , 10: 26-32.
90865	Emamifar A, Hansen IM (2018). An update on hearing impairment in patients with rheumatoid arthritis. <i>J Otol</i> , 13(1): 1-4.
57893	Emmerich E, Rudel L, Richter F (2008). Is the audiologic status of professional musicians a reflection of the noise exposure in classical orchestral music? <i>Eur Arch Otorhinolaryngol</i> , 265(7): 753-8.
90867	Engdahl B, Aarhus L, Lie A, et al (2015). Cardiovascular risk factors and hearing loss: The HUNT study. <i>Int J Audiol</i> , 54(12): 958-66.
57931	Engh JA, Kostov D, St Martin MB, et al (2010). Cavernous malformation tumors: case study and review of the literature. <i>Otol Neurotol</i> , 31(2): 294-8.
90868	Ensink RJ, Kuper H (2017). Is hearing impairment associated with HIV? A systematic review of data from low- and middle-income countries. <i>Trop Med Int Health</i> , 22(12): 1493-50.
57944	Eryilmaz A, Dagli M, Karabulut H, et al (2007). Evaluation of hearing loss in patients with ankylosing spondylitis. <i>J Laryngol Otol</i> , 121(9): 845-9.
57991	Escada PA, Capucho C, Da Silva JF (2004). Sudden sensorineural hearing loss following intramuscular administration of penicillin. <i>J Laryngol Otol</i> , 118(2): 143-5.
90869	Espiney Amaro C, Montalvao P, Huins C, et al (2015). Lyme disease: sudden hearing loss as the sole presentation. <i>J Laryngol Otol</i> , 129(2): 183-6.
59087	Farzanegan G, Ghasemi M, Panahi F, et al (2010). Does drill-induced noise have an impact on sensorineural hearing during craniotomy procedure? <i>Br J Neurosurg</i> , 24(1): 40-5.
59068	Faucher B, Zaegel O, Niang A, et al (2009). Permanent deafness following typhoid fever: case report from Dakar, Senegal. <i>Med Trop (Mars)</i> , 69(1): 73-4.
57432	Fausti SA, Wilmington DJ, Gallun FJ, et al (2009). Auditory and vestibular dysfunction associated with blast-related traumatic brain injury. <i>J Rehabil Res Dev</i> , 46(6): 797-810.
59130	Favus MJ, Vokes TJ (2008). Paget disease and other dysplasia of bone. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 349: 2408-16.

59157	FDA US Food and Drug Administration (2010). Postmarket drug safety Information for patients and providers. Retrieved 29 November 2010, from http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm124841.htm
57662	Fechter LD, Gearhart C, Fulton S, et al (2007). JP-8 jet fuel can promote auditory impairment resulting from subsequent noise exposure in rats. 98 (2): 510-25. Retrieved 4 August 2010, from http://toxsci.oxfordjournals.org
58174	Ferrite S, Santana V (2005). Joint effects of smoking, noise exposure and age on hearing loss. <i>Occup Med (Lond)</i> , 55(1): 48-53.
6048	Finkelstein Y, Zohar Y, Talmi YP, et al (1992). Effects of acute negative middle ear pressure on hearing. New answers to old questions and a review of the literature. <i>Acta Otolaryngol (Stockh)</i> , 112(1): 88-95.
58260	Firth PG, Zheng H, Windsor JS, et al (2008). Mortality on Mount Everest, 1921-2006: descriptive study. <i>BMJ</i> , 337: a2654.
59140	Fischer C, Mauguere F, Ibanez V, et al (1985). The acute deafness of definite multiple sclerosis: BAEP patterns. <i>Electroencephalogr Clin Neurophysiol</i> , 61(7): 7-15. [Abstract]
90870	Foden N, Mehta N, Joseph T (2013). Sudden onset hearing loss--causes, investigations and management. <i>Aust Fam Physician</i> , 42(9): 641-4.
6135	Fortnum HM (1992). Hearing impairment after bacterial meningitis: a review. <i>Arch Dis Child</i> , 67(9): 1128-33.
90871	Francis SP, Cunningham LL (2017). Non-autonomous cellular responses to ototoxic drug-related stress and death. <i>Front Cell Neurosci</i> , 11: 252.
58259	Fransen E, Topsakal V, Hendrickx JJ, et al (2008). Occupational noise, smoking, and a high body mass index are risk factors for age-related hearing impairment and moderate alcohol consumption is protective: a European population-based multicenter study. <i>J Assoc Res Otolaryngol</i> , 9(3): 264-76; discussion 261-3.
90872	Fraser L, Shanks M, Wardrop P, et al (2015). Cochlear implantation and alcohol misuse. <i>Cochlear Implants Int</i> , 16(1): 51-6.
90883	Frederiksen TW, Ramlau-Hansen CH, Stokholm Z, et al (2017). Noise-induced hearing loss - A preventable disease? Results of a 10-year longitudinal study of workers exposed to occupational noise. <i>Noise Health</i> , 19(87): 103-11.
56566	Freeland A, Jones J, Mohammed NK (2010). Sensorineural deafness in Tanzanian children - is ototoxicity a significant cause? A pilot study. <i>Int J Pediatr Otorhinolaryngol</i> , 74(5): 516-9.
19715	Freilich RJ, Kraus DH, Budnick AS, et al (1996). Hearing loss in children with brain tumors treated with cisplatin and carboplatin-based high-dose chemotherapy with autologous bone marrow rescue. <i>Med Pediatr Oncol</i> , 26(2): 95-100.
57973	Frisina ST, Mapes F, Kim S, et al (2006). Characterization of hearing loss in aged type II diabetics. <i>Hear Res</i> , 211(1-2): 103-13.
58162	Fukuda S, Chida E, Kuroda T, et al (2001). An anti-mumps IgM antibody level in the serum of idiopathic sudden sensorineural hearing loss. <i>Auris Nasus Larynx, Suppl</i> 28: S3-5.
6155	Fukuda S, Ishikawa K, Inuyama Y (1994). Acute measles infection in the hamster cochlea. <i>Acta Otolaryngol Suppl</i> , 514: 111-6.
75194	Fusetti M, Eibenstein A, Corridore V, et al (1999). Mefloquine and ototoxicity: a report of 3 cases. <i>Clin Ter</i> , 150(5): 379-82 [Article in Italian].
57929	Fushiki H, Junicho M, Aso S, et al (2009). Recurrence rate of idiopathic sudden low-tone sensorineural hearing loss without vertigo: a long-term follow-up study. <i>Otol Neurotol</i> , 30(3): 295-8.
57663	Gagnaire F, Langlais C (2004). Relative ototoxicity of 21 aromatic solvents. <i>Arch Toxicol</i> , 79(6): 346-54.

58168	Gagnebin J, Maire R (2002). Infection screening in sudden and progressive idiopathic sensorineural hearing loss: a retrospective study of 182 cases. <i>Otol Neurotol</i> , 23(2): 160-2.
90884	Gallun FJ, Papes MA, Lewis MS (2017). Hearing complaints among veterans following traumatic brain injury. <i>Brain Inj</i> , 31(9): 1183-7.
57939	Garcia-Berrocal JR, Ramirez-Camacho R, Lobo D, et al (2008). Adverse effects of glucocorticoid therapy for inner ear disorders. <i>ORL J Otorhinolaryngol Relat Spec</i> , 70(4): 271-4.
57865	Gasch O, Fernandez N, Armisen A, et al (2009). Community-acquired Capnocytophaga canimorsus meningitis in adults: report of one case with a subacute course and deafness, and literature review. <i>Enferm Infect Microbiol Clin</i> , 27(1): 33-6.
58263	Gates GA, Cobb JL, D'Agostino RB, et al (1993). The relation of hearing in the elderly to the presence of cardiovascular disease and cardiovascular risk factors. <i>Arch Otolaryngol Head Neck Surg</i> , 119(2): 156-61.
19495	Gendeh BS, Gibb AG, Aziz NS, et al (1998). Vancomycin administration in continuous ambulatory peritoneal dialysis: the risk of ototoxicity. <i>Otolaryngol Head Neck Surg</i> , 118(4): 551-8.
57919	George DL, Pradhan S (2009). Idiopathic sensorineural hearing disorders in adults - a pragmatic approach. <i>Nat Rev Rheumatol</i> , 5(9): 505-12.
59078	Gholamreza F, Ghasemi M, Panahi F, et al (2010). Does drill-induced noise have an impact on sensorineural hearing during craniotomy procedure? <i>Br J Neurosurg</i> , 24(1): 40-5.
6174	Ghonim MR (1992). Cochlear function after stapedectomy. <i>ORL J Otorhinolaryngol Relat Spec</i> , 54(3): 148-51.
6055	Ginsberg LE, Elster AD, Moody DM (1992). MRI of Paget disease with temporal bone involvement presenting with sensorineural hearing loss. <i>J Comput Assist Tomogr</i> , 16(2): 314-6.
58456	Giuliano F, Jackson G, Montorsi F, et al (2010). Safety of sildenafil citrate: review of 67 double-blind placebo-controlled trials and the postmarketing safety database. <i>Int J Clin Pract</i> , 64(2): 240-55.
6145	Glasscock ME, Hart MJ, Rosdeutscher JD, et al (1992). Traumatic perilymphatic fistula: How long can symptoms persist? A follow-up report. <i>Am J Otol</i> , 13(4): 333-8.
57935	Gluncic I, Roje Z, Gluncic V, et al (2001). Ear injuries caused by lightning: report of 18 cases. <i>J Laryngol Otol</i> , 115(1): 4-8.
75195	Gobbi F, Rossanese A, Buonfrate D, et al (2014). Epilepsy triggered by mefloquine in an adult traveler to Uganda. <i>World J Clin Cases</i> , 2(1): 12-5.
6066	Goebel JA, Vollmer DG (1993). Hearing improvement after conservative approach for large posterior fossa meningioma. <i>Otolaryngol Head Neck Surg</i> , 109(6): 1025-9.
90885	Goldberg DW, Tenforde MW, Mitchell HK, et al (2017). Neurological sequelae of adult meningitis in Africa: A systematic literature review. <i>Open Forum Infect Dis</i> , 5(1): ofx246.
32475	Gomez MI, Hwang SA, Sobotova L, et al (2001). A comparison of self-reported hearing loss and audiology in a cohort of New York farmers. <i>J Speech Lang Hear Res</i> , 44(6): 1201-8.
59070	Gomides AP, do Rosario EJ, Gomides HH, et al (2007). Sensorineural dysacusis in patients with systemic lupus erythematosus. <i>Lupus</i> , 16(12): 987-90.
57915	Goncalves CG, Mota PH, Marques JM (2009). Noise and age: influence on the hearing of individuals with ages between 50-70 years. <i>Pro Fono</i> , 21(1): 57-62.
57674	Goodhill V (1979). Otologic relationships with audiology. <i>Hearing and Hearing Impairment</i> , Part 1. Chapter 2: 15-8. Grune & Stratton, New York.

57850	Gopal KV (2008). Audiological findings in individuals exposed to organic solvents: Case studies. <i>Noise Health</i> , 10(40): 74-82.
58466	Gopinath B, Flood VM, Rochtchina E, et al (2010). Consumption of omega-3 fatty acids and fish and risk of age-related hearing loss. <i>Am J Clin Nutr</i> , 92(2): 416-21.
58467	Gopinath B, Flood VM, McMahon CM, et al (2010). The effects of smoking and alcohol consumption on age-related hearing loss: the Blue Mountains Hearing Study. <i>Ear Hear</i> , 31(2): 277-82.
58178	Gopinath B, Rochtchina E, Wang JJ, et al (2009). [Comment] Prevalence of age-related hearing loss in older adults: Blue Mountains study. <i>Arch Intern Med</i> , 169(4): 415-6.
57928	Gopinath B, Schneider J, Rochtchina E, et al (2009). Association between age-related hearing loss and stroke in an older population. <i>Stroke</i> , 40(4): 1496-8.
50188	Gourie-Devi M (2006). Cranial neuropathy in patients with leprosy. <i>Neurol India</i> , 54(3): 248-9.
6085	Grandis JR, Hirsch BE, Wagener MM (1993). Treatment of idiopathic sudden sensorineural hearing loss. <i>Am J Otol</i> , 14(2): 183-5.
90663	Greco A, De Virgilio A, Gallo A, et al (2014). Susac's syndrome - Pathogenesis, clinical variants and treatment approaches. <i>Autoimmun Rev</i> , 13(8): 814-21.
58167	Greenberg JS, Manolis S (2001). High incidence of complications encountered in chronic otitis media surgery in a U.S. metropolitan public hospital. <i>Otolaryngol Head Neck Surg</i> , 125(6): 623-7.
90886	Greene JJ, Keefe MW, Harris JP, et al (2015). Paraneoplastic syndrome: a masquerade of autoimmune inner ear disease. <i>Otol Neurotol</i> , 36(1): e3-10.
90887	Guclu O, Derekoy FS (2013). Sudden hearing loss after rabies vaccination. <i>Balkan Med J</i> , 30(3): 327-8.
90888	Gudelj G, Tropic R, Herceg T, et al (2014). Radiotherapy-induced hearing loss in patients with laryngeal carcinomas. <i>Coll Antropol</i> , 38(3): 945-8.
58465	Guest M, Boggess M, Attia J, et al (2010). Hearing impairment in F-111 maintenance workers: the study of health outcomes in aircraft maintenance personnel (SHOAMP) general health and medical study. <i>Am J Ind Med</i> , 53(11): 1159-69.
72440	Guidotti TL (2014). Health Risks and Occupation as a Firefighter. Medical Advisory Services, Department of Veterans' Affairs, Commonwealth of Australia.
59135	Guimaraes P, Frisina ST, Mapes F, et al (2006). Progestin negatively affects hearing in aged women. <i>Proc Natl Acad Sci U S A</i> , 103(38): 14246-49.
90892	Gul F, Bercin S, Muderris T, et al (2016). Unilateral sudden hearing loss: a rare symptom of Moyamoya disease. <i>Kulak Burun Bogaz Ihtis Derg</i> , 26(2): 114-7.
32493	Gultekin S, Ozcan S (2002). Does hearing loss after spinal anesthesia differ between young and elderly patients? <i>Anesth Analg</i> , 94(5): 1318-20, table of contents.
56567	Gurkov R, Eshetu T, Miranda IB, et al (2008). Ototoxicity of artemether/lumefantrine in the treatment of falciparum malaria: a randomized trial. <i>Malar J</i> , 7: 179.
57953	Hajas A, Szodoray P, Barath S, et al (2009). Sensorineural hearing loss in patients with mixed connective tissue disease: immunological markers and cytokine levels. <i>J Rheumatol</i> , 36(9): 1930-6.
58154	Hajioff D, Brook N, Trew G, et al (2003). Sudden sensorineural hearing loss following ovarian stimulation. <i>BJOG</i> , 110(9): 873-5.
88919	Hamed SA (2017). The auditory and vestibular toxicities induced by antiepileptic drugs. <i>Expert Opin Drug Saf</i> , 16(11): 1281-94.

6134	Hansen S (1986). Deafness-orthostatic hypotension--cochleo-vestibular hypoxia. <i>Scand Audiol Supp</i> , 26: 45-6.
6159	Harada T, Yamasoba T, Yagi M (1992). Sensorineural hearing loss associated with otitis media with effusion. <i>ORL J Otorhinolaryngol Relat Spec</i> , 54(2): 61-5.
57863	Hardin MF, Barker M, Neis PR (2003). Sensorineural hearing loss as the result of cliff jumping. <i>J Ark Med Soc</i> , 99(10): 327-30.
6045	Hariri MA (1990). Sensorineural hearing loss in bullous myringitis. A prospective study of eighteen patients. <i>Clin Otolaryngol</i> , 15(4): 351-3.
90894	Harris AS, Elhassan HA, Flook EP (2016). Why are ototopical aminoglycosides still first-line therapy for chronic suppurative otitis media? A systematic review and discussion of aminoglycosides versus quinolones. <i>J Laryngol Otol</i> , 130(1): 2-7.
19621	Haydon RC, Thelin JW, Davis WE (1984). Erythromycin ototoxicity: analysis and conclusions based on 22 case reports. <i>Otolaryngol Head Neck Surg</i> , 92(6): 678-84.
57664	Haynes DS, Rutka J, Hawke NM, et al (2007). Ototoxicity of ototopical drops--an update. <i>Otolaryngol Clin North Am</i> , 40(3): 669-83.
58347	Healy DG, Wood NW (2004). Clinical picture of bilateral vestibular schwannomas, sudden bilateral hearing loss, and aviation. <i>Neurology</i> , 63(5): 933.
59141	Heckenberg SG, de Gans J, Brouwer MC, et al (2008). Clinical features, outcome, and meningococcal genotype in 258 adults with meningococcal meningitis: a prospective cohort study. <i>Medicine (Baltimore)</i> , 87(4): 185-92. [Abstract]
59142	Helzner EP, Cauley JA, Pratt SR, et al (2005). Race and sex differences in age-related hearing loss: the Health, Aging and Body Composition Study. <i>J Am Geriatr Soc</i> , 53(12): 2119-27. [Abstract]
88920	Helzner EP, Contrera KJ (2016). Type 2 diabetes and hearing impairment. <i>Curr Diab Rep</i> , 16(1): 3.
59086	Hemingway TJ, Savitsky EA, Kupas DF (2010). Hyperviscosity syndrome. Retrieved 14 August 2010, from http://emedicine.medscape.com/article/780258-overview
90665	Henderson AH, Khan AA, Good C, et al (2015). A case of bilateral sensorineural hearing loss from Langerhans cell histiocytosis. <i>BMJ Case Rep</i> , 2015: 210996.
75196	Hessen-Soderman AC, Betgenius J, Palme IB, et al (1995). Mefloquine prophylaxis and hearing, postural control, and vestibular functions. <i>J Travel Med</i> , 2(2): 66-9.
91247	Higuchi H, Yamano T, Takase H, et al (2014). Ototoxicity of gentian violet on the guinea pig cochlea. <i>Otol Neurotol</i> , 35(4): 743-7.
58815	Hirose K (2008). Hearing loss and diabetes: you might not know what you're missing. <i>Ann Intern Med</i> , 149(1): 54-5.
57914	Hitchcock YJ, Tward JD, Szabo A, et al (2009). Relative contributions of radiation and cisplatin-based chemotherapy to sensorineural hearing loss in head-and-neck cancer patients. <i>Int J Radiat Oncol Biol Phys</i> , 73(3): 779-88.
90895	Ho JH, Leikin JB, Dargan PI, et al (2017). Metal-on-metal hip joint prostheses: a retrospective case series investigating the association of systemic toxicity with serum cobalt and chromium concentrations. <i>J Med Toxicol</i> , 13(4): 321-8.
57941	Ho T, Brabec JT, Burton AW (2007). Hydrocodone use and sensorineural hearing loss. <i>Pain Physician</i> , 10(3): 467-72.
58464	Hodgkinson L, Prasher D (2006). Effects of industrial solvents on hearing and balance: a review. <i>Noise Health</i> , 8(32): 114-33.
58474	Hoet P, Lison D (2008). Ototoxicity of toluene and styrene: state of current knowledge. <i>Crit Rev Toxicol</i> , 38(2): 127-70.

6142	Hofbauer LC, Heufelder AE (1995). Viscous hearing loss. <i>Lancet</i> , 345(8959): 1243.
32472	Holmes AE, Kaplan HS, Nichols SW, et al (1996). Screening for hearing loss in juvenile detention centers. <i>J Am Acad Audiol</i> , 7(5): 332-8.
32556	Homoe P, Christensen RB, Breatlau P (1995). Hearing in elementary school children in Nuuk and Sisimiut, Greenland. <i>Arctic Med Res</i> , 54(3): 145-50.
90896	Honeth L, Strom P, Ploner A, et al (2016). Cigarette- and snus-modified association between unprotected exposure to noise from hunting rifle caliber weapons and high frequency hearing loss. A cross-sectional study among Swedish hunters. <i>Noise Health</i> , 18(85): 382-90.
90899	Hong O, Buss J, Thomas E (2013). Type 2 diabetes and hearing loss. <i>Dis Mon</i> , 59(4): 139-46.
57832	Hong OS, Kim MJ (2001). Factors associated with hearing loss among workers of the airline industry in Korea. <i>ORL J Otorhinolaryngol Relat Spec</i> , 19(1): 7-13.
88921	Horikawa C, Kodama S, Tanaka S, et al (2013). Diabetes and risk of hearing impairment in adults: a meta-analysis. <i>Clin Endocrinol Metab</i> , 98(1): 51-8.
90900	Hormozi M, Ansari-Moghaddam A, Mirzaei R, et al (2017). The risk of hearing loss associated with occupational exposure to organic solvents mixture with and without concurrent noise exposure: A systematic review and meta-analysis. <i>Int J Occup Med Environ Health</i> , 30(4): 521-35.
90901	Hoshino AC, Ferreira HP, Malm O, et al (2012). A systematic review of mercury ototoxicity. <i>Cad Saude Publica</i> , 28(7): 1239-48.
57857	Hoshino AC, Pacheco-Ferreira H, Taguchi CK, et al (2008). Ototoxicity study in workers exposed to organophosphate. <i>Braz J Otorhinolaryngol</i> , 74(6): 912-8.
6133	Houck JR, Murphy K (1991). Sudden bilateral profound hearing loss resulting from meningeal carcinomatosis. <i>Otolaryngol Head Neck Surg</i> , 106(1): 92-7.
32474	Hsu WC, Wu HP, Liu TC (2003). Objective assessment of auditory thresholds in noise-induced hearing loss using steady-state evoked potentials. <i>Clin Otolaryngol</i> , 128(3): 195-8.
88923	Hsu YH, Hu HY, Chiu YC, et al (2016). Association of sudden sensorineural hearing loss with vertebrobasilar insufficiency. <i>JAMA Otolaryngol Head Neck Surg</i> , 142(7): 672-5.
90908	Hu H, Sasaki N, Ogasawara T, et al (2018). Smoking, smoking cessation, and the risk of hearing loss: Japan epidemiology collaboration on occupational health study. <i>Nicotine Tob Res</i> , 21(4): 481-8.
6132	Hughes GB, Moscicki R, Barna BP, et al (1994). Laboratory diagnosis of immune inner ear disease. <i>Am J Otol</i> , 15(2): 198-202.
90909	Hughes H, Hunting KL (2013). Evaluation of the effects of exposure to organic solvents and hazardous noise among US Air Force personnel. <i>Noise Health</i> , 15(67): 379-87.
59160	Hultcrantz M, Simonoska R, Stenberg AE (2006). Estrogen and hearing: a summary of recent investigations. <i>Acta Otolaryngol</i> , 126(1): 10-4. [Abstract]
90910	Hung SH, Lin HC, Kao LT, et al (2016). Sudden sensorineural hearing loss is associated with chronic rhinosinusitis: population-based study. <i>J Laryngol Otol</i> , 130(6): 521-5.
90666	Hwang JH (2015). Role of obesity on the prognosis of sudden sensorineural hearing loss in adults. <i>Otolaryngol Head Neck Surg</i> , 153(2): 251-6.
57918	Hwang JH, Wu CC, Hsu CJ, et al (2009). Association of central obesity with the severity and audiometric configurations of age-related hearing impairment. <i>Obesity (Silver Spring)</i> , 17(9): 1796-801.

57936	Hwang YH, Chiang HY, Yen-Jean MC, et al (2009). The association between low levels of lead in blood and occupational noise-induced hearing loss in steel workers. <i>Sci Total Environ</i> , 408(1): 43-9.
59143	Hyden D, Akerlind B, Peebo M (2006). Inner ear and facial nerve complications of acute otitis media with focus on bacteriology and virology. <i>Acta Otolaryngol</i> , 126(5): 460-66. [Abstract]
88925	Ikeda AK, Prince AA, Chen JX, et al (2018). Macrolide-associated sensorineural hearing loss: a systematic review. <i>Laryngoscope</i> , 128(1): 228-36.
19631	Iqbal S, Srivatsav CB (1984). Chloramphenicol ototoxicity: a case report. <i>J Laryngol Otol</i> , 98(5): 523-5.
90968	Ishai R, Halpin CF, Shin JJ, et al (2016). Long-term incidence and degree of sensorineural hearing loss in otosclerosis. <i>Otol Neurotol</i> , 37(10): 1489-96.
90667	Ishai R, Knoll RM, Chen JX, et al (2018). Otopathologic changes in the cochlea following head injury without temporal bone fracture. <i>Otolaryngol Head Neck Surg</i> , 159(3): 526-34.
58904	Itoh A, Nakashima T, Arao H, et al (2001). Smoking and drinking habits as risk factors for hearing loss in the elderly: epidemiological study of subjects undergoing routine health checks in Aichi, Japan. <i>Public Health</i> , 115(3): 192-6.
59161	Jacobsen P, Hein HO, Suadicani P, et al (1993). Mixed solvent exposure and hearing impairment: an epidemiological study of 3284 men. The Copenhagen male study. <i>Occup Med (Lond)</i> , 43(4): 180-4. [Abstract]
57833	Jakic M, Mihaljevic D, Zibar L, et al (2010). Sensorineural hearing loss in hemodialysis patients. <i>Coll Antropol</i> , 34(Suppl 1): 165-71.
57888	Jansen EJ, Helleman HW, Dreschler WA, et al (2009). Noise induced hearing loss and other hearing complaints among musicians of symphony orchestras. <i>Int Arch Occup Environ Health</i> , 82(2): 153-64.
58179	Jaruchinda P, Thongdeetae T, Panichkul S, et al (2005). Prevalence and an analysis of noise - induced hearing loss in army helicopter pilots and aircraft mechanics. <i>J Med Assoc Thai</i> , 88(Suppl 3): S232-9.
57959	Jeans AR, Wilkins EG, Bonington A (2008). Sensorineural hearing loss due to secondary syphilis. <i>Int J STD AIDS</i> , 19(5): 355-6.
57438	Jereczek-Fossa BA, Zarowski A, Milani F, et al (2003). Radiotherapy-induced ear toxicity. <i>Cancer Treat Rev</i> , 29(5): 417-30.
90668	Jiang M, Karasawa T, Steyger PS (2017). Aminoglycoside-induced cochleotoxicity: A review. <i>Front Cell Neurosci</i> , 11: 308.
91249	Jin L, Zhang Y, Fu X, et al (2018). Alteration of auditory function in type 2 diabetic and pre-diabetic patients. <i>Acta Otolaryngol</i> , 138(6): 542-7.
19503	Johnson CA (1988). Hearing loss following the application of topical neomycin. <i>J Burn Care Rehabil</i> , 9(2): 162-4.
57977	Jokitalppo J, Toivonen M, Bjork E (2005). Estimated leisure-time noise exposure, hearing thresholds, and hearing symptoms of Finnish conscripts. <i>Mil Med</i> , 171(2): 112-6.
56568	Jones NS, Davis A (2000). A retrospective case-controlled study of 1490 consecutive patients presenting to a neuro-otology clinic to examine the relationship between blood lipid levels and sensorineural hearing loss. <i>Clin Otolaryngol Allied Sci</i> , 25(6): 511-7.
75197	Jousset N, Rouge-Maillart C, Turcant A, et al (2010). Suicide by skull stab wounds: a case of drug-induced psychosis. <i>Am J Forensic Med Pathol</i> , 31(4): 378-81.
90912	Juliano AF, Ginat DT, Moonis G (2015). Imaging review of the temporal bone: Part II. Traumatic, postoperative, and noninflammatory nonneoplastic conditions. <i>Radiology</i> , 276(3): 655-72.

59162	Juncker C, Petroianu G, Bergler W, et al (1998). The influence of an arterial and venous air embolism on the hearing level in laboratory mini pigs. <i>Acta Otolaryngol</i> , 118(6): 803-7. [Abstract]
90913	Jung da J, Jang JH, Lee KY (2016). Is body mass index associated with the development of age-related hearing impairment in Koreans? The Korean National Health and Nutrition Examination Survey 2009-2012. <i>Clin Exp Otorhinolaryngol</i> , 9(2): 123-30.
91250	Jung DJ, Do JY, Cho KH, et al (2017). Association between triglyceride/high-density lipoprotein ratio and hearing impairment in a Korean population. <i>Postgrad Med</i> , 129(8): 943-8.
90914	Kahveci OK, Demirdal US, Yucedag F, et al (2014). Patients with osteoporosis have higher incidence of sensorineural hearing loss. <i>Clin Otolaryngol</i> , 39(3): 145-9.
58814	Kakarlapudi V, Sawyer R, Staecker H (2003). The effect of diabetes on sensorineural hearing loss. <i>Otol Neurotol</i> , 24(3): 382-6.
58165	Kales SN, Freyman RL, Hill JM, et al (2001). Firefighter's hearing: a comparison with population databases from the International Standards Organization. <i>J Occup Environ Med</i> , 43(7): 650-6.
90915	Kalinec GM, Thein P, Parsa A, et al (2014). Acetaminophen and NAPQI are toxic to auditory cells via oxidative and endoplasmic reticulum stress-dependent pathways. <i>Hear Res</i> , 313: 26-37.
57948	Kalyoncu D, Urganci N, Calis AB, et al (2010). Sensorineural hearing loss in pediatric patients with inflammatory bowel disease. <i>Dig Dis Sci</i> , 55(1): 150-2.
90916	Kamenski G, Bendova J, Fink W, et al (2015). Does COPD have a clinically relevant impact on hearing loss? A retrospective matched cohort study with selection of patients diagnosed with COPD. <i>BMJ Open</i> , 5(11): e008247.
90919	Kanavati O, Salamat AA, Tan TY, et al (2016). Bilateral temporal bone fractures associated with bilateral profound sensorineural hearing loss. <i>Postgrad Med</i> , 92(1087): 302-3.
90920	Kang GH, Uhm JY, Choi YG, et al (2018). Environmental exposure of heavy metal (lead and cadmium) and hearing loss: data from the Korea National Health and Nutrition Examination Survey (KNHANES 2010-2013). <i>Ann Occup Environ Med</i> , 30(22): s40557.
59076	Kang JI, Kim DM, Lee J (2009). Acute sensorineural hearing loss and severe otalgia due to scrub typhus. <i>BMC Infect Dis</i> , 9: 173.
90924	Kang SH, Jung DJ, Choi EW, et al (2015). Visceral fat area determined using bioimpedance analysis is associated with hearing loss. <i>Int J Med Sci</i> , 12(12): 946-51.
6054	Kanzaki J, O-uchi T, Tsuchihashi N (1993). Steroid-responsive sensorineural hearing loss: combination therapy with prednisolone and Sairei-to. <i>ORL J Otorhinolaryngol Relat Spec</i> , 55(1): 24-9.
90927	Kapoor S (2015). Sensorineural hearing loss--another under-recognized oto-laryngeal complication of Kawasaki disease. <i>Eur J Pediatr</i> , 174(12): 1697-8.
59144	Karlidag T, Kaygusuz I, Keles E, et al (2004). Hearing in workers exposed to low-dose radiation for a long period. <i>Hear Res</i> , 194(1-2): 60-64. [Abstract]
6122	Karlsson KK, Berninger E, Alvan G (1991). The effect of quinine on psychoacoustic tuning curves, stapedius reflexes and evoked otoacoustic emissions in health volunteers. <i>Scand Audiol</i> , 20(2): 83-90.
57922	Karmody CS, Valdez TA, Desaid U, et al (2009). Sensorineural hearing loss in patients with inflammatory bowel disease. <i>Am J Otolaryngol</i> , 30(3): 166-70.

43951	Karosi T, Konya J, Szabo LZ, et al (2005). Codetection of measles virus and tumor necrosis factor-alpha mRNA in otosclerotic stapes footplates. <i>Laryngoscope</i> , 115(7): 1291-7.
58161	Kashiwamura M, Fukada S, Chida E, et al (2001). Sensorineural hearing loss induced by radiation as a late effect: five cases followed by audiogram. <i>Auris Nasus Larynx</i> , 28 Suppl: S111-5.
59073	Kastanioudakis I, Skevas A, Danielidis V, et al (1995). Inner ear involvement in rheumatoid arthritis: a prospective clinical study. <i>J Laryngol Otol</i> , 109(8): 713-8.
19716	Kavanagh KT, McCabe BF (1983). Ototoxicity of oral neomycin and vancomycin. <i>Laryngoscope</i> , 93(5): 649-53.
57844	Kazmierczak H, Doroszewska G (2001). Metabolic disorders in vertigo, tinnitus, and hearing loss. <i>Int Tinnitus J</i> , 7(1): 54-8.
90670	Kelly KM, Lalwani AK (2015). On the distant horizon--Medical therapy for sensorineural hearing loss. <i>Otolaryngol Clin North Am</i> , 48(6): 1149-65.
57891	Khalidi NA, Rebello R, Robertson DD (2008). Sensorineural hearing loss in systemic lupus erythematosus: case report and literature review. <i>J Laryngol Otol</i> , 122(12): 1371-6.
6131	Khetarpal U, Schuknecht HF (1990). In search of pathologic correlates for hearing loss and vertigo in Paget's disease. A clinical and histopathologic study of 26 temporal bones. <i>Ann Otol Rhinol Laryngol Suppl</i> , 145: 1-16.
57846	Khoza K, Ross E (2002). Auditory function in a group of adults infected with HIV/AIDS in Gauteng, South Africa. <i>S Afr J Commun Disord</i> , 49: 17-27.
90928	Kilic E, Genc H, Aydin U, et al (2017). Variations in otological presentation of lightning strike victims: clinical report of 3 patients. <i>Ulus Travma Acil Cerrahi Derg</i> , 23(2): 163-6.
59083	Kilicdag EB, Yavuz H, Bagis T, et al (2004). Effects of estrogen therapy on hearing in postmenopausal women. <i>Am J Obstet Gynecol</i> , 190(1): 77-82.
90930	Kim H, Yi H, Chang H, et al (2014). Bilateral sequential audiovestibular loss as an initial manifestation of chronic myelogenous leukemia. <i>Neurol Sci</i> , 35(3): 463-7.
90933	Kim HA, Lee BC, Hong JH, et al (2014). Long-term prognosis for hearing recovery in stroke patients presenting vertigo and acute hearing loss. <i>J Neurol Sci</i> , 339(1-2): 176-82.
88926	Kim HA, Lee H (2017). Recent advances in understanding audiovestibular loss of a vascular cause. <i>J Stroke</i> , 19(1): 61-6.
90934	Kim MB, Zhang Y, Chang Y, et al (2017). Diabetes mellitus and the incidence of hearing loss: a cohort study. <i>Int J Epidemiol</i> , 46(2): 717-26.
58343	Kim SH, Kang BM, Chae HD, et al (2002). The association between serum estradiol level and hearing sensitivity in postmenopausal women. <i>Obstet Gynecol</i> , 99(5 Pt 1): 726-30.
90931	Kim SM, Jo JM, Baek MJ, et al (2013). A case of bilateral sudden hearing loss and tinnitus after salicylate intoxication. <i>Korean J Audiol</i> , 17(1): 23-6.
90669	Kim SY, Kong IG, Lim H, et al (2018). Increased risk of sudden sensory neural hearing loss in osteoporosis: a longitudinal follow-up study. <i>J Clin Endocrinol Metab</i> , 103(8): 3103-9.
90932	Kim TS, Park SW, Kim DY, et al (2014). Visceral adipose tissue is significantly associated with hearing thresholds in adult women. <i>Clin Endocrinol</i> , 80(3): 368-75.
59061	Klein M, Koedel U, Kastenbauer S, et al (2008). Nitrogen and oxygen molecules in meningitis-associated labyrinthitis and hearing impairment. <i>Infection</i> , 36(1): 2-14.

58471	Klingmann C, Knauth M, Ries S, et al (2004). Hearing threshold in sport divers. Is diving really a hazard for inner ear function? <i>Arch Otolaryngol Head Neck Surg</i> , 130(2): 221-5.
57176	Klingmann C, Praetorius M, Baumann I, et al (2007). Barotrauma and decompression illness of the inner ear: 46 cases during treatment and follow-up. <i>Otol Neurotol</i> , 28(4): 447-54.
6146	Kobayashi H, Suzuki A, Nomura Y (1994). Unilateral hearing loss following Rubella infection in an adult. <i>Acta Otolaryngol Suppl</i> , 514: 49-51.
90935	Kocak HE, Acpayam H, Keskin M, et al (2016). Is mean platelet volume a predictive marker for sudden sensorineural hearing loss? <i>ENT Updates</i> , 6(3): 145-7.
6153	Koegel L (1985). Ototoxicity: A contemporary review of aminoglycosides, Loop diuretics, acetylsalicylic acid, Quinine, erythromycin and cisplatinum. <i>Am J Otol</i> , 6(2): 190-9.
90818	Kohlberg GD, Demmer RT, Lalwani AK (2018). Adolescent obesity is an independent risk factor for sensorineural hearing loss: Results from the National Health and Nutrition Examination Survey 2005 to 2010. <i>Otol Neurotol</i> , 39(9): 1102-8. [Abstract]
6130	Kohut RI (1992). Perilymphatic fistulae: More than a century of notions, conjectures and critical studies. <i>Am J Otol</i> , 13(1): 38-40.
90677	Kolarov C, Lobermann M, Fritzsche C, et al (2019). Bilateral deafness two days following influenza vaccination: a case report. <i>Hum Vaccin Immunother</i> , 15(1): 107-8.
58258	Kolinsky DC, Hayashi SS, Karzon R, et al (2010). Late onset hearing loss: a significant complication of cancer survivors treated with cisplatin containing chemotherapy regimens. <i>J Pediatr Hematol Oncol</i> , 32(2): 119-23.
88927	Kopec KT, Nelson LS (2012). Opioid-induced hearing loss: a trend to keep listening for? <i>Emerg Med</i> , 44: 4-6.
57841	Koutras AK, Mastronikolis NS, Evans TR, et al (2008). Irreversible ototoxicity associated with the use of erlotinib in a patient with pancreatic cancer. <i>Acta Oncol</i> , 47(6): 1171-3.
57909	Krishnamurti S (2009). Sensorineural hearing loss associated with occupational noise exposure: effects of age-corrections. <i>Int J Environ Res Public Health</i> , 6(3): 889-99.
32555	Kryter KD (1991). Effects of nosocosis, and industrial and gun noise on hearing of U.S. adults. <i>J Acoust Soc Am</i> , 90(6): 3196-201.
90936	Kuo CL, Shiao AS, Wang SJ, et al (2016). Risk of sudden sensorineural hearing loss in stroke patients: A 5-year nationwide investigation of 44,460 patients. <i>Medicine</i> , 95(36): e4841.
57990	Kuronen P, Toppila E, Starck J, et al (2004). Modelling the risk of noise-induced hearing loss among military pilots. <i>Int J Audiol</i> , 43(2): 79-84.
6147	Kusakari J, Takeyama M, Kawase T, et al (1988). Studies with electrocochleography and auditory brainstem response in Ramsay Hunt Syndrome. <i>Acta Otolaryngol Suppl</i> , 446: 81-4.
90937	Kyle ME, Wang JC, Shin JJ (2015). Impact of nonaspirin nonsteroidal anti-inflammatory agents and acetaminophen on sensorineural hearing loss: a systematic review. <i>Otolaryngol Head Neck Surg</i> , 152(3): 393-409.
90938	Kyle ME, Wang JC, Shin JJ (2015). Ubiquitous aspirin: a systematic review of its impact on sensorineural hearing loss. <i>Otolaryngol Head Neck Surg</i> , 152(1): 23-41.
57905	Kyrodimos E, Aidonis I, Sismanis A (2009). Hearing results following intratympanic gentamicin perfusion for Meniere's disease. <i>J Laryngol Otol</i> , 123(4): 379-82.

88928	Lai P, Coulson C, Pothier DD, et al (2011). Chlorhexidine ototoxicity in ear surgery, Part 1: Review of the literature. <i>J Otolaryngol Head Neck Surg</i> , 40(6): 437-40.
57659	Lalwani AK (2008). Disorders of smell, taste and hearing. Hearing. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 30: 199-204.
90939	Lalwani AK, Katz K, Liu YH, et al (2013). Obesity is associated with sensorineural hearing loss in adolescents. <i>Laryngoscope</i> , 123(12): 3178-84.
90940	Lalwani AK, Liu YH, Weitzman M (2011). Second hand smoke is associated with sensorineural hearing loss in adolescents. <i>Arch Otolaryngol Head Neck Surg</i> , 137(7): 655-62.
90941	Lambert EM, Gunn GB, Gidley PW (2016). Effects of radiation on the temporal bone in patients with head and neck cancer. <i>Head Neck</i> , 38(9): 1428-35.
90942	Lanvers-Kaminsky C, Zehnhoff-Dinnesen AA, Parfitt R, et al (2017). Drug-induced ototoxicity: mechanisms, pharmacogenetics, and protective strategies. <i>Clin Pharmacol Ther</i> , 101(4): 491-500.
90679	Larem A, Haidar H, Alsaadi A, et al (2016). Tympanoplasty in adhesive otitis media: a descriptive study. <i>Laryngoscope</i> , 126(12): 2804-10.
57856	Lasisi AO, Abdullahi M (2008). The inner ear in patients with nasal allergy. <i>J Nat Med Assoc</i> , 100(8): 903-5.
90680	Lau JW, Ceranic B, Harris R, et al (2015). Bilateral sudden sensorineural hearing loss in <i>Staphylococcus aureus</i> endocarditis. <i>BMJ Case Rep</i> , 2015: bcr2015211700.
58163	Lawrence HP, Garcia RI, Essick GK, et al (2001). A longitudinal study of the association between tooth loss and age-related hearing loss. <i>Spec Care Dentist</i> , 21(4): 129-40.
90682	Leache L, Aquerreta I, Moraza L, et al (2016). Morphine-induced hearing loss. <i>Am J Health Syst Pharm</i> , 73(22): 1840-3.
88929	Lee EJ, Yoon YJ (2012). Bilateral sudden sensorineural hearing loss as an initial presentation of myelodysplastic syndrome. <i>Am J Otolaryngol Head Neck Med Surg</i> , 33(6): 782-3.
57940	Lee H (2008). Sudden deafness related to posterior circulation infarction in the territory of the nonanterior inferior cerebellar artery: frequency, origin, and vascular topographical pattern. <i>Eur Neurol</i> , 59(6): 302-6.
90683	Lee JS, Kim DH, Lee HJ, et al (2015). Liquid profiles and obesity as potential risk factors of sudden sensorineural hearing loss. <i>PLoS One</i> , 10(4): e0122496.
91253	Lee SH, Choi SK, Lim YJ, et al (2015). Otologic manifestations of acoustic neuroma. <i>Acta Otolaryngol</i> , 135(2): 140-6.
57881	Lee WK, Uy ZH, Lee CC (2008). Delayed neurological sequelae after carbon monoxide poisoning. <i>Aust N Z J Psychiatry</i> , 42(5): 430.
57955	Leggio L, Cadoni G, D'Angelo C, et al (2007). Coeliac disease and hearing loss: preliminary data on a new possible association. <i>Scand J Gastroenterol</i> , 42(10): 1209-13.
90684	Leroux T, Klaeboe R (2012). Combined exposures: an update from the International Commission on Biological Effects of Noise. <i>Noise Health</i> , 14(61): 313-4.
6129	Levine BA, Shelton C, Berliner KI, et al (1989). Sensorineural loss in chronic otitis media. Is it clinically significant? <i>Arch Otolaryngol Head Neck Surg</i> , 115(7): 814-6.
90685	Leyssens L, Vinck B, Van Der Straeten C, et al (2017). Cobalt toxicity in humans-A review of the potential sources and systematic health effects. <i>Toxicology</i> , 387: 43-56.
58350	Li D, Wang H, Fan Z, et al (2010). Complications in retrosigmoid cranial nerve surgery. <i>Acta Otolaryngol</i> , 130(2): 247-52.

58276	Li H, Steyger PS (2009). Synergistic ototoxicity due to noise exposure and aminoglycoside antibiotics. <i>Noise Health</i> , 11(42): 26-32.
90911	Li J, Zhang Y, Fu X, et al (2018). Alteration of auditory function in type 2 diabetic and pre-diabetic patients. <i>Acta Otolaryngol</i> , 138(6): 542-7.
90687	Lie A, Skogstad M, Johannessen HA, et al (2016). Occupational noise exposure and hearing: a systematic review. <i>Int Arch Occup Environ Health</i> , 89(3): 351-72.
57877	Liew L, Morrison GA (2006). Bilateral hearing loss following electrocution. <i>J Laryngol Otol</i> , 120(1): 65-6.
90689	Lin BM, Curhan SG, Wang M, et al (2017). Duration of analgesic use and risk of hearing loss in women. <i>Am J Epidemiol</i> , 185(1): 40-7.
90691	Lin BM, Curhan SG, Wang M, et al (2016). Hypertension, diuretic use, and risk of hearing loss. <i>Am J Med</i> , 129(4): 416-22.
90692	Lin CF, Lee KJ, Yu SS, et al (2016). Effect of comorbid diabetes and hypercholesterolemia on the prognosis of idiopathic sudden sensorineural hearing loss. <i>Laryngoscope</i> , 126(1): 142-9.
90693	Lin CS, Lin YS, Liu CF, et al (2016). Increased risk of sudden sensorineural hearing loss in patients with depressive disorders: population-based cohort study. <i>J Laryngol Otol</i> , 130(1): 42-9.
90694	Lin CT, Chiang CW, Young YH (2015). Acute hearing loss in patients with hematological disorders. <i>Acta Otolaryngol</i> , 135(7): 673-80.
57889	Lin HC, Chao PZ, Lee HC (2008). Sudden sensorineural hearing loss increases the risk of stroke. A 5-year follow-up study. <i>Stroke</i> , 39(10): 2744-8.
57976	Lin HC, Lee HC, Chao PZ, et al (2006). The effects of weather on the incidence of sudden sensorineural hearing loss: a 5-year population-based study. <i>Audiol Neurotol</i> , 11(3): 165-71.
90697	Lin RJ, Krall R, Westerberg BD, et al (2012). Systematic review and meta-analysis of the risk factors for sudden sensorineural hearing loss in adults. <i>Laryngoscope</i> , 122(3): 624-35.
19496	Linder TE, Zwicky S, Brandle P (1995). Ototoxicity of ear drops: a clinical perspective. <i>Am J Otol</i> , 16(5): 653-7.
32470	Lindgren F, Nilsson R, Axelsson A (1983). The acoustic reflex threshold in relation to noise-induced hearing loss. <i>Scand Audiol</i> , 12(1): 49-55.
57925	Lindgren T, Wieslander G, Nordquist T, et al (2009). Hearing status among cabin crew in a Swedish commercial airline company. <i>Int Arc Occup Environ Health</i> , 82(7): 887-92.
90698	Lobo FS, Dossi MO, Batista L, et al (2016). Hearing impairment in patients with rheumatoid arthritis association with anti-citrullinated protein antibodies. <i>Clin Rheumatol</i> , 35(9): 2327-32.
59069	Logigian EL, Kaplan RF, Steere AC (1990). Chronic neurologic manifestations of Lyme Disease. <i>N Engl J Med</i> , 323(21): 1438-44.
57986	Longnecker MP, Hoffman HJ, Klebanoff MA, et al (2004). In utero exposure to polychlorinated biphenyls and sensorineural hearing loss in 8-year-old children. <i>Neurotoxicol Teratol</i> , 26(5): 629-37.
90700	Lopez-Escamez JA, Carey J, Chung WH, et al (2015). Diagnostic criteria for Meniere's disease. <i>J Vestib Res</i> , 25(1): 1-7.
59145	Lorenzi MC, Bittar RS, Pedalini ME, et al (2003). Sudden deafness and Lyme disease. <i>Laryngoscope</i> , 113(2): 312-5. [Abstract]
57901	Low WK, Burgess R, Fong KW, et al (2005). Effect of radiotherapy on retro-cochlear auditory pathways. <i>Laryngoscope</i> , 115(10): 1823-6.
19500	Lugassy G, Shapira A (1990). Sensorineural hearing loss associated with vincristine treatment. <i>Blut</i> , 61(5): 320-1.
57927	Lutman ME, Coles RR (2009). Asymmetric sensorineural hearing thresholds in the non-noise-exposed UK population: a retrospective analysis. <i>Clin Otolaryngol</i> , 34(4): 316-21.

90701	Lutman ME, Coles RR, Buffin JT (2016). Guidelines for quantification of noise-induced hearing loss in a medicolegal context. <i>Clin Otolaryngol</i> , 41(4): 347-57.
19717	Macdonald MR, Harrison RV, Wake M, et al (1994). Ototoxicity of carboplatin: comparing animal and clinical models at the hospital for sick children. <i>J Otolaryngol</i> , 23(3): 151-9.
90702	Madan R, Levitt J (2014). A review of toxicity from topical salicylic acid preparations. <i>J Am Acad Dermatol</i> , 70(4): 788-92.
57926	Maddox PT, Saunders J, Chandrasekhar SS (2009). Sudden hearing loss from PDE-5 inhibitors: a possible cellular stress etiology. <i>Laryngoscope</i> , 119(8): 1586-9.
57849	Mahendra Prashanth KV, Sridhar V (2008). The relationship between noise frequency components and physical, physiological and psychological effects of industrial workers. <i>Noise Health</i> , 10(40): 90-8.
58348	Mahrouz AK, Kalepu R (2008). Positive findings on MRI in patients with asymmetrical SNHL. <i>Eur Arch Otorhinolaryngol</i> , 265(12): 1471-5.
90704	Maillot O, Attye A, Boyer E, et al (2016). Post traumatic deafness: a pictorial review of CT and MRI findings. <i>Insights Imaging</i> , 7(3): 341-50.
90686	Malina CR (2015). Chronic occupational stress exposure may increase the vulnerability to acoustic trauma in military professionals. <i>Rev Med Chir Soc Med Nat Iasi</i> , 119(1): 51-4.
90706	Mancini P, Atturo F, Di Mario A, et al (2018). Hearing loss in autoimmune disorders: Prevalence and therapeutic options. <i>Autoimmun Rev</i> , 17(7): 644-52.
58345	Mannini L, Paniccia R, Cecchi E, et al (2005). Reduced erythrocyte deformability and hypercoagulability in idiopathic sudden sensorineural hearing loss. <i>Clin Hemorheol Microcirc</i> , 33(1): 47-55.
19501	Manuel MA, Kurtz I, Saiphoo CS, et al (1979). Nephrotoxicity and ototoxicity following irrigation of wounds with neomycin. <i>Can J Surg</i> , 22(3): 274-77.
90707	Maranhao AS, Godofredo VR, Penido Nde O (2016). Suppurative labyrinthitis associated with otitis media: 26 years' experience. <i>Braz J Otorhinolaryngol</i> , 82(1): 82-7.
6127	Margolis RH, Nelson DA (1993). Acute otitis media with transient sensorineural hearing loss. A case study. <i>Arch Otolaryngol Head Neck Surg</i> , 119(6): 682-6.
59077	Marinopoulos SS, Coylewright M, Auwaerter PG, et al (2010). Clinical problem-solving. More than meets the ear. <i>N Engl J Med</i> , 362(13): 1228-33.
6128	Mark AS, Seltzer S, Harnsberger HR (1993). Sensorineural hearing loss: More than meets the eye? <i>AJNR Am J Neuroradiol</i> , 14(1): 37-45.
90709	Markou K, Stavrakas M, Karkos P, et al (2016). Juvenile otosclerosis: a case presentation and review of the literature. <i>BMJ Case Rep</i> , 2016: 214232.
90710	Marsili M, Marzetti V, Lucantoni M, et al (2016). Autoimmune sensorineural hearing loss as presenting manifestation of paediatric Behçet disease responding to adalimumab: a case report. <i>Ital J Pediatr</i> , 42(1): 81.
90713	Marthur NN (2018). Noise-induced hearing loss. Retrieved 8 January 2019, from https://emedicine.medscape.com/article/857813-overview
57951	Maruyoshi H, Toyama K, Kojima S, et al (2005). Sensorineural hearing loss combined with Takayasu's arteritis. <i>Int Med</i> , 44(2): 124-8.
88945	Masterson L, Howard J, Liu ZW, et al (2016). Asymmetrical hearing loss in cases of industrial noise exposure: A systematic review of the literature. <i>Otol Neurotol</i> , 37(8): 998-1005.

90714	Mateer EJ, Huang C, Shehu NY, et al (2018). Lassa fever-induced sensorineural hearing loss: A neglected public health and social burden. <i>PLoS Negl Trop Dis</i> , 12(2): e0006187.
82421	Mattie DR, Sternern TR (2011). Past, present and emerging toxicity issues for jet fuel. <i>Toxicol Appl Pharmacol</i> , 254(2): 127-32.
19502	Matz GJ (1990). Clinical perspectives on ototoxic drugs. <i>Ann Otol Rhinol Laryngol</i> , 148: 39-41.
6044	Matz GJ (1993). Aminoglycoside cochlear ototoxicity. <i>Otolaryngol Clin North Am</i> , 26(5): 705-12.
6141	Mayatepek E, Grauer M, Sonntag HG (1991). Deafness after meningococcal meningitis. <i>Lancet</i> , 338(8778): 1331.
59146	McFadden D, Plattsmaier HS, Pasanen EG (1984). Aspirin-induced hearing loss as a model of sensorineural hearing. <i>Hear Res</i> , 16(3): 251-60. [Abstract]
58152	McGhan LJ, Merchant SN (2003). Erythromycin ototoxicity. <i>Otol Neurotol</i> , 24(4): 701-2.
59147	McGwin G (2010). Phosphodiesterase type 5 inhibitor use and hearing impairment. <i>Arch Otolaryngol Head Neck Surg</i> , 136(5): 488-92. [Abstract]
19497	McKeage MJ (1995). Comparative adverse effect profiles of platinum drugs. <i>Drug Saf</i> , 13(4): 228-44.
58349	McMahon CM, Kifley A, Rochtchina E, et al (2008). The contribution of family history to hearing loss in an older population. <i>Ear Hear</i> , 29(4): 578-84.
90715	McMurran AE, Adair RA (2015). Macrocytosis and sudden sensorineural hearing loss: a case report. <i>J Laryngol Otol</i> , 129(11): 1137-9.
90716	Mehrparvar AH, Mollasadeghi A, Hashemi SH, et al (2015). Simultaneous effects of noise exposure and smoking on OAEs. <i>Noise Health</i> , 17(77): 233-6.
75198	Meier CR, Wilcock K, Jick SS (2004). The risk of severe depression, psychosis or panic attacks with prophylactic antimalarials. <i>Drug Saf</i> , 27(3): 203-13.
59151	Meller R, Rostain JC, Luciano M, et al (2003). Does repeated hyperbaric exposure to 4 atmosphere absolute cause hearing impairment? Study in Guinea pigs and clinical incidences. <i>Otol Neurotol</i> , 24(5): 723-7. [Abstract]
19804	Mellor JA, Kingdom J, Cafferkey M, et al (1984). Vancomycin ototoxicity in patients with normal renal function. <i>Br J Audiol</i> , 18(3): 179-80.
57908	Menge M, Maier W, Feuerhake F, et al (2009). Giant cell reparative granuloma of the temporal bone. <i>Acta Neurochir</i> , 151: 397-9.
59163	Mentel R, Kaftan H, Wegner U, et al (2004). Are enterovirus infections a co-factor in sudden hearing loss? <i>J Med Virol</i> , 72(4): 625-9. [Abstract]
59081	Merchant SN, Durand ML, Adams JC (2008). Sudden deafness: is it viral? <i>ORL J Otorhinolaryngol Relat Spec</i> , 70(1): 52-62.
57444	Merchant SN, Rosowski JJ (2008). Conductive hearing loss caused by third-window lesions of the inner ear. <i>Otol Neurotol</i> , 29(3): 282-9.
6084	Michel O, Brusis T (1992). Hearing loss as a sequel of lumbar puncture. <i>Ann Otol Rhinol Laryngol</i> , 101(5): 390-4.
58455	Mierzwa K, Schneider G, Muller A (2004). Sudden sensorineural hearing loss during oral anticoagulant therapy. <i>J Laryngol Otol</i> , 118(11): 872-6.
59102	Mills R, Nunez DA, Toynton SC (2008). Ear trauma. Scott-Brown's Otolaryngology, Head and Neck Surgery, Seventh Edition, Vol 3 Chapter 237g: 3491-525. Hodder Arnold, London.
57907	Mitchell P, Gopinath B, McMahon CM, et al (2009). Relationship of type 2 diabetes to the prevalence, incidence and progression of age-related hearing loss. <i>Diabet Med</i> , 26(5): 483-8.

90717	Mittal R, Lisi CV, Gerring R, et al (2015). Current concepts in the pathogenesis and treatment of chronic suppurative otitis media. <i>J Med Microbiol</i> , 64(10): 1103-16.
58171	Mizoue T, Miyamoto T, Shimizu T (2003). Combined effect of smoking and occupational exposure to noise on hearing loss in steel factory workers. <i>Occup Environ Med</i> , 60(1): 56-9.
57962	Moberly AC, Naumann IC, Cordes SR (2010). Cryptococcal meningitis with isolated otologic symptoms. <i>Am J Otolaryngol</i> , 31(1): 49-53.
57848	Mohd Khairi MD, Irfan M, Rosdan S (2009). [Comment] Traumatic head injury with contralateral sensorineural hearing loss. <i>Ann Acad Med Singap</i> , 38(11): 1017-8.
57448	Monsell EM (2004). The mechanism of hearing loss in Paget's disease of bone. <i>Laryngoscope</i> , 114(4): 598-606.
57537	Moore RD, Schuman TA, Scott TA, et al (2010). Exostoses of the external auditory canal in white-water kayakers. <i>Laryngoscope</i> , 120(3): 582-90.
59164	Morata TC, Dunn DE, Kretschmer LW, et al (1993). Effects of occupational exposure to organic solvents and noise on hearing. <i>Scand J Work Environ Health</i> , 19(4): 245-54. [Abstract]
59165	Morata TC, Fiorini AC, Fischer FM, et al (1997). Toluene-induced hearing loss among rotogravure printing workers. <i>Scand J Work Environ Health</i> , 23(4): 289-98. [Abstract]
6126	Morgan WE, Coker NJ, Jenkins HA (1994). Histopathology of temporal bone fractures: Implications for cochlear implantation. <i>Laryngoscope</i> , 104(4): 426-32.
6125	Morizono T, Tono T (1991). Middle ear inflammatory mediators and cochlear function. <i>Otolaryngol Clin North Am</i> , 24(4): 835-43.
6380	Morrison AW (1979). Diseases of the otic capsule. 1. Otosclerosis. In: The Ear. J Ballantyne, J Groves J (Eds). <i>Scott-Brown's Diseases of the Ear, Nose and Throat</i> , 4th Edition, Vol 2 Chapter 14: 405-64. Butterworth's London.
6175	Moscicki RA (1994). Immune-mediated inner ear disorders. <i>Baillieres Clin Neurol</i> , 3(3): 547-63.
19622	Moss PE, Hickman S, Harrison BR (1999). Ototoxicity associated with vinblastine. <i>Ann Pharmacother</i> , 33(4): 423-5.
57896	Mrena R, Ylikoski J, Kiukaanniemi H, et al (2008). The effect of improved hearing protection regulations in the prevention of military noise-induced hearing loss. <i>Acta Otolaryngol</i> , 128(9): 997-1003.
90718	Mudd PA (2018). Ototoxicity. Retrieved 8 January 2019, from https://emedicine.medscape.com/article/857679-overview#a8
90720	Mujica-Mota MA, Lehnert S, Devic S, et al (2014). Mechanisms of radiation-induced sensorineural hearing loss and radioprotection. <i>Hear Res</i> , 312: 60-8.
57879	Murad NJ, Patel C, Turner CR (2008). Unilateral sensorineural hearing loss after general anaesthesia. <i>Anaesthesia</i> , 63(5): 559.
6124	Murphy TP (1991). Macrovascular sensorineural hearing loss. <i>Am J Otol</i> , 12(2): 88-92.
59103	Musiek FE, Baran JA (2008). Central auditory dysfunction. In: <i>Scott-Brown's Otolaryngology, Head and Neck Surgery</i> , Seventh Edition, Vol 3 Chapter 241b: 3857-69. Hodder Arnold, London.
6123	Nadol JB (1993). Hearing loss. <i>N Engl J Med</i> , 329(15): 1092-102.
57860	Nageris BI, Attias J, Shemesh R (2008). Otologic and audiologic lesions due to blast injury. <i>J Basic Clin Physiol Pharmacol</i> , 19(3-4): 185-91.
85345	Nakamaru Y, Takagi D, Suzuki M, et al (2016). Otologic and rhinologic manifestations of eosinophilic granulomatosis with polyangiitis. <i>Audiol Neurotol</i> , 21(1): 45-53.

59166	Nakamura M, Aoki N, Nakashima T, et al (2001). Smoking, alcohol, sleep and risk of idiopathic sudden deafness: a case-control study using pooled controls. <i>J Epidemiol</i> , 11(2): 81-6. [Abstract]
59159	National Occupational Health and Safety Commission (2004). National code of practice for noise management and protection of hearing at work [NOHSC: 2009(2004)]. Retrieved 29 November 2010, from http://www.safeworkaustralia.gov.au/NR/rdonlyres/10E3A239-384E-4A98-AC74-86BCA1FB0C87/0/noise_COP.pdf
58344	Navacharoen N, Chancharochavong V, Hanprasertpong, et al (2009). Hearing and vestibular loss in streptococcus suis infection from swine and traditional raw pork exposure in northern Thailand. <i>J Laryngol Otol</i> , 123(8): 857-62.
90721	Neo WL, Durisala N, Ho EC (2016). Reversible hearing loss following cryptococcal meningitis: case study. <i>J Laryngol Otol</i> , 130(7): 691-5.
6110	Neuberger M, Korpert K, Raber A, et al (1992). Hearing loss from industrial noise, head injury and ear disease. <i>Audiology</i> , 31(1): 45-57.
58470	Neuwelt EA, Brock P (2010). Critical need for international consensus on ototoxicity assessment criteria. <i>J Clin Oncol</i> , 28(10): 1630-2.
75199	Nevin RL (2012). [Comment] Hallucinations and persecutory delusions in mefloquine-associated suicide. <i>Am J Forensic Med Pathol</i> , 33(2): e8.
75200	Nevin RL (2012). [Comment] Mefloquine blockade of connexin 36 and connexin 43 gap junctions and risk of suicide. <i>Biol Psychiatry</i> , 71(1): e1-2.
75201	Nevin RL (2012). Limbic encephalopathy and central vestibulopathy caused by mefloquine: a case report. <i>Travel Med Infect Dis</i> , 10(3): 144-51.
57843	Niedzielska G, Katska E, Kusa W (2001). Hearing loss in chronic alcoholics. <i>Ann Univ Mariae Curie Sklodowska Med</i> , 56: 99-101.
58463	Nomura K, Nakao M, Morimoto T (2005). Effect of smoking on hearing loss: quality assessment and meta-analysis. <i>Prev Med</i> , 40(2): 138-44.
57921	Nondahl DM, Shi X, Cruickshanks KJ, et al (2009). Notched audiograms and noise exposure history in older adults. <i>Ear Hear</i> , 30(6): 696-703.
90688	Noordman BJ, van Beeck Calkoen E, Witte B, et al (2014). Prognostic factors for sudden drops in hearing level after minor head injury in patients with an enlarged vestibular aqueduct: a meta-analysis. <i>Otol Neurotol</i> , 36(1): 4-11.
90722	Novac A, Losif AM, Groysman R, et al (2015). Implications of sensorineural hearing loss with hydrocodone/acetaminophen abuse. <i>Prim Care Companion CNS Disord</i> , 17(5): br01809.
6140	Nuss RC, Eavey RD, Evans G (1993). Hearing loss not associated with DTP vaccination or fever. <i>Pediatrics</i> , 92(5): 740.
57988	Oh YT, Kim CH, Choi JH, et al (2004). Sensory neural hearing loss after concurrent cisplatin and radiation therapy for nasopharyngeal carcinoma. <i>Radiother Oncol</i> , 72(1): 79-82.
90723	Oishi N, Inoue Y, Saito H, et al (2010). Burow's solution-induced acute sensorineural hearing loss: report of two cases. <i>Auris Nasus Larynx</i> , 37(3): 369-72.
90724	Okhovat S, Fox R, Magill J, et al (2015). Sudden onset unilateral sensorineural hearing loss after rabies vaccination. <i>BMJ Case Rep</i> , 2015: 211977.
59167	Oktay MF, Dasdag S (2006). Effects of intensive and moderate cellular phone use on hearing function. <i>Electromagn Biol Med</i> , 25(1): 13-21. [Abstract]
57980	Ologe FE, Akande TM, Olajide TG (2006). Occupational noise exposure and sensorineural hearing loss among workers of a steel rolling mill. <i>Eur Arch Otorhinolaryngol</i> , 263(7): 618-21.

57831	Omokhodion FO, Adeosun AA, Fajola AA (2007). Hearing impairment among mill workers in small scale enterprises in southwest Nigeria. <i>Noise Health</i> , 9(36): 75-7.
58155	Ondo WG, Sutton L, Vuong KD, et al (2003). Hearing impairment in essential tremor. <i>Neurology</i> , 61(8): 1093-7.
57545	Ondrey FG, Moldestad E, Mastroianni A, et al (2006). Sensorineural hearing loss in Vogt-Koyanagi-Harada syndrome. <i>Laryngoscope</i> , 116(10): 1873-6.
57875	Orendorz-Fraczkowska K, Jaworska M, Gawron W, et al (2005). Middle-ear ceruminous adenoma as a rare cause of hearing loss and vertigo: case reports. <i>Auris Nasus Larynx</i> , 32(4): 393-7.
57530	Orji FT, Agu CC (2009). Patterns of hearing loss in tympanic membrane perforation resulting from physical blow to the ear: a prospective controlled cohort study. <i>Clin Otolaryngol</i> , 34(6): 626-32.
90725	Osetinsky LM, Hamilton GS, Carlson ML (2017). Sport injuries of the ear and temporal bone. <i>Clin Sports Med</i> , 36(2): 315-35.
6121	Osguthorpe JD, Klein AJ (1991). Occupational hearing conservation. <i>Otolaryngol Clin North Am</i> , 24(2): 403-14.
90690	Oukessou Y, Elkerdoudi MA, Abada RL, et al (2015). Complicated actinomycosis of the temporal bone: a historical case report. <i>Eur Ann Otorhinolaryngol Head Neck Dis</i> , 132(4): 227-9.
57533	Ozturk A, Yalcin S, Kaygusuz I, et al (2004). High-frequency hearing loss and middle ear involvement in rheumatoid arthritis. <i>Am J Otol</i> , 25(6): 411-7.
90695	Ozturk M, Ila K, Duzgol C, et al (2014). Bilateral sudden sensorineural hearing loss cause by leptomeningeal carcinomatosis: case report and review. <i>Kulak Burun Bogaz Ihtis Derg</i> , 24(5): 287-91.
90726	Paken J, Govender CD, Pillay M, et al (2016). Cisplatin-associated ototoxicity: A review for the health professional. <i>J Toxicol</i> , 2016: 1809394.
58173	Palmer KT, Griffin MJ, Syddall HE, et al (2004). Cigarette smoking, occupational exposure to noise, and self reported hearing difficulties. <i>Occup Environ Med</i> , 61(4): 340-4.
58256	Pan C, Eisbruch A (2007). [Comment] Ototoxicity after radiotherapy of head-and-neck cancer: the perils of retrospective dose-response estimations: in regard to Bhandare et al. (<i>Int J Radiat Oncol Biol Phys</i> 2007; 67: 469-479). <i>Int J Radiat Oncol Biol Phys</i> , 68(5): 1582; author reply 1582.
57542	Pan CC, Eisbruch A, Lee JS, et al (2005). Prospective study of inner ear radiation dose and hearing loss in head-and-neck cancer patients. <i>Int J Radiat Oncol Biol Phys</i> , 61(5): 1393-402.
6149	Paparella MM (1991). Interactive inner-ear/middle ear disease, including perilymphatic fistula. <i>Acta Otolaryngol Suppl</i> , 485: 36-45.
6119	Paparella MM, Mancini F, et al (1984). Sensorineural hearing loss in otitis media. <i>Ann Otol Rhinol Laryngol</i> , 93(6 Pt 1): 623-9.
6120	Parell GJ, Becker GD (1993). Inner ear barotrauma in scuba divers. A long-term follow up after continued diving. <i>Arch Otolaryngol Head Neck Surg</i> , 119(4): 455-7.
91387	Park JH, Park SJ, Kim YH, et al (2014). Sensorineural hearing loss: a complication of acute otitis media in adults. <i>Eur Arch Otorhinolaryngol</i> , 271(7): 1879-84.
6118	Parnes SM, Weaver SA (1992). Superficial siderosis of the central nervous system: A neglected cause of sensorineural hearing loss. <i>Otolaryngol Head Neck Surg</i> , 107(1): 69-77.
73485	Paustenbach DJ, Tvermoes BE, Unice KM, et al (2013). A review of the health hazards posed by cobalt. <i>Crit Rev Toxicol</i> , 43(4): 316-62.

57934	Peces R (2000). Long-term follow-up in distal renal tubular acidosis with sensorineural deafness. <i>Pediatr Nephrol</i> , 15(1-2): 63-5.
90696	Perny M, Roccio M, Grandgirard D, et al (2016). The severity of infection determines the localization of damage and extent of sensorineural hearing loss in experimental pneumococcal meningitis. <i>J Neurosci</i> , 36(29): 7440-9.
57854	Perry MJ, May JJ (2005). Noise and chemical induced hearing loss: special considerations for farm youth. <i>J Agromedicine</i> , 10(2): 49-55.
58462	Persaud R, Hajioff D, Wareing M, et al (2003). Otological trauma resulting from the Soho nail bomb in London, April 1999. <i>Clin Otolaryngol Allied Sci</i> , 28(3): 203-6.
59060	Peyvandi A, Naghibzadeh B, Roozbahany NA (2010). Neuro-otologic manifestations of multiple sclerosis. <i>Arch Iran Med</i> , 13(3): 188-92.
90727	Pezzoli M, Lofaro D, Oliva A, et al (2017). Effects of smoking on Eustachian tube and hearing. <i>Int Tinnitus J</i> , 21(2): 98-103.
90728	Pfannenstiel TJ (2014). Noise-induced hearing loss: a military perspective. <i>Curr Opin Otolaryngol Head Neck Surg</i> , 22(5): 384-7.
6049	Phaneuf R, Hetu R (1990). An epidemiological perspective of the cause of hearing loss among industrial workers. <i>J Otolaryngol</i> , 19(1): 31-40.
90738	Phillips JS, Gaunt A, Phillips DR (2014). Otosyphilis: a neglected diagnosis? <i>Otol Neurotol</i> , 35(6): 1011-3.
57957	Phillips SL, Henrich VC, Mace ST (2010). Prevalence of noise-induced hearing loss in student musicians. <i>Int J Audiol</i> , 49(4): 309-16.
58157	Plontke SK, Dietz K, Pfeffer C, et al (2002). The incidence of acoustic trauma due to new year's firecrackers. <i>Eur Arch Otorhinolaryngol</i> , 259(5): 247-52.
90740	Plotkin SR, Halpin C, McKenna MJ, et al (2010). Erlotinib for progressive vestibular schwannoma in neurofibromatosis 2 patients. <i>Otol Neurotol</i> , 31(7): 1135-43.
19623	Podoshin L, Fradis M, Ben David J (1989). Ototoxicity of ear drops in patients suffering from chronic otitis media. <i>J Laryngol Otol</i> , 103(1): 46-50.
57839	Poh AC, Tan TY (2007). Sudden deafness due to intralabyrinthine haemorrhage: a possible rare late complication of head and neck irradiation. <i>Ann Acad Med Singapore</i> , 36(1): 78-82.
57942	Pouryaghoub G, Mehrdad R, Mohammadi S (2007). Interaction of smoking and occupational noise exposure on hearing loss: a cross-sectional study. <i>BMC Public Health</i> , 7: 137.
59150	Prasher D, Al-Hajjaj H, Aylott S, et al (2005). Effect of exposure to a mixture of solvents and noise on hearing and balance in aircraft maintenance workers. <i>Noise Health</i> , 7(29): 31-9.
57534	Pratt SR, Kuller L, Talbott EO, et al (2009). Prevalence of hearing loss in black and white elders: results of the cardiovascular health study. <i>J Speech Lang Hear Res</i> , 52(4): 973-89.
59168	Premaratna R, Chandrasena TG, Dassayake AS, et al (2006). Acute hearing loss due to scrub typhus: a forgotten complication of a reemerging disease. <i>Clin Infect Dis</i> , 42(1): e6-8. [Abstract]
58342	Price K, Zhu X, Guimaraes PF, et al (2009). Hormone replacement therapy diminishes hearing in peri-menopausal mice. <i>Hear Res</i> , 252(1-2): 29-36.
57851	Prince MM (2002). Distribution of risk factors for hearing loss: implications for evaluating risk of occupational noise-induced hearing loss. <i>J Acoust Soc Am</i> , 112(2): 557-67.
90741	Przewozny T, Gojska-Grymajlo A, Kwarcainy M, et al (2015). Hypertension and cochlear hearing loss. <i>Blood Press</i> , 24(4): 199-205.
6083	Pullen FW (1992). Perilymphatic fistula induced by barotrauma. <i>Am J Otol</i> , 13(3): 270-2.

90742	Pusz MD, Robitschek J (2017). Traumatic hearing loss in the context of blast-related tympanic membrane perforation. <i>Mil Med</i> , 182(1): e1645-8.
57937	Pyykko I, Zou J (2008). Do viruses cause inner ear disturbances? <i>ORL J Otorhinolaryngol Relat Spec</i> , 70(1): 32-40; discussion 40-1.
56570	Quinn S, Rance G (2009). The extent of hearing impairment amongst Australian Indigenous prisoners in Victoria, and implications for the correctional system. <i>Int J Audiol</i> , 48(3): 123-34.
59137	Raaijmakers E, Engelen AM (2002). Is sensorineural hearing loss a possible side effect of nasopharyngeal and parotid irradiation? A systematic review of the literature. <i>Radiother Oncol</i> , 65(1): 1-7.
59136	Rabinowitz PM (2010). [Comment] Hearing loss and personal music players. <i>BMJ</i> , 34: c1261.
58176	Rabinowitz PM, Galusha D, Dixon-Ernst C, et al (2007). Do ambient noise exposure levels predicts hearing loss in a modern industrial cohort? <i>Occup Environ Med</i> , 64(1): 53-9.
57981	Rabinowitz PM, Slade MD, Galusha D, et al (2006). Trends in the prevalence of hearing loss among young adults entering an industrial workforce 1985 to 2004. <i>Ear Hear</i> , 27(4): 369-75.
58160	Rabinstein A, Jerry J, Saraf-Lavi E, et al (2001). Sudden sensorineural hearing loss associated with herpes simplex virus type I infection. <i>Neurology</i> , 56(4): 571-2.
90699	Radi S, Benke G, Schaafsma F, et al (2016). Compensation claims for occupational noise induced hearing loss between 1998 and 2008: yearly incidence rates and trends in older workers. <i>Aust N Z J Public Health</i> , 40(2): 181-5.
90743	Rahne T, ClauB F, Plontke SK, et al (2017). Prevalence of hearing impairment in patients with rheumatoid arthritis, granulomatosis with polyangiitis (GPA, Wegener's granulomatosis), or systemic lupus erythematosus. <i>Clin Rheumatol</i> , 36(7): 1501-10.
51195	Ralston SH, Langston AL, Reid IR (2008). Pathogenesis and management of Paget's disease of bone. <i>Lancet</i> , 372(9633): 155-63.
90747	Ramkissoon I, Batavia M (2018). Effects of secondhand smoke exposure on hearing and auditory evoked potentials, ABR and AMLR in young adults. <i>J Am Acad Audiol</i> , 29(8): 685-95.
6082	Ramsay HA, Linthicum FH (1994). Mixed hearing loss in otosclerosis: Indication for long-term follow-up. <i>Am J Otol</i> , 15(4): 536-9.
91255	Rance G, Starr A (2015). Pathophysiological mechanisms and functional hearing consequences of auditory neuropathy. <i>Brain</i> , 138(Pt 11): 3141-58.
90752	Rauch SD (2016). Meniere's disease: damaged hearing but reduced vertigo. <i>Lancet</i> , 388(10061): 2716-7.
57864	Raut VV, Cullen J, Cathers G (2001). Hearing loss in rheumatoid arthritis. <i>J Otolaryngol</i> , 30(5): 289-94.
90753	Rawlani S, Patil CY, Bhowte R, et al (2013). Evaluation of hearing impairment in leprosy patients taking multidrug therapy. <i>Indian J Lepr</i> , 85(4): 171-6.
57837	Rawool VW, Colligon-Wayne LA (2008). Auditory lifestyles and beliefs related to hearing loss among college students in the USA. <i>Noise Health</i> , 10(38): 1-10.
57975	Raynal M, Kossowski M, Job A (2006). Hearing in military pilots: one-time audiometry in pilots of fighters, transports, and helicopters. <i>Aviat Space Environ Med</i> , 77(1): 57-61.
57902	Redaelli de Zinis LO, Campovecchi C, Parrinello G, et al (2005). Predisposing factors for inner ear hearing loss association with chronic otitis media. <i>Int J Audiol</i> , 44(10): 593-8.

90756	Remenschneider AK, Gaudin R, Kozin ED, et al (2017). Is the cause of sensorineural hearing loss in patients with facial schwannomas multifactorial? <i>Laryngoscope</i> , 127(7): 1676-82.
59169	Renaud SC, Ruf JC (1996). Effects of alcohol on platelet functions. <i>Clin Chim Acta</i> , 246(1-2): 77-89. [Abstract]
57838	Rey-Martinez J, Rama-Lopez J, Soledad Boleas M, et al (2005). A report of two cases of unilateral vestibulopathie after systemic ototoxic treatment. <i>Rev Laryngol Otol Rhinol (Bord)</i> , 126(3): 159-63.
90757	Ribeiro BN, Guimaraes AC, Yazawa F, et al (2015). Sensorineural hearing loss in hemorrhagic dengue. <i>Int J Surg Case Rep</i> , 8C: 38-41.
58461	Ribeiro SB, Cassia L, Jacob B, et al (2007). Auditory assessment of alcoholics in abstinence. <i>Rev Bras Otorrinolaringol</i> , 73(4): 452-62.
57840	Rigby MH, Parnes LS (2008). Profound hearing loss associated with oxycodone-acetaminophen abuse. <i>J Otolaryngol</i> , 37(6): E161-2.
90758	Rigters SC, Metselaar M, Wieringa MH, et al (2016). Contributing determinants to hearing loss in elderly men and women: Results from the population-based Rotterdam study. <i>Audiol Neurotol</i> , 21(Suppl 1): 10-5.
90759	Rikitake M, Sampei S, Komori M, et al (2018). Bilateral deafness as a complication of the vaccination-A case report. <i>Int Tinnitus J</i> , 22(1): 19-22.
6176	Rinehart R, Roski RA, Harre RG, et al (1992). Aneurysm of the anterior inferior cerebellar artery producing hearing loss. <i>Ann Otol Rhinol Laryngol</i> , 101(8): 705.
75202	Ringqvist A, Bech P, Glenthøj B, et al (2015). Acute and long-term psychiatric side effects of mefloquine: A follow-up on Danish adverse event reports. <i>Travel Med Infect Dis</i> , 13(1): 80-8.
75203	Ritchie EC, Block J, Nevin RL (2013). Psychiatric side effects of mefloquine: applications to forensic psychiatry. <i>J Am Acad Psychiatry Law</i> , 41(2): 224-35.
90760	Rodenburg-Vlot M, Ruytjens L, Oostenbrink R, et al (2018). Repeated audiometry after bacterial meningitis: Consequences for future management. <i>Otol Neurotol</i> , 39(5): 301-6.
90761	Rodenburg-Vlot M, Ruytjens L, Oostenbrink R, et al (2016). Systematic review: Incidence and course of hearing loss caused by bacterial meningitis: in search of an optimal times audiological follow-up. <i>Otol Neurotol</i> , 37(1): 1-8.
58158	Rogers MT, Zhao F, Harper PS, et al (2002). Absence of hearing impairment in adult onset facioscapulohumeral muscular dystrophy. <i>Neuromuscul Disord</i> , 12(4): 358-65.
58180	Rondinelli RD, Genovese E, Katz RT, et al (2008). Ear, nose, throat, and related structures. Guides to the Evaluation of Permanent Impairment, 6th Edition, Chapter 11: 247-57. American Medical Association.
75205	Ronn AM, Ronne-Rasmussen J, Gotzsche PC, et al (1998). Neuropsychiatric manifestations after mefloquine therapy for Plasmodium falciparum malaria: comparing a retrospective and a prospective study. <i>Trop Med Int Health</i> , 3(2): 83-8.
59138	Ropper AH, Samuels MA (2009). Deafness, tinnitus, and other disorders of auditory perception. Adams and Victor's Principles of Neurology, 9th Edition, Chapter 15: 279-81.
57885	Rosado WM Jr, Palacios E (2008). Sudden onset of sensorineural hearing loss secondary to intralabyrinthine hemorrhage: MRI findings. <i>Ear Nose Throat J</i> , 86(3): 130-1.
6081	Rosenhall U, Pedersen K, Svanborg A (1990). Presbycusis and noise-induced hearing loss. <i>Ear Hear</i> , 11(4): 257-63.
57868	Rosenhall U, Pyykko I, Rasmussen F, et al (2006). Hearing loss in young men: possible aetiological factors. <i>Noise Health</i> , 8(30): 40-4.
88944	Rosito LS, Netto LS, Teixeira AR, et al (2016). Sensorineural hearing loss in cholesteatoma. <i>Otol Neurotol</i> , 37(3): 214-7.

6080	Rosler G (1994). Progression of hearing loss caused by occupational noise. <i>Scand Audiol</i> , 23(1): 13-37.
90762	Rossini B, Penido N, Lei Munhoz M, et al (2017). Sudden sensorineural hearing loss and autoimmune systemic diseases. <i>Int Arch Otorhinolaryngol</i> , 21(3): 213-23.
90763	Roth JA, Salvi R (2016). Ototoxicity of divalent metals. <i>Neurotox Res</i> , 30(2): 268-82.
57892	Rothwell JA, Boyd PJ (2008). Amalgam dental fillings and hearing loss. <i>Int J Audiol</i> , 47(12): 770-6.
57175	Rozsasi A, Sigg O, Keck T (2003). Persistent inner ear injury after diving. <i>Otol Neurotol</i> , 24(2): 195-200.
57847	Rubak T, Kock A, Koefoed-Nielsen B, et al (2006). The risk of noise-induced hearing loss in the Danish workforce. <i>Noise Health</i> , 8(31): 80-7.
6038	Rubenstein E, Federman DD (Eds) (1991). <i>Occup Environ Med</i> . Scientific American Medicine, Chapter VII: 1-24. Scientific American Inc, New York.
57660	Rubin MA, Gonzales R, Sande MA (2008). Pharyngitis, sinusitis, otitis, and other upper respiratory tract infections. Acute otitis media. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 31: 208-10.
59170	Ruf JC, Berger JL, Renaud S (1995). Platelet rebound effect of alcohol withdrawal and wine drinking in rats. Relation to tannins and lipid peroxidation. <i>Arterioscler Thromb Vasc Biol</i> , 15(1): 140-4. [Abstract]
59171	Ryan JC, Bird PA, Bonkowski JA (2010). Sudden hearing loss following non-petrosus craniotomy. <i>J Clin Neurosci</i> , 17(1): 146-49.
19758	Rybak LP (1982). Pathophysiology of furosemide ototoxicity. <i>J Otolaryngol</i> , 11(2): 127-33.
59080	Rybak LP, Mukherjea D, Jajoo S, et al (2009). Cisplatin ototoxicity and protection: clinical and experimental studies. <i>Tohoku J Exp Med</i> , 219(3): 177-86.
6079	Sacristan JA, De Cos MA, Soto J, et al (1993). Ototoxicity of erythromycin in man: Electrophysiologic approach. <i>Am J Otol</i> , 14(2): 186-8.
59072	Sajjadi H, Paparella MM (2008). Meniere's disease. <i>Lancet</i> , 372(9636): 406-14.
58468	Sakuta H, Suzuki T, Yasuda H, et al (2007). Type 2 diabetes and hearing loss in personnel of the Self-Defense Forces. <i>Diabet Res Clin Pract</i> , 75(2): 229-34.
57550	Salvinelli F, D'Ascanio L, Casale M, et al (2006). Auditory pathway in rheumatoid arthritis. A comparative study and surgical perspectives. <i>Acta Otolaryngol</i> , 126(1): 32-6.
59067	Salvinelli F, Miele A, Casale M, et al (2004). Hearing thresholds in patients with diabetes. <i>Int J Otorhinolaryngol</i> , 3(1): 1-6.
90764	Samelli AG, Santos IS, Moreira RR, et al (2017). Diabetes mellitus and sensorineural hearing loss: is there an association? Baseline of the Brazilian longitudinal study of adult health (ELSA_Brasil). <i>Clinics (Sao Paulo)</i> , 72(1): 5-10.
6051	Sando I, Egami T (1977). Inner ear hemorrhage and endolymphatic hydrops in a leukemic patient with sudden hearing loss. <i>Ann Otol Rhinol Laryngol</i> , 86(4 Pt 1): 518-24.
90775	Santos F, Salviz M, Domond H, et al (2015). Otopathology of vasculitis in granulomatosis with polyangiitis. <i>Otol Neurotol</i> , 6(10): 1657-62.
91251	Sarac ET, Boke B, Okuyucu S (2018). Evaluation of hearing and balance functions of patients with sickle cell anemia. <i>Audiol Neurotol</i> , 23(2): 122-5. [Abstract]
57956	Sashiyama H, Irie Y, Ohtake Y, et al (2002). Acute renal failure and hearing loss due to sodium bromate poisoning: a case report and review of the literature. <i>Clin Nephrol</i> , 58(6): 455-7.

6076	Sataloff J, Sataloff RT, Vassallo LA (1980). Hearing Loss, 2nd Edition: 292-306. JB Lippincott & Co, Philadelphia.
6117	Sataloff RT, Rosen DC (1994). Effects of cranial irradiation on hearing acuity: A review of the literature. <i>Am J Otol</i> , 15(6): 772-80.
19498	Schaab KC, Dickinson ET, Setzen G (1995). Acute sensorineural hearing loss following intravenous ketorolac administration. <i>J Emerg Med</i> , 13(4): 509-13.
57830	Schaper M, Seeber A, Van Thriel C (2008). The effects of toluene plus noise on hearing thresholds: an evaluation based on repeated measurements in the German printing industry. <i>Int J Occup Med Environ Health</i> , 21(3): 191-200.
90776	Schieffer KM Chuang CH, Connor J, et al (2017). Association of iron deficiency anemia with hearing loss in US adults. <i>JAMA Otolaryngol Head Neck Surg</i> , 143(4): 350-4.
75206	Schneider C, Adamcova M, Jick SS, et al (2013). Antimalarial chemoprophylaxis and the risk of neuropsychiatric disorders. <i>Travel Med Infect Dis</i> , 11(2): 71-80.
57882	Schrock A, Jakob M, Wirz S, et al (2008). Sudden sensorineural hearing loss after heroin injection. <i>Eur Arch Otorhinolaryngol</i> , 265(5): 603-6.
58164	Schubert CR, Cruickshanks KJ, Wiley TL, et al (2001). Diphtheria and hearing loss. <i>Public Health Rep</i> , 116(4): 362-8.
6116	Schuknecht HF (1992). Myths in neurotology. <i>Am J Otol</i> , 13(2): 124-6.
6113	Schweitzer VG (1993). Ototoxicity of chemotherapeutic agents. <i>Otolaryngol Clin North Am</i> , 26(5): 759-89.
90777	Schweitzer VG, Darrat I, Stach BA, et al (2011). Sudden bilateral sensorineural hearing loss following polysubstance narcotic overdose. <i>J Am Acad Audiol</i> , 22(4): 208-14.
6114	Schweitzer VG, Olson NR (1984). Ototoxic effect of erythromycin therapy. <i>Arch Otolaryngol</i> , 110(4): 258-60.
57987	Seeman P, Mazanec R, Huehne K, et al (2004). Hearing loss as the first feature of late-onset axonal CMT disease due to a novel P0 mutation. <i>Neurology</i> , 63(4): 733-5.
58153	Segal S, Eviatar E, Berenholz L, et al (2003). Hearing loss after direct blunt neck trauma. <i>Otol Neurotol</i> , 24(5): 734-7.
90778	Selcuk A, Terzi H, Turkay U, et al (2014). Does gestational diabetes result in cochlear damage? <i>J Laryngol Otol</i> , 128(11): 961-5.
90779	Seo JH, Jeon EJ, Park YS, et al (2014). Meteorological conditions related to the onset of idiopathic sudden sensorineural hearing loss. <i>Yonsei Med J</i> , 55(6): 1678-82.
57983	Sewell RK, Song C, Bauman NM, et al (2004). Hearing loss in Union Army veterans from 1862 to 1920. <i>Laryngoscope</i> , 114(12): 2147-53.
57916	Shah S, Gopal B, Reis J, et al (2009). Hear today, gone tomorrow: an assessment of portable entertainment player use and hearing acuity in a community sample. <i>J Am Board Fam Med</i> , 22(1): 17-23.
57669	Sharabi Y, Reshef-Harran I, Burstein M, et al (2002). Cigarette smoking and hearing loss: lessons from the young adult periodic examinations in Israel (YAPEIS) database. <i>Isr Med Assoc J</i> , 4(12): 1118-20.
58352	Shargorodsky J, Curhan SG, Curhan GC, et al (2010). Change in prevalence of hearing loss in US adolescents. <i>JAMA</i> , 304(7): 772-8.
58355	Shargorodsky J, Curhan SG, Eavey R, et al (2010). A prospective study of cardiovascular risk factors and incident hearing loss in men. <i>Laryngoscope</i> , 120(9): 1887-91.
88930	Shargorodsky J, Curhan SG, Henderson E, et al (2011). Heavy metals exposure and hearing loss in US adolescents. <i>Arch Otolaryngol Head Neck Surg</i> , 137(12): 1183-9.

90780	Shaw KA, Babu KM, Hack JB (2011). Methadone, another cause of opioid-associated hearing loss: a case report. <i>J Emerg Med</i> , 41(6): 635-9.
90781	Sheppard A, Hayes SH, Chen GD, et al (2014). Review of salicylate-induced hearing loss, neurotoxicity, tinnitus and neuropathophysiology. <i>Acta Otorhinolaryngol Ital</i> , 34(2): 79-93.
90782	Shibata DK, Johnston SC (2015). Bilateral sudden hearing loss in Waldenstrom's macroglobulinemia: MR appearance. <i>Radiol Case Rep</i> , 1(3): 77-9.
90783	Singer AE, Abdel-Naby Awad OG, El-Kader RM, et al (2018). Risk factors of sensorineural hearing loss in patients with unilateral safe chronic suppurative otitis media. <i>Am J Otolaryngol</i> , 39(2): 88-93.
57852	Skogstad M, Erickson T, Skare O (2009). A twelve-year longitudinal study of hearing thresholds among professional divers. <i>Undersea Hyperb Med</i> , 36(1): 25-31.
59071	Skogstad M, Haldorsen T, Arnesen AR, et al (2005). Hearing thresholds among young professional divers: a 6-year longitudinal study. <i>Aviat Space Environ Med</i> , 76(4): 366-9.
29837	Sliwinska-Kowalska M, Zamyslowska-Szmytke E, Szymczak W, et al (2001). Hearing loss among workers exposed to moderate concentrations of solvents. <i>Scand J Work Environ Health</i> , 27(5): 335-42.
90784	Sliwinska-Kowalska M, Zaborowski K (2017). WHO environmental noise guidelines for the European region: A systematic review on environmental noise and permanent hearing loss and tinnitus. <i>Int J Environ Res Public Health</i> , 14(10): E1139.
90785	Smith A, Gutteridge I, Elliot D, et al (2017). Acute otitis media associated bilateral sudden hearing loss: case report and literature review. <i>J Laryngol Otol</i> , 131(S2): S57-61.
90786	Smith KA, Yunker WK (2014). Kawasaki disease is associated with sensorineural hearing loss: a systematic review. <i>Int J Pediatr Otorhinolaryngol</i> , 78(8): 1216-20.
6042	Snow JB (1988). Management and therapy of trauma to the external ear and auditory and vestibular systems. <i>Otologic Medicine and Surgery</i> , Chapter 61: 1561-76.
90787	Sogebi OA, Fadeyi M, Adefuye BO, et al (2017). Hearing thresholds in patients with drug-resistant tuberculosis: baseline audiogram configurations and associations. <i>J Bras Pneumol</i> , 43(3): 195-201.
6115	Soliman AM (1992). Immune-mediated inner ear disease. <i>Am J Otol</i> , 13(6): 575-9.
59059	Sorenson SF, Slot O, Tvede N, et al (2000). A prospective study of vasculitis patients collected in a five year period: evaluation of the Chapel Hill nomenclature. <i>Ann Rheum Dis</i> , 59(6): 478-82.
90788	Sota J, Vitale A, Orlando I, et al (2017). Auditory involvement in Behcet's disease: relationship with demographic, clinical, and therapeutic characteristics. <i>Clin Rheumatol</i> , 36(2): 445-9.
33602	Spira A (1999). Diving and marine medicine review part II: diving diseases. <i>J Travel Med</i> , 6(3): 180-98.
90789	Srinivas CV, Shyamala V, Shiva Kumar BR (2016). Clinical study to evaluate the association between sensorineural hearing loss and diabetes mellitus in poorly controlled patients whose HbA1c>8. <i>Indian J Otolaryngol Head Neck Surg</i> , 68(2): 191-5.
57895	Srinivasan B, Ethunandan M, Markus A (2008). Sensorineural hearing loss after dental extraction under general anesthesia: report of a case. <i>J Oral Maxillofac Surg</i> , 66(9): 1939-41.
57938	Stanbury M, Rafferty AP, Rosenman K (2008). Prevalence of hearing loss and work-related noise-induced hearing loss in Michigan. <i>J Occup Environ Med</i> , 50(1): 72-9.

90790	Steinsapir KD, Woodward JA (2017). Safety of chlorhexidine as a facial antiseptic. <i>Dermatol Surg</i> , 43(1): 1-6.
90791	Stevens MN, Hullar TE (2014). Improvement in sensorineural hearing loss during pregnancy. <i>Ann Otol Rhinol Laryngol</i> , 123(9): 614-8.
6050	Stewart BJ, Prabhu PU (1993). Reports of sensorineural deafness after measles, mumps, and rubella immunisation. <i>Arch Dis Child</i> , 69(1): 153-4.
90792	Stucken E, Hong R (2014). Noise-induced hearing loss: an occupational medicine perspective. <i>Otolaryngol Head Neck Surg</i> , 22(5): 388-93.
57982	Sugiura S, Yoshikawa T, Nishiyama Y, et al (2004). Detection of herpesvirus DNAs in perilymph obtained from patients with sensorineural hearing loss by real-time polymerase chain reaction. <i>Laryngoscope</i> , 114(12): 2235-8.
90793	Sun Y, Guo Y, Wang H, et al (2017). Differences in platelet-related parameters among patients with audiographically distinct sudden sensorineural hearing loss: A retrospective study. <i>Medicine (Baltimore)</i> , 96(36): e7877.
57965	Suzuki T, Sakaguchi H, Yamamoto S, et al (2006). Sudden hearing loss due to meningeal carcinomatosis from rectal carcinoma. <i>Auris Nasus Larynx</i> , 33(3): 315-9.
90794	Swain SK, Behera IC, Sahu MC, et al (2018). Povidone iodine soaked gelfoam for the treatment of recalcitrant otomycosis - Our experiences at a tertiary care teaching hospital of eastern India. <i>J Mycol Med</i> , 28(1): 122-7.
59173	Syms MJ, Arcila ME, Holtel MR (2001). Waldenstrom's macroglobulinemia and sensorineural hearing loss. <i>Am J Otol</i> , 22(5): 349-53.
57920	Sziklai I, Batta TJ, Karosi T (2009). Otosclerosis: an organ-specific inflammatory disease with sensorineural hearing loss. <i>Eur Arch Otorhinolaryngol</i> , 266(11): 1711-8.
90703	Tabur S, Korkmaz H, Baysal E, et al (2017). Auditory changes in acromegaly. <i>J Endocrinol Invest</i> , 40(6): 621-6.
90664	Takano K, Saikawa E, Ogasawara N, et al (2014). Cochlear implantation in a patient with Paget's disease. <i>Am J Otolaryngol</i> , 35(3): 408-10.
57898	Takatsu M, Higaki M, Kinoshita H, et al (2005). Ear involvement in patients with rheumatoid arthritis. <i>Otol Neurotol</i> , 26(4): 755-61.
57923	Taki M, Nin F, Hasegawa T, et al (2009). Case report: two cases of hearing impairment due to intracranial hypotension. <i>Auris Nasus Larynx</i> , 36(3): 345-8.
90795	Talaat HS, Metwaly MA, Khafagy AH, et al (2014). Does passive smoking induce sensorineural hearing loss in children? <i>Int J Pediatr Otorhinolaryngol</i> , 78(1): 46-9.
6112	Talmi YP, Finkelstein Y, Zohar Y (1991). Decompression sickness induced hearing loss. A review. <i>Scand Audiol</i> , 20(1): 25-8.
6111	Talmi YP, Finkelstein Y, Zohar Y (1991). Barotrauma-induced hearing loss. <i>Scand Audiol</i> , 20(1): 1-9.
57979	Tambs K, Hoffman HJ, Borchgrevink HM, et al (2006). Hearing loss induced by occupational and impulse noise: results on threshold shifts by frequencies, age and gender from the Nord-Trondelag Hearing Loss Study. <i>Int J Audiol</i> , 45(5): 309-17.
57553	Tambs K, Hoffman HJ, Borchgrevink HM, et al (2003). Hearing loss induced by noise, ear infections, and head injuries: results from the Nord-Trondelag Hearing Loss Study. <i>Int J Audiol</i> , 42(2): 89-105.
57858	Tan AK, Fitzpatrick M (2003). Noise-induced hearing loss in snorers and their bed partners. <i>J Otolaryngol</i> , 32(3): 141-5.
58351	Tan JH, Yeh BI, Seet CS (2010). Deafness due to haemorrhagic labyrinthitis and review of relapses in streptococcus suis meningitis. <i>Singapore Med J</i> , 51(2): e30.

90796	Tanaka M, Tanaka K (2016). Sudden hearing loss as the initial symptom in Japanese patients with multiple sclerosis and seropositive neuromyelitis optica spectrum disorders. <i>J Neuroimmunol</i> , 298: 16-8.
56569	Tange RA, Dreschler WA, Claessen FA, et al (1997). Ototoxic reactions of quinine in healthy persons and patients with plasmodium falciparum infection. <i>Auris Nasus Larynx</i> , 24(2): 131-6.
58159	Tanriverdi N, Sayilgan MA, Ozcurumez G (2001). Musical hallucinations associated with abruptly developed bilateral loss of hearing. <i>Acta Psychiatr Scand</i> , 103(2): 153-5.
57974	Tay T, Wang JJ, Kifley A, et al (2006). Sensory and cognitive association in older persons: findings from an older Australian population. <i>Gerontology</i> , 52(6): 386-94.
57834	Taylor DM, Lippmann J, Smith D (2006). The absence of hearing loss in otologically asymptomatic recreational scuba divers. <i>Undersea Hyperb Med</i> , 33(2): 135-41.
33596	Taylor DM, O'Toole KS, Ryan CM (2003). Experienced scuba divers in Australia and the United States suffer considerable injury and morbidity. <i>Wilderness Environ Med</i> , 14(2): 83-8.
90800	Teixeira LS, Silva IB, Sampaio AL, et al (2018). Hearing loss in acromegaly - A review. <i>Int Arch Otorhinolaryngol</i> , 22(3): 313-6.
90797	Tekin M, Acar GO, Cam OH, et al (2014). Sudden sensorineural hearing loss in a multiple sclerosis case. <i>North Clin Istanb</i> , 1(2): 109-13.
90798	Teng ZP, Tian R, Zing FL, et al (2017). An association of type 1 diabetes mellitus with auditory dysfunction: A systematic review and meta-analysis. <i>Laryngoscope</i> , 127(7): 1689-97.
57958	Teo KJ, Chia SE, Tan TC, et al (2008). Effect of basic military training on hearing in the Singapore armed forces. <i>Singapore Med J</i> , 49(3): 243-6.
90799	Tepe V, Smalt C, Nelson J, et al (2017). Hidden hearing injury: The emerging science and military relevance of cochlear synaptopathy. <i>Mil Med</i> , 182(9): e1785-95.
90705	Terzi H, Kale A, Hasdemir PS, et al (2015). Hearing loss: an unknown complication of pre-eclampsia? <i>J Obstet Gynaecol Res</i> , 41(2): 188-92.
59074	Teszler CB, Williams MT, Belange G, et al (2008). Labyrinthitis related to Wegener Granulomatosis: magnetic resonance imaging findings. <i>Otol Neurotol</i> , 29(5): 721-2.
57972	Teufert KB, Linthicum F (2005). Paget disease and sensorineural hearing loss associated with spiral ligament degeneration. <i>Otol Neurotol</i> , 26(3): 387-91.
19757	Thompson P, Wood RP, Bergstrom L (1980). Erythromycin ototoxicity. <i>J Otolaryngol</i> , 9(1): 60-2.
19493	Tibaldi C, Pazzagli I, Berrettini S, et al (1998). A case of ototoxicity in a patient with metastatic carcinoma of the breast treated with paclitaxel and vinorelbine. <i>Eur J Cancer</i> , 34(7): 1133-4.
90801	Tikka T, Mistry N, Janjua A (2016). Acute unilateral sensorineural hearing loss associated with anabolic steroids and polycythaemia: case report. <i>J Laryngol Otol</i> , 130(3): 309-13.
90708	Tikka, Verbeek JH, Kateman E, et al (2017). Interventions to prevent occupational noise-induced hearing loss. <i>Cochrane Database Syst Rev</i> , 7(7): CD006396.
90802	Tirelli G, Tomietto P, Quatela E, et al (2015). Sudden hearing loss and Crohn disease: when Cogan syndrome must be suspected. <i>Am J Otol</i> , 36(4): 590-7.
57963	Toh A, Ho EC, Turner N (2010). Contralateral deafness post head injury without temporal bone fractures. <i>Am J Otolaryngol</i> , 31(1): 54-6.
57960	Toh ST, Lu P, Ong M, et al (2002). Prevalence of hearing disorders in Singapore military conscripts: a role for routine audiometry screening? <i>Singapore Med J</i> , 43(12): 622-7.

58469	Toovey S (2006). Effects of weight, age, and time on artemether-lumefantrine associated ototoxicity and evidence of irreversibility. <i>Travel Med Infect Dis</i> , 4(2): 71-6.
75359	Toovey S (2009). Mefloquine neurotoxicity: a literature review. <i>Travel Med Infect Dis</i> , 7(1): 2-6.
57970	Torre P, Cruickshanks KJ, Klein BE, et al (2005). The association between cardiovascular disease and cochlear function in older adults. <i>J Speech Lang Hear Res</i> , 48(2): 473-81.
6148	Tos M (1989). Sensorineural hearing loss in acute and chronic middle ear diseases. <i>Acta Otolaryngol Suppl</i> , 457: 87-93.
6053	Tos M, Lau T, Plate S (1984). Sensorineural hearing loss following chronic ear surgery. <i>Ann Otol Rhinol Laryngol</i> , 93(4 Pt 1): 403-9.
59177	Toubi E, Ben-David J, Kessel A, et al (2004). Immune-mediated disorders associated with idiopathic sudden sensorineural hearing loss. <i>Ann Otol Rhinol Laryngol</i> , 113(6): 445-9. [Abstract]
6068	Touma JB (1992). Controversies in noise-induced hearing loss (NIHL). <i>Ann Occup Hyg</i> , 36(2): 199-209.
59056	Tucci M, Quatraro C, Silvestris F (2005). Sjogren's syndrome: an autoimmune disorder with otolaryngological involvement. <i>Acta Otolaryngol Ital</i> , 25(3): 139-44.
19492	U.S. Department of Health and Human Services (1998). Criteria for a Recommended Standard: Occupational Noise Exposure [Revised Criteria 1998]. DHHS (NIOSH) Publication, National Institute for Occupational Safety and Health.
57969	Uchida Y, Nakashima T, Ando F, et al (2005). Is there a relevant effect of noise and smoking on hearing? A population-based aging study. <i>Int J Audiol</i> , 44(2): 86-91.
90803	Ulu S, Ulu MS, Ahsen A, et al (2013). Increased levels of mean platelet volume: a possible relationship with idiopathic sudden hearing loss. <i>Eur Arch Otorhinolaryngol</i> , 270(11): 2875-8.
88931	Umesawa M, Kobashi G, Kitoh R, et al (2017). Relationship among drinking and smoking habits, history of diseases, body mass index and idiopathic sudden sensorineural hearing loss in Japanese patients. <i>Acta Otolaryngol</i> , 137(Sup565): S17-23.
90804	Unlu I, Kesici GG, Basturk A, et al (2014). A comparison of the effects of solvent and noise exposure on hearing, together and separately. <i>Noise Health</i> , 13(73): 410-15.
90805	Upala S, Rattanawong P, Vutthikraivit W, et al (2017). Significant association between osteoporosis and hearing loss: a systematic review and meta-analysis. <i>Braz J Otorhinolaryngol</i> , 83(6): 646-52.
59176	Uppal HS, Ayshford CA, Wilson F (2001). Sudden onset bilateral sensorineural hearing loss: a manifestation of occult breast carcinoma. <i>J Laryngol Otol</i> , 115(11): 907-10. [Abstract]
90711	van As JW, van den Berg H, van Dalen EC (2016). Platinum-induced hearing loss after treatment for childhood cancer. <i>Cochrane Database Syst Rev</i> , 2016(8): CD10181.
90806	Van Der Wal AW, Wan Ooij PJ, De Ru JA (2016). Hyperbaric oxygen therapy for sudden sensorineural hearing loss in divers. <i>J Laryngol Otol</i> , 130(11): 1039-47.
57964	Van Eyken E, Van Camp G, Van Laer L (2007). The complexity of age-related hearing impairment: contributing environmental and genetic factors. <i>Audiol Neurootol</i> , 12(6): 345-58.
57950	van Wolfswinkel ME, Lahri H, Wismans PJ, et al (2009). Early small bowel perforation and cochleovestibular impairment as rare complications of typhoid fever. <i>Travel Med Infect Dis</i> , 7(5): 265-8.

59084	Vasilyeva ON, Frisina ST, Zhu X, et al (2009). Interactions of hearing loss and diabetes mellitus in the middle age CBA/Caj mouse model of presbycusis. <i>Hear Res</i> , 249(1-2): 44-53.
57876	Vaughan N, James K, McDermott D, et al (2005). A 5-year prospective study of diabetes and hearing loss in a veteran population. <i>Otol Neurotol</i> , 27(1): 37-43.
6151	Veltri RW, Wilson WR, Sprinkle PM, et al (1981). The implication of viruses in idiopathic sudden hearing loss: Primary infection or reactivation of latent viruses? <i>Otolaryngol Head Neck Surg</i> , 89(1): 137-41.
59178	Verma RK, Panda NK, Basu D, et al (2006). Audiovestibular dysfunction in alcohol dependence. Are we worried? <i>Am J Otol</i> , 27(4): 225-8. [Abstract]
57884	Vikram BK, Khaja N, Udayashankar SG, et al (2008). Clinico-epidemiological study of complicated and uncomplicated chronic suppurative otitis media. <i>J Laryngol Otol</i> , 122(5): 442-6.
90807	Vinhaes ES, Santos LA, Dias L, et al (2017). Transient hearing loss in adults associated with Zika virus infection. <i>Clin Infect Dis</i> , 64(5): 675-7.
57173	Vogel I, Verschuur H, van der Ploeg CP, et al (2010). Estimating adolescent risk for hearing loss based on data from a large school-based survey. <i>Am J Public Health</i> , 100(6): 1095-100.
58177	Vogel I, Verschuur H, van der Ploeg PB, et al (2009). Adolescents and MP3 players: too many risks, too few precautions. <i>Pediatr</i> , 123(6): e953-8.
57887	Vogel, Brug J, Hosli EJ, et al (2008). MP3 players and hearing loss: adolescents' perceptions of loud music and hearing conservation. <i>J Pediatr</i> , 152(3): 400-4.
90808	Vorasubin N, Calzada AP, Ishiyama A (2013). Methadone-induced bilateral severe sensorineural hearing loss. <i>Am J Otol</i> , 34(6): 735-8.
90712	Vos FI, Merkus P, van Nieuwkerk EB, et al (2016). Rare cause of bilateral sudden deafness. <i>BMJ Case Rep</i> , 2016: bcr2016216004.
58476	Vyskocil A, Leroux T, Truchon G, et al (2008). Ethyl benzene should be considered ototoxic at occupationally relevant exposure concentrations. <i>Toxicol Ind Health</i> , 24(4): 241-6.
58472	Vyskocil A, Leroux T, Truchon G, et al (2008). Occupational ototoxicity of n-hexane. <i>Hum Exp Toxicol</i> , 27(6): 471-6.
58473	Vyskocil A, Leroux T, Truchon G, et al (2008). Ototoxicity of trichloroethylene in concentrations of relevant for the working environment. <i>Hum Exp Toxicol</i> , 27(3): 195-200.
6152	Wackym PA, Linthicum FH (1986). Diabetes Mellitus and hearing loss: Clinical and histopathologic relationships. <i>Am J Otol</i> , 7(3): 176-82.
90671	Waissbluth S, Peleva E, Daniel SJ (2017). Platinum-induced ototoxicity: a review of prevailing ototoxicity criteria. <i>Eur Arch Otorhinolaryngol</i> , 274(3): 1187-96.
75207	Walker RA, Colleaux KM (2007). Maculopathy associated with mefloquine (Lariam) therapy for malaria prophylaxis. <i>Can J Ophthalmol</i> , 42(1): 125-6.
59107	Walsh JP (2004). Paget's disease of bone. <i>Med J Aust</i> , 181(5): 262-5.
19833	Waltzman SB, Cooper JS (1981). Nature and incidence of misonidazole-produced ototoxicity. <i>Arch Otolaryngol</i> , 107(1): 52-4.
90809	Wang B, Han L, Dai S, et al (2018). Hearing loss characteristics of workers with hypertension exposed to occupational noise: A cross-sectional study of 270,033 participants. <i>Biomed Res Int</i> , 2018: 8541638.
57899	Wang HC, Chang WN, Lui CC, et al (2005). The prognosis of hearing impairment complicating HIV-negative cryptococcal meningitis. <i>Neurology</i> , 65(2): 320-2.
6041	Ward WD (1980). Noise-induced hearing damage. <i>Otolaryngology</i> , 2nd Edition, Vol II Chapter 35: 1788-803.

6077	Ward WD (1991). Noise-induced hearing damage. Paparella MM, Shumrick DA, Gluckman JL, et al (Eds). Otolaryngology, Chapter 45: 1639-52. WB Saunders Philadelphia.
59058	Webb CJ, Moots RJ, Swift AC (2008). Ear, nose and throat manifestations of Behcet's disease: a review. <i>J Laryngol Otol</i> , 122(12): 1279-83.
91254	Weber P (2016). Evaluation of hearing loss in adults. Retrieved 2 April 2019, from https://www.uptodate.com/contents/evaluation-of-hearing-loss-in-adults
59120	Wei L, Ding D, Salvi R (2010). Salicylate-induced degeneration of cochlea spiral ganglion neurons-apoptosis signaling. <i>Neuroscience</i> , 168(1): 288-99. [Abstract]
75208	Weinke T, Trautmann M, Held T, et al (1991). Neuropsychiatric side effects after the use of mefloquine. <i>Am J Trop Med Hyg</i> , 45(1): 86-91.
90672	Welling DR, Ukstins CA (2018). Otitis media: Beyond the examining room. <i>Pediatr Clin N Am</i> , 65(1): 105-23.
90810	Wells TS, Seelig AD, Ryan MA, et al (2015). Hearing loss associated with US military combat deployment. <i>Noise Health</i> , 17(74): 34-42.
57984	Weng SF, Chen YS, Liu TC, et al (2004). Prognostic factors of sudden sensorineural hearing loss in diabetic patients. <i>Diabetes Care</i> , 27(10): 2560-1.
90811	Wengrower D, Koslowsky B, Peleg U, et al (2016). Hearing loss in patients with inflammatory bowel disease. <i>Dig Dis Sci</i> , 61(7): 2027-32.
59148	Wessels CL, Barker KA, Williams SR (2008). Deafness and hepatotoxicity after an acute intentional ingestion of monosodium methanearsenenate. <i>Clin Toxicol</i> , 46(7): 591-645. [Abstract]
19499	Whitener CJ, Parker JE, Lapp L (1991). Erythromycin ototoxicity: a call to heighten recognition. <i>South Med J</i> , 84(10): 1214-6.
59149	Whyte AF, Yu R (2010). [Comment] Sudden bilateral deafness and Chlamydophila infection. <i>Med J Aust</i> , 192(8): 478.
59139	Wikipedia (2010). Hearing impairment. 1-14. Retrieved 4 June 2010, from http://en.wikipedia.org/wiki/Hearing_impairment#Exposure_to_Ototoxic_Chemicals
59174	Wikipedia (2010). Lead poisoning. Retrieved 29 November 2010, from http://wikipedia.org/wiki/Lead_poisoning#Occupational_exposure
57556	Wild DC, Brewster MJ, Banerjee AR (2005). Noise-induced hearing loss is exacerbated by long-term smoking. <i>Clin Otolaryngol</i> , 30(6): 517-20.
57883	Wiley TL, Chappell R, Carmichael L, et al (2008). Changes in hearing thresholds over 10 years in older adults. <i>J Am Acad Audiol</i> , 19(4): 281-92; quiz 371.
58166	Wiley TL, Torre P 3rd, Cruickshanks KJ, et al (2001). Hearing sensitivity in adults screened for selected risk factors. <i>J Am Acad Audiol</i> , 12(7): 337-47.
90812	Wilhelm T, Stelzer T, Hagen R (2016). Sensorineural hearing loss after otitis media with effusion and subacute mastoiditis after viral infections of the upper respiratory tract: A comparative study of conservative and surgical treatment. <i>Ear Nose Throat J</i> , 95(9): E18-27.
57971	Williams W (2005). Noise exposure levels from personal stereo use. <i>Int J Audiol</i> , 44(4): 231-6.
57952	Williams W (2009). Trends in listening to personal stereos. <i>Int J Audiol</i> , 48(11): 784-8.
57842	Wilson JD, Darby ML, Tolle SL, et al (2002). Effects of occupational ultrasonic noise exposure on hearing of dental hygienists: a pilot study. <i>J Dent Hyg</i> , 76(4): 262-9.

57913	Wilson RH, Witkowski CE, Wilson AA (2009). Bilateral idiopathic sensorineural hearing loss following dental surgery. <i>J Am Acad Audiol</i> , 20(3): 180-6.
75209	Wise M, Toovey S (2007). Reversible hearing loss in temporal association with chemoprophylactic mefloquine use. <i>Travel Med Infect Dis</i> , 5(6): 385-8.
59179	World Health Organization (2010). <i>Streptococcus suis - Fact Sheet</i> . Retrieved 18 August 2010, from http://www.wpro.who.int/media_centre/fact_sheets/fs_20050802.htm
90673	Wu X, Chen K, Sun L, et al (2014). Magnetic resonance imaging-detected inner ear hemorrhage as a potential cause of sudden sensorineural hearing loss. <i>Am J Otolaryngol</i> , 35(3): 318-23.
6052	Yagi M, Harada T, Yamasoba T, et al (1994). Clinical features of idiopathic bilateral sensorineural hearing loss. <i>ORL J Otorhinolaryngol Relat Spec</i> , 56(1): 5-10.
90813	Yang HY, Shie RH, Chen PC (2016). Hearing loss in workers exposed to epoxy adhesives and noise: a cross-sectional study. <i>BMJ Open</i> , 6(2): e010533.
56564	Yang XM, Li JJ (2009). SP296 - Radiation-induced hearing loss in NPC patients. <i>Otolaryngol</i> , 14(3 Suppl 1): 193.
90674	Yeh MC, Weng SF, Shen YC, et al (2015). Increased risk of sudden sensorineural hearing loss in patients with osteoporosis: A population-based, propensity score-matched, longitudinal follow-up study. <i>J Clin Endocrinol Metab</i> , 100(6): 2413-9.
90675	Yehudai N, Most T, Luntz M (2015). Risk factors for sensorineural hearing loss in pediatric chronic otitis media. <i>Int J Pediatr Otorhinolaryngol</i> , 79(1): 26-30.
90676	Yen TT, Lin CH, Shiao JY, et al (2016). Pregnancy is not a risk factor for idiopathic sudden sensorineural hearing loss: A nationwide population-based study. <i>Acta Otolaryngol</i> , 136(5): 446-50.
90678	Yen YC, Lin C, Weng SF, et al (2015). Higher risk of developing sudden sensorineural hearing loss in patients with chronic otitis media. <i>JAMA Otolaryngol Head Neck Surg</i> , 141(5): 429-35.
90814	Yen YC, Lin C, Weng SF, et al (2015). Risk of sudden sensorineural hearing loss in patients with psoriasis: a retrospective cohort study. <i>Am J Clin Dermatol</i> , 16(3): 213-20.
19494	Yesil S, Comlekci A, Guneri A (1998). Further hearing loss during osteoporosis treatment with etidronate. <i>Postgrad Med J</i> , 74(872): 363-4.
91386	Yilmaz R, Turk S, Resili R, et al (2018). A probable case of pregabalin - related reversible hearing loss. <i>Agri</i> , 32(2): 103-5.
57880	Yilmaz YF, Aytas FI, Akdogan O, et al (2008). Sensorineural hearing loss after radiotherapy for head and neck tumors: a prospective study of the effect of radiation. <i>Otol Neurotol</i> , 29(4): 461-3.
59082	Yorgason JG, Kiliniec GM, Luxford WM, et al (2010). Acetaminophen ototoxicity after acetaminophen/hydrocodone abuse: evidence from two parallel in vitro mouse models. <i>Otolaryngol Head Neck Surg</i> , 142(6): 814-9, 819.e1-2.
57544	Yoshida H, Miyamoto I, Takahashi H (2009). Is sensorineural hearing loss with chronic otitis media due to infection or aging in older patients? <i>Auris Nasus Larynx</i> , 36(3): 269-73.
90719	Yoshida T, Ikemiyagi Y, Ikemiyagi F, et al (2016). Anterior inferior cerebellar artery infarction misdiagnosed as inner ear disease. <i>B-ENT</i> , 12(2): 143-7.
90815	Yurtsever B, Cabalar M, Kaya H, et al (2015). A rare cause of hearing loss: Susac syndrome. <i>J Int Adv Otol</i> , 11(2): 167-9.

57911	Zamyslowska-Szmytke E, Fuente A, Niebudek-Bogusz E, et al (2009). Temporal processing disorder associated with styrene exposure. <i>Audiol Neurotol</i> , 14(5): 296-302.
58169	Zeitoun H, Beckman JG, Alexander H, et al (2005). Corticosteroid response and supporting cell antibody in autoimmune hearing loss. <i>Arch Otolaryngol Head Neck Surg</i> , 131(8): 665-72.
90681	Zhang Y, Liu B, Wang R, et al (2016). Characteristics of the cochlear symptoms and functions in Meniere's disease. <i>Chin Med J (Engl)</i> , 129(20): 2445-50.
59175	Zhao F, Manchaiah VK, French D, et al (2010). Music exposure and hearing disorders: an overview. <i>Int J Audiol</i> , 49(1): 54-64. [Abstract]
6150	Zimmerman WD, Ganzel TM, Windmill IM, et al (1993). Peripheral hearing loss following head trauma in children. <i>Laryngoscope</i> , 103(1 Pt 1): 87-91.
57845	Zulkaflay AR, Saim L, Said H, et al (1996). Hearing loss in diving - a study amongst Navy divers. <i>Med J Malaysia</i> , 51(1): 103-8.
58255	Zuur CL, Simis YJ, Lamers EA, et al (2009). Risk factors for hearing loss in patients treated with intensity-modulated radiotherapy for head-and-neck tumors. <i>Int J Radiat Oncol Biol Phys</i> , 74(2): 490-6.
57943	Zuur CL, Simis YJ, Lansdaal PE, et al (2007). Risk factors of ototoxicity after cisplatin-based chemo-irradiation in patients with locally advanced head-and-neck cancer: a multivariate analysis. <i>Int J Radiat Oncol Biol Phys</i> , 68(5): 1320-5.