



CHONDROMALACIA PATELLA

RMA ID Number	Reference List for RMA222-3 as at December 2018
---------------	---

20717	Abernethy PJ, Townsend PR, Rose RM, et al (1978). Is chondromalacia patellae a separate clinical entity? <i>The Journal of Bone & Joint Surgery</i> , 60-B(2): 205-10.
20330	Aglietti P, Insall JN, Cerulli G (1983). Patellar pain and incongruence. 1: measurements of incongruence. <i>Clinical Orthopaedics & Related Research</i> , 176: 217-24.
89199	Aksahin E, Aktekin CN, Kocadal O, et al (2017). Sagittal plane tilting deformity of the patellofemoral joint: a new concept in patients with chondromalacia patella. <i>Knee Surg Sports Traumatol Arthrosc</i> , 25(10): 3038-45.
17605	Almeida SA, Williams KM, Shaffer RA, et al (1999). Epidemiological patterns of musculoskeletal injuries and physical training. <i>Medicine & Science in Sports & Exercise</i> , 31(8): 1176-82.
20346	Al-Rawi Z, Nessian AH (1997). Joint hypermobility in patients with chondromalacia patellae. <i>British Journal of Rheumatology</i> , 36: 1324-7.
87584	Ankay Yilbas A, Akca B, Buyukakkus B, et al (2018). Procaine and saline have similar effects on articular cartilage and synovium in rat knee. <i>BMC Anesthesiol</i> , 18(1): 51.
20335	Anonymous (1985). Chondromalacia patellae. <i>The Lancet</i> , 1(8428): 558-9.
4704	Apley AG, Solomon L (Eds) (1987). <i>Apley's System of Orthopaedics and Fractures</i> , 6th Edition. Butterworths, London.
56133	Asplund C, St Pierre P (2004). Knee pain and bicycling. Fitting concepts for clinicians. <i>The Physician and Sportsmedicine</i> , 32(4): 23-30.
86978	Atanda Jr A, Ruiz D, Dodson CC, et al (2012). Approach to the active patient with chronic anterior knee pain. <i>The Physician and Sportsmedicine</i> , 40(1): 41-50.
87048	Aysin IK, Askin A, Mete BD (2018). Investigation of the Relationship between Anterior Knee Pain and Chondromalacia Patellae and Patellofemoral Malalignment. <i>Eurasian J Med</i> , 50(1): 28-33.
56023	Barton CJ, Levinger P, Menz HB, et al (2009). Kinematic gait characteristics associated with patellofemoral pain syndrome: a systematic review. <i>Gait & Posture</i> , 30: 405-16.
20336	Bentley G, Dowd G (1984). Current concepts of etiology and treatment of chondromalacia patellae. <i>Clinical Orthopaedics & Related Research</i> , 189: 209-28.
57148	Berry PA, Hanna FS, Teichtahl AJ, et al (2008). Vastus medialis cross-sectional area is associated with patella cartilage defects and bone volume in healthy women. <i>Osteoarthritis and Cartilage</i> , 16: 956-60.
87047	Boling M, Padua D, Marshall S, et al (2010). Gender differences in the incidence and prevalence of patellofemoral pain syndrome. <i>Scand J Med Sci Sports</i> , 20(5): 725-30.

56041	Boling MC, Padua DA, Marshall SW, et al (2009). A prospective investigation of biomechanical risk factors for patellofemoral pain syndrome. A joint undertaking to monitor and prevent ACL injury (JUMP-ACL) cohort. <i>Am J Sports Med</i> , 37(11): 2108-16.
20311	Bosch JJ (1999). Chondromalacia patella. <i>Journal of Pediatric Health Care</i> , 13(3 Pt 1): 144; quiz 155-6.
55647	Brophy RH, Zeltser D, Wright RW, et al (2010). Anterior cruciate ligament reconstruction and concomitant articular cartilage injury: incidence and treatment. <i>Arthroscopy</i> , 26(1): 112-20.
17672	Brubaker CE, James SL (1974). Injuries to runners. <i>Journal of Sports Medicine</i> , 2(4): 189-98.
56042	Brushoj C, Holmich P, Nielsen MB, et al (2008). Acute patellofemoral pain: aggravating activities, clinical examination, MRI and ultrasound findings. <i>Br J Sports Med</i> , 42: 64-7.
20344	Buckley SL, Jones AM, Culp RW, et al (1992). Arthroscopic surgery of the knee: its role in the support of U.S. troops during operation desert shield on USNS Mercy. <i>Arthroscopy: The Journal of Arthroscopic & Related Surgery</i> , 8(3): 359-62.
56137	Burger C, Kabir K, Mueller M, et al (2006). Retropatellar chondromalacia associated with medial osteoarthritis after meniscus injury. <i>Eur Surg Res</i> , 38: 102-8.
81160	Carnes J, Stannus O, Cicuttini F, et al (2012). Knee cartilage defects in a sample of older adults: natural history, clinical significance and factors influencing change over 2.9 years. <i>Osteoarthritis and Cartilage</i> , 20(12): 1541-7.
56032	Cheung RTH, Ng GYF, Chen BFC (2006). Association of footwear with patellofemoral pain syndrome in runners. <i>Sports Med</i> , 36(3): 199-205.
56030	Christoforakis JJ, Strachan RK (2005). Internal derangements of the knee associated with patellofemoral joint degeneration. <i>Knee Surg Sports Traumatol Arthrosc</i> , 13: 581-4.
56392	Christoforakis JJ, Sanchez-Ballester J, Hunt N, et al (2006). Synovial shelves of the knee: association with chondral lesions. <i>Knee Surg Sports Traumatol Arthrosc</i> , 14: 1292-8.
56024	Collins N, Crossley K, Beller E, et al (2008). Foot orthoses and physiotherapy in the treatment of patellofemoral pain syndrome: randomised clinical trial. <i>BMJ</i> , 337: a1735.
20727	Cross MJ, Powell JF (1984). Long-term followup of posterior cruciate ligament rupture: a study of 116 cases. <i>The American Journal of Sports Medicine</i> , 12(4): 292-7.
87580	Crossley KM, Stefanik JJ, Selfe J, et al (2016). 2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 1: Terminology, definitions, clinical examination, natural history, patellofemoral osteoarthritis and patient-reported outcome measures. <i>Br J Sports Med</i> , 50(14): 839-43.
20347	Cullison TR, O'Brien TJ, Getka K, et al (1998). Anterior cruciate ligament reconstruction in the military patient. <i>Military Medicine</i> , 163(1): 17-9.
20719	Dandy DJ, Jackson RW (1975). Meniscectomy and chondromalacia of the femoral condyle. <i>The Journal of Bone & Joint Surgery</i> , 57 A(8): 1116-9.
20711	Dandy DJ, Pusey RJ (1982). The long-term results of unrepaired tears of the posterior cruciate ligament. <i>The Journal of Bone & Joint Surgery</i> , 64 B(1): 92-4.
56542	Davenport M, Rosh AJ (2009). Joint reduction, patella dislocation. Retrieved 23 April 2010, from http://emedicine.medscape.com/article/109263-print
56138	Davis IS, Powers C (2010). Patellofemoral pain syndrome: proximal, distal, and local factors, an international retreat, April 30-May 2, 2009, Fells Point, Baltimore, MD. <i>J Orthop Sports Phys Ther</i> , 40(3): A1-48.

20729	Dehaven KE, Dolan WA, Mayer PJ (1979). Chondromalacia patellae in athletes. Clinical presentation and conservative management. <i>The American Journal of Sports Medicine</i> , 7(1): 5-11.
4705	Dugdale TW, Barnett PR (1986). Historical background: patellofemoral pain in young people. <i>Orthop Clin North A</i> , 17(2): 211-19.
56134	Dupont J-Y (1997). Synovial plicae of the knee. Controversies and review. <i>Clin Sports Med</i> , 16(1): 87-122.
56034	Dye SF (2005). The pathophysiology of patellofemoral pain. A tissue homeostasis perspective. <i>Clin Orthop Relat Res</i> , 436: 100-10.
87041	Elson DW, Jones S, Caplan N, et al (2013). Clinically insignificant association between anterior knee pain and patellofemoral lesions which are found incidentally. <i>Knee</i> , 20(6): 471-5.
56066	Endo Y, Schweitzer ME, Bordalo-Rodrigues M, et al (2007). MRI quantitative morphologic analysis of patellofemoral region: lack of correlation with chondromalacia patellae at surgery. <i>AJR</i> , 189: 1165-8.
56035	Endo Y, Schweitzer ME, Bordalo-Rodrigues M, et al (2007). MRI quantitative morphologic analysis of patellofemoral region: lack of correlation with chondromalacia patellae at surgery. <i>AJR</i> , 189: 1165-8.
55111	Englund M, Lohmander LS (2005). Patellofemoral osteoarthritis coexistent with tibiofemoral osteoarthritis in a meniscectomy population. <i>Ann Rheum Dis</i> , 64: 1721-6.
20728	Feagin JA Jr, Curl WW (1976). Isolated tear of the anterior cruciate ligament: 5-year follow-up study. <i>The American Journal of Sports Medicine</i> , 4(3): 95-100.
86977	Fields KB, Sykes JC, Walker KM, et al (2010). Prevention of running injuries. <i>Curr Sports Med Rep</i> , 9: 176-82.
89191	Franco BA, Sadigursky D, Daltro GC (2018). Patellar position in patients with patellofemoral syndrome as characterized by anatomic-radiographic study. <i>Rev Bras Ortop</i> , 53(4): 410-4.
20314	Fredberg U, Bolvig L (1999). Jumper's knee. Review of the literature. <i>Scandinavian Journal of Medicine & Science in Sports</i> , 9(2): 66-73.
4706	Fulkerson JP (1983). The etiology of patellofemoral pain in young, active patients a prospective study. <i>Clin Orthop Relat Res</i> , 179: 129-33.
20331	Fulkerson JP (1983). The etiology of patellofemoral pain in young, active patients: a prospective study. <i>Clinical Orthopaedics & Related Research</i> , 179: 129-33.
20722	Goodfellow J, Hungerford DS, Woods C (1976). Patello-femoral joint mechanics and pathology. 2. Chondromalacia patellae. <i>The Journal of Bone & Joint Surgery</i> , 58 B(3): 291-9.
56025	Grelsamer R, Moss G, Ee G (2009). The patellofemoral syndrome; the same problem as the Loch Ness monster? <i>The Knee</i> , 16: 301-2.
56033	Grelsamer RP (2005). Patellar nomenclature. The tower of Babel revisited. <i>Clin Orthop Relat Res</i> , 436: 60-5.
56127	Grelsamer RP, Dejour D, Gould J (2008). The pathophysiology of patellofemoral arthritis. <i>Orthop Clin N Am</i> , 39: 269-74.
87049	Habusta SF, Griffin EE (2018). Chondromalacia Patella. <i>StatPearls [Internet]</i> . StatPearls Publishing.
56031	Haim A, Yaniv M, Dekel S, et al (2006). Patellofemoral pain syndrome. <i>Clin Orthop Relat Res</i> , 451: 223-8.
87038	Hart HF, Barton CJ, Khan KM, et al (2017). Is body mass index associated with patellofemoral pain and patellofemoral osteoarthritis? A systematic review and meta-regression and analysis. <i>51(10): 781</i> .
17651	Heir T, Eide G (1996). Age, body composition, aerobic fitness and health condition as risk factors for musculoskeletal injuries in conscripts. <i>Scandinavian Journal of Medicine & Science in Sports</i> , 6(4): 222-7.

57149	Hepp P, Osterhoff G, Niederhagen M, et al (2009). Perilesional changes of focal osteochondral defects in an ovine model and their relevance to human osteochondral injuries. <i>J Bone Joint Surg</i> , 91-B: 1110-9.
56067	Hiatt WR (2008). Aspirin for prevention of cardiovascular events is only effective in established cardiovascular disease. <i>BMJ</i> , 337: a1806.
56037	Ho GW, Duncan MP, Thal R (2007). Recalcitrant knee pain in a recreational runner. <i>Clin J Sport Med</i> , 17(5): 404-5.
20305	Holmes SW Jr, Clancy WG Jr (1998). Clinical classification of patellofemoral pain and dysfunction. <i>Journal of Orthopaedic & Sports Physical Therapy</i> , 28(5): 299-306.
20306	Hvid I, Ib Andersen L, Schmidt H (1981). Chondromalacia patellae. The relation to abnormal patellofemoral joint mechanics. <i>Acta Orthop Scand</i> , 52: 661-6.
20710	Insall J (1979). Chondromalacia patellae: patellar malalignment syndrome. <i>Orthopedic Clinics of North America</i> , 10(1): 117-27.
20721	Insall J, Falvo KA, Wise DW (1976). Chondromalacia patellae. A prospective study. <i>The Journal of Bone & Joint Surgery</i> , 58 A(1): 1-8.
56040	Jan M-H, Lin D-H, Lin J-J, et al (2009). Differences in sonographic characteristics of the vastus medialis obliquus between patients with patellofemoral pain syndrome and healthy adults. <i>Am J Sports Med</i> , 37(9): 1743-9.
20409	Jensen DB, Albrechtsen SB (1990). The natural history of chondromalacia patellae. A 12-year follow-up. <i>Acta Orthopaedica Belgica</i> , 56(2): 503-6.
56136	Joensen AM, Hahn T, Gelineck J, et al (2001). Articular cartilage lesions and anterior knee pain. <i>Scand J Med Sci Sports</i> , 11: 115-9.
20712	Jokl P, Kaplan N, Stovell P, et al (1984). Non-operative treatment of severe injuries to the medial and anterior cruciate ligaments of the knee. <i>Journal of Bone & Joint Surgery</i> , A 66(5): 741-4.
17612	Jones BH (1983). Overuse injuries of the lower extremities associated with marching, jogging, and running: a review. <i>Military Medicine</i> , 148: 783-7.
17607	Jordaan G (1994). The incidence of overuse injuries in military recruits during basic military training. <i>Military Medicine</i> , 159(6): 421-6.
56068	Juhn MS (1999). Patellofemoral pain syndrome: a review and guidelines for treatment. Retrieved 18 March 2010, from http://www.aafp.org/afp/991101ap/2012.html
20307	Keller EK (1983). Patellar malalignment syndrome in runners. <i>Nurse Practitioner</i> , 8(6): 27, 31-2, 35 passim.
20343	Kelly MA, Insall JN (1992). Historical perspectives of chondromalacia patellae. <i>Orthopedic Clinics of North America</i> , 23(4): 517-21.
56129	Kent M, Khanduja V (2010). Synovial plicae around the knee. <i>The Knee</i> , 17: 97-102.
56029	Kettunen JA, Visuri T, Harilainen A, et al (2005). Primary cartilage lesions and outcome among subjects with patellofemoral pain syndrome. <i>Knee Surg Sports Traumatol Arthrosc</i> , 13: 131-4.
20337	Kohn D (1986). Arthroscopy in acute injuries of anterior cruciate-deficient knees: fresh and old intraarticular lesions. <i>Arthroscopy</i> , 2(2): 98-102.
87042	Kok HK, Donnellan J, Ryan D, et al (2013). Correlation between subcutaneous knee fat thickness and chondromalacia patellae on magnetic resonance imaging of the knee. <i>Canadian Association of Radiologists Journal</i> , 64(3): 182-6.
20725	Kowal DM (1980). Nature and causes of injuries in women resulting from an endurance training program. <i>The American Journal of Sports Medicine</i> , 8(4): 265-9.
20716	Krikler SJ (1994). Previously unrecognized sequelae of anterior cruciate ligament injury. <i>Injury</i> , 25(4): 279.

87299	Kuikka PI, Pihlajamaki HK, Mattila VM (2013). Knee injuries related to sports in young adult males during military service - Incidence and risk factors. <i>Scan J Med Sci Sports</i> , 23(3): 281-7.
20379	Kujala UM, Aalto T, Osterman K, et al (1989). The effect of volleyball playing on the knee extensor mechanism. <i>The American Journal of Sports Medicine</i> , 17(6): 766-9.
20750	Kulowski J (1933). Chondromalacia of the patella. <i>JAMA</i> , 100: 1837-40.
87040	Kusnezov N, Watts N, Belmont PJ Jr, et al (2016). Incidence and Risk Factors for Chronic Anterior Knee Pain. <i>J Knee Surg</i> , 29(3): 248-53.
20720	Lancourt JE, Cristini JA (1975). Patellae alta and patella infera. Their etiological role in patellar dislocation chondromalacia, and apophysitis of the tibial tubercle. <i>The Journal of Bone & Joint Surgery</i> , 57 A(8): 1112-5.
86976	Lankhorst NE, Bierma-Zeinstra SM, van Middelkoop M (2013). Factors associated with patellofemoral pain syndrome: a systematic review. <i>Br J Sports Med</i> , 47(4): 193-206.
86979	Lankhorst NE, Bierma-Zeinstra S, Van Middlekoop M (2012). Risk factors for patellofemoral pain syndrome: A systematic review. <i>Journal of Orthopaedic & Sports Physical Therapy</i> , 42(2): 80-A12.
56076	LaPrade RF (2010). Medial synovial plica irritation. Retrieved 30 March 2010, from http://emedicine.medscape.com/article/89985-print
56128	Leadbetter WB (2008). Patellofemoral arthritis. Preface. <i>Orthop Clin N Am</i> , 39: ix.
20332	Lehman WL Jr (1984). Overuse syndromes in runners. <i>American Family Physician</i> , 29: 157-161.
20749	Lehnert M, Eisenschenk A, Zellner A (1993). Results of conservative treatment of partial tears of the anterior cruciate ligament. <i>International Orthopaedics</i> , 17(4): 219-23.
20852	Leslie IJ, Bentley G (1978). Arthroscopy in the diagnosis of chondromalacia patellae. <i>Annals of the Rheumatic Diseases</i> , 37: 540-7.
71769	Lopes AD, Hespanhol LC Jr, Yeung SS, et al (2012). What are the main running-related musculoskeletal injuries? <i>Sports Med</i> , 42(10): 891-905.
56131	Mann G, Constantini N, Hetsroni I, et al (2007). Anterior knee-pain syndrome. <i>Adolesc Med</i> , 18: 192-220.
20339	Marans HJ, Kennedy DK, Kavanagh TG, et al (1988). A review of intra-articular knee injuries in racquet sports diagnosed by arthroscopy. <i>The Canadian Journal of Surgery</i> , 31(3): 199-201.
20718	Marks KE, Bentley G (1978). Patellae alta and chondromalacia. <i>The Journal of Bone & Joint Surgery</i> , 60 B(1): 71-3.
56132	McAlindon TE (1999). The knee. <i>Bailliere's Clinical Rheumatology</i> , 13(2): 329-44.
20713	McDaniel WJ, Dameron TB Jr (1980). Untreated ruptures of the anterior cruciate ligament. A follow-up study. <i>Journal of the Bone & Joint Surgery</i> , A 62(5): 696-705.
20518	Meloche AT (1987). Disorders of the knee: genu valgum and chondromalacia patellae. <i>Orthopaedic Nursing</i> , 6(3): 41-5, 57.
4707	Merchant AC (1988). Classification of patellofemoral disorders. <i>Arthroscopy</i> , 4(4): 235-40.
20340	Merchant AC (1988). Classification of patellofemoral disorders. <i>Arthroscopy: The Journal of Arthroscopic & Related Surgery</i> , 4(4): 235-40.
20489	Meyer JJ, Keating JC Jr (1989). Chondromalacia patellae. <i>Journal of Manipulative & Physiological Therapeutics</i> , 12(1): 59-69.
86975	Modarelli S, Jude C (2017). Radiologic evaluation of the chronically painful knee in adults. Retrieved 7 June 2018, from https://www.uptodate.com/contents/radiologic-evaluation-of-the-chronically-painful-knee-in-adults

56028	Naslund J, Naslund U-B, Odenbring S, et al (2006). Comparison of symptoms and clinical findings in subgroups of individuals with patellofemoral pain. <i>Physiotherapy Theory and Practice</i> , 22(3): 105-18.
86980	Nejati P, Forogh B, MoeineddinR, et al (2011). Patellofemoral pain syndrome in Iranian female athletes. <i>Acta Medica Iranica</i> , 49(3): 169-72.
20714	Neyret P, Donell ST, Dejour H (1993). Results of partial meniscectomy related to the state of the anterior cruciate ligament. Review at 20 to 35 years. <i>The Journal of Bone & Joint Surgery</i> , 75 B: 36-40.
56038	Niek van Dijk C, van der Tempel WM (2008). Patellofemoral pain syndrome. <i>BMJ</i> , 337: a1948.
89226	Nielsen R, Parner E, Nohr E, et al (2014). Excessive progression in weekly running distance and risk of running-related injuries: an association which varies according to type of injury. <i>J Orthop Sports Phys Ther</i> , 44(10): 739-47.
56036	Nomura E, Inoue M (2005). Second-look arthroscopy of cartilage changes of the patellofemoral joint, especially the patella, following acute and recurrent patellar dislocation. <i>Osteoarthritis and Cartilage</i> , 13: 1029-36.
87046	Noon M, Hoch AZ, McNamara L, et al (2010). Injury patterns in female Irish dancers. <i>PM & R</i> , 2(11): 1030-4.
87039	O'Connor F, Mulvany S (2018). Patellofemoral pain. Retrieved 8 June 2018, from https://www.uptodate.com/contents/patellofemoral-pain?
85312	Orr RM, Coyle J, Johnston V, et al (2017). Self-reported load carriage injuries of military soldiers. <i>International Journal of Injury Control and Safety Promotion</i> , 24(2): 189-97.
85198	Orr RM, Pope R (2016). Gender differences in load carriage injuries of Australian army soldiers. <i>BMC Musculoskeletal Disorders</i> , 17(1): 488.
20709	Outerbridge RE, Dunlop JAY (1975). The problem of chondromalacia patellae. <i>Clinical Orthopaedics</i> , 110: 177-96.
17717	Pagliano J, Jackson D (1980). The ultimate study of running injuries. <i>Runners World</i> , 42-50.
87043	Pihlajamaki HK, Kuikka PI, Leppanen VV, et al (2010). Reliability of clinical findings and magnetic resonance imaging for the diagnosis of chondromalacia patellae. <i>Journal of Bone & Joint Surgery</i> , 92(4): 927-34.
87603	Piper SL, Kramer JD, Kim HT, et al (2011). Effects of local anesthetics on articular cartilage. <i>Am J Sports Med</i> , 39(10): 2245-53.
56069	Potter PJ, Sequeira KAJ (2009). Patellofemoral syndrome. <i>Emedicine</i> . Retrieved 18 March 2010, from http://emedicine.medscape.com/article/308471-print
87581	Powers CM, Bolgla LA, Callahan MJ, et al (2012). Patellofemoral pain: proximal, distal, and local factors, 2nd International Research Retreat. <i>J Orthop Sports Phys Ther</i> , 42: A1-54.
20405	Puddu G (1990). [Comment] The effect of volleyball playing on the knee extensor mechanism. <i>The American Journal of Sports Medicine</i> , 1891: 112.
20312	Quirk R (1983). Ballet injuries: the Australian experience. <i>Clinics in Sports Medicine</i> , 2(3): 507-14.
20333	Radin EL (1984). Chondromalacia of the patella. <i>Bulletin on the Rheumatic Diseases</i> , 34(1): 1-6.
20313	Reid DC (1988). Prevention of hip and knee injuries in ballet dancers. <i>Sports Medicine</i> , 6(5): 295-307.
20304	Reider B, Marshall JL, Warren RF (1981). Clinical characteristics of patellar disorders in young athletes. <i>The American Journal of Sports Medicine</i> , 9(4): 270-4.
20715	Reinker KA, Ozburne S (1979). A comparison of male and female orthopaedic pathology in basic training. <i>Military Medicine</i> , 144(8): 532-6.

87051	Resorlu H, Zateri C, Nusran G, et al (2017). The relation between chondromalacia patella and meniscal tear and the sulcus angle/trochlear depth ratio as a powerful predictor. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 30(3): 603-8.
84999	Resorlu M, Doner D, Karatag O, et al (2017). The relationship between chondromalacia patella, medial meniscal tear and medial periarticular bursitis in patients with osteoarthritis. <i>Radiology and Oncology</i> , 51(4): 401-6.
20345	Ross J (1993). A review of lower limb overuse injuries during basic military training. Part 1: types of overuse injuries. <i>Military Medicine</i> , 158(6): 410-5.
56541	Ryu J, Saito S, Yamamoto K (1997). Changes in articular cartilage in experimentally induced patellar subluxation. <i>Ann Rheum Dis</i> , 56: 677-81.
20407	Schulitz KP, Hille E, Kochs W (1983). The importance of the mediopatellar synovial plica for chondromalacia patellae. <i>Archives of Orthopaedic & Traumatic Surgery</i> , 102(1): 37-44.
89227	Sharma J, Greeves JP, Byers M, et al (2015). Musculoskeletal injuries in British Army recruits: a prospective study of diagnosis-specific incidence and rehabilitation times. <i>BMC Musculoskelet Disord</i> , 16(106): s12891.
56022	Sheehan FT, Derasari A, Fine KM, et al (2010). Q-angle and J-sign. Indicative of maltracking subgroups in patellofemoral pain. <i>Clin Orthop Relat Res</i> , 468: 266-75.
20726	Shelbourne KD, Trumper RV (1997). Preventing anterior knee pain after anterior cruciate ligament reconstruction. <i>The American Journal of Sports Medicine</i> , 25(1): 41-7.
4276	Shwayhat AF, et al (1994). Profiles of Exercise History and Overuse Injuries Among United States Navy Sea, Air, and Land (SEAL) Recruits. <i>The American Journal of Sports Medicine</i> , 22(6): 835-40.
20723	Sikorski JM, Peters J, Watt I (1979). The importance of femoral rotation in chondromalacia patellae as shown by serial radiography. <i>The Journal of Bone & Joint Surgery Br</i> , 61 B(4): 435-42.
21289	Slowick FA (1935). Traumatic chondromalacia of the patella. Report of two cases. <i>NEJM</i> , 213: 160-1.
87044	Smith BE, Selfe J, Thacker D, et al (2018). Incidence and prevalence of patellofemoral pain: A systematic review and meta-analysis. <i>PLoS One</i> , 13(1): e0190892.
56075	Stougaard J (1975). Chondromalacia of the patella. Incidence, macroscopical and radiological findings at autopsy. <i>Acta Orthop Scand</i> , 46: 809-22.
20338	Sullivan JD (1986). Chondromalacia patellae - just another enthesopathy. <i>The Canadian Journal of Surgery</i> , 29(5): 301.
56065	Taunton JE, Ryan MB, Clement DB, et al (2002). A retrospective case-control analysis of 2002 running injuries. <i>Br J Sports Med</i> , 36: 95-101.
57147	Teichtahl AJ, Parkins K, Hanna F, et al (2007). The relationship between the angle of the trochlear groove and patella cartilage and bone morphology - a cross-sectional study of healthy adults. <i>Osteoarthritis Cartilage</i> , 15: 1158-62.
57146	Teichtahl AJ, Wluka AE, Cicuttini FM (2008). Frontal plane knee alignment is associated with a longitudinal reduction in patella cartilage volume in people with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 16: 851-4.
71773	Tenforde AS, Sayres LC, McCurdy ML, et al (2011). Overuse injuries in high school runners: lifetime prevalence and prevention strategies. <i>PM&R</i> , 3(2): 125-31.
56043	Thijs Y, De Clercq D, Roosen P, et al (2008). Gait-related intrinsic risk factors for patellofemoral pain in novice recreational runners. <i>Br J Sports Med</i> , 42: 466-71.

56027	Thijs Y, van Tiggelen D, Roosen P, et al (2007). A prospective study on gait-related intrinsic risk factors for patellofemoral pain. <i>Clin J Sport Med</i> , 17(6): 437-45.
87582	Thomas S, Rupiper D, Stacy GS (2014). Imaging of the patellofemoral joint. <i>Clin Sports Med</i> , 33(3): 413-36.
20341	Torg JS, Barton TM, Pavlov H, et al (1989). Natural history of the posterior cruciate ligament-deficient knee. <i>Clinical Orthopaedics & Related Research</i> , 246: 208-16.
20724	Townsend PR, Rose RM, Radin EL, et al (1977). The biomechanics of the human patella and its implications for chondromalacia. <i>Journal of Biomechanics</i> , 10(7): 403-7.
4708	Turek SL (Ed) (1977). <i>ORTHOPAEDICS Principles and Their Application</i> . 3rd Ed. Philadelphia: J.B. Lippincott Company.
56039	Van Tiggelen D, Cowan S, Coorevits P, et al (2009). Delayed vastus medialis obliquus to vastus lateralis onset timing contributes to the development of patellofemoral pain in previously healthy men. <i>Am J Sports Med</i> , 37(6): 1099-105.
20334	Villar RN (1985). Chondromalacia patellae. <i>The Lancet</i> , 1: 813.
20303	Villar RN (1985). Patellofemoral pain and the infrapatellar brace. A military view. <i>The American Journal of Sports Medicine</i> , 13(5): 313-5.
87050	Vora M, Curry E, Chipman A, et al (2018). Patellofemoral pain syndrome in female athletes: A review of diagnoses, etiology and treatment options. <i>Orthop Rev</i> , 9(4): 7281.
20708	Warren RF, Marshall JL (1978). Injuries of the anterior cruciate and medial collateral ligaments of the knee. A long-term follow-up of 86 cases - Part 11. <i>Clinical Orthopaedics</i> , 47(136): 198-211.
55737	Widuchowski W, Lukasik P, Kwiatkowski G, et al (2008). Isolated full thickness chondral injuries. Prevalence and outcome of treatment. A retrospective study of 5233 knee arthroscopies. <i>Acta Chir Orthop Traumatol Cech</i> , 75: 382-6.
55656	Widuchowski W, Widuchowski J, Trzaska T (2007). Articular cartilage defects: study 25,124 knee arthroscopies. <i>The Knee</i> , 14: 177-82.
20793	Wilson KC, Evans-Smith E, Oelman BJ (1983). A study of patellofemoral plain in a junior infantry training unit. <i>J R Army Med Corps</i> , 129(2): 82-7.
56026	Wilson NA, Press JM, Zhang L-Q (2009). In vivo strain of the medial vs. lateral quadriceps tendon in patellofemoral pain syndrome. <i>J Appl Physiol</i> , 107: 422-8.
56130	Wilson NA, Press JM, Koh JL, et al (2009). In vivo noninvasive evaluation of abnormal patellar tracking during squatting in patients with patellofemoral pain. <i>J Bone Joint Surg</i> , 91: 558-66.
89318	Witvrouw E, Callaghan MJ, Stefanik JJ, et al (2014). Patellofemoral pain: consensus statement from the 3rd International Patellofemoral Pain Research Retreat held in Vancouver, September 2013. <i>Br J Sports Med</i> , 48(6): 411-4.
4709	Worrell RV (1973). Incidence of chondromalacia of patella following meniscectomy of knee joint. <i>N Y State J Med</i> , 73(7): 860-4.
20408	Yates C, Grana WA (1986). Patellofemoral pain - a prospective study. <i>Orthopedics (Thorofare, NJ)</i> , 9(5): 663-67.
71302	Yeung SS, Yeung EW, Gillespie LD (2011). Interventions for preventing lower limb soft-tissue running injuries. <i>The Cochrane Collaboration</i> , 7: CD001256.
56135	Zhang H, Kong X-Q, Cheng C, et al (2003). A correlative study between prevalence of chondromalacia patellae and sports injury in 4 068 students. <i>Chinese Journal of Traumatology</i> , 6(6): 370-4.
20406	Zorman D, Prezerowitz L, Pasteels JL, et al (1990). Arthroscopic treatment of posttraumatic chondromalacia patellae. <i>Orthopedics (Thorofare, NJ)</i> , 13(5): 585-88.

