



## LYME DISEASE

RMA ID Number	Reference List for RMA401-2 as at December 2024
---------------	---

119251	Abdelbaset AE, Nonaka N, Nakao R (2022). Tick-borne diseases in Egypt: A one health perspective. <i>One Health</i> , 15: 100443.
119252	Abdelmaseih R, Ashraf B, Abdelmasih R, et al (2021). Southern tick-associated rash illness: Florida's Lyme disease variant. <i>Cureus</i> , 13(5): e15306.
119253	Adler M, Swe T, Thein Naing A (2017). Concurrent babesiosis and serological evidence of Lyme disease in a young patient. <i>J Community Hosp Intern Med Perspect</i> , 7(1): 46-8.
119254	Alter HJ, Stramer SL, Dodd RY (2007). Emerging infectious diseases that threaten the blood supply. <i>Semin Hematol</i> , 44(1): 32-41.
119255	Arapovic J, Skocibusic S, Grgic S, et al (2014). The first evidence of lyme neuroborreliosis in Southern Bosnia and Herzegovina. <i>Case Rep Infect Dis</i> , 2014: 231969.
119259	Arvikar SL, Crowley JT, Sulka KB, et al (2017). Autoimmune arthritides, rheumatoid arthritis, psoriatic arthritis, or peripheral spondyloarthritis following Lyme disease. <i>Arthritis Rheumatol</i> , 69(1): 194-202.
119262	Assi MA, Yao JD, Walker RC (2007). Lyme disease followed by human granulocytic anaplasmosis in a kidney transplant recipient. <i>Transpl Infect Dis</i> , 9(1): 66-72.
76041	Assous MV, Wilamowski A (2009). Relapsing fever borreliosis in Eurasia--forgotten, but certainly not gone! <i>Clin Microbiol Infect</i> , 15(5): 407-14.
119268	Australian Government Department of Health and Aged Care (2023). About tick bite-associated illness in Australia. Retrieved 4 July 2024, from <a href="https://www.health.gov.au/our-work/dscatt/about#lyme-disease-in-australia">https://www.health.gov.au/our-work/dscatt/about#lyme-disease-in-australia</a>
119271	Babu K, Murthy KR, Bhagya M, et al (2020). Seroprevalence of Lymes disease in the Nagarahole and Bandipur forest areas of South India. <i>Indian J Ophthalmol</i> , 68(1): 100-5.
119276	Babu K, Murthy PR (2010). Neuroretinitis as a manifestation of Lyme disease in South India: a case report. <i>Ocul Immunol Inflamm</i> , 18(2): 97-8. [Abstract]
119277	Bagautdinova LI, Platonov AE, Sarksyian DS, et al (2016). [Follow-up of patients with Ixodes tick-borne borrelioses caused by <i>Borrelia miyamotoi</i> or <i>Borrelia burgdorferi sensu lato</i> ]. <i>Ter Arkh</i> , 88(11): 43-54 [Article in Russian]. [Abstract]
76263	Baggoley C (2014). Progress report against the CACLD Terms of Reference. Retrieved 27 October 2015, from <a href="http://www.health.gov.au/internet/main/publishing.nsf/Content/ohp-lyme-disease.htm/\$File/progress-report.pdf">http://www.health.gov.au/internet/main/publishing.nsf/Content/ohp-lyme-disease.htm/\$File/progress-report.pdf</a>
76262	Baggoley C (2015). Progress report on Lyme disease in Australia. Retrieved 26 October 2015, from <a href="http://www.health.gov.au/lyme-disease#cmo=progress">www.health.gov.au/lyme-disease#cmo=progress</a>

76171	Baldock FC, Yamane I, Gardner I (1993). Pilot survey for Lyme disease antibodies in Brisbane dogs. <i>Aust Vet J</i> , 70(9): 356-7.
119278	Barbosa AD, Long M, Lee W, et al (2022). The troublesome ticks research protocol: Developing a comprehensive, multidiscipline research plan for investigating human tick-associated disease in Australia. <i>Pathogens</i> , 11(11): 1290.
119280	Baum SG (2008). Zoonoses-with friends like this, who needs enemies? <i>Trans Am Clin Climatol Assoc</i> , 119: 39-51; discussion 51-2.
119281	Bauvin O, Schmutz JL, De Martino S, et al (2017). A foot tumour as late cutaneous Lyme borreliosis: a new entity. <i>Br J Dermatol</i> , 177(4): 1127-30. [Abstract]
81018	Beaman MH (2016). Lyme disease: why the controversy? <i>Intern Med J</i> , 46(12): 1370-5.
119282	Becker NS, Rollins RE, Nosenko K, et al (2020). High conservation combined with high plasticity: genomics and evolution of <i>Borrelia bavariensis</i> . <i>BMC Genomics</i> , 21(1): 702.
119294	Behzadi MY, Mostafavi E, Rohani M, et al (2021). A review on important zoonotic bacterial tick-borne diseases in the Eastern Mediterranean region. <i>J Arthropod Borne Dis</i> , 15(3): 265-77.
119295	Belongia EA (2002). Epidemiology and impact of coinfections acquired from <i>Ixodes</i> ticks. <i>Vector Borne Zoonotic Dis</i> , 2(4): 265-73. [Abstract]
119297	Bohme M, Schwenecke S, Fuchs E, et al (1992). Screening of blood donors and recipients for <i>Borrelia burgdorferi</i> antibodies: no evidence of <i>B. burgdorferi</i> infection transmitted by transfusion. <i>Infusionsther Transfusionsmed</i> , 19(4): 204-7. [Abstract]
119299	Bonnet C, Figoni J, Souty C, et al (2023). Prevalence and factors associated with a prescription of a Lyme borreliosis serology for erythema migrans diagnosis in general practice: a study from the French sentinel network, 2009-2020. <i>BMC Prim Care</i> , 24(1): 163.
119300	Borchers AT, Keen CL, Huntley AC, et al (2015). Lyme disease: a rigorous review of diagnostic criteria and treatment. <i>J Autoimmun</i> , 57: 82-115.
75966	Borgermans L, Goderis G, Vandevoorde J, et al (2014). Relevance of chronic lyme disease to family medicine as a complex multidimensional chronic disease construct: a systematic review. <i>Int J Family Med</i> , 2014: 138016.
119303	Bowser N, Bouchard C, Sautié Castellanos M, et al (2024). Self-reported tick exposure as an indicator of Lyme disease risk in an endemic region of Quebec, Canada. <i>Ticks Tick Borne Dis</i> , 15(1): 102271.
119306	Boyer PH, Koetsveld J, Zilliox L, et al (2020). Assessment of <i>Borrelia miyamotoi</i> in febrile patients and ticks in Alsace, an endemic area for Lyme borreliosis in France. <i>Parasit Vectors</i> , 13(1): 199.
119307	Branda JA, Steere AC (2021). Laboratory diagnosis of Lyme borreliosis. <i>Clin Microbiol Rev</i> , 34(2): e00018-9.
75967	Cameron DJ, Johnson LB, Maloney EL (2014). Evidence assessments and guideline recommendations in Lyme disease: the clinical management of known tick bites, erythema migrans rashes and persistent disease. <i>Expert Rev Anti Infect Ther</i> , 12(9): 1103-35.
119308	Carlsson H, Ekerfelt C, Henningsson AJ, et al (2018). Subclinical Lyme borreliosis is common in south-eastern Sweden and may be distinguished from Lyme neuroborreliosis by sex, age and specific immune marker patterns. <i>Ticks Tick Borne Dis</i> , 9(3): 742-8.
76268	Celik T, Celik U, Komur M, et al (2015). Treatment of Lyme neuroborreliosis with plasmapheresis. <i>J Clin Apher</i> , 31(5): 476-8.
76933	Centers for Disease Control and Prevention (2015). Two-step laboratory testing process. Retrieved 28 September 2015, from <a href="http://www.cdc.gov/lyme/diagnostictesting/labtest/twostep/index.html">www.cdc.gov/lyme/diagnostictesting/labtest/twostep/index.html</a>

76932	Centers for Disease Control (2015). Signs and symptoms of untreated Lyme disease. Retrieved 3 December 2015, from <a href="http://www.cdc.gov/lyme/signs_symptoms/">www.cdc.gov/lyme/signs_symptoms/</a>
77383	Centres for Disease Control and Prevention (CDC) (2016). New Lyme disease-causing bacteria species discovered. Retrieved 17 February 2016, from <a href="http://www.cdc.gov/media/releases/2016/p0208-lyme-disease.html">http://www.cdc.gov/media/releases/2016/p0208-lyme-disease.html</a>
76165	Centres for Disease Control and Prevention (CDC) (2015). Lyme disease ( <i>Borrelia burgdorferi</i> ) 2011 case definition. Retrieved 21 October 2015, from <a href="http://wwwn.cdc.gov/nndss/conditions/lyme-disease/case-definition/2011/">http://wwwn.cdc.gov/nndss/conditions/lyme-disease/case-definition/2011/</a>
76257	Cestnick L (1998). Lyme disease in Australia. <i>Aust N Z J Public Health</i> , 22(5): 524.
119309	Cetin E, Sotoudeh M, Auer H, et al (2006). Paradigm Burgenland: risk of <i>Borrelia burgdorferi sensu lato</i> infection indicated by variable seroprevalence rates in hunters. <i>Wien Klin Wochenschr</i> , 118(21-2): 677-81.
119310	Chalada MJ, Stenos J, Bradbury RS (2016). Is there a Lyme-like disease in Australia? Summary of the findings to date. <i>One Health</i> , 2: 42-54.
76007	Chams-Davatchi C (1997). The first endemic case of Lyme borreliosis in Iran. <i>Med J Islam Repub Iran</i> , 11(3): 237-9.
119311	Choi E, Pyzocha NJ, Maurer DM (2016). Tick-borne illnesses. <i>Curr Sports Med Rep</i> , 15(2): 98-104.
119312	Colby E, Olsen J, Angulo FJ, et al (2023). Estimated incidence of symptomatic Lyme borreliosis cases in Lublin, Poland in 2021. <i>Microorganisms</i> , 11(10): 2481.
81019	Collignon PJ, Lum GD, Robson JM (2016). Does Lyme disease exist in Australia? <i>Med J Aust</i> , 205(9): 413-7.
76255	Cunha BA (2015). Babesiosis. Retrieved 23 October 2015, from <a href="http://emedicine.medscape.com/article/212605-overview#showall">http://emedicine.medscape.com/article/212605-overview#showall</a>
76254	Cunha BA (2015). Ehrlichiosis. Retrieved 23 October 2015, from <a href="http://emedicine.medscape.com/article/235839-overview#a5">http://emedicine.medscape.com/article/235839-overview#a5</a>
119313	de la Fuente J, Estrada-Pena A, Rafael M, et al (2023). Perception of ticks and tick-borne diseases worldwide. <i>Pathogens</i> , 12(10): 1258.
119314	Dehhaghi M, Kazemi Shariat Panahi H, Holmes EC, et al (2019). Human tick-borne diseases in Australia. <i>Front Cell Infect Microbiol</i> , 9: 3.
76934	Department of Health (2015). An Australian Guideline on the diagnosis of overseas acquired Lyme disease/borreliosis. Retrieved 18 January 2016, from <a href="http://www.health.gov.au/lyme-disease#oz-guidelines">www.health.gov.au/lyme-disease#oz-guidelines</a>
76264	Department of Health (2015). Preventing and treating tick bites. Retrieved 27 October 2015, from <a href="http://www.health.gov.au/internet/main/publishing.nsf/Content/ohp-lyme-disease.htm/\$File/Preventing-treating-tick-bites.pdf">http://www.health.gov.au/internet/main/publishing.nsf/Content/ohp-lyme-disease.htm/\$File/Preventing-treating-tick-bites.pdf</a>
81020	Dickeson DJ, Chen SC, Sintchenko VG (2016). Concordance of four commercial enzyme immunoassay and three immunoblot formats for the detection of Lyme borreliosis antibodies in human serum: the two-tier approach remains. <i>Pathology</i> , 48(3): 251-6.
119317	Dittmer MR, Willis MS, Selby JC, et al (2018). Septolobular panniculitis in disseminated Lyme borreliosis. <i>J Cutan Pathol</i> , 45(4): 274-7. [Abstract]
119318	Dong Y, Zhou G, Cao W, et al (2022). Global seroprevalence and sociodemographic characteristics of <i>Borrelia burgdorferi sensu lato</i> in human populations: a systematic review and meta-analysis. <i>BMJ Glob Health</i> , 7(6): e007744.
119319	dos Santos CC, Kain KC (1999). Two tick-borne diseases in one: a case report of concurrent babesiosis and Lyme disease in Ontario. <i>CMAJ</i> , 160(13): 1851-3.
119320	Dutta Majumder P (2020). Tick talk: A glimpse into the literature. <i>Indian J Ophthalmol</i> , 68(1): 104-5.

119321	Efstratiou A, Karanis G, Karanis P (2021). Tick-borne pathogens and diseases in Greece. <i>Microorganisms</i> , 9(8): 1732.
119322	Eguchi K, Tsuzaka K, Yabe I, et al (2018). [A case of Lyme neuroborreliosis without erythema migrans]. <i>Rinsho Shinkeigaku</i> , 58(2): 124-6 [Article in Japanese]. [Abstract]
119323	Eisen L (2018). Pathogen transmission in relation to duration of attachment by <i>Ixodes scapularis</i> ticks. <i>Ticks Tick Borne Dis</i> , 9(3): 535-42.
119324	Eisen L (2021). Control of ixodid ticks and prevention of tick-borne diseases in the United States: The prospect of a new Lyme disease vaccine and the continuing problem with tick exposure on residential properties. <i>Ticks Tick Borne Dis</i> , 12(3): 101649.
77784	Elhelw RA, El-Enbaawy MI, Samir A (2014). Lyme borreliosis: a neglected zoonosis in Egypt. <i>Acta Trop</i> , 140: 188-92.
119325	Eriksson P, Schroder MT, Niiranen K, et al (2013). The many faces of solitary and multiple erythema migrans. <i>Acta Derm Venereol</i> , 93(6): 693-700.
76267	Erol I, Kilicarslan B, Saygi S, et al (2013). Acute transverse myelitis in a child with Lyme disease and a review of the literature. <i>Pediatr Neurol</i> , 48(4): 325-8.
76266	Erol I, Saygi S, Alehan F (2013). Acute cerebellar ataxia in a pediatric case of Lyme disease and a review of the literature. <i>Pediatr Neurol</i> , 48(5): 407-10.
76261	European Centre for Disease Prevention and Control (ECDC) (2015). <i>Ixodes ricinus</i> . Retrieved 26 October 2015, from <a href="http://www.health.gov.au/lyme-disease#research-rprojects">www.health.gov.au/lyme-disease#research-rprojects</a>
76260	European Centre for Disease Prevention and Control (ECDC) (2015). Tick maps. Retrieved 26 October 2015, from <a href="http://ecdc.europa.eu/en/healthtopics/vectors/vector-maps/Pages/VBORNET-maps-tick-species.aspx">http://ecdc.europa.eu/en/healthtopics/vectors/vector-maps/Pages/VBORNET-maps-tick-species.aspx</a>
77787	Feria-Arroyo TP, Castro-Arellano I, Gordillo-Perez G, et al (2014). Implications of climate change on the distribution of the tick vector <i>Ixodes scapularis</i> and risk for Lyme disease in the Texas-Mexico transboundary region. <i>Parasit Vectors</i> , 7: 199.
75965	Fisher JB, Curtis CE (2010). An unexpected case of Lyme disease in a soldier serving in northern Iraq. <i>Mil Med</i> , 175(5): 367-9.
119326	Gandy SL, Hansford KM, Medlock JM (2023). Possible expansion of <i>Ixodes ricinus</i> in the United Kingdom identified through the Tick Surveillance Scheme between 2013 and 2020. <i>Med Vet Entomol</i> , 37(1): 96-104.
119327	Gatzmann F, Metzler D, Krebs S, et al (2015). NGS population genetics analyses reveal divergent evolution of a Lyme Borreliosis agent in Europe and Asia. <i>Ticks Tick Borne Dis</i> , 6(3): 344-51. [Abstract]
119328	Gazdag G, Szabo Z, Szlavik J (2014). [Psychiatric aspects of infectious diseases -- a literature review]. <i>Neuropsychopharmacol Hung</i> , 16(4): 181-7 [Article in Hungarian]. [Abstract]
119329	Geebelen L, Van Cauteren D, Devleeschauwer B, et al (2019). Combining primary care surveillance and a meta-analysis to estimate the incidence of the clinical manifestations of Lyme borreliosis in Belgium, 2015-2017. <i>Ticks Tick Borne Dis</i> , 10(3): 598-605.
119330	Gerber MA, Shapiro ED, Krause PJ, et al (1994). The risk of acquiring Lyme disease or babesiosis from a blood transfusion. <i>J Infect Dis</i> , 170(1): 231-4.
119331	Ginzburg Y, Kessler D, Kang S, et al (2013). Why has <i>Borrelia burgdorferi</i> not been transmitted by blood transfusion? <i>Transfusion</i> , 53(11): 2822-6.
119332	Goddard J (2017). Not all erythema migrans lesions are Lyme disease. <i>Am J Med</i> , 130(2): 231-3.

119333	Goddard J, Wyatt JP (2022). The evolution of a tick bite lesion. <i>Cureus</i> , 14(10): e29865.
75968	Gofton AW, Oskam CL, Lo N, et al (2015). Inhibition of the endosymbiont "Candidatus Midichloria mitochondrii" during 16S rRNA gene profiling reveals potential pathogens in Ixodes ticks from Australia. <i>Parasit Vectors</i> , 8: 345.
119334	Gordillo-Perez G, Solorzano F, Cervantes-Castillo A, et al (2018). Lyme neuroborreliosis is a severe and frequent neurological disease in Mexico. <i>Arch Med Res</i> , 49(6): 399-404. [Abstract]
77785	Gordillo-Perez G, Torres J, Solorzano-Santos F, (2007). Borrelia burgdorferi infection and cutaneous Lyme disease, Mexico. <i>Emerg Infect Dis</i> , 13(10): 1556-8.
77786	Government of Canada (2015). National Lyme disease surveillance in Canada 2013: Web report. Retrieved 17 March 2016, from <a href="http://healthycanadians.gc.ca/publications/diseases-conditions-maladies-affections/lyme-surveillance-2013/index-eng.php">http://healthycanadians.gc.ca/publications/diseases-conditions-maladies-affections/lyme-surveillance-2013/index-eng.php</a>
76252	Hammoud KA (2014). Bartonellosis. Retrieved 22 October 2015, from <a href="http://emedicine.medscape.com/article/213169-overview">http://emedicine.medscape.com/article/213169-overview</a>
76936	Heymann D (Ed) (2015). Lyme disease. <i>Control of Communicable Diseases in Man</i> , 20th Edition, 363-7. American Public Health Assoc, Washington DC.
76017	Hu LT (2012). In the clinic. Lyme disease. <i>Ann Intern Med</i> , 157(3): ITC2-16.
76169	Hudson BJ, Stewart M, Lennox VA, et al (1998). Culture-positive Lyme borreliosis. <i>Med J Aust</i> , 168(10): 500-2.
119335	Huegli D, Moret J, Rais O, et al (2011). Prospective study on the incidence of infection by Borrelia burgdorferi sensu lato after a tick bite in a highly endemic area of Switzerland. <i>Ticks Tick Borne Dis</i> , 2(3): 129-36. [Abstract]
119337	Hvidsten D, Mortensen L, Straume B, et al (2017). Blood donor Borrelia burgdorferi sensu lato seroprevalence and history of tick bites at a northern limit of the vector distribution. <i>APMIS</i> , 125(8): 717-24. [Abstract]
119338	Hynote ED, Mervine PC, Stricker RB (2012). Clinical evidence for rapid transmission of Lyme disease following a tickbite. <i>Diagn Microbiol Infect Dis</i> , 72(2): 188-92. [Abstract]
119339	Inci A, Yildirim A, Duzlu O, et al (2016). Tick-borne diseases in Turkey: A review based on one health perspective. <i>PLoS Negl Trop Dis</i> , 10(12): e0005021.
76935	Institute of Medicine (2007). <i>Infectious diseases. Gulf War and Health</i> , Vol 5: 35-45, 61-99. National Academies Press - Washington, DC.
119340	Jablonska J, Zarnowska-Prymek H, Stanczak J, et al (2016). Symptomatic co-infection with Babesia microti and Borrelia burgdorferi in patient after international exposure; a challenging case in Poland. <i>Ann Agric Environ Med</i> , 23(2): 387-9.
119341	Jahfari S, Hofhuis A, Fonville M, et al (2016). Molecular detection of tick-borne pathogens in humans with tick bites and erythema migrans, in the Netherlands. <i>PLoS Negl Trop Dis</i> , 10(10): e0005042.
119342	Johansson M, Manfredsson L, Wistedt A, et al (2017). Significant variations in the seroprevalence of C6 ELISA antibodies in a highly endemic area for Lyme borreliosis: evaluation of age, sex and seasonal differences. <i>APMIS</i> , 125(5): 476-481. [Abstract]
75964	Johnson BJ, Pilgard MA, Russell TM (2014). Assessment of new culture method for detection of Borrelia species from serum of Lyme disease patients. <i>J Clin Microbiol</i> , 52(3): 721-4.
119343	Kandhari R, Kandhari S, Jain S (2014). Borrelial lymphocytoma cutis: a diagnostic dilemma. <i>Indian J Dermatol</i> , 59(6): 595-7.

119344	Kannangara DW, Patel P (2018). Report of non-Lyme, erythema migrans rashes from New Jersey with a review of possible role of tick salivary toxins. <i>Vector Borne Zoonotic Dis</i> , 18(12): 641-52. [Abstract]
119346	Kempf W, Kazakov DV, Hubscher E, et al (2015). Cutaneous borreliosis associated with T cell-predominant infiltrates: a diagnostic challenge. <i>J Am Acad Dermatol</i> , 72(4): 683-9. [Abstract]
119348	Khor CS, Hassan H, Mohd-Rahim NF, et al (2019). Seroprevalence of <i>Borrelia burgdorferi</i> among the indigenous people (Orang Asli) of Peninsular Malaysia. <i>J Infect Dev Ctries</i> , 13(5): 449-54.
119350	Kim CM, Yun NR, Kim DM (2021). Case report: The first <i>Borrelia yangtzensis</i> infection in a human in Korea. <i>Am J Trop Med Hyg</i> , 106(1): 45-6.
119352	Kolezynska B, Solarz K, Wieczorek W, et al (2024). High prevalence of <i>Borrelia burgdorferi</i> antibodies in Jaworzno, Poland: A retrospective study revealing endemic Lyme borreliosis. <i>Med Sci Monit</i> , 30: e943203.
119355	Krause PJ, Fish D, Narasimhan S, et al (2015). <i>Borrelia miyamotoi</i> infection in nature and in humans. <i>Clin Microbiol Infect</i> , 21(7): 631-9.
119356	Krause PJ, Foley DT, Burke GS, et al (2006). Reinfection and relapse in early Lyme disease. <i>Am J Trop Med Hyg</i> , 75(6): 1090-4.
119357	Krause PJ, Telford SR 3rd, Spielman A, et al (1996). Concurrent Lyme disease and babesiosis. Evidence for increased severity and duration of illness. <i>JAMA</i> , 275(21): 1657-60.
119358	Krstic M, Stajkovic N, Lazic S (2016). Prevalence of <i>Borrelia burgdorferi</i> sensu lato in <i>Ixodes ricinus</i> ticks and assessment of entomological risk index at localities in Belgrade. <i>Vojnosanit Pregl</i> , 73(9): 817-24.
119359	Kwon HY, Im JH, Park YK, et al (2018). Two imported cases of Babesiosis with complication or co-infection with Lyme disease in Republic of Korea. <i>Korean J Parasitol</i> , 56(6): 609-13.
119360	Lantos PM, Rumbaugh J, Bockenstedt LK, et al (2021). Clinical Practice Guidelines by the Infectious Diseases Society of America, American Academy of Neurology, and American College of Rheumatology: 2020 Guidelines for the Prevention, Diagnosis, and Treatment of Lyme Disease. <i>Neurology</i> , 96(6): 262-73.
76039	Lantos PM, Wormser GP (2014). Chronic coinfections in patients diagnosed with chronic Lyme disease: a systematic review. <i>Am J Med</i> , 127(11): 1105-10.
76172	Lawrence RH, Bradbury R, Cullen JS (1986). Lyme disease on the NSW central coast. <i>Med J Aust</i> , 145(7): 364.
119361	Loeb M, Brison R, Bramson J, et al (2023). Protocol for a longitudinal cohort study of Lyme disease with physical, mental and immunological assessment. <i>BMJ Open</i> , 13(11): e076833.
81021	Loh SM, Gofton AW, Lo N, et al (2016). Novel <i>Borrelia</i> species detected in echidna ticks, <i>Bothriocroton concolor</i> , in Australia. <i>Parasit Vectors</i> , 9(1): 339.
74369	Lyme Disease Association of Australia (2014). Patient submission to the Australian Government Department of Health's 'Scoping study to develop a research project(s) to investigate the presence or absence of Lyme disease in Australia'. Lyme disease in Australia, Lyme Disease Association of Australia.
119362	Maraspin V, Cimperman J, Lotric-Furlan S, et al (2006). Erythema migrans in solid-organ transplant recipients. <i>Clin Infect Dis</i> , 42(12): 1751-4.
119363	Marcus LC, Steere AC, Duray PH, et al (1985). Fatal pancarditis in a patient with coexistent Lyme disease and babesiosis. Demonstration of spirochetes in the myocardium. <i>Ann Intern Med</i> , 103(3): 374-6. [Abstract]

119364	Marques A, Schwartz I, Wormser GP, et al (2017). Transcriptome assessment of erythema migrans skin lesions in patients with early Lyme disease reveals predominant interferon signaling. <i>J Infect Dis</i> , 217(1): 158-67.
76040	Mayne P, Song S, Shao R, et al (2014). Evidence for Ixodes holocyclus (Acarina: Ixodidae) as a vector for human Lyme Borreliosis infection in Australia. <i>J Insect Sci</i> , 14: 271.
76167	Mayne PJ (2011). Emerging incidence of Lyme borreliosis, babesiosis, bartonellosis, and granulocytic ehrlichiosis in Australia. <i>Int J Gen Med</i> , 4: 845-52.
74347	Mayne PJ (2014). Clinical determinants of Lyme borreliosis, babesiosis, bartonellosis, anaplasmosis, and ehrlichiosis in an Australian cohort. <i>Int J Gen Med</i> , 8: 15-26.
76249	McColl GJ, Frauman AG, Dowling JP, et al (1994). A report of Lyme disease in Victoria. <i>Aust N Z J Med</i> , 24(3): 324-5.
76250	McCrossin I (1986). Lyme disease on the NSW south coast. <i>Med J Aust</i> , 144(13): 724-5.
119365	Mead PS (2015). Epidemiology of Lyme disease. <i>Infect Dis Clin North Am</i> , 29(2): 187-210. [Abstract]
76259	Meyerhoff JO (2015). Lyme disease. Retrieved 26 October 2015, from <a href="http://emedicine.medscape.com/article/330178-overview#showall">http://emedicine.medscape.com/article/330178-overview#showall</a>
76258	Meyerhoff JO (2015). Lyme disease differential diagnoses. Retrieved 26 October 2015, from <a href="http://emedicine.medscape.com/article/330178-differential">http://emedicine.medscape.com/article/330178-differential</a>
119367	Mironova M, Kortela E, Kurkela S, et al (2021). Lyme neuroborreliosis-associated cerebrovascular events in the Finnish endemic area. <i>J Neurol Sci</i> , 427: 117544.
77788	Moon S, Hong Y, Hwang KJ, et al (2015). Epidemiological features and clinical manifestations of Lyme borreliosis in Korea during the period 2005-2012. <i>Jpn J Infect Dis</i> , 68(1): 1-4.
76937	Mortality and Morbidity Weekly Report (1995). Notice to readers recommendations for test performance and interpretation from the Second National Conference on Serologic Diagnosis of Lyme Disease. Retrieved 18 January 2016, from <a href="http://www.cdc.gov/mmwr/preview/mmwrhtml/00038469.htm">http://www.cdc.gov/mmwr/preview/mmwrhtml/00038469.htm</a>
119370	Mrzljak A, Novak R, Pandak N, et al (2020). Emerging and neglected zoonoses in transplant population. <i>World J Transplant</i> , 10(3): 47-63.
119371	Mukhacheva TA, Salikhova II, Kovalev SY (2015). Multilocus spacer analysis revealed highly homogeneous genetic background of Asian type of <i>Borrelia miyamotoi</i> . <i>Infect Genet Evol</i> , 31: 257-62. [Abstract]
119373	Mulic R, Antonijevic S, Klismanic Z, et al (2006). Epidemiological characteristics and clinical manifestations of Lyme borreliosis in Croatia. <i>Mil Med</i> , 171(11): 1105-9.
76359	Munro R, Dickeson D (1989). Lyme disease. <i>Today's Life Science</i> , Oct: 32-9.
101988	Myers F, Mishra PE, Cortez D, et al (2020). Chest palpitations in a teenager as an unusual presentation of Lyme disease: case report. <i>BMC Infect Dis</i> , 20(1): 730.
119374	Mylonas I (2011). Borreliosis during pregnancy: a risk for the unborn child? <i>Vector Borne Zoonotic Dis</i> , 11(7): 891-8. [Abstract]
76042	Naddaf SR, Ghazinezhad B, Bahramali G, et al (2012). Phylogenetic analysis of the spirochete <i>Borrelia microti</i> , a potential agent of relapsing fever in Iran. <i>J Clin Microbiol</i> , 50(9): 2873-6.
119377	Nakao R, Kasama K, Boldbaatar B, et al (2021). The evolution of hard tick-borne relapsing fever borreliae is correlated with vector species rather than geographical distance. <i>BMC Ecol Evol</i> , 21(1): 105.

76170	Nash PT (1998). Does Lyme disease exist in Australia? <i>Med J Aust</i> , 168(10): 479-80.
75969	Nau R, Christen HJ, Eiffert H (2009). Lyme disease--current state of knowledge. <i>Dtsch Arztebl Int</i> , 106(5): 72-81; quiz 82, I.
119380	Neelakanta G, Sultana H (2022). Tick saliva and salivary glands: What do we know so far on their role in arthropod blood feeding and pathogen transmission. <i>Front Cell Infect Microbiol</i> , 11: 816547.
119383	Nepveu-Traversy ME, Fausther-Bovendo H, Babuadze GG (2024). Human tick-borne diseases and advances in anti-tick vaccine approaches: A comprehensive review. <i>Vaccines (Basel)</i> , 12(2): 141.
119386	Nguyen TT, Kim TH, Bencosme-Cuevas E, et al (2024). A tick saliva serpin, IxsS17 inhibits host innate immune system proteases and enhances host colonization by Lyme disease agent. <i>PLoS Pathog</i> , 20(2): e1012032.
74348	NSW Health Department (2012). Lyme Disease (Factsheet). Retrieved 8 February 2015, from <a href="http://www.health.nsw.gov.au/Infectious/factsheets/pages/Lyme_disease.aspx">http://www.health.nsw.gov.au/Infectious/factsheets/pages/Lyme_disease.aspx</a>
119388	Nuttall PA (2023). Tick saliva and its role in pathogen transmission. <i>Wien Klin Wochenschr</i> , 135(7-8): 165-76.
119389	Obrebowski A, Walczak M, Karlik M, et al (2003). [Two cases of rare unilateral sensorineural hearing loss]. <i>Otolaryngol Pol</i> , 57(1): 115-9 [Article in Polish]. [Abstract]
119391	Oda R, Kutsuna S, Sekikawa Y, et al (2017). The first case of imported <i>Borrelia miyamotoi</i> disease concurrent with Lyme disease. <i>J Infect Chemother</i> , 23(5): 333-5. [Abstract]
119392	Ogden NH, Dumas A, Gachon P, et al (2024). Estimating the incidence and economic cost of Lyme disease cases in Canada in the 21st century with projected climate change. <i>Environ Health Perspect</i> , 132(2): 27005.
77789	Ogden NH, Koffi JK, Pelcat Y, et al (2014). Environmental risk from Lyme disease in central and eastern Canada: a summary of recent surveillance information. <i>Canada Communicable Disease Report (CCDR)</i> . Retrieved 17 March 2016, from <a href="http://www.phac-aspc.gc.ca/publicat/ccdr-rmtc/14vol40/dr-rm40-05/dr-rm40-05-1-eng.php">http://www.phac-aspc.gc.ca/publicat/ccdr-rmtc/14vol40/dr-rm40-05/dr-rm40-05-1-eng.php</a>
119394	Ogden NH, Lindsay LR, Schofield SW (2015). Methods to prevent tick bites and Lyme disease. <i>Clin Lab Med</i> , 35(4): 883-99. [Abstract]
119395	Osikowicz LM, Rizzo MR, Hojgaard A, et al (2024). Detection of <i>Borrelia burgdorferi</i> sensu lato species in host-seeking <i>Ixodes</i> species ticks in the United States. <i>Ticks Tick Borne Dis</i> , 15(1): 102270.
119397	Panczuk A, Koziol-Montewka M, Tokarska-Rodak M (2014). Exposure to ticks and seroprevalence of <i>Borrelia burgdorferi</i> among a healthy young population living in the area of southern Podlasie, Poland. <i>Ann Agric Environ Med</i> , 21(3): 512-7.
119399	Panczuk A, Tokarska-Rodak M, Plewik D, et al (2019). Tick exposure and prevalence of <i>Borrelia burgdorferi</i> antibodies among hunters and other individuals exposed to vector ticks in eastern Poland. <i>Rocz Panstw Zakl Hig</i> , 70(2): 161-8.
76265	Parlak M, Bayram Y, Çıkman A, et al (2015). [Seropositivity of <i>Borrelia burgdorferi</i> in risky groups in Van region, Turkey]. <i>Mikrobiyol Bul</i> , 49(3): 439-45 [Article in Turkish]. [Abstract]
119401	Paulson AR, Loughheed SC, Huang D, et al (2023). Multiomics reveals symbionts, pathogens, and tissue-specific microbiome of blacklegged ticks ( <i>Ixodes scapularis</i> ) from a Lyme disease hot spot in Southeastern Ontario, Canada. <i>Microbiol Spectr</i> , 11(3): e0140423.
119404	Pavia CS, Plummer MM (2018). Transfusion-associated Lyme disease - although unlikely, it is still a concern worth considering. <i>Front Microbiol</i> , 9: 2070.



119406	Pavia CS, Saggio G, Plummer MM (2024). The major epidemiologic, microbiologic, immunologic, and clinical aspects of Lyme disease that form the basis for a newly developed vaccine that may become available soon for human use. <i>Front Immunol</i> , 14: 1326623.
76797	Pfister HW, Wilske B (1994). Lyme borreliosis: Basic science and clinical aspects. <i>Lancet</i> , 343(8904): 1013-16.
119408	Pianta A, Drouin EE, Crowley JT, et al (2015). Annexin A2 is a target of autoimmune T and B cell responses associated with synovial fibroblast proliferation in patients with antibiotic-refractory Lyme arthritis. <i>Clin Immunol</i> , 160(2): 336-41.
76251	Piesman J, Stone BF (1991). Vector competence of the Australian paralysis tick, <i>Ixodes holocyclus</i> , for the Lyme disease spirochete <i>Borrelia burgdorferi</i> . <i>Int J Parasitol</i> , 21(1): 109-11.
74355	Pitt CE (2014). Lyme disease in Australia? Retrieved 8 February 2015, from <a href="http://cedwardpitt.com/2014/08/20/lyme-disease-in-australia/">http://cedwardpitt.com/2014/08/20/lyme-disease-in-australia/</a>
119410	Pomelova V, Korenberg E, Kuznetsova T, et al (2018). Utility of borrelia burgdorferi sensu stricto C6 peptide for serologic confirmation of erythema-free ixodid tick-borne Borrelioses in Russia. <i>Biomed Res Int</i> , 2018: 5291926.
77384	Pritt BS, Mead PS, Johnson DK, et al (2016). Identification of a novel pathogenic <i>Borrelia</i> species causing Lyme borreliosis with unusually high spirochaetaemia: a descriptive study. <i>Lancet Infect Dis</i> , 16(5): 556-64.
119412	Radesich C, Del Mestre E, Medo K, et al (2022). Lyme carditis: From pathophysiology to clinical management. <i>Pathogens</i> , 11(5): 582.
99298	Radolf JD, Strle K, Lemieux JE, et al (2021). Lyme disease in humans. <i>Curr Issues Mol Biol</i> , 42: 333-84.
119415	Raileanu C, Moutailler S, Pavel I, et al (2017). <i>Borrelia</i> diversity and co-infection with other tick borne pathogens in ticks. <i>Front Cell Infect Microbiol</i> , 7: 36.
119416	Robinson ML, Kobayashi T, Higgins Y, et al (2015). Lyme carditis. <i>Infect Dis Clin North Am</i> , 29(2): 255-68.
119418	Royal College of Pathologists of Australia (2022). Position Statement: Diagnostic laboratory testing for Lyme disease (or similar syndromes) in Australia and New Zealand. Retrieved 8 July 2024, from <a href="https://www.rcpa.edu.au/Library/College-Policies/Position-Statements/Diagnostic-Laboratory-testing-for-Borreliosis-Lyme">https://www.rcpa.edu.au/Library/College-Policies/Position-Statements/Diagnostic-Laboratory-testing-for-Borreliosis-Lyme</a>
119419	Rupani A, Elshabrawy HA, Bechelli J (2022). Dermatological manifestations of tick-borne viral infections found in the United States. <i>Virol J</i> , 19(1): 199.
74356	Russell RC, Doggett SL, Munro R, et al (1994). Lyme disease: a search for a causative agent in ticks in south-eastern Australia. <i>Epidemiol Infect</i> , 112(2): 375-84.
119421	Ryan MF, Thorn C (2013). Lyme carditis in an immunocompromised patient. <i>Case Rep Emerg Med</i> , 2013: 380734.
119422	Sanles Gonzalez I, Napal Lecumberri JJ, Perez-Montes R, et al (2022). Retinal vein occlusion in patients under 50 years. Analysis of vascular risk factors, thrombophilia, carotid ultrasound findings and uncommon aetiologies. <i>Arch Soc Esp Oftalmol (Engl Ed)</i> , 97(8): 443-9.
119424	Schnall J, Oliver G, Braat S, et al (2022). Characterising DSCATT: A case series of Australian patients with debilitating symptom complexes attributed to ticks. <i>Aust N Z J Psychiatry</i> , 56(8): 974-84.
119425	Septfons A, Rigaud E, Benezet L, et al (2023). Seroprevalence for <i>Borrelia burgdorferi</i> sensu lato and tick-borne encephalitis virus antibodies and associated risk factors among forestry workers in northern France, 2019 to 2020. <i>Euro Surveill</i> , 28(32): 2200961.

119426	Shrestha P, Dahal P, Ogbonnaa-Njoku C, et al (2020). Non-malarial febrile illness: a systematic review of published aetiological studies and case reports from Southern Asia and South-eastern Asia, 1980-2015. <i>BMC Med</i> , 18(1): 299.
119429	Simo L, Kazimirova M, Richardson J, et al (2017). The essential role of tick salivary glands and saliva in tick feeding and pathogen transmission. <i>Front Cell Infect Microbiol</i> , 7: 281.
119431	Smith GN, Moore KM, Hatchette TF, et al (2020). Committee opinion no. 399: Management of tick bites and Lyme disease during pregnancy. <i>J Obstet Gynaecol Can</i> , 42(5): 644-53.
76798	Smith RP, Schoen RT, Rahn DW, et al (2002). Clinical characteristics and treatment outcome of early Lyme disease in patients with microbiologically confirmed erythema migrans. <i>Ann Intern Med</i> , 136(6): 421-8.
119434	Soloria H, Adams D (2020). Lyme arthritis in a military dependent child transferred from Japan. <i>Mil Med</i> , 185(1-2): e301-2.
119436	Sormunen JJ, Saaksjarvi IE, Vesterinen EJ, et al (2023). Crowdsourced tick observation data from across 60 years reveals major increases and northwards shifts in tick contact areas in Finland. <i>Sci Rep</i> , 13(1): 21274.
76256	Stanek G, Reiter M (2011). The expanding Lyme Borrelia complex--clinical significance of genomic species? <i>Clin Microbiol Infect</i> , 17(4): 487-93.
119437	Stanek G, Strle F (2018). Lyme borreliosis-from tick bite to diagnosis and treatment. <i>FEMS Microbiol Rev</i> , 42(3): 233-58.
75963	Stanek G, Wormser GP, Gray J, et al (2012). Lyme borreliosis. <i>Lancet</i> , 379(9814): 461-73.
119438	Stark JH, Li X, Zhang JC, et al (2022). Systematic review and meta-analysis of Lyme disease data and seropositivity for <i>Borrelia burgdorferi</i> , China, 2005-2020. <i>Emerg Infect Dis</i> , 28(12): 2389-97.
74357	Stewart A, Glass J, Patel A, et al (1982). Lyme arthritis in the Hunter Valley. <i>Med J Aust</i> , 1(3): 139. [Abstract]
119439	Stidham RA, Cole R, Mabila SL (2024). The four most frequently diagnosed vector-borne diseases among service member and non-service member beneficiaries in the geographic combatant commands, 2010-2022. <i>MSMR</i> , 31(1): 14-6.
119440	Stone BL, Tourand Y, Brissette CA (2017). Brave new worlds: The expanding universe of Lyme disease. <i>Vector Borne Zoonotic Dis</i> , 17(9): 619-629.
76168	Storer E, Sheridan AT, Warren L, et al (2003). Ticks in Australia. <i>Australas J Dermatol</i> , 44(2): 83-9 Erratum: 44(2); 226.
119441	Stricker RB, Middelveen MJ (2015). Sexual transmission of Lyme disease: challenging the tickborne disease paradigm. <i>Expert Rev Anti Infect Ther</i> , 13(11): 1303-6.
119442	Strle F, Wormser GP (2022). Early Lyme disease (erythema migrans) and its mimics (southern tick-associated rash illness and tick-associated rash illness). <i>Infect Dis Clin North Am</i> , 36(3): 523-39.
119443	Strnad M, Honig V, Rulek D, et al (2017). Europe-wide meta-analysis of <i>Borrelia burgdorferi</i> sensu lato prevalence in questing <i>Ixodes ricinus</i> ticks. <i>Appl Environ Microbiol</i> , 83(15): e00609-17.
119444	Strnad M, Rudenko N, Rego RO (2023). Pathogenicity and virulence of <i>Borrelia burgdorferi</i> . <i>Virulence</i> , 14(1): 2265015.
119445	Stromdahl EY, Nadolny RM, Hickling GJ, et al (2018). <i>Amblyomma americanum</i> (Acari: Ixodidae) ticks are not vectors of the Lyme disease agent, <i>Borrelia burgdorferi</i> (Spirocheatales: Spirochaetaceae): A review of the evidence. <i>J Med Entomol</i> , 55(3): 501-14.
76166	Subedi S, Dickeson DJ, Branley JM (2015). First report of Lyme neuroborreliosis in a returned Australian traveller. <i>Med J Aust</i> , 203(1): 39-40.

119446	Swanson SJ, Neitzel D, Reed KD, et al (2006). Coinfections acquired from ixodes ticks. <i>Clin Microbiol Rev</i> , 19(4): 708-27.
119447	Sweeney CJ, Ghassemi M, Agger WA, et al (1998). Coinfection with <i>Babesia microti</i> and <i>Borrelia burgdorferi</i> in a western Wisconsin resident. <i>Mayo Clin Proc</i> , 73(4): 338-41. [Abstract]
119448	Teh KJ, Tang HY, Lim LS, et al (2023). Mini review: surveillance of Lyme borreliosis in Southeast Asia and method of diagnosis. <i>Eur Rev Med Pharmacol Sci</i> , 27(10): 4378-85.
119449	Traversat P, Lauzeral A, Michalak S, et al (2022). Exacerbation of acrodermatitis chronica atrophicans under antiretroviral treatment in an HIV-infected patient. <i>J Eur Acad Dermatol Venereol</i> , 36(2): e107-9.
76253	University of Sydney, Department of Medical Entomology (2003). Ticks. Retrieved 22 October 2015, from <a href="http://medent.usyd.edu.au/fact/ticks.htm">http://medent.usyd.edu.au/fact/ticks.htm</a>
119450	van Burgel ND, Oosterloo M, Kroon FP, et al (2010). Severe course of Lyme neuroborreliosis in an HIV-1 positive patient; case report and review of the literature. <i>BMC Neurol</i> , 10: 117.
119451	Vanousova D (2015). Lyme disease. Retrieved 8 April 2024, from <a href="https://dermnetnz.org/topics/lyme-disease">https://dermnetnz.org/topics/lyme-disease</a>
119452	Villagra M, Martínez MJ (2018). Lyme disease: about an imported case report. <i>Rev Chilena Infectol</i> , 35(5): 606-11.
119453	Wang NC (2023). Lyme carditis and accelerated junctional rhythm with intermittent left bundle branch block and paroxysmal atrioventricular block. <i>HeartRhythm Case Rep</i> , 10(1): 86-91.
119454	Wang TJ, Liang MH, Sangha O, et al (2000). Coexposure to <i>Borrelia burgdorferi</i> and <i>Babesia microti</i> does not worsen the long-term outcome of lyme disease. <i>Clin Infect Dis</i> , 31(5): 1149-54.
119455	Welc-Faleciak R, Kowalska JD, Bednarska M, et al (2018). Molecular identification of tick-borne pathogens in asymptomatic individuals with human immunodeficiency virus type 1 (HIV-1) infection: a retrospective study. <i>BMC Infect Dis</i> , 18(1): 227.
75970	Wilson JM (2007). [Comment] Concerns regarding the Infectious Diseases Society of America Lyme disease clinical practice guidelines. <i>Clin Infect Dis</i> , 44(8): 1135-7; Authors' reply: 1137-9.
119456	Wittwer B, Pelletier S, Ducrocq X, et al (2015). Cerebrovascular events in Lyme neuroborreliosis. <i>J Stroke Cerebrovasc Dis</i> , 24(7): 1671-8. [Abstract]
75971	Wormser GP, Dattwyler RJ, Shapiro ED, et al (2006). The clinical assessment, treatment, and prevention of lyme disease, human granulocytic anaplasmosis, and babesiosis: clinical practice guidelines by the Infectious Diseases Society of America. <i>Clin Infect Dis</i> , 43(9): 1089-134; Erratum, 45(7): 941.
119457	Yadav R, Randhawa S, Marine JE (2023). Lyme carditis presenting with accelerated junctional rhythm in an adult patient. <i>HeartRhythm Case Rep</i> , 9(9): 643-5.
119459	Zajkowska J, Moniuszko AM, Czupryna P, et al (2009). [STARI--a new tick borne spirochetosis]. <i>Przegl Epidemiol</i> , 63(1): 19-22 [Article in Polish]. [Abstract]
119460	Zortman I, de Garine-Wichatitsky M, Arsevska E, et al (2023). A social-ecological systems approach to tick bite and tick-borne disease risk management: Exploring collective action in the Occitanie region in southern France. <i>One Health</i> , 17: 100630.