

ALCOHOL USE DISORDER

RMA ID Number	Reference List for RMA010-6 as at August 2018
------------------	---

13851	Adams EH (1991). Prevalence of prescription drug abuse: Data from the National Institute on Drug Abuse. New York State Journal of Medicine, 91(11): 32S-6S.
13807	Adams EH, Kopstein AN (1991). The nonmedical use of prescription drugs in the United States. NIDA Research Monograph, 131: 109-19.
51323	Adler NE (2000). Abortion and the null hypothesis. Arch Gen Psychiatry, 57(8): 785-6.
70836	American Psychiatric Association (2000). Substance-related disorder. Diagnostic & Statistical Manual of Mental Disorder - DSM-5, 4th Edition: 191-295. American Psychiatric Association.
70783	American Psychiatric Association (2013). Diagnostic and statistical manual of mental disorders. DSM-5, 5th Edition, American Psychiatric Publishing, Inc.
70844	American Psychiatric Association (2013). Diagnostic and Statistical Manual of Mental Disorders, 5th Edition: 21. American Psychiatric Association.
70835	American Psychiatric Association (2013). Substance-related and addictive disorders. Diagnostic & Statistical Manual of Mental Disorders - DSM-5, 5th Edition: 481-590. American Psychiatric Publishing.
79454	Amlung M, MacKillop J (2014). Understanding the effects of stress and alcohol cues on motivation for alcohol via behavioral economics. Alcohol Clin Exp Res, 38(6): 1780-9.
45548	Anonymous (2002). Summary for patients. Do medical residents experience burnout? Ann Intern Med, 136(5): I-29.
80254	Apkarian AV, Neugebauer V, Koob G, et al (2013). Neural mechanisms of pain and alcohol dependence. Pharmacol Biochem Behav, 112: 34-41.
86458	Ariga M, Uehara T, Takeuchi K, et al (2008). Trauma exposure and posttraumatic stress disorder in delinquent female adolescents. Journal of Child Psychology and Psychiatry, 49(1): 79-87.
13493	Aschworth, M, Gerada, C (1997). ABC of mental health: Addiction and dependence-II: Alcohol. British Medical Journal, 315(7104): 358-60.
86455	Bardon C, Mishara BL (2015). Systematic review of the impact of suicides and other critical incidents on railway personnel. Suicide and Life- Threatening Behavior, 45(6): 720-31.
79428	Barr CS (2013). Non-human primate models of alcohol-related phenotypes: the influence of genetic and environmental factors. Curr Top Behav Neurosci, 13: 223-49.
7907	Barrett DH, Boyle CA, Decoufle P, DeStefano F, et al (1988). Health Status of Vietnam Veterans. 1. Psychosocial Characteristics. JAMA, 259(18): 2701-7.
79315	Bartole F, Carra G, Crocamo C, et al (2015). From DSM-IV to DSM-5 alcohol use disorder: an overview of epidemiological data. Addict Behav, 41: 46-50.

r	
79396	Bartone PT, Hystad SW, Eid J, et al (2012). Psychological hardiness and
	coping style as risk/resilience factors for alcohol abuse. Military Medicine,
	177(5): 517-24.
86478	Baum N (2014). Professionals' double exposure in the shared traumatic
	reality of wartime: contributions to professional growth and stress. British
	Journal of Social Work, 44(8): 2113-34.
	Beasley MJ, Macfarlane TV, Macfarlane GJ (2016). Is alcohol consumption
80247	related to likelihood of reporting chronic widespread pain in people with
	stable consumption? Results from UK biobank. Pain, 157(11): 2552-60.
14566	Bell JR (1997). Australian trends in opioid prescribing for chronic non-cancer
	pain, 1986-1996. Medical Journal of Australia, 167: 26-9.
	Ben-Ezra M, Palgi Y, Essar N, et al (2008). Acute stress symptoms,
86475	dissociation, and depression among rescue personnel 24 hours after the
	Bet-Yehoshua train crash: the effects of exposure to dead bodies. Prehosp
	Disast Med, 23(5): 461-5.
10.577	Beresford TP, Arciniegas D, Clapp L, Martin B, Alfers J (2005). Reduction of
48577	affective lability and alcohol use following traumatic brain injury: a clinical
	pilot study of anti-convulsant medications. Brain Injury, 19(4): 309-13.
00700	Berninger A, Webber MP, Cohen HW, et al (2010). Trends of elevated
83739	PTSD risk in firefighters exposed to the World Trade Center disaster: 2001-
	2005. Public Health Reports, 125(4): 556-66.
	Biederman J, Wilens T, Mick E, Milberger S, et al (1995). Psychoactive
12596	substance use disorders in adults with attention deficit hyperactivity disorder
	(ADHD): effects of ADHD and psychiatric comorbidity. American Journal of
	Psychiatry, 152: 1652-58.
45007	Blanchard JJ, Brown SA, Horan WP, et al (2000). Substance use disorders
45697	in schizophrenia: review, integration and a proposed model. Clinical
	Psychology Review, 20(2): 207-34.
7918	Bland RC, Newman SC (1988). Lifetime Prevalence of Psychiatric Disorders in Edmonton. Acta Psychiatrica Scandinavica, 77(S 38): 24-32.
	Boardman JD, Finch BK, Ellison CG, et al (2001). Neighborhood
45698	disadvantage, stress, and drug use among adults. Journal of Health and
40000	Social Behavior, 42: 151-65.
	Bombardier CH, Temkin NR, Machamer J, Dikmen SS (2003). The natural
48583	history of drinking and alcohol-related problems after traumatic brain injury.
40000	Arch Phys Med Rehabil, 84: 185-91.
	Brackbill RM, Hadler JL, DiGrande L, et al (2009). Asthma and
63980	posttraumatic stress symptoms 5 to 6 years following exposure to the World
00000	Trade Center terrorist attack. JAMA, 302(5): 502-16.
	Bray RM, Fairbank JA, Marsden ME (1999). Stress and substance use
36642	among military women and men. Am J Drug Alcohol Abuse, 25(2): 239-56.
70000	Brenaut E, Horreau C, Pouplard C, et al (2013). Alcohol consumption and
79320	psoriasis: a systematic literature review. JEADV, 27(Suppl 3): 30-5.
	Breslau N, Roth t, Rosenthal L (1996). Sleep disturbance and psychiatric
82235	disorders: A longitudinal epidemiological study of young adults. Biol
	Psychiatry, 39: 411-8.
	Briken P, Habermann N, Kafka MP, et al (2006). The paraphilia-related
80151	disorders: an investigation of the relevance of the concept in sexual
	murderers. J Forensic Sci, 51(3): 683-8.
	Broen AN, Moum T, Bodtker AS, Ekeberg O (2005). The course of mental
50922	health after miscarriage and induced abortion: a longitudinal, five-year
	follow-up study. BMC Medicine, 3: 18.
	Broen AN, Moum T, Bodtker AS, et al (2005). Reasons for induced abortion
51318	and their relation to women's emotional distress: a prospective, two-year
	follow-up study. General Hospital Psychiatry, 27: 36-43.

84406	Brooks SK, Dunn R, Amlot R, et al (2016). Social and occupational factors associated with psychological distress and disorder among disaster responders: a systematic review. BMC Psychology, 4: 18.
82225	Brower KJ, Aldrich MS, Hall JM (1998). Polysomnographic and subjective sleep predictors of alcoholic relapse. Alcohol Clin Exp Res, 22(8): 1864-1871.
82230	Brower KJ, Perron BE (2010). Sleep disturbance as a universal risk factor for relapse in addictions to psychoactive substances. Medical Hypotheses, 74: 928-33.
41606	Brown ES, Fulton MK, Wilkeson A, et al (2000). The psychiatric sequelae of civilian trauma. Comprehensive Psychiatry, 41(1): 19-23.
45757	Brown RT (2002). Risk factors for substance abuse in adolescents. Pediatr Clin N Am, 49: 247-55.
7917	Bungey JB, Winter CJ (1986). Alcohol Consumption Patterns in South Australia. The Medical Journal of Australia, 144: 6-9.
79455	Campbell JC, Szumlinski KK, Kippin TE (2009). Contribution of early environmental stress to alcoholism vulnerability. Alcohol, 43(7): 547-54.
7916	Canino GJ, Bird HR, Shrout PE, Rubio-Stipec M, et al (1987). The Prevalence of Specific Psychiatric Disorders in Puerto Rico. Archives of General Psychiatry, 44: 727, 730-5.
50007	Carlyle KE, Steinman KJ (2007). Demographic differences in the prevalence, co-occurrence, and correlates of adolescent bullying at school. J Sch Health, 77: 623-9.
11000	Carmelli D, Swan GE, Robinette D (1993). The relationship between quitting smoking and changes in drinking in World War II veteran twins. Journal of Substance Abuse, 5(2): 103-16.
7908	Centres for Disease Control (CDC) (1989). Psychological and neuropsychological evaluation. Health Status of Vietnam Veterans, Volume IV. Center for Disease Control, Atlanta.
82224	Chakravorty S, Chaudhary NS, Brower KJ (2016). Alcohol dependence and its relationship with insomnia and other sleep disorders. Alcohol Clin Exp Res, 40(11): 2271-82.
80785	Chappelle W, Goodman T, Reardon L, et al (2014). An analysis of post- traumatic stress symptoms in United States Air Force drone operators. J Anxiety Dis, 28: 480-7.
80788	Chappelle W, Salinas A, McDonald K (2011). Psychological health screening of remotely piloted aircraft (RPA) operators and supporting units. USAF School of Aerospace medicine. Department of Neuropsychiatry Wright Patterson Air Force Base, OH.
80784	Chappelle WL, McDonald KD, Prince L, et al (2014). Symptoms of psychological distress and post-traumatic stress disorder in United States Air Force "drone" operators. Mil Med, 179(8): 63-70.
13741	Chen K, Kandel DB (1995). The natural history of drug use from adolescence to the mid-thirties in a general population sample. American Journal of Public Health, 85(1): 41-7.
79427	Chou SP, Huang B, Goldstein R, et al (2013). Temporal associations between illnesses and mental disorders - results from the wave 2 national epidemiologic survey on alcohol and related conditions (NESARC). Compr Psychiatry, 54(6): 627-38.
12595	Chutuape MA, Brooner RK, Stitzer M (1997). Sedative use disorders in opiate-dependent patients: association with psychiatric and other substance use disorders. The Journal of Nervous and Mental Disease, 185(5): 289-97.
7914	Cloninger CR (1987). Neurogenetic Adaptive Mechanisms in Alcoholism. Science, 236(4800): 410-6.
7915	Cloninger CR, Bohman M, Sigvardsson S (1981). Inheritance of Alcohol Abuse. Archives of General Psychiatry, 38: 861-8.

51320	Coleman PK, Nelson ES (1998). The quality of abortion decisions and college students' reports of post-abortion emotional sequelae and abortion
50928	 attitudes. Journal of Social and Clinical Psychology, 17(4): 425-42. Coleman PK, Reardon DC, Cougle JR (2005). Substance use among pregnant women in the context of previous reproductive loss and desire for aurona pregnance. Pr J Hoolth Psychol. 10: 255-68.
51319	 current pregnancy. Br J Health Psychol, 10: 255-68. Coleman PK, Reardon DC, Rue VM, et al (2002). A history of induced abortion in relation to substance use during subsequent pregnancies carried to term. Am J Obstet Gynecol, 187: 1673-8.
85892	Compton S, Levy P, Griffin M, et al (2011). Family-witnessed resuscitation: Bereavement outcomes in an urban environment. Journal of Palliative Medicine, 14(6): 715-21.
12598	Cottler LB (1993). Comparing DSM-III-R and ICD-10 substance use disorders. Addiction, 88: 689-96.
68290	Coughlin SS, Kang HK, Mahan CM (2011). Alcohol use and selected health conditions of 1991 Gulf War veterans: Survey results, 2003-2005. Prev Chronic Dis, 8(3): a52.
79328	Courtney KE, Polich J (2009). Binge drinking in young adults: data, definitions and determinants. Psychol Bull, 135(1): 142-56.
45706	Creamer M, McFarlane AC, Burgess P (2005). Psychopathology following trauma: The role of subjective experience. Journal of Affective Disorders, 86(2-3): 175-82.
84177	Cukor J, Wyka K, Jayasinghe N, et al (2011). Prevalence and predictors of posttraumatic stress symptoms in utility workers deployed to the World Trade Center following the attacks of September 11, 2001. Depress Anxiety, 28(3): 210-7.
79322	Curcio AL, Mak AS, George AM (2013). Do adolescent delinquency and problem drinking share psychosocial risk factors? A literature review. Addict Behav, 38: 2003-13.
85911	Dai W, Chen L, Lai Z, et al (2016). The incidence of post-traumatic stress disorder among survivors after earthquakes: a systematic review and meta- analysis. BMC Psychiatry, 16: 188.
45579	Dawe S, Loxton NJ (2004). The role of impulsivity in the development of substance use and eating disorders. Neuroscience and Biobehavioral Reviews, 28: 343-51.
48576	de Lima MS, Lorea CF, Carpena MP (2002). Dual diagnosis on "substance abuse". Substance Use & Misuse, 37(8-10): 1179-84.
80153	de Oliveira Junior WM, Najjar Abdo CH (2010). Unconventional sexual behaviors and their associations with physical, mental and sexual health parameters: a study in 18 large Brazilian cities. Revista Brasileira de Psiquiatria, 32(3): 264-74.
79319	Devries KM, Child JC, Bacchus LJ, et al (2014). Intimate partner violence victimization and alcohol consumption in women: systematic review and meta-analysis. Addiction, 109(3): 379-91.
80154	Dhejne C, Van Vlerken R, Heylens G, et al (2016). Mental health and gender dysphoria: a review of the literature. Int Rev Psychiatry, 28(1): 44-57.
79512	DiMaggio C, Galea S, Guohua L (2009). Substance use and misuse in the aftermath of terrorism. A Bayesian meta-analysis. Addiction, 104: 894-904.
12609	Dinwiddie SH (1994). Abuse of inhalants: a review. Addiction, 89: 925-39.
85912	Dobashi K, Nagamine M, Shigemura J, et al (2014). Psychological effects of disaster relief activities on Japan ground self-defense force personnel following the 2011 great east Japan earthquake. Psychiatry, 77: 190-9.
48593	Dom G, De Wilde B, Hulstijn W, Sabbe B (2007). Traumatic experiences and posttraumatic stress disorders: differences between treatment-seeking early- and late-onset alcoholic patients. Comprehensive Psychiatry, 48: 178- 85.

80257	Dragioti E, Larsson B, Bernfort L, et al (2016). Prevalence of different pain categories based on pain spreading on the bodies of older adults in Sweden: a descriptive-level and multilevel association with demographics, comorbidities, medications, and certain lifestyle factors (PainS65+). J Pain Res, 9: 1131-41.
48591	Dube SR, Anda RF, Whitfield CL, Brown DW, et al (2005). Long-term consequences of childhood sexual abuse by gender of victim. Am J Prev Med, 28(5): 430-8.
79821	Egli M, Koob GF, Edwards S (2012). Alcohol dependence as a chronic pain disorder. Neurosci Biobehav Rev, 36(10): 2179-92.
12594	el-Guebaly N (1995). Substance use disorders and mental illness: the relevance of comorbidity. Canadian Journal of Psychiatry-Revue Canadienne de Psychiatrie, 40(1): 2-3.
85881	Elklit A, Kurdahl S (2013). The psychological reactions after witnessing a killing in public in a Danish high school. European Journal of Psychotraumatology, 4: 1-7.
79882	Elliott JC, Stohl M, Wall MM, et al (2014). The risk for persistent adult alcohol and nicotine dependence: the role of childhood maltreatment. Addiction, 109(5): 842-50.
48584	Epstein JN, Saunders BE, Kilpatrick DG, Resnick HS (1998). PTSD as a mediator between childhood rape and alcohol use in adult women. Child Abuse & Neglect, 22(3): 223-34.
86474	Epstein RS, Fullerton CS, Ursano RJ (1998). Posttraumatic stress disorder following an air disaster: a prospective study. Am J Psychiatry, 155(7): 934-8.
80250	Ertelt TW, Mitchell JE, Lancaster K, et al (2008). Alcohol abuse and dependence before and after bariatric surgery: a review of the literature and report of a new data set. Surg Obes Relat Dis, 4(5): 647-50.
85904	Espie E, Gaboulaud V, Baubet V, et al (2009). Trauma-related psychological disorders among Palestinian children and adults in Gaza and West Bank, 2005-2008. International Journal of Mental Health Systems, 3(21): 1-5.
79399	Falk DE, Yi H-Y, Hilton ME (2008). Age of onset and temporal sequencing of lifetime DSM-IV alcohol use disorders relative to comorbid mood and anxiety disorders. Drug Alcohol Depend, 94: 234-45.
79324	Farren CK, Hill KP, Weiss RD (2012). Bipolar disorder and alcohol use disorder: a review. Curr Psychiatry Rep, 14(6): 659-66.
12593	Feehan M, McGee R, Raja SN, Williams SM (1994). DSM-III-R disorders in New Zealand 18-year-olds. Australian and New Zealand Journal of Psychiatry, 28: 87-99.
79819	Fein G (2015). Psychiatric comorbidity in alcohol dependence. Neuropsychol Rev, 25: 456-75.
50925	Fergusson DM, Horwood J, Boden JM (2008). Abortion and mental health disorders: evidence from a 30-year longitudinal study. The British Journal of Psychiatry, 193: 444-51.
47250	Fergusson DM, Horwood LJ, Ridder EM (2006). Abortion in young women and subsequent mental health. Journal of Child Psychology & Psychiatry, 47(1): 16-24.
80248	Ferreira PH, Pinheiro MB, Machado GC, et al (2013). Is alcohol intake associated with low back pain? A systematic review of observational studies. Manual Therapy, 18: 183-90.
49894	Ferreri F, Agbokou C, Gauthier S (2006). Recognition and management of neuropsychiatric complications in Parkinson's disease. CMAJ, 175(12): 1545-52.
85913	Ferry F, Bunting B, Murphy S, et al (2014). Traumatic events and their relative PTSD burden in Northern Ireland: a consideration of the impact of the 'Troubles'. Social Psychiatry & Psychiatric Epidemiology, 49(3): 435-46.

r	
13773	Flaherty JA, Richman JA (1993). Substance use and addiction among
	medical students, residents, and physicians. Psychiatric Clinics of North
	America, 16(1): 189-97.
48595	Fleming J, Mullen PE, Sibthorpe B, Attewell R, Bammer G (1998). The
	relationship between childhood sexual abuse and alcohol abuse in women -
	a case-control study. Addiction, 93(12): 1787-98.
	Franko DL, Dorer FJ, Keel PK, Jackson S, et al (2005). How do eating
48574	disorders and alcohol use disorder influence each other? Int J Eat Disord,
	38: 200-7.
	Frans O, Rimmo P-A, Aberg L, et al (2005). Trauma exposure and post-
34537	traumatic stress disorder in the general population. Acta Psychiatr Scand,
	111: 291-9.
00404	Fullerton CS, Ursano RJ, Reeves J, et al (2006). Perceived safety in
69181	disaster workers following 9/11. J Nerv Ment Dis, 194(1): 61-3.
	Gilder DA, Lau P, Gross A, Ehlers CL (2007). A co-morbidity of alcohol
48585	dependence with other psychiatric disorders in young adult Mexican
10000	Americans. Journal of Addictive Diseases, 26(4): 31-40.
	Gillin JC (1998). Are sleep disturbances risk factors for anxiety, depressive
82226	and addictive disorders? Acta Psychiatr Scand Suppl, 393: 39-43.
	Gilson SF, Chilcoat HD, Stapleton JM (1996). Illicit drug use by persons with
13740	disabilities: insights from the national household survey on drug abuse.
15740	American Journal of Public Health, 86(11): 1613-5.
	Goeders NE (2003). The impact of stress on addiction. European
45710	
	Neuropsychopharmacology, 13(6): 435-41.
7040	Goldberg J, True WR, Eisen SA, Henderson WG (1990). A Twin Study of
7913	the Effects of the Vietnam War on Posttraumatic Stress Disorder. JAMA,
	263(9): 1227-32.
70075	Goldstein BI, Bukstein OG (2010). Comorbid substance use disorders
79375	among youth with bipolar disorder: opportunities for early identification and
	prevention. J Clin Psychiatry, 71(3): 348-58.
00050	Gowin JL, Mackey S, Paulus MP (2013). Altered risk-related processing in
80252	substance users: imbalance of pain and gain. Drug Alcohol Depend, 132(0):
	13-21.
40700	Grant BF (1995). Comorbidity between DSM-IV drug use disorders and
13738	major depression: results of a national survey of adults. Journal of
	Substance Abuse, 7(4): 481-97.
	Graziotti PJ, Goucke CG (1997). Australian trends in opioid prescribing for
14567	chronic non-cancer pain, 1986-1996. Medical Journal of Australia, 167: 30-
	4.
9565	Green BL (1990). Defining trauma: terminology and generic stressor
	dimensions. J Applied Social Psychology, 20: 1632-42.
48579	Gregg L, Barrowclough C, Haddock G (2007). Reasons for increased
40079	substance use in psychosis. Clinical Psychology Review, 27(27): 494-510.
	Gribsholt SB, Svensson E, Richelsen B, et al (2016). Rate of acute hospital
80773	admissions before and after Roux-en-Y gastric bypass surgery. Ann Surg,
	[Epub ahead of print].
00000	Gromov I, Gromov D (2009). Sleep and substance use and abuse
80036	adolescents. Child Adolesc Psychiatr Clin N Am, 18: 929-46.
	Gross R, Neria Y, Tao XG, et al (2006). Posttraumatic stress disorder and
85636	other psychological sequelae among world trade center clean up and
	recovery workers. Ann N Y Acad Sci, 1071: 495-9.
	Guidotti TL (2014). Health risks and occupation as a firefighter. Medical
72440	Advisory Services. Department of Veterans' Affairs, Commonwealth of
	Australia.
45550	Gundersen L (2001). Physician burnout. Ann Intern Med, 135(2): 145-8.

80137	Haber P, Lintzeris N, Proude E, et al (2009). Guidelines for the treatment of alcohol problems. Aust Govt Dept Health and Ageing, Commonwealth of
	Australia.
49926	Halcomb E, Daly J, Davidson P, Elliott D, Griffiths R (2005). Life beyond severe traumatic injury: an integrative review of the literature. Aust Crit Care, 18(1): 17-18, 20-24.
	Hall GH, Hamilton WT, Round AP (1998). Increased illness experience
13742	preceding chronic fatigue syndrome: a case control study. Journal of the Royal College of Physicians of London, 32(1): 44-8.
13488	Hall, W (1997). Addiction: Highs and lows. The Lancet, 350(3S): SIII1.
13736	Hancock L, Walsh R, Henry DA, Redman S, Sanson-Fisher R (1992). Drug use in Australia: a community prevalence study. Medical Journal of Australia, 156(11): 759-64.
49949	Hansen OB, Wagstaff AS (2001). Low back pain in Norwegian helicopter aircrew. Aviat Space Environ Med, 72(3): 161-4.
45709	Harachi TW, Catalano RF, Kim S, et al (2001). Etiology and prevention of substance use among Asian American youth. Prevention Science, 2(1): 57-65.
79312	Hasin DS, Grant BF (2015). The national epidemiologic survey on alcohol and related conditions (NESARC) waves 1 and 2: review and summary of findings. Soc Psychiat Epidemiol, 50: 1609-40.
69874	Hasin DS, O'Brien CP, Auriacombe M, et al (2013). DSM-5 criteria for substance use disorders: recommendations and rationale. Am J Psychiatry, 170: 834-51.
46009	Hasin DS, Stinson FS, Ogburn E, et al (2007). Prevalence, correlates, disability, and comorbidity of DSM-IV alcohol abuse and dependence in the United States. Results from the National Epidemiologic Survey on Alcohol Related Conditions. Arch Gen Psychiatry, 64(7): 830-42.
82233	Hasler BP, Martin CS, Wood DS, et al (2014). A longitudinal study of insomnia and other sleep complaints in adolescents with and without alcohol use disorders. Alcohol Clin Exp Res, 38(8): 2225-33.
79397	Hassija CM, Jakupcak M, Maguen S, et al (2012). The influence of combat and interpersonal trauma on PTSD, depression, and alcohol misuse in U.S. Gulf War and OEF/OIF women veterans. Journal of Traumatic Stress, 25(2): 216-9.
84414	Hatton AT (2011). The experience of witnessing a stranger's suicide [Excerpt from book]. Dissertation Abstracts International: Section B: The Sciences and Engineering, 74(1-B {E}) [Abstract]
73336	Hawthorne G, Korn S, Creamer M (2014). Australian peacekeepers: Long- term mental health status, health service use, and quality of life. Technical Report. Australian Centre for Posttraumatic Mental Health, Department of Psychiatry, The University of Melbourne.
73351	Hawthorne G, Korn S, Creamer M (2014). Australian peacekeepers: Long- term mental health status, health service use, and quality of life. Summary Report. Australian Centre for Posttraumatic Mental Health, Department of Psychiatry, The University of Melbourne.
80249	Heinberg LJ, Ashton K, Coughlin J (2012). Alcohol and bariatric surgery: review and suggested recommendations for assessment and management. Surg Obes Relat Dis, 8(3): 357-63.
13737	Heinemann AW (1992). Prescription medication misuse among persons with spinal cord injuries. International Journal of the Addictions, 27(3): 301-16.
72049	Heltemes KJ, Dougherty AL, MacGregor AJ, et al (2011). Alcohol abuse disorders among U.S. service members with mild traumatic brain injury. Military Medicine, 176(2): 147-50.
79883	Henriksen CA, Stein MB, Afifi TO, et al (2015). Identifying factors that predict longitudinal outcomes of untreated common mental disorders. Psychiatric Services, 66(2): 163-70.

83743	Hepinstall E, et al (2004). PTSD and depression in refugee children: associations with pre-migration trauma and post-migration stress. European Child and Adolescent Psychiatry, 13(6): 373-80.
49925	Hitzig SL, Tonack M, Campbell KA, McGillivray CF, Boschen KA, Richards K Craven BC (2008). Secondary health complications in an aging Canadian spinal cord injury sample. Am J Phys Med Rehabil, 87(7): 545-55.
48589	Horwitz AV, Widom CS, McLaughlin J, White HR (2001). The impact of childhood abuse and neglect on adult mental health: a prospective study. Journal of Health and Social Behaviour, 42: 184-201.
85400	Huang J, Liu Q, Li X, et al (2013). Post-traumatic stress disorder status in a rescue group after the Wenchuan earthquake relief. Neural Regen Res, 8(20): 1898-1906.
12274	Hughes PH, Rieche O (1995). Heroin epidemics revisited. Epidemiologic Reviews, 17(1): 66-73.
10949	Humphreys K, Baisden K, Piette JD, et al (1997). Treatment of VA inpatients with diagnoses of substance abuse. Psychiatric Services, 48(2): 171.
79824	Huntley Z, Young S (2014). Alcohol and substance use history among ADHD adults: the relationship with persistent and remitting symptoms, personality, employment, and history of service use. J Atten Disord, 18(1): 82-90.
14565	Hyman SE (1996). Alcoholism. Scientific American Medicine, Dale DC, Federman DD (eds), Chapter 13, Section III: 1-11. Scientific American Inc. (New York).
14564	Hyman SE (1996). Drug abuse and addiction. Scientific American Medicine, Dale DC, Federman DD (eds), Chapter 13, Section VI: 1-7. Scientific American Inc. (New York).
71886	Ikin JF, McKenzie DP, Creamer MC et al (2005). War zone stress without direct combat: the Australian naval experience of the Gulf War. Journal of Traumatic Stress, 18(3): 193-204.
32984	Ikin JF, Sim MR, Creamer MC, et al (2004). War-related psychological stressors and risk of psychological disorders in Australian veterans of the 1991 Gulf War. British Journal of Psychiatry, 185: 116-26.
51844	Institute of Medicine (2009). Long-Term Consequences of Traumatic Brain Injury. Gulf War and Health, Volume 7. National Academy Press, Washington, D.C.
80888	Institute of Medicine (IOM) (2014). Long-term effects of blast exposures. PREPUBLICATION COPY. Gulf War and Health, Vol 9. National Academies Press - Washington, DC.
79316	Iyer-Eimerbrink PA, Nurnberger Jr JI (2014). Genetics of alcoholism. Curr Psychiatr Rep, 16: 518.
73105	Jacobson IG, Ryan MA, Hooper TI, et al (2008). Alcohol use and alcohol- related problems before and after military combat deployment. JAMA, 300: 663-75.
13855	Jaffe JH (1995). Substance-related Disorders. Introduction and Overview. Kaplan and Sadock Comprehensive Textbook of Psychiatry, 6th Edition, 1 13: 755-83.
79453	Jakubczyk A, Ilgen MA, Bohnert AS, et al (2015). Physical pain in alcohol- dependent patients entering treatment in Poland-prevalence and correlates. J Stud Alcohol Drugs, 76: 607-14.
79451	Jakubczyk A, Ilgen MA, Kopera M, et al (2016). Reductions in physical pain predict lower risk of relapse following alcohol treatment. Drug Alcohol Depend, 158: 167-71.
71870	James LM, Van Kampen E, Miller RD et al (2013). Risk and protective factors associated with symptoms of post-traumatic stress, depression and alcohol misuse in OEF/OIF veterans. Military Medicine, 178(2): 159-65.

51321	Janssen HJEM, Cuisinier MCJ, Hoogduin KAL, et al (1996). Controlled prospective study on the mental health of women following pregnancy loss. Am J Psychiatry, 153: 226-30.
48588	Jasinski JL, Williams LM, Siegel J (2000). Childhood physical and sexual abuse as risk factors for heavy drinking among African-American women: a prospective study. Child Abuse & Neglect, 24(8): 1061-71.
13739	Jiang Z, Guo H, Zhu Z, Li Z, Wu Y (1996). An epidemiological survey on use and abuse of antianxiety drugs among Beijing residents. Chinese Medical Journal, 109(10): 801-6.
48575	Jorge RE, Starkstein SE, Arndt S, Moser D, et al (2005). Alcohol misuse and mood disorders following traumatic brain injury. Arch Gen Psychiatry, 62: 742-9.
80246	Joseph S, Yule W, Williams R, et al (1993). Increased substance use in survivors of the Herald of Free Enterprise disaster. Br J Med Psychol, 66: 185-91.
12622	Keane TM, King LA, King DW, et al (1998). Do war zone stressors predict the development of psychiatric disorders? RMA Conference Papers.
69571	Keane TM, Marshall AD, Taft CT (2006). Posttraumatic stress disorder: etiology, epidemiology, and treatment outcome. Annu Rev Clin Psychol, 2: 161-97.
13494	Keeling, DM (1997). Treating alcohol dependence: One glass of wine is usually 1.5 units. British Medical Journal, 315(7120): 1465.
79395	Kelley ML, Runnals J, Pearson MR, et al (2013). Alcohol use and trauma exposure among male and female veterans before, during, and after military service. Drug Alcohol Depend, 133: 615-24.
6745	Kessler RC, Sonnega A, Bromet E, et al (1995). Posttraumatic stress disorder in the national comorbidity survey. Arch Gen Psychiatry, 52(12): 1048-60.
79323	Keyes KM, Hatzenbuehler ML, Grant BF, et al (2012). Stress and alcohol: epidemiologic evidence. Alcohol Res, 34(4): 391-400.
79325	Keyes KM, Hatzenbuehler ML, Hasin DS (2011). Stressful life experiences, alcohol consumption, and alcohol use disorders: the epidemiologic evidence for four main types of stressors. Psychopharmacology, 218(1): 1-17.
80138	Keyes KM, Pratt C, Galea S, et al (2014). The burden of loss: unexpected death of a loved one and psychiatric disorders across the life course in a national study. Am J Psychiatry, 171: 864-71.
79513	Kim JH, Martins SS, Shmulewtiz D, et al (2014). Childhood maltreatment, stressful life events, and alcohol craving in adult drinkers. Alcohol Clin Exp Res, 38(7): 2048-55.
32364	King DW, King LA, Gudanowski DM, et al (1995). Alternative representations of war zone stressors: relationships to posttraumatic stress disorder in male and female Vietnam veterans. Journal of Abnormal Psychology, 104(1): 184-96.
70935	Kline A, Weiner MD, Ciccone DS, et al (2014). Increased risk of alcohol dependency in a cohort of National Guard troops with PTSD: A longitudinal study. J Psychiatr Res, 50: 18-25.
80152	Koch J, Berner W, Hill A, et al (2011). Sociodemographic and diagnostic characteristics of homicidal and nonhomicidal sexual offenders. J Forensic Sci, 56(6): 1626-31.
76324	Koskinen J, Lohonen J, Koponen H, et al (2009). Prevalence of alcohol use disorders in schizophrenia - a systematic review and meta-analysis. Acta Psychiatr Scand, 120(2): 85-96.
48743	Kunitz SJ, Levy JE, McCloskey J, Gabriel KR (1998). Alcohol dependence and domestic violence as sequelae of abuse and conduct disorder in childhood. Child Abuse & Neglect, 22(11): 1079-91.

	-
85928	LaFauci Schutt JM, Marotta SA (2011). Personal and environmental predictors of posttraumatic stress in emergency management professionals.
79313	Psychological Trauma, 3(1): 8-12. Lai HM, Cleary M, Sitharthan T, et al (2015). Prevalence of comorbid substance use, anxiety and mood disorders in epidemiological surveys, 1990-2014: a systematic review and meta-analysis. Drug and Alcohol
10948	Dependence, 154: 1-13. Lambert MT, Griffith JM, Hendrickse W (1996). Characteristics of patients with substance abuse diagnoses on a general psychiatry unit in a VA
72050	 medical centre. Psychiatric Services, 47(10): 1104-7. Lande RG, Marin BA, Chang AS, et al (2008). Survey of alcohol use in the U.S. army. Journal of Addictive Diseases, 27(3): 115-21.
49924	Levine E, Degutis L, Pruzinsky T, Shin J, Persing JA (2005). Quality of life and facial trauma. Ann Plast Surg, 54: 502-10.
46231	Li J, Laursen TM, Precht DH, et al (2005). Hospitalization for mental illness among parents after the death of a child. N Engl J Med, 352(12): 1190-6.
80172	Li L, Wu L-T (2016). Substance use after bariatric surgery: a review. Journal of Psychiatric Research, 76: 16-29.
79820	Lin JC, Karno MP, Grella CE, et al (2014). Psychiatric correlates of alcohol and tobacco use disorders in U.S. adults aged 65 years and older: results from the 2001-2002 national epidemiologic survey of alcohol and related conditions. Am J Geriatr Psychiatry, 22(11): 1356-63.
85929	Liu B, Tarrigan LH, Bromet EJ, et al (2014). World trade centre disaster exposure-related probable posttraumatic stress disorder among responders and civilians: A meta-analysis. PLoS One, 9(7): e101491.
13772	Livingston MG (1994). Benzodiazepine dependence. British Journal of Hospital Medicine, 51(6): 281-6.
45693	Lynskey MT, Hall W (2001). Attention deficit hyperactivity disorder and substance use disorders: is there a causal link? Addiction, 96: 815-22.
62539	Maguen S, Lucenko BA, Reger MA, Gahm GA, et al (2010). The impact of reported direct and indirect killing on mental health symptoms in Iraq War Veterans. J Trauma Stress, 23(1): 86-90.
51324	Major B, Cozzarelli C, Cooper LM, et al (2000). Psychological responses of women after first-trimester abortion. Arch Gen Psychiatry, 57(8): 777-84.
80265	Malik S, Mitchell JE, Engel S, et al (2014). Psychopathology in bariatric surgery candidates: a review of studies using diagnostic interviews. Compr Psychiatry, 55(2): 248-59.
79456	Mason BJ, Shaham Y, Wiess F, et al (2009). Stress, alcohol craving and relapse risk: mechanisms and viable treatment targets. Alcohol, 43(7): 541-3.
45894	McAndrew KG, McAndrew SJ (2000). Workplace substance abuse impairment: The occupational health care provider's role. AAOHN Journal, 48(1): 32-45.
73106	McKenzie D (2010). An holistic view of post-traumatic stress disorder. Journal of Military Health, 18: 24-6.
66323	McKenzie DP, Creamer M, Kelsall HL, Forbes AB et al (2010). Temporal relationships between Gulf War deployment and subsequent psychological disorders in Royal Australian Navy Gulf War veterans. Soc Psychiat Epidemiol, 45: 843-52.
45758	McRae AL, Brady KT, Sonne SC (2001). Alcohol and substance abuse. Medical Clinics of North America, 85(3): 779-801.
71010	Melhem NM, Walker M, Moritz G, et al (2008). Antecedents and Sequelae of Sudden Parental Death in Offspring and Surviving Caregivers. Arch Pediatr Adolesc Med, 162(5): 403-410.
79823	Mellos E, Liappas I, Paparrigopoulos T (2010). Comorbidity of personality disorders with alcohol abuse. In Vivo, 24(5): 761-70.

12629	Miller NS, Belkin BM, Gibbons R (1994). Clinical diagnosis of substance use disorders in private psychiatric populations. Journal of Substance Abuse
	Treatment, 11(4): 387-92.
	Misra M, Greenberg N, Hutchinson C, et al (2009). Psychological impact
86476	upon London ambulance service of the 2005 bombings. Occup Med, 59(6):
	428-33.
	Molina PE, Gardner JD, Souza-Smith FM, et al (2014). Alcohol abuse:
79318	critical pathophysiological processes and contribution to disease burden.
	Physiology, 29(3): 203-15.
	Morgan PM (2016). The psychological impact of mass casualty incidents on
86129	first responders: A systematic review. Journal of Emergency Management,
	14: 213-26.
80139	Morina N, Emmelkamp PM (2012). Mental health outcomes of widowed and married mothers after war. The British Journal of Psychiatry, 200: 158-9.
	Morris P, Raphael B, Bordujenko A (eds.) (1999). Repatriation Medical
	Authority Consensus Conference Proceedings: Stress and Challenge -
22686	Health and Disease, Brisbane February 9-11, 1998. Repatriation Medical
	Authority, Brisbane.
	Mott JM, Graham DP, Teng EJ (2012). Perceived threat during deployment:
72426	risk factors and relation to Axis I disorders. Psychological Trauma: Theory,
	Research Practice and Policy, 4(6): 587-595.
10001	Mueller TI, Goldenberg IM, Gordon AL, Keller MB, Warshaw MG (1996).
13831	Benzodiazepine use in anxiety disordered patients with and without a history
	of alcoholism. Journal of Clinical Psychiatry, 57(2): 83-9.
7912	Myers K, Weissman MM, Tischler GL, Holzer CE, et al (1984). Six month prevalence of psychiatric disorders in three communities. Archives of
7912	General Psychiatry, 41: 95967.
	Norris FH (1990). Screening for traumatic stress: a scale for use in the
47151	general population. Journal of Applied Social Psychology, 20(20): 1704-18.
	North CS, Tivis L, McMillen JC, et al (2002). Coping, functioning, and
86477	adjustment of rescue workers after the Oklahoma City bombing. J Trauma
	Stress, 15(3): 171-5.
80284	Nuttbrock L, Bockting W, Rosenblum A, et al (2014). Gender abuse,
00204	depressive symptoms, and substance use among transgender women: a 3- year prospective study. Am J Public Health, 104(11): 2199-206.
	Oakley-Browne MA, Joyce PR, Wells JE, Bushnell JA, Hornblow AR (1989).
	Christchurch psychiatric epidemiology study, Part II: Six month and other
7911	period prevalences of specific psychiatric disorders. Australian and New
	Zealand Journal of Psychiatry, 23: 327-40.
45756	O'Brien CP (2005). Benzodiazepine use, abuse and dependence. J Clin
40700	Psychiatry, 66(S 2): 28-33.
13492	O'Connor PG, Schottenfeld RS (1998). Medical Progress: Patients with
	Alcohol Problems. NEJM, 338(9): 592-602.
86456	Omerov P, Pettersen R, Titelman D, et al (2016). Encountering the body at the site of the suicide: A population-based survey in Sweden. Suicide and
00400	Life-Threatening Behavior, 47(1): 38-47.
	Ommaya AK, Salazar AM, Dannenberg AL, et al (1996). Outcome after
48578	traumatic brain injury in the U.S. military medical system. The Journal of
	Trauma, 41(6): 972-5.
79393	Orr MG, Prescott MR, Cohen GH, et al (2014). Potentially modifiable
	deployment characteristics and new-onset alcohol abuse or dependence in
	the US National Guard. Drug Alcohol Depend, 142: 325-32.
	Orsillo SM, Weathers FW, Litz BT, et al (1996). Current and lifetime
10881	psychiatric disorders among veterans with war zone-related posttraumatic
	stress disorder. Journal of Nervous and Mental Disease, 184(5): 307-13.
49923	Osteraker AL, Levi R (2005). Indicators of psychological distress in postacute spinal cord injured individuals. Spinal Cord, 43: 223-9.
	1 postacute spinar coru injureu individuais. Spinar COIU, 43. 223-9.

ands in Pharmacological Sciences, 19(2): 67-74. kens RW, Svikis DS, McGue M, Lykken DT, et al (1991). Heterogeneity he Inheritance of Alcoholism. Archives of General Psychiatry, 48: 19-28. kering RP, Goldstein RB, Hasin DS, et al (2011). Temporal relationships ween overweight and obesity and DSM-IV substance use, mood, and kiety disorders: results from a prospective study, the National idemiologic Survey on Alcohol and Related Conditions. J Clin Psychiatry, 11): 1494-502. trzak RH, Feder A, Singh R, et al (2014). Trajectories of PTSD risk and ilience in World Trade Center responders: an 8-year prospective cohort dy. Psychol Med, 44(1): 205-19. trzak RH, Schechter CB, Bromet EJ, et al (2012). The burden of full and osyndromal posttraumatic stress disorder among police involved in the ord Trade Center rescue and recovery effort. J Psychiatr Res, 46(7): 835- ing J, Thege BK, Demetrovics Z, et al (2012). Alcohol use in the first ee years of bereavement: a national representative survey. Substance use Treatment, Prevention, and Policy, 7: 3. owsky DJ, Keyes KM, Geier TJ, et al (2013). Stressful life events and apse among formerly alcohol dependent adults. Soc Work Ment Health, 2). hsford J, Whenan-Goodinson R, Bahar-Fuchs A (2007). Alcohol and drug
ands in Pharmacological Sciences, 19(2): 67-74. kens RW, Svikis DS, McGue M, Lykken DT, et al (1991). Heterogeneity he Inheritance of Alcoholism. Archives of General Psychiatry, 48: 19-28. kering RP, Goldstein RB, Hasin DS, et al (2011). Temporal relationships ween overweight and obesity and DSM-IV substance use, mood, and kiety disorders: results from a prospective study, the National demiologic Survey on Alcohol and Related Conditions. J Clin Psychiatry, 11): 1494-502. trzak RH, Feder A, Singh R, et al (2014). Trajectories of PTSD risk and ilience in World Trade Center responders: an 8-year prospective cohort dy. Psychol Med, 44(1): 205-19. trzak RH, Schechter CB, Bromet EJ, et al (2012). The burden of full and osyndromal posttraumatic stress disorder among police involved in the orld Trade Center rescue and recovery effort. J Psychiatr Res, 46(7): 835- ing J, Thege BK, Demetrovics Z, et al (2012). Alcohol use in the first ee years of bereavement: a national representative survey. Substance use Treatment, Prevention, and Policy, 7: 3.
ends in Pharmacological Sciences, 19(2): 67-74. kens RW, Svikis DS, McGue M, Lykken DT, et al (1991). Heterogeneity he Inheritance of Alcoholism. Archives of General Psychiatry, 48: 19-28. kering RP, Goldstein RB, Hasin DS, et al (2011). Temporal relationships ween overweight and obesity and DSM-IV substance use, mood, and kiety disorders: results from a prospective study, the National idemiologic Survey on Alcohol and Related Conditions. J Clin Psychiatry, 11): 1494-502. trzak RH, Feder A, Singh R, et al (2014). Trajectories of PTSD risk and ilience in World Trade Center responders: an 8-year prospective cohort dy. Psychol Med, 44(1): 205-19. trzak RH, Schechter CB, Bromet EJ, et al (2012). The burden of full and osyndromal posttraumatic stress disorder among police involved in the orld Trade Center rescue and recovery effort. J Psychiatr Res, 46(7): 835-
ends in Pharmacological Sciences, 19(2): 67-74. kens RW, Svikis DS, McGue M, Lykken DT, et al (1991). Heterogeneity he Inheritance of Alcoholism. Archives of General Psychiatry, 48: 19-28. kering RP, Goldstein RB, Hasin DS, et al (2011). Temporal relationships ween overweight and obesity and DSM-IV substance use, mood, and kiety disorders: results from a prospective study, the National demiologic Survey on Alcohol and Related Conditions. J Clin Psychiatry, 11): 1494-502. trzak RH, Feder A, Singh R, et al (2014). Trajectories of PTSD risk and ilience in World Trade Center responders: an 8-year prospective cohort dy. Psychol Med, 44(1): 205-19.
ends in Pharmacological Sciences, 19(2): 67-74. kens RW, Svikis DS, McGue M, Lykken DT, et al (1991). Heterogeneity he Inheritance of Alcoholism. Archives of General Psychiatry, 48: 19-28. kering RP, Goldstein RB, Hasin DS, et al (2011). Temporal relationships ween overweight and obesity and DSM-IV substance use, mood, and kiety disorders: results from a prospective study, the National demiologic Survey on Alcohol and Related Conditions. J Clin Psychiatry, 11): 1494-502.
ends in Pharmacological Sciences, 19(2): 67-74. kens RW, Svikis DS, McGue M, Lykken DT, et al (1991). Heterogeneity he Inheritance of Alcoholism. Archives of General Psychiatry, 48: 19-28.
ends in Pharmacological Sciences, 19(2): 67-74.
zza PV, Le Moal M (1998). The role of stress in drug self-administration.
nick EC, Powell BJ, Nickel EJ, Bingham SF, et al (1994). Co-Morbidity of time psychiatric disorder among male alcoholic patients. Alcoholism: nical and Experimental Research, 18(6): 1289-93.
tzer K, Phaswana-Mafuya N (2013). Problem drinking and associated tors in older adults in South Africa. Afr J Psychiatry (Johannesbg), 16(2): 1 -9.
dersen W (2007). Childbirth, abortion and subsequent substance use in ung women: a population-based longitudinal study. Addiction, 102: 1971-
tten SB, Williams JVA, Wang J (2006). Mental disorders in a population nple with musculoskeletal disorders. BMC Musculoskeletal Disorders, 7:
rry-Jones BL, Vaughan FL, Cox WM (2006). Traumatic brain injury and ostance misuse: a systematic review of prevalence and outcomes earch (1994-2004). Neuropsychological Rehabilitation, 16(5): 537-60.
ge A, Andrews G (1996). Do specific anxiety disorders show specific drug blems? Australian & New Zealand Journal of Psychiatry, 30(3): 410-4.
ma JA, Chappelle WL, Salinas A (2011). Facets of occupational burnout ong U.S. Air Force active duty and national guard/reserve MQ-1 Predator d MQ-9 Reaper operators: Final report for July 2010 to June 2011. Air rce Research Laboratory, School of Aerospace Medicine.
o JL, Webber BJ (2013). Mental health diagnoses and counseling among ots of remotely piloted aircraft in the United States Air Force. MSMR, (3): 3-8.
Toole BI, Outram S, Catta SV, et al (2009). The mental health of partners Australian Vietnam veterans three decades after the war and its relation veteran military service, combat and PTSD. Australian Vietnam Veterans mily Health Study, ANZAC Research Institute, Sydney.
Toole BI, Catts SV, Outram S, et al (2009). The physical and mental alth of Australian Vietnam veterans 3 decades after the war and its ation to military service, combat, and post-traumatic stress disorder. Am J idemiol, Epub ahead of print.

Putnins SI, Griffin ML, Fitzmaurice GM, et al (2012). Poor sleep at ba predicts worse mood outcomes in patients with co-occurring bipolar and substance dependence. J Clin Psychiatry, 73: 703-8.87647Raguraman J, Vijaysagar KJ, Chandrasekaran R (2004). [Comment] unusual presentation of PTSD. Australian & New Zealand Journal of Psychiatry, 38(9): 760.12628Rapaport MH, Tipp JE, Schuckit MA (1993). A comparison of ICD-10 DSM-III-R criteria for substance abuse and dependence. American J of Drug & Alcohol Abuse, 19(2): 143-51.50027Reardon DC, Ney PG (2000). Abortion and subsequent substance a	
and substance dependence. J Clin Psychiatry, 73: 703-8.Raguraman J, Vijaysagar KJ, Chandrasekaran R (2004). [Comment] unusual presentation of PTSD. Australian & New Zealand Journal of Psychiatry, 38(9): 760.12628Rapaport MH, Tipp JE, Schuckit MA (1993). A comparison of ICD-10 DSM-III-R criteria for substance abuse and dependence. American J of Drug & Alcohol Abuse, 19(2): 143-51.Reardon DC, Nev PG (2000). Abortion and subsequent substance a	disorder
 Raguraman J, Vijaysagar KJ, Chandrasekaran R (2004). [Comment] unusual presentation of PTSD. Australian & New Zealand Journal of Psychiatry, 38(9): 760. Rapaport MH, Tipp JE, Schuckit MA (1993). A comparison of ICD-10 DSM-III-R criteria for substance abuse and dependence. American J of Drug & Alcohol Abuse, 19(2): 143-51. 	uisoiuci
 87647 unusual presentation of PTSD. Australian & New Zealand Journal of Psychiatry, 38(9): 760. Rapaport MH, Tipp JE, Schuckit MA (1993). A comparison of ICD-10 DSM-III-R criteria for substance abuse and dependence. American J of Drug & Alcohol Abuse, 19(2): 143-51. Reardon DC, Ney PG (2000). Abortion and subsequent substance a 	
Psychiatry, 38(9): 760. Rapaport MH, Tipp JE, Schuckit MA (1993). A comparison of ICD-10 DSM-III-R criteria for substance abuse and dependence. American J of Drug & Alcohol Abuse, 19(2): 143-51. Reardon DC, Ney PG (2000). Abortion and subsequent substance a	
Rapaport MH, Tipp JE, Schuckit MA (1993). A comparison of ICD-10 12628 DSM-III-R criteria for substance abuse and dependence. American J of Drug & Alcohol Abuse, 19(2): 143-51. Reardon DC, Nev PG (2000), Abortion and subsequent substance a	
12628 DSM-III-R criteria for substance abuse and dependence. American J of Drug & Alcohol Abuse, 19(2): 143-51. Reardon DC, Nev PG (2000), Abortion and subsequent substance a	<u> </u>
of Drug & Alcohol Abuse, 19(2): 143-51. Reardon DC, Nev PG (2000), Abortion and subsequent substance a	
Reardon DC, Nev PG (2000) Abortion and subsequent substance a	Iournai
Reargon DC, Nev PG (2000). Abortion and subsequent substance a	
	buse.
Am J Drug Alcohol Abuse, 26(1): 61-75.	a. lah
45547 Reed PL, Storr CL, Anthony JC (2006). Drug dependence enviromic strain in the work environment and risk of becoming drug-dependent	
Epidemiol, 163(5): 404-11.	Am J
Regambal MJ, Alden LE, Wagner SL et al (2015). Characteristics of	the
85927 traumatic stressors experienced by rural first responders. Journal of	
Disorders, 34: 86-93.	Anniety
Rish BL Dilustro JE Salazar AM et al (1997) Spinal cord injuny: A	25 vear
10875 morbidity and mortality study. Military Medicine, 162(2): 141-8.	Lo your
Robins I.N. (1993). Vietnam veterans' rapid recovery from beroin add	liction [.] a
12597 fluke or normal expectation? Addiction, 88: 1041-54.	
Robins LN, Helzer JE, Weissman MM, Orvaschel H, et al (1984). Life	etime
7909 Prevalence of Specific Psychiatric Disorders in Three Sites. Archives	
General Psychiatry, 41: 949-58.	
Roerecke M, Rehm J (2014). Cause-specific mortality risk in alcohol	use
79317 disorder treatment patients: a systematic review and meta-analysis.	
Epidemiol, 43(3): 906-19.	
49552 Rogers JM, Read CA (2007). Psychiatric comorbidity following traum	natic
brain injury. Brain injury, 21(13&14): 1321-33.	
13735 Ronald PJ, Robertson JR (1994). Initial and current drug use: how a	re they
12600 Ronald PJM, Robertson JR (1993). Initial and current drug use: how	are
they related? Addiction, 88: 1225-31.	
Rothstein JL, Levy E, Fecher R, et al (1992). Drug use and abuse in	
13832 urban veteran spinal cord injured population. Journal of the American	n
Paraplegia Society, 15(4): 217-20.	atam
Rounsaville BJ, Bryant K, Babor T, Kranzler H et al (1993). Cross sy 12599 agreement for substance use disorders: DSM-III-R, DSM-IV and ICD	
Addiction, 88: 337-48.	-10.
Roxburgh A. Degenbardt L. (2008). Characteristics of drug-related bo	ospital
48581 separations in Australia. Drug and Alcohol Dependence, 92: 149-55.	
Runge C, Kanesarajah J, Loos C, et al (2014), Rwanda Deployment	
73353 73353 Study Report. The University of QLD. CAMVH, Brisbane.	
Ryan M. Merrick El, Hodgkin D, et al (2013). Drinking patterns of old	der
adults with chronic medical conditions. J Gen Intern Med, 28(10): 13	
Ryb GE Soderstrom CA Kufera IA et al (2006) Longitudinal study	
49922 suicide after traumatic injury. J Trauma, 61: 799-804.	
Sacco P, Bucholz KK, Harrington D (2014). Gender differences in st	
79515 life events, social support, perceived stress, and alcohol use among	
adults: results from a national survey. Substance Use & Misuse, 49(4	4): 456-
65.	
Saleptsi E, Bichescu D, Rockstroh B, et al (2004). Negative and pos	
34306 childhood experiences across developmental periods in psychiatric p	
with different diagnoses - an explorative study. BMC Psychiatry, 4: 4	0.

79329	Sartor CE, Agrawal A, McCutcheon VV, et al (2008). Disentangling the complex association between childhood sexual abuse and alcohol-related
	problems: a review of methodological issues and approaches. J Stud Alcohol Drugs, 69(5): 718-27.
48594	Sartor CE, Lynskey MT, Bucholz KK, McCutcheon VV, et al (2007). Childhood sexual abuse and the course of alcohol dependence
	development: findings from a female twin sample. Drug and Alcohol
40000	Dependence, 89: 139-44. Saum CA, Inciardi JA (1997). Rohypnol misuse in the United States.
13808	Substance Use & Misuse, 32(6): 723-31.
49948	Seltz M, Radnitz C, Bauman WA (2004). The relationship between spinal cord injury trauma to alcohol misuse: a study of monozygotic twins. J Spinal Cord Med, 27: 18-21.
43604	Shalev AY, Tuval-Mashiach R, Hadar H (2004). Posttraumatic Stress Disorder as a result of mass trauma. Journal of Clinical Psychiatry, 65(S1): 4-10.
80051	Shibley HL, Malcolm RJ, Veatch LM (2008). Adolescents with insomnia and substance abuse: consequences and comorbidities. Journal of Psychiatric Practice, 14: 146-53.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. Radiat Res, 159(6): 787-98.
31718	Sim M, Abramson M, Forbes A, et al (2003). Psychological Health. Australian Gulf War Veterans' Health Study, Vol 2 Chapter 11: 268-71. Commonwealth of Australia.
45820	Simoni-Wastila L, Yang HK (2006). Psychoactive drug abuse in older adults. Am J Geriatr Pharmacother, 4: 380-94.
48590	Simpson TL, Miller WR (2002). Concomitance between childhood sexual and physical abuse and substance use problems. A review. Clinical Psychology Review, 22: 27-77.
79326	Sinclair JM, Nausheen B, Garner MJ, et al (2010). Attentional biases in clinical populations with alcohol use disorders: is co-morbidity ignored? Human Psychopharmacology, 25: 515-24.
45629	Sinha R (2001). How does stress increase risk of drug abuse and relapse? Psychopharmacology, 158(4): 343-59.
82234	Sivertsen B, Skogen JC, Jokbsen R, et al (2015). Sleep and use of alcohol and drug in adolescence. A large population-based study of Norwegian adolescents aged 16 to 19 years. Drug and Alcohol Dependence, 149: 180- 6.
79394	Skipper LD, Forsten RD, Kim EH, et al (2014). Relationship of combat experiences and alcohol misuse among U.S. special operations soldiers. Military Medicine, 179(3): 301-8.
84408	Skogstad L, Fjetland AM, Ekeberg O (2015). Exposure and posttraumatic stress symptoms among first responders working in proximity to the terror sites in Norway on July 22, 2011 - a cross-sectional study. Scand J Trauma Resusc Emerg Med, 23(23): 1-9.
83742	Skogstad L, Heir T, Hauff E, et al (2016). Post-traumatic stress among rescue workers after terror attacks in Norway. Occup Med, 66(7): 528-35.
79511	Slopen N, Williams DR, Fitzmaurice GM, et al (2011). Sex, stressful life events, and adult onset depression and alcohol dependence: are men and women equally vulnerable? Soc Sci Med, 73(4): 615-22.
46004	Snow D, Anderson C (2000). Exploring the factors influencing relapse and recovery among drug & alcohol addicted women. Journal of Psychosocial Nursing & Mental Health Services, 38(7): 8-19.
49951	Sourander A, Jensen P, Ronning JA, et al (2007). What is the early adulthood outcome of boys who bully or are bullied in childhood? The Finnish "From a boy to a man" study. Pediatrics, 120: 397-404.

79314	Soyka M (2015). Alcohol use disorders in opioid maintenance therapy: prevalence, clinical correlates and treatment. Eur Addict Res, 21: 78-87.
80253	Spadola CE, Wagner EF, Dillon FR, et al (2015). Alcohol and drug use among post-operative bariatric patients: a systematic review of the emerging research and its implications. Alcohol Clin Exp Res, 39(9): 1582-1601.
79630	Spera C, Thomas RK, Barlas F, et al (2011). Relationship of military deployment recency, frequency, duration, and combat exposure to alcohol use in the Air Force. J Stud Alcohol, 72(1): 5-14.
79321	Staiger PK, Richardson B, Long CM, et al (2013). Overlooked and underestimated? Problematic alcohol use in clients recovering from drug dependence. Addiction, 108(7): 1188-93.
80178	Steffen KJ, Engel SG, Wonderlich JA, et al (2015). Alcohol and other addictive disorders following bariatric surgery: prevalence, risk factors and possible etiologies. Eur Eat Disorders Rev, 23(6): 442-50.
70815	Stetka BS, Correll CU (2013). A guide to DSM-5. Retrieved 9 August 2013, from http://www.medscape.com/viewarticle/803884
85930	Stetz MC, Wiederhold BK, Wildzunas RM, et al (2006). The usefulness of virtual reality stress inoculation training for military medical females: A pilot study. Annual Review of CyberTherapy and Telemedicine, 4: 51-8.
86471	Stewart SH, Mitchell TL, Wright KD, et al (2004). The relations of PTSD symptoms to alcohol use and coping drinking in volunteers who responded to the Swissair Flight 111 airline disaster. J Anxiety Dis, 18(1): 51-68.
45696	Strakowski SM, DelBello MP (2000). The co-occurrence of bipolar and substance use disorders. Clinical Psychology Review, 20(2): 191-206.
79843	Subramaniam M, Abdin E, Picco L, et al (2014). Multiple chronic medical conditions: prevalence and risk factors - results from the Singapore mental health study. Gen Hosp Psychiatry, 36: 375-81.
79516	Sugaya L, Hasin DS, Olfson M, et al (2012). Child physical abuse and adult mental health: a national study. J Trauma Stress, 25(4): 384-92.
83741	Surgenor LJ, Snell DL, Dorahy MJ (2015). Posttraumatic stress symptoms in police staff 12-18 months after the Canterbury earthquakes. J Trauma Stress, 28(2): 162-6.
80266	Suri P, Boyko EJ, Smith NL, et al (2017). Modifiable risk factors for chronic back pain: insights using the co-twin control design. The Spine Journal, 17: 4-14.
45695	Swendsen JD, Merikangas KR (2000). The comorbidity of depression and substance use disorders. Clinical Psychology Review, 20(2): 173-89.
49927	Tate DG, Forchheimer MB, Krause JS, Meade MA, Bombardier CH (2004). Patterns of alcohol and substance use and abuse in persons with spinal cord injury: risk factors and correlates. Arch Phys Med Rehabil, 85(11): 1837-47.
79881	Tetrault JM, O'Connor PG (2016). Risky drinking and alcohol use disorder: Epidemiology, pathogenesis, clinical manifestations, course, assessment, and diagnosis. Retrieved 10 November 2016, from https://www.uptodate.com/contents/risky-drinking-and-alcohol-use-disorder- epidemiology-pathogenesis-clinical-manifestations-course-assessment-and- diagnosis
45708	Thadani PV (2002). The intersection of stress, drug abuse and development. Psychoneuroendocrinology, 27(1-2): 221-30.
79392	Thandi G, Sundin J, Ng-Knight T, et al (2015). Alcohol misuse in the United Kingdom armed forces: a longitudinal study. Drug Alcohol Depend, 156: 78-83.
80179	Thompson T, Oram C, Correll CU, et al (2016). Analgesic effects of alcohol: a systematic review and meta-analysis of controlled experimental studies in healthy participants. J Pain, 18(5): 499-510.
79330	Thorberg FA, Young R, Sullivan KA, et al (2009). Alexithymia and alcohol use disorders: a critical review. Addict Behav, 34: 237-45.

	1
	Thormar SB, Gersons BP, Juen B, et al (2013). Organizational factors and
86469	mental health in community volunteers. The role of exposure, preparation,
	training, tasks assigned, and support. Anxiety, Stress, & Coping, 26(6): 624-
	42.
51322	Thorp JM Jr, Hartmann KE, Shadigan E (2005). Long-term physical and
	psychological health consequences of induced abortion: a review of the
	evidence. Linacre Quarterly, 72(1): 44-69.
85883 48582	Tierens M, Bal S, Crombez G, et al (2012). Differences in posttraumatic
	stress reactions between witnesses and direct victims of motor vehicle
	accidents. Journal of Traumatic Stress, 25(3): 280-7.
	Timonen M, Miettunen J, Hakko H, Zitting P, et al (2002). The association of
	preceding traumatic brain injury with mental disorders, alcoholism and
	criminality: the Northern Finland 1966 Birth Cohort Study. Psychiatry
	Research, 113: 217-26.
40500	Trent L, Stander V, Thomsen C, Merrill L (2007). Alcohol abuse among U.S.
48592	Navy recruits who were maltreated in childhood. Alcohol and Alcoholism,
	42(4): 370-5.
40000	Trinkoff AM, Zhou Q, Storr CL, et al (2000). Workplace access, negative
46003	proscriptions, job strain, and substance use in registered nurses. Nursing
	Research, 49(2): 83-90.
45004	Trull TJ, Sher KJ, Minks-Brown C, et al (2000). Borderline personality
45694	disorder and substance use disorders: a review and integration. Clinical
	Psychology Review, 20(2): 235-53.
86460	Ursano RJ (1990). The nature of a traumatic stressor: Handling dead
	bodies. The Journal of Nervous and Mental Disease, 178(6): 396-8.
46005	Vachon MLS (1995). Staff stress in hospice/palliative care: a review.
	Palliative Medicine, 9: 91-122.
	Vogt D, Vaughn R, Glickman ME, et al (2011). Gender differences in
70941	combat-related stressors and their association with postdeployment mental
	health in a nationally representative sample of U.S. OEF/OIF veterans. J
	Abnorm Psychol, 120(4): 797-806. Wang H, Jin H, Nunnink SE, et al (2011). Identification of post traumatic
83740	stress disorder and risk factors in military first responders 6 months after
03740	Wen Chuan earthquake in China. J Affect Disord, 130(1-2): 213-9.
	Weinberger AH, Platt J, Jiang B, et al (2015). Cigarette smoking and risk of
79452	alcohol use relapse among adults in recovery from alcohol use disorders.
19452	
	 Alcoholism: Clinical and Experimental Research, 39(10): 1989-96. Wells JE, Bushnell JA, Hornblow AR, Joyce PR, Oakley-Browne MA (1989).
	Christchurch psychiatric epidemiology study, Part 1: Methodology and
7906	lifetime prevalence for specific psychiatric disorders. Australian and New
	Zealand Journal of Psychiatry, 23: 315-26.
	Werner EE (2012). Children and war: Risk, resilience, and recovery.
85890	Development and Psychopathology, 24(2): 553-8.
	West C, Bernard B, Mueller C, et al (2008). Mental health outcomes in
86472	police personnel after Hurricane Katrina. J Occup Environ Med, 50(6): 689-
00472	95.
	Westermeyer J (1999). The role of cultural and social factors in the cause of
45759	addictive disorders. The Psychiatric Clinics of North America, 22(2): 253-73.
	Whitlock EP, Ferry LH, Burchette RJ, Abbey D (1995). Smoking
10914	characteristics of female veterans. Addictive Behaviors, 20(4): 409-26.
	Wicki M, Kuntsche E, Gmel G (2010). Drinking at European universities? A
79327	review of students; alcohol use. Addict Behav, 35: 913-24.
48586	Widom CS, White HR, Czaja SJ, Marmostein NR (2007). Long-term effects
	of child abuse and neglect on alcohol use and excessive drinking in middle
	adulthood. J Stud Alcohol Drugs, 68(3): 317-26.
	$\frac{1}{1000}$

79398	Wilk JE, Bliese PD, Kim PY, et al (2010). Relationship of combat experiences to alcohol misuse among U.S. soldiers returning from the Iraq war. Drug Alcohol Depend, 108: 115-21.
45549	Wills TA, Sandy JM, Yaeger AM, et al (2001). Coping dimensions, life stress, and adolescent substance use: a latent growth analysis. Journal of Abnormal Psychology, 110(2): 309-23.
84405	Wilson LC (2015). A systematic review of probable posttraumatic stress disorder in first responders following man-made mass violence. Psychiatry Res, 229: 21-6.
48580	Wiseman CV, Sunday SR, Halligan P, Korn S, et al (1999). Substance dependence and eating disorders: impact of sequence on comorbidity. Comprehensive Psychiatry, 40(5): 332-6.
69868	Witteveen AB, Bramsen I, Twisk WR, et al (2007). Psychological distress of rescue workers eight and one-half years after professional involvement in the Amsterdam air disaster. J Nerv Ment Dis, 195(1): 31-40.
7905	Wodak A (1986). Australian Alcohol Consumption. The Medical Journal of Australia, 144: 1-2.
7904	Wodak A (1991). A wider view of alcohol consumption in Australia. The Medical Journal of Australia, 154: 838-9.
82232	Wong MM, Roberson G, Dyson R (20105). Prospective relationship between poor sleep and substance-related problems in a national sample of adolescents. Alcohol Clin Exp Res, 39: 355-62.
79450	Zale EL, Maisto SA, Ditre JW (2015). Interrelations between pain and alcohol: an integrative review. Clin Psychol Rev, 37: 57-71.
79510	Zalihic A, Skobic H, Pejanovic-Skobic N (2008). Case-control study: posttraumatic stress disorder and habits of war veterans. Psychiatria Danubina, 20(1): 75-9.
48587	Zlotnick C, Johnson DM, Stout RL, Zywiak WH, et al (2006). Childhood abuse and intake severity in alcohol disorder patients. Journal of Traumatic Stress, 19(6): 949-59.