



HAEMOCHROMATOSIS

RMA ID Number	Reference List for RMA223-2 as at December 2020
61903	Adams LA, Angulo P, Abraham SC, et al (2006). The effect of metabolic syndrome, hepatic steatosis and steatohepatitis on liver fibrosis in hereditary hemochromatosis. <i>Liver Int</i> , 26(3): 298-304.
59651	Adams PC (2001). [Comment] Hemochromatosis: the irony of population screening. <i>Scand J Gastroenterol</i> , 36(10): 1009-10. Comment on ID: 59650.
61796	Adams PC (2001). Is there a threshold of hepatic iron concentration that leads to cirrhosis in C282Y hemochromatosis? <i>Am J Gastroenterol</i> , 96(2): 567-9.
58140	Adams PC (2004). Hemochromatosis. <i>Clin Liver Dis</i> , 8(4): 735-53, vii.
96288	Adams PC (2015). Epidemiology and diagnostic testing for hemochromatosis and iron overload. <i>Int J Lab Hematol</i> , 37(Suppl 1): 25-30.
59560	Adams PC, Agnew S (1996). Alcoholism in hereditary hemochromatosis revisited: prevalence and clinical consequences among homozygous siblings. <i>Hepatology</i> , 23(4): 724-7.
57728	Adams PC, Barton JC (2007). Haemochromatosis. <i>Lancet</i> , 370(9602): 1855-60.
96287	Adams PC, Barton JC (2010). How I treat hemochromatosis. <i>Blood</i> , 116(3): 317-25.
61909	Aigner E, Theurl I, Theurl M, et al (2008). Pathways underlying iron accumulation in human nonalcoholic fatty liver disease. <i>Am J Clin Nutr</i> , 87(5): 1374-83.
57740	Ajioka RS, Kushner JP (2003). Clinical consequences of iron overload in hemochromatosis homozygotes. <i>Blood</i> , 101(9): 3351-3; discussion 3354-8.
96289	Al Qasem MA, Hanna F, Vithanarachchi US, et al (2018). Inherited haemochromatosis with C282Y mutation in a patient with alpha-thalassaemia: a treatment dilemma. <i>BMJ Case Rep</i> , 2018: bcr2017222700.
57725	Alexander J, Kowdley KV (2009). HFE-associated hereditary hemochromatosis. <i>Genet Med</i> , 11(5): 307-13.
61559	Allen KJ, Bertalli NA, Osborne NJ, et al (2010). HFE cys282Tyr homozygotes with serum ferritin concentrations below 1000 microg/L are at low risk of hemochromatosis. <i>Hepatology</i> , 52(3): 925-33.
59487	Allen KJ, Gurrin LC, Constantine CC, et al (2008). Iron-overload-related disease in HFE hereditary hemochromatosis. <i>N Engl J Med</i> , 358(3): 221-30.
94689	Altamura S, Kopf S, Schmidt J, et al (2017). Uncoupled iron homeostasis in type 2 diabetes mellitus. <i>J Mol Med (Berl)</i> , 95(12): 1387-98.
61038	Ambrus JL, Islam A, Akhter S, et al (2004). Multiple medical problems following agent orange exposure. <i>J Med</i> , 35(1-6): 265-9.
96290	Anderson GJ, Frazer DM (2017). Current understanding of iron homeostasis. <i>Am J Clin Nutr</i> , 106(Suppl 6): 1559S-66S.
57741	Anderson GJ, Powell LW (2002). HFE and non-HFE hemochromatosis. <i>Int J Hematol</i> , 76(3): 203-7.
1315	Angelucci E, Baronciani D, Lucarelli G, et al (1993). Liver iron overload and liver fibrosis in thalassemia. <i>Bone Marrow Transplant</i> , 12(Suppl 1): 29-31.

60884	Aranda N, Viteri FE, Montserrat C, et al (2010). Effects of C282Y, H63D, and S65C HFE gene mutations, diet, and life-style factors on iron status in a general Mediterranean population from Tarragona, Spain. <i>Ann Hematol</i> , 89(8): 767-73.
59650	Asberg A, Hveem K, Thorstensen K, et al (2001). Screening for hemochromatosis: high prevalence and low morbidity in an unselected population of 65,238 persons. <i>Scand J Gastroenterol</i> , 36(10): 1108-15.
58139	Ayonrinde OT, Milward EA, Chua AC, et al (2008). Clinical perspectives on hereditary hemochromatosis. <i>Crit Rev Clin Lab Sci</i> , 45(5): 451-84.
96360	Bacon BR (2019). Clinical manifestations and diagnosis of hereditary hemochromatosis. Retrieved 1 May 2020, from https://www.uptodate.com/contents/clinical-manifestations-and-diagnosis-of-hereditary-hemochromatosis
96291	Bacon BR, Adams PC, Kowdley KV, et al (2011). Diagnosis and management of hemochromatosis: 2011 practice guideline by The American Association for the Study of Liver Diseases. <i>Hepatology</i> , 54(1): 328-43.
94687	Banaszkiewicz K, Sikorska K, Dorniak K, et al (2019). Primary adrenal insufficiency and hemochromatosis - Cause and effect relationship or a coincidence? <i>Ann Endocrinol (Paris)</i> , 80(1): 64-7.
96292	Barton JC, Acton RT (2017). Diabetes in HFE hemochromatosis. <i>J Diabetes Res</i> , 2017: 9826930.
96293	Barton JC, Clayborn Barton J, Adams PC (2019). Prevalence and characteristics of anti-HCV positivity and chronic hepatitis C virus infection in HFE p.C282Y homozygotes. <i>Ann Hepatol</i> , 18(2): 354-9.
96294	Barton JC, McLaren CE, Chen WP, et al (2018). Cirrhosis in hemochromatosis: Independent risk factors in 368 HFE p.C282Y homozygotes. <i>Ann Hepatol</i> , 17(5): 871-9.
57731	Batts KP (2007). Iron overload syndromes and the liver. <i>Mod Pathol</i> , 20(Suppl 1): S31-9.
58226	Beaton MD, Adams PC (2006). Prognostic factors and survival in patients with hereditary hemochromatosis and cirrhosis. <i>Can J Gastroenterol</i> , 20(4): 257-60.
58143	Beaton MD, Adams PC (2007). The myths and realities of hemochromatosis. <i>Can J Gastroenterol</i> , 21(2): 101-4.
61634	Bekri S, Gual P, Anty R, et al (2006). Increased adipose tissue expression of hepcidin in severe obesity is independent from diabetes and NASH. <i>Gastroenterology</i> , 131(3): 788-96.
61037	Beutelspacher SC, Serbecic N, Tan PH, et al (2004). Low dose-ethanol modulates toxic effect of iron-overloading in the liver. <i>J Nutr Sci Vitaminol (Tokyo)</i> , 50(2): 78-86.
57729	Beutler E (2007). Iron storage disease: facts, fiction and progress. <i>Blood Cells Mol Dis</i> , 39(2): 140-7.
61100	Beutler E, Gelbart T (2006). Helicobacter pylori infection and HFE hemochromatosis. <i>Blood Cells Mol Dis</i> , 37(3): 188-91.
61762	Beutler E, Waalen J, T Gelbart (2005). Chronic inflammation does not appear to modify the homozygous hereditary hemochromatosis phenotype. <i>Blood Cells Mol Dis</i> , 35(3): 326-7.
1305	Bizzaro N, Piazza I, Baldo G, et al (1993). Alcohol induced burr cell (echinocytic) haemolytic anaemia and haemochromatosis. <i>Clin Lab Haematol</i> , 15(2): 93-102.
96295	Bloomer SA, Brown KE (2019). Iron-induced liver injury: A critical reappraisal. <i>Int J Mol Sci</i> , 20(9): 2132.
58144	Bonkovsky HL, Jawaid Q, Tortorelli K, et al (1999). Non-alcoholic steatohepatitis and iron: increased prevalence of mutations of the HFE gene in non-alcoholic steatohepatitis. <i>J Hepatol</i> , 31(3): 421-9.

61243	Borgna-Pignatti C, Solinas A, Bombieri C, et al (1998). The haemochromatosis mutations do not modify the clinical picture of thalassaemia major in patients regularly transfused and chelated. <i>Br J Haematol</i> , 103(3): 813-6.
8021	Bothwell TH, Charlton RW (1988). Historical overview of hemochromatosis. <i>Ann N Y Acad Sci</i> , 526: 1-10.
61245	Bridle K, Cheung TK, Murphy T, et al (2006). Hepcidin is down-regulated in alcoholic liver injury: implications for the pathogenesis of alcoholic liver disease. <i>Alcohol Clin Exp Res</i> , 30(1): 106-12.
96296	Brissot P, Cavey T, Ropert M, et al (2018). Hemochromatosis: a model of metal-related human toxicosis. <i>Environ Sci Pollut Res Int</i> , 25(3): 2007-13.
94702	Brissot P, Pietrangelo A, Adams PC, et al (2018). Haemochromatosis. <i>Nat Rev Dis Primers</i> , 4: 18016.
57727	Brissot P, Troadec MB, Bardou-Jacquet E, et al (2008). Current approach to hemochromatosis. <i>Blood Rev</i> , 22(4): 195-210.
96297	Brissot P, Troadec MB, Loreal O, et al (2019). Pathophysiology and classification of iron overload diseases; Update 2018. <i>Transfus Clin Biol</i> , 26(1): 80-8.
61910	Brittenham GM (2011). Iron-chelating therapy for transfusional iron overload. <i>N Engl J Med</i> , 364(2): 146-56.
59564	Britton RS, Bacon BR (2002). [Comment] Hereditary hemochromatosis and alcohol: a fibrogenic cocktail. <i>Gastroenterology</i> , 122(2): 563-5. Comment on ID: 59563.
97090	Britton RS, Tavill AS, Bacon BR (1995). Mechanisms of iron toxicity. <i>Iron Metabolism in Health & Disease</i> , Chapter 10: 312-41. WB Saunders Company Ltd, London.
97091	Brock JH (1995). Iron in infection, immunity, inflammation and neoplasia. <i>Iron Metabolism in Health & Disease</i> , Chapter 11: 354-74. WB Saunders Company Ltd, London.
57722	Bryant J, Cooper K, Picot J, et al (2008). A systematic review of the clinical validity and clinical utility of DNA testing for hereditary haemochromatosis type 1 in at-risk populations. <i>J Med Genet</i> , 45(8): 513-8.
61901	Bugianesi E, Manzini P, D'Antico S, et al (2004). Relative contribution of iron burden, HFE mutations and insulin resistance to fibrosis in nonalcoholic fatty liver. <i>Hepatology</i> , 39(1): 179-87.
57739	Burke W, Reyes M, Imperatore G (2002). Hereditary haemochromatosis: a realistic approach to prevention of iron overload disease in the population. <i>Best Pract Res Clin Haematol</i> , 15(2): 315-28.
96298	Buzzetti E, Kalafateli M, Thorburn D, et al (2017). Interventions for hereditary haemochromatosis: An attempted network meta-analysis. <i>Cochrane Database Syst Rev</i> , 3(3): CD011647.
60892	Cade JE, Moreton JA, O'Hara B, et al (2005). Diet and genetic factors associated with iron status in middle-aged women. <i>Am J Clin Nutr</i> , 82(4): 813-20.
61093	Carlsson A (2009). Hereditary hemochromatosis: a neglected diagnosis in orthopedics. A series of 7 patients with ankle arthritis, and a review of the literature. <i>Acta Orthop</i> , 80(3): 371-4.
96299	Casu C, Rivella S (2014). Iron age: novel targets for iron overload. <i>Hematology Am Soc Hematol Educ Program</i> , 2014(1): 216-21.
61914	Chan JS, Shing MM, Lee V, et al (2008). Haemophagocytic lymphohistiocytosis in Hong Kong children. <i>Hong Kong Med J</i> , 14(4): 308-13.
94696	Cheng L, Tang X, Fu P, et al (2015). Secondary haemochromatosis in a haemodialysis patient. <i>Singapore Med J</i> , 56(7): e124-6.
61902	Chitturi S, Weltman M, Farrell GC, et al (2002). HFE mutations, hepatic iron, and fibrosis: ethnic-specific association of NASH with C282Y but not with fibrotic severity. <i>Hepatology</i> , 36(1): 142-9.

96300	Chmieliauskas S, Banionis D, Laima S, et al (2017). Autopsy relevance determining hemochromatosis: Case report. <i>Medicine (Baltimore)</i> , 96(49): e8788.
58129	Clouston AD, Jonsson JR, Powell EE (2007). Steatosis as a cofactor in other liver diseases: hepatitis C virus, alcohol, hemochromatosis, and others. <i>Clin Liver Dis</i> , 11(1): 173-89.
96301	Coelho-Borges S, Cheinquer H, Wolff FH, et al (2012). Effect of HFE gene polymorphism on sustained virological response in patients with chronic hepatitis C and elevated serum ferritin. <i>Arq Gastroenterol</i> , 49(1): 9-13.
63118	Cojocariu C, Trifan A, Stanciu C (2008). [Involvement and role of iron in nonalcoholic steatohepatitis]. <i>Rev Med Chir Soc Med Nat Iasi</i> , 112(2): 308-12 [Article in Romanian]. [Abstract]
61913	Corengia C, Galimberti S, Bovo G, et al (2005). Iron accumulation in chronic hepatitis C: relation of hepatic iron distribution, HFE genotype, and disease course. <i>Am J Clin Pathol</i> , 124(6): 846-53.
94692	Creighton Mitchell T, McClain DA (2014). Diabetes and hemochromatosis. <i>Curr Diab Rep</i> , 14(5): 488.
78528	Crownover BK, Covey CJ (2013). Hereditary hemochromatosis. <i>Am Fam Physician</i> , 87(3): 183-90.
61564	Cunha BA, Pherez FM, Katz DS (2010). Fever of unknown origin (FUO) due to a solitary cavitary lung lesion: the deadly ferritin-laced doughnut. <i>Heart Lung</i> , 39(4): 340-4.
62007	Cunningham E (2003). Is there a role for diet in the treatment of hemochromatosis? <i>J Am Diet Assoc</i> , 103(5): 593.
7984	Day CP (1996). Is necroinflammation a prerequisite for fibrogenesis? <i>Hepatogastroenterology</i> , 43(7): 104-20.
58227	De Filippi F, Fraquelli M, Conte D, et al (1998). High prevalence but low pathogenicity of hepatitis G virus infection in Italian patients with genetic haemochromatosis. <i>Ital J Gastroenterol Hepatol</i> , 30(5): 529-33.
57736	De Gobbi M, Roetto A, Piperno A, et al (2002). Natural history of juvenile haemochromatosis. <i>Br J Haematol</i> , 117(4): 973-9.
59561	Deugnier Y, Brissot P, Loreal O (2008). Iron and the liver: update 2008. <i>J Hepatol</i> , 48(Suppl 1): S113-23.
61107	Deugnier Y, Mosser J (2008). Modifying factors of the HFE hemochromatosis phenotype. <i>Expert Rev Gastroenterol Hepatol</i> , 2(4): 531-40.
57749	Distante S (2006). Genetic predisposition to iron overload: prevalence and phenotypic expression of hemochromatosis-associated HFE-C282Y gene mutation. <i>Scand J Clin Lab Invest</i> , 66(2): 83-100.
1309	DN Holvey (1996). Disturbances In Iron Metabolism. <i>The Merck Manual of Diagnosis and Therapy</i> , 12th Edition, Chapter 7: 1092-3. Merck Research Laboratories, Whitehouse Station.
57734	Dolbey CH (2001). Hemochromatosis: a review. <i>Clin J Oncol Nurs</i> , 5(6): 257-60.
57737	Dooley JS (2002). Diagnosis and management of genetic haemochromatosis. <i>Best Pract Res Clin Haematol</i> , 15(2): 277-93.
60889	DuBois S, Kowdley KV (2004). Review article: targeted screening for hereditary haemochromatosis in high-risk groups. <i>Aliment Pharmacol Ther</i> , 20(1): 1-14.
61035	Eisenbach C, Gehrke SG, Stremmel W (2004). Iron, the HFE gene, and hepatitis C. <i>Clin Liver Dis</i> , 8(4): 775-85, vii-viii.
96303	Ekanayake D, Roddick C, Powell LW (2015). Recent advances in hemochromatosis: a 2015 update: a summary of proceedings of the 2014 conference held under the auspices of hemochromatosis Australia. <i>Hepatol Int</i> , 9(2): 174-82.
58147	Ellervik C, Birgens H, Tybjaerg-Hansen A, et al (2007). Hemochromatosis genotypes and risk of 31 disease endpoints: meta-analyses including 66,000 cases and 226,000 controls. <i>Hepatology</i> , 46(4): 1071-80.

94688	Elliot E, Waheed S, Syed S, et al (2018). Hereditary hemochromatosis manifesting after treatment of paroxysmal nocturnal hemoglobinuria with eculizumab. <i>Clin Lymphoma Myeloma Leuk</i> , 18(1): e9-12.
61563	Fargion S, Valenti L, Fracanzani AL (2011). Beyond hereditary hemochromatosis: new insights into the relationship between iron overload and chronic liver diseases. <i>Dig Liver Dis</i> , 43(2): 89-95.
1322	Finch SC, Finch CA (1955). Idiopathic hemochromatosis, an iron storage disease. A. Iron metabolism in hemochromatosis. <i>Medicine (Baltimore)</i> , 34(4): 381-430.
96304	Fitzsimons EJ, Cullis JO, Thomas DW, et al (2018). Diagnosis and therapy of genetic haemochromatosis (review and 2017 update). <i>Br J Haematol</i> , 181(3): 293-303.
58131	Fix OK, Kowdley KV (2008). Hereditary hemochromatosis. <i>Minerva Med</i> , 99(6): 605-17.
58128	Fleming RE, Britton RS, Waheed A, et al (2004). Pathogenesis of hereditary hemochromatosis. <i>Clin Liver Dis</i> , 8(4): 755-73, vii.
58149	Fleming RE, Britton RS, Waheed A, et al (2005). Pathophysiology of hereditary hemochromatosis. <i>Semin Liver Dis</i> , 25(4): 411-9.
57742	Fletcher LM, Bridle KR, Crawford DH (2003). Effect of alcohol on iron storage diseases of the liver. <i>Best Pract Res Clin Gastroenterol</i> , 17(4): 663-77.
59563	Fletcher LM, Dixon JL, Purdie DM, et al (2002). Excess alcohol greatly increases the prevalence of cirrhosis in hereditary hemochromatosis. <i>Gastroenterology</i> , 122(2): 281-9.
57743	Fletcher LM, Powell LW (2003). Hemochromatosis and alcoholic liver disease. <i>Alcohol</i> , 30(2): 131-6.
1306	Flexner JM (1991). Hemochromatosis: diagnosis and treatment. <i>Compr Ther</i> , 17(11): 7-9.
58338	Fowler C (2008). Hereditary hemochromatosis: pathophysiology, diagnosis, and management. <i>Crit Care Nurs Clin North Am</i> , 20(2): 191-201, vi.
61103	Fracanzani AL, Piperno A, Valenti L, et al (2010). Hemochromatosis in Italy in the last 30 years: role of genetic and acquired factors. <i>Hepatology</i> , 51(2): 501-10.
60883	Frank J, Poblete-Gutierrez P, Weiskirchen R, et al (2006). Hemochromatosis gene sequence deviations in German patients with porphyria cutanea tarda. <i>Physiol Res</i> , 55(Suppl 2): S75-83.
61912	Freixenet N, Moreno-Rosel MS, Barcelo MJ, et al (2010). Detection of hereditary hemochromatosis and biochemical iron overload in primary care: a multicenter case finding study in Spain. <i>Am J Hematol</i> , 85(4): 294-6.
61632	Freixenet N, Remacha A, Berlanga E, et al (2009). Serum soluble transferrin receptor concentrations are increased in central obesity. Results from a screening programme for hereditary hemochromatosis in men with hyperferritinemia. <i>Clin Chim Acta</i> , 400(1-2): 111-6.
63116	Fujita N, Miyachi H, Tanaka H, et al (2009). Iron overload is associated with hepatic oxidative damage to DNA in nonalcoholic steatohepatitis. <i>Cancer Epidemiol Biomarkers Prev</i> , 18(2): 424-32.
96306	Fuster D, Samet JH (2018). Alcohol use in patients with chronic liver disease. <i>N Engl J Med</i> , 379(13): 1251-61.
96307	Gao Y, Zhang B, Song Y, et al (2018). Diagnosis of hereditary spherocytosis and secondary hemochromatosis in a patient with jaundice. <i>Acta Haematol</i> , 139(3): 168-70.
96342	Garcia AS, Vega LC, Carmona NM, et al (2018). Unnoticed iron overload leading to irreversible pancreatic damage. <i>Nefrologia</i> , 38(2): 223-4.
56839	Garcia-Compean D, Jaquez-Quintana JO, Maldonado-Garza H (2009). Hepatogenous diabetes. Current views of an ancient problem. <i>Ann Hepatol</i> , 8(1): 13-20.
47708	Gattoni A, Parlato A, Vangieri B, et al (2006). Role of hemochromatosis genes in chronic hepatitis C. <i>Clin Ter</i> , 157(1): 61-8.

96308	Gerayli S, Pasdar A, Shakeri MT, et al (2016). Haplotype analysis of hemochromatosis gene polymorphisms in chronic hepatitis C virus infection: A case control study. <i>Iran Red Crescent Med J</i> , 18(6): e24675.
60986	Gisslen K, Gyulai C, Nordstrom P, et al (2007). Normal clinical and ultrasound findings indicate a low risk to sustain jumper's knee patellar tendinopathy: a longitudinal study on Swedish elite junior volleyball players. <i>Br J Sports Med</i> , 41(4): 253-8.
96309	Golfeyz S, Lewis S, Weisberg IS (2018). Hemochromatosis: pathophysiology, evaluation, and management of hepatic iron overload with a focus on MRI. <i>Expert Rev Gastroenterol Hepatol</i> , 12(8): 767-78.
61904	Gomez E, Ortega F, Peces R, et al (1984). Serum ferritin in haemodialysis patients: role of blood transfusions and 'haemochromatosis alleles' HLA A3, B7 and B14. <i>Nephron</i> , 36(2): 106-10.
1320	Gordeuk VR (1992). Hereditary and nutritional iron overload. <i>Baillieres Clin Haematol</i> , 5(1): 169-86.
96310	Gordeuk VR, Lovato L, Barton J, et al (2012). Dietary iron intake and serum ferritin concentration in 213 patients homozygous for the HFE C282Y hemochromatosis mutation. <i>Can J Gastroenterol</i> , 26(6): 345-9.
96311	Gosmanov AR (2016). Hemochromatosis unveiled by testosterone replacement in a man with hypogonadism. <i>Am J Med</i> , 129(8): e133-4.
96312	Graham JV, Hogg DR (2019). John's story - living with hereditary haemochromatosis. <i>Rural Remote Health</i> , 19(2): 4844.
96313	Griffiths WJ (2019). Haemochromatosis. <i>Medicine</i> , 47(12): 808-13.
61905	Grigg AP, Bhathal PS (2001). Compound heterozygosity for haemochromatosis gene mutations and hepatic iron overload in allogeneic bone marrow transplant recipients. <i>Pathology</i> , 33(1): 44-9.
96314	Grosse SD, Gurrin LC, Bertalli NA, et al (2018). Clinical penetrance in hereditary hemochromatosis: estimates of the cumulative incidence of severe liver disease among HFE C282Y homozygotes. <i>Genet Med</i> , 20(4): 383-9.
61560	Gurrin LC, Bertalli NA, Dalton GW, et al (2009). HFE C282Y/H63D compound heterozygotes are at low risk of hemochromatosis-related morbidity. <i>Hepatology</i> , 50(1): 94-101.
1321	Hakim RM, Stivelman JC, Schulman G, et al (1987). Iron overload and mobilization in long-term hemodialysis patients. <i>Am J Kidney Dis</i> , 10(4): 293-9.
96315	Harigae H (2018). Iron metabolism and related diseases: an overview. <i>Int J Hematol</i> , 107(1): 5-6.
60890	Harrison-Findik DD (2007). Role of alcohol in the regulation of iron metabolism. <i>World J Gastroenterol</i> , 13(37): 4925-30.
59652	Hauge A, Borch-lohnsen B, et al (2002). [Comment] High prevalence of hemochromatosis in Nord-Trondelag. <i>Scand J Gastroenterol</i> , 37(8): 987-8; author reply 988-9. Comment on ID: 59650.
60886	Heath AL, Roe MA, Oyston SL, et al (2008). Blood loss is a stronger predictor of iron status in men than C282Y heterozygosity or diet. <i>J Am Coll Nutr</i> , 27(1): 158-67.
94698	Hermine O, Dine G, Genty V, et al (2015). Eighty percent of French sport winners in Olympic, World and Europeans competitions have mutations in the hemochromatosis HFE gene. <i>Biochimie</i> , 119: 1-5.
1307	Holland HK, Spivak JL (1989). Hemochromatosis. <i>Med Clin North Am</i> , 73(4): 831-45.
7983	Houglum K (1996). Alcohol and iron: a radical combination? <i>Hepatology</i> , 23(6): 1700-3.
96316	Hsu CC, Kowdley KV (2016). The effects of alcohol on other chronic liver diseases. <i>Clin Liver Dis</i> , 20(3): 581-94.
60891	Hurrell R, Egli I (2010). Iron bioavailability and dietary reference values. <i>Am J Clin Nutr</i> , 91(5): 1461S-7S.

96361	Isom HC, McDevitt EI, Moon MS (2009). Elevated hepatic iron: a confounding factor in chronic hepatitis C. <i>Biochim Biophys Acta</i> , 1790(7): 650-62.
1326	Jacobs A (1985). Iron deficiency and iron overload. <i>Crit Rev Oncol Hematol</i> , 3(2): 143-86.
58230	Jacobs EM, Hendriks JC, Marx JJ, et al (2007). Morbidity and mortality in first-degree relatives of C282Y homozygous probands with clinically detected haemochromatosis compared with the general population: the Hemochromatosis Family Study (HEFAS). <i>Neth J Med</i> , 65(11): 425-33.
58133	Jacobs EM, Verbeek AL, Kreeftenberg HG, et al (2007). Changing aspects of HFE-related hereditary haemochromatosis and endeavours to early diagnosis. <i>Neth J Med</i> , 65(11): 419-24.
1319	Jazwinska EC, Pyper WR, Burt MJ, et al (1995). Haplotype analysis in Australian hemochromatosis patients: evidence for a predominant ancestral haplotype exclusively associated with hemochromatosis. <i>Am J Hum Genet</i> , 56(2): 428-33.
61095	Jordan JM (2004). Arthritis in hemochromatosis or iron storage disease. <i>Curr Opin Rheumatol</i> , 16(1): 62-6.
58138	Kang JO (2001). Chronic iron overload and toxicity: Clinical chemistry perspective. <i>Clin Lab Sci</i> , 14(3): 209-19; quiz 222.
96317	Kawabata H (2018). The mechanisms of systemic iron homeostasis and etiology, diagnosis, and treatment of hereditary hemochromatosis. <i>Int J Hematol</i> , 107(1): 31-43.
61611	Kerzel S, Zemlin M, Komhoff M, et al (2009). Hyperferritinemia as the diagnostic clue in life-threatening hemophagocytic lymphohistiocytosis. <i>Klin Padiatr</i> , 221(5): 318-21.
61101	Khan FA, Fisher MA, Khakoo RA (2007). Association of hemochromatosis with infectious diseases: expanding spectrum. <i>Int J Infect Dis</i> , 11(6): 482-7.
60887	Koenig KL, Mueller J, Rose T (1991). <i>Vibrio vulnificus</i> . Hazard on the half shell. <i>West J Med</i> , 155(4): 400-3.
61566	Kong XD, Xu D, Zhang W, et al (2010). Clinical features and prognosis in adult-onset Still's disease: a study of 104 cases. <i>Clin Rheumatol</i> , 29(9): 1015-9.
57748	Kostler E, Porst H, Wollina U (2005). Cutaneous manifestations of metabolic diseases: uncommon presentations. <i>Clin Dermatol</i> , 23(5): 457-64.
62086	Kowdley KV (2010). [Comment] The role of iron in nonalcoholic fatty liver disease: the story continues. <i>Gastroenterology</i> , 138(3): 817-9. Comment on ID: 62085.
60983	Krijt J, Vokurka M, Chang KT, et al (2004). Expression of Rgmc, the murine ortholog of hemojuvelin gene, is modulated by development and inflammation, but not by iron status or erythropoietin. <i>Blood</i> , 104(13): 4308-10.
61635	Laine F, Deugnier Y (2006). Increased expression of hepcidin in obese patients: impact on phenotypic expression of emochromatosis and pathophysiology of dysmetabolic iron overload syndrome. <i>Gastroenterology</i> , 131(6): 2028.
58137	Lambrecht RW, Bonkovsky HL (2002). Hemochromatosis and porphyria. <i>Semin Gastrointest Dis</i> , 13(2): 109-19.
96318	Lane DJ, Richardson DR (2014). The active role of vitamin C in mammalian iron metabolism: Much more than just enhanced iron absorption! <i>Free Radic Biol Med</i> , 75: 69-83.
59565	Le Lan C, Mosser A, Ropert M, et al (2011). Sex and acquired cofactors determine phenotypes of ferroportin disease. <i>Gastroenterology</i> , 140(4): 1199-207.e1-2.
96319	Lee M, Kowdley KV (2012). Alcohol's effect on other chronic liver diseases. <i>Clin Liver Dis</i> , 16(4): 827-37.

61102	Lee P, Rice L, McCarthy JJ, et al (2009). Severe iron overload with a novel aminolevulinic synthase mutation and hepatitis C infection. A case report. <i>Blood Cells Mol Dis</i> , 42(1): 1-4.
61097	Lewis AS, Hamish Courtney C, Brew Atkinson A (2009). All patients with 'idiopathic' hypopituitarism should be screened for hemochromatosis. <i>Pituitary</i> , 12(3): 273-5.
96320	Li SH, Zhao H, Ren YY, et al (2012). The H63D mutation of the hemochromatosis gene is associated with sustained virological response in chronic hepatitis C patients treated with interferon-based therapy: a meta-analysis. <i>Tohoku J Exp Med</i> , 226(4): 293-9.
57747	Limdi JK, Crampton JR (2004). Hereditary haemochromatosis. <i>QJM</i> , 97(6): 315-24.
58145	Longo F, Zecchina G, Sbaiz L, et al (1999). The influence of hemochromatosis mutations on iron overload of thalassemia major. <i>Haematologica</i> , 84(9): 799-803.
59559	Loreal O, Deugnier Y, Moirand R, et al (1992). Liver fibrosis in genetic hemochromatosis. Respective roles of iron and non-iron-related factors in 127 homozygous patients. <i>J Hepatol</i> , 16(1-2): 122-7.
1314	Lu JP, Hayashi K (1994). Selective iron deposition in pancreatic islet B cells of transfusional iron-overloaded autopsy cases. <i>Pathol Int</i> , 44(3): 194-9.
61096	Lubitz SA, Goldberg SH, Mehta D (2008). Sudden cardiac death in infiltrative cardiomyopathies: sarcoidosis, scleroderma, amyloidosis, hemochromatosis. <i>Prog Cardiovasc Dis</i> , 51(1): 58-73.
96321	Lucey MR (2019). Alcohol-associated cirrhosis. <i>Clin Liver Dis</i> , 23(1): 115-26.
61558	Luque-Ramirez M, Alvarez-Blasco F, Botella-Carretero JI, et al (2007). Increased body iron stores of obese women with polycystic ovary syndrome are a consequence of insulin resistance and hyperinsulinism and are not a result of reduced menstrual losses. <i>Diabetes Care</i> , 30(9): 2309-13.
57726	Malyszko J (2009). Hemojuvelin: the hepcidin story continues. <i>Kidney Blood Press Res</i> , 32(2): 71-6.
61562	Martinez-Garcia MA, Luque-Ramirez M, San-Millan JL, et al (2009). Body iron stores and glucose intolerance in premenopausal women: role of hyperandrogenism, insulin resistance, and genomic variants related to inflammation, oxidative stress, and iron metabolism. <i>Diabetes Care</i> , 32(8): 1525-30.
60882	McCune CA (2008). Sex, drugs, and "heavy metal": does diet also matter in the clinical expression of hereditary hemochromatosis? <i>Mayo Clin Proc</i> , 83(5): 526-8.
58134	McDonnell SM, Witte D (1997). Hereditary hemochromatosis. Preventing chronic effects of this underdiagnosed disorder. <i>Postgrad Med</i> , 102(6): 83-5, 88-91, 94.
96322	McKay A, Wilman HR, Dennis A, et al (2018). Measurement of liver iron by magnetic resonance imaging in the UK Biobank population. <i>PLoS One</i> , 13(12): e0209340.
60888	McLaren GD, Gordeuk VR (2009). Hereditary hemochromatosis: insights from the Hemochromatosis and Iron Overload Screening (HEIRS) Study. <i>Hematology Am Soc Hematol Educ Program</i> , 195-206.
1325	McLaren GD, Muir WA, Kellermeyer RW (1983). Iron overload disorders: natural history, pathogenesis, diagnosis, and therapy. <i>Crit Rev Clin Lab Sci</i> , 19(3): 205-66.
94695	Mehta KJ, Je Farnaud S, Sharp PA (2019). Iron and liver fibrosis: Mechanistic and clinical aspects. <i>World J Gastroenterol</i> , 25(5): 521-38.
60881	Milward EA, Baines SK, Knuiman MW, et al (2008). Noncitrus fruits as novel dietary environmental modifiers of iron stores in people with or without HFE gene mutations. <i>Mayo Clin Proc</i> , 83(5): 543-9.

57746	Moalem S, Weinberg ED, Percy ME (2004). Hemochromatosis and the enigma of misplaced iron: implications for infectious disease and survival. <i>Biometals</i> , 17(2): 135-9.
61036	Moinuddin MJ, Figueredo V, Amanullah AM (2010). Infiltrative diseases of the heart. <i>Rev Cardiovasc Med</i> , 11(4): 218-27.
96323	Moretti D, van Doorn GM, Swinkels DW, et al (2013). Relevance of dietary iron intake and bioavailability in the management of HFE hemochromatosis: a systematic review. <i>Am J Clin Nutr</i> , 98(2): 468-79.
58135	Morrison ED, Kowdley KV (2000). Genetic liver disease in adults. Early recognition of the three most common causes. <i>Postgrad Med</i> , 107(2): 147-52, 155, 158-9.
61899	Neri S, Pulvirenti D, Signorelli S, et al (2008). The HFE gene heterozygosis H63D: a cofactor for liver damage in patients with steatohepatitis? Epidemiological and clinical considerations. <i>Intern Med J</i> , 38(4): 254-8.
1318	Niederau C, Stremmel W, Strohmeyer GW (1994). Clinical spectrum and management of haemochromatosis. <i>Baillieres Clin Haematol</i> , 7(4): 881-901.
61567	Novak S, Anic F, Luke-Vrbanic TS (2012). Extremely high serum ferritin levels as a main diagnostic tool of adult-onset Still's disease. <i>Rheumatol Int</i> , 32(4): 1091-4.
96324	Oh CK, Moon Y (2019). Dietary and sentinel factors leading to hemochromatosis. <i>Nutrients</i> , 11(5): 1047.
61244	Ohtake T, Saito H, Hosoki Y, et al (2007). Hepcidin is down-regulated in alcohol loading. <i>Alcohol Clin Exp Res</i> , 31(1 Suppl): S2-8.
60885	Oliver JD (2005). Wound infections caused by vibrio vulnificus and other marine bacteria. <i>Epidemiol Infect</i> , 133(3): 383-91.
58148	Olsson KS, Vaisanen M, Konar J, et al (1997). The effect of withdrawal of food iron fortification in Sweden as studied with phlebotomy in subjects with genetic hemochromatosis. <i>Eur J Clin Nutr</i> , 51(11): 782-6.
59488	Olynyk JK, Cullen DJ, Aquilia S, et al (1999). A population-based study of the clinical expression of the hemochromatosis gene. <i>N Engl J Med</i> , 341(10): 718-24.
59562	Olynyk JK, Knuiman MW, Divitini ML, et al (2005). Effects of HFE gene mutations and alcohol on iron status, liver biochemistry and morbidity. <i>J Gastroenterol Hepatol</i> , 20(9): 1435-41.
40458	O'Neil J, Powell L (2005). Clinical aspects of hemochromatosis. <i>Semin Liver Dis</i> , 25(4): 381-91.
57744	Pietrangelo A (2004). Non-HFE hemochromatosis. <i>Hepatology</i> , 39(1): 21-9.
57733	Pietrangelo A (2005). Non-HFE hemochromatosis. <i>Semin Liver Dis</i> , 25(4): 450-60.
58142	Pietrangelo A (2006). Hereditary hemochromatosis. <i>Annu Rev Nutr</i> , 26: 251-70.
57723	Pietrangelo A (2006). Molecular insights into the pathogenesis of hereditary haemochromatosis. <i>Gut</i> , 55(4): 564-8.
61099	Pietrangelo A (2010). Hereditary hemochromatosis: pathogenesis, diagnosis, and treatment. <i>Gastroenterology</i> , 139(2): 393-408, 408.e1-2.
96326	Pietrangelo A (2015). Genetics, genetic testing, and management of hemochromatosis: 15 years since hepcidin. <i>Gastroenterology</i> , 149(5): 1240-51.e4.
47798	Piperno A, Fargion S, D'Alba R, et al (1992). Liver damage in Italian patients with hereditary hemochromatosis is highly influenced by hepatitis B and C virus infection. <i>J Hepatol</i> , 16(3): 364-8.
97089	Pippard MJ (1995). Secondary iron overload. <i>Iron Metabolism in Health & Disease</i> , Chapter 9: 272-300. WB Saunders Company Ltd, London.
61633	Powell EE, Ali A, Clouston AD, et al (2005). Steatosis is a cofactor in liver injury in hemochromatosis. <i>Gastroenterology</i> , 129(6): 1937-43.
59486	Powell LW (2008). Hemochromatosis. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 351: 2429-33. McGraw Hill.

58132	Powell LW, Dixon JL, Ramm GA, et al (2006). Screening for hemochromatosis in asymptomatic subjects with or without a family history. <i>Arch Intern Med</i> , 166(3): 294-301.
1308	Powell LW, Isselbacher KJ (1994). Hemochromatosis. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 345: 2069, 2073.
1328	Powell LW, Jazwinska E, Halliday JW (1995). Primary iron overload. <i>Iron Metabolism in Health & Disease</i> , Chapter 8: 227-70. WB Saunders Company Ltd, London.
96325	Powell LW, Seckington RC, Deugnier Y (2016). Haemochromatosis. <i>Lancet</i> , 388(10045): 706-16.
96332	Radford-Smith DE, Powell EE, Powell LW (2018). Haemochromatosis: a clinical update for the practising physician. <i>Intern Med J</i> , 48(5): 509-16.
60984	Ramm GA, Ruddell RG (2010). Iron homeostasis, hepatocellular injury, and fibrogenesis in hemochromatosis: the role of inflammation in a noninflammatory liver disease. <i>Semin Liver Dis</i> , 30(3): 271-87.
96334	Richardson KJ, McNamee AP, Simmonds MJ (2018). Haemochromatosis: Pathophysiology and the red blood cell1. <i>Clin Hemorheol Microcirc</i> , 69(1-2): 295-304.
96335	Rombout-Sestrienkova E, van Kraaij MG, Hoek GH (2016). How we manage patients with hereditary haemochromatosis. <i>Br J Haematol</i> , 175(5): 759-70.
58136	Rosalki SB (2002). Genetic haemochromatosis. <i>Int J Clin Pract</i> , 56(8): 609-10.
61911	Rossi E, Bulsara MK, Olynyk JK, et al (2001). Effect of hemochromatosis genotype and lifestyle factors on iron and red cell indices in a community population. <i>Clin Chem</i> , 47(2): 202-8.
94694	Rostoker G (2019). When should iron supplementation in dialysis patients be avoided, minimized or withdrawn? <i>Semin Dial</i> , 32(1): 22-9.
96337	Rostoker G, Vaziri ND (2017). Iatrogenic iron overload and its potential consequences in patients on hemodialysis. <i>Presse Med</i> , 46(12 Pt 2): e312-28.
96336	Rostoker G, Vaziri ND, Fishbane S (2016). Iatrogenic iron overload in dialysis patients at the beginning of the 21st century. <i>Drugs</i> , 76(7): 741-57.
96338	Rusovici A, Ibrahim S, Sood S, et al (2012). Extensive myocardial iron deposition in a patient with hepatitis C. <i>Tex Heart Inst J</i> , 39(2): 281-3.
96339	Saliou P, Le Gac G, Merour MC, et al (2015). HFE hemochromatosis: influence of dietary iron intake on the iron overload of C282Y homozygous patients. <i>Ann Hematol</i> , 94(7): 1225-7.
18938	Sampietro M, Fiorelli G, Fargion S (1999). Iron overload in porphyria cutanea tarda. <i>Haematologica</i> , 84(3): 248-53.
58130	Sams H, Kiripolsky MG, Bhat L, et al (2004). Porphyria cutanea tarda, hepatitis C, alcoholism, and hemochromatosis: a case report and review of the literature. <i>Cutis</i> , 73(3): 188-90.
96340	Sanchez-Luna SA, Brown KE (2017). Clinical burden of liver disease from hemochromatosis at an academic medical center. <i>Hepatol Commun</i> , 1(5): 453-9.
96341	Sandhu K, Flintoff K, Chatfield MD, et al (2018). Phenotypic analysis of hemochromatosis subtypes reveals variations in severity of iron overload and clinical disease. <i>Blood</i> , 132(1): 101-10.
96343	Sartori M, Andorno S, Pagliarulo M, et al (2007). Heterozygous beta-globin gene mutations as a risk factor for iron accumulation and liver fibrosis in chronic hepatitis C. <i>Gut</i> , 56(5): 693-8.
1313	Schafer AI, Cheron RG, Dluhy R, et al (1981). Clinical consequences of acquired transfusional iron overload in adults. <i>N Engl J Med</i> , 304(6): 319-24.
57735	Schumann K (2001). Safety aspects of iron in food. <i>Ann Nutr Metab</i> , 45(3): 91-101.

59489	Scotet V, Merour MC, Mercier AY, et al (2003). Hereditary hemochromatosis: effect of excessive alcohol consumption on disease expression in patients homozygous for the C282Y mutation. <i>Am J Epidemiol</i> , 158(2): 129-34.
60880	Shan Y, Lambrecht RW, Bonkovsky HL (2005). Association of hepatitis C virus infection with serum iron status: analysis of data from the third National Health and Nutrition Examination Survey. <i>Clin Infect Dis</i> , 40(6): 834-41.
57724	Shander A, Cappellini MD, Goodnough LT (2009). Iron overload and toxicity: the hidden risk of multiple blood transfusions. <i>Vox Sang</i> , 97(3): 185-97.
96344	Sharif Y, Irshad S, Tariq A, et al (2019). Association of frequency of hereditary hemochromatosis (HFE) gene mutations (H63D and C282Y) with iron overload in beta-thalassemia major patients in Pakistan. <i>Saudi Med J</i> , 40(9): 887-92.
61322	Sharma V, Panigrahi I, Dutta P, et al (2007). HFE mutation H63D predicts risk of iron over load in thalassemia intermedia irrespective of blood transfusions. <i>Indian J Pathol Microbiol</i> , 50(1): 82-5.
1316	Shirota T, Shinoda T, Aizawa T, et al (1992). Primary hypothyroidism and multiple endocrine failure in association with hemochromatosis in a long-term hemodialysis patient. <i>Clin Nephrol</i> , 38(2): 105-9.
1324	Short EM, Winkle RA, Billingham ME (1981). Myocardial involvement in idiopathic hemochromatosis. Morphologic and clinical improvement following venesection. <i>Am J Med</i> , 70(6): 1275-9.
61034	Sikorska K, Bielawski KP, Stalke P, et al (2005). HFE gene mutations in Polish patients with disturbances of iron metabolism: an initial assessment. <i>Int J Mol Med</i> , 16(6): 1151-6.
1310	Simon M (1985). Secondary iron overload and the haemochromatosis allele. <i>Br J Haematol</i> , 60(1): 1-5.
1312	Simon M, Le Mignon L, Fauchet R, et al (1987). A study of 609 HLA haplotypes marking for the hemochromatosis gene: (1) mapping of the gene near the HLA-A locus and characters required to define a heterozygous population and (2) hypothesis concerning the underlying cause of hemochromatosis-HLA association. <i>Am J Hum Genet</i> , 41(2): 89-105.
61612	Singh KJ, Singh SK, Suri A, et al (2005). Serum ferritin in renal cell carcinoma: effect of tumor size, volume grade, and stage. <i>Indian J Cancer</i> , 42(4): 197-200.
61104	Singh M, Ashwell M, Sanderson P, et al (2006). Risk of iron overload in carriers of genetic mutations associated with hereditary haemochromatosis: UK food standards agency workshop. <i>Br J Nutr</i> , 96(4): 770-3.
57745	Singhal A, Moreea S, Reynolds PD, et al (2004). Coeliac disease and hereditary haemochromatosis: association and implications. <i>Eur J Gastroenterol Hepatol</i> , 16(2): 235-7.
96345	Sini M, Sorbello O, Civolani A, et al (2012). Hemochromatosis gene mutations: prevalence and effects on pegylated-interferon and ribavirin therapy response in chronic hepatitis C in Sardinia. <i>J Clin Exp Hepatol</i> , 2(3): 211-7.
61837	Solomon LR, (2011). [Comments] Iron-chelating therapy for transfusional iron overload. <i>N Engl J Med</i> , 364(15): 1475-6; author reply 1477.
96346	Sondag MJ, Wattamwar AS, Aleppo G, et al (2012). Case 179: Hereditary hemochromatosis. <i>Radiology</i> , 262(3): 1037-41.
61565	Song MK, Chung JS, Seol YM, et al (2009). Elevation of serum ferritin is associated with the outcome of patients with newly diagnosed multiple myeloma. <i>Korean J Intern Med</i> , 24(4): 368-73.
61323	Sparacia G, Iaia A, Banco A, et al (2000). Transfusional hemochromatosis: quantitative relation of MR imaging pituitary signal intensity reduction to hypogonadotropic hypogonadism. <i>Radiology</i> , 215(3): 818-23.
61915	St John AT, Stuart KA, Crawford DH (2011). Testing for HFE-related haemochromatosis. <i>Australian Prescriber</i> , 34(3): 73-6.

1311	Stocks AE, Powell LW (1973). Carbohydrate intolerance in idiopathic haemochromatosis and cirrhosis of the liver. <i>Q J Med</i> , 42(168): 733-49.
58141	Stremmel W, Karner M, Manzhali E, et al (2007). Liver and iron metabolism--a comprehensive hypothesis for the pathogenesis of genetic hemochromatosis. <i>Z Gastroenterol</i> , 45(1): 71-5.
1327	Stremmel W, Kley HK, Kruskemper HL, et al (1985). Differing abnormalities in estrogen and androgen and insulin metabolism in idiopathic hemochromatosis versus alcoholic liver disease. <i>Semin Liver Dis</i> , 5(1): 84-93.
1317	Taccone-Gallucci M, Di Nucci G, Meloni C, et al (1987). Risk of iron overload and 'hemochromatosis allele(s)' in patients on maintenance hemodialysis. <i>Am J Nephrol</i> , 7(1): 28-32.
61105	Tao M, Pelletier DL (2009). The effect of dietary iron intake on the development of iron overload among homozygotes for haemochromatosis. <i>Public Health Nutr</i> , 12(10): 1823-9.
96347	Terzi YK, Balci TB, Boga C, et al (2016). Effect of hereditary hemochromatosis gene H63D and C282Y mutations on iron overload in sickle cell disease patients. <i>Turk J Haematol</i> , 33(4): 320-5.
96348	Thursz M (2007). Iron, haemochromatosis and thalassaemia as risk factors for fibrosis in hepatitis C virus infection. <i>Gut</i> , 56(5): 613-4.
96349	Thwaites PA, Woods ML (2017). Sepsis and siderosis, yersinia enterocolitica and hereditary haemochromatosis. <i>BMJ Case Rep</i> , 2017: bcr2016218185.
61569	Tong H, Ren Y, Liu H, et al (2008). Clinical characteristics of T-cell lymphoma associated with hemophagocytic syndrome: comparison of T-cell lymphoma with and without hemophagocytic syndrome. <i>Leuk Lymphoma</i> , 49(1): 81-7.
96350	Turbiville D, Du X, Yo J, et al (2019). Iron overload in an HFE heterozygous carrier: A case report and literature review. <i>Lab Med</i> , 50(2): 212-7.
96351	Ulvik RJ (2015). The liver in haemochromatosis. <i>J Trace Elem Med Biol</i> , 31: 219-24.
96352	Ulvik RJ (2016). Hereditary haemochromatosis through 150 years. <i>Tidsskr Nor Laegeforen</i> , 136(23-24): 2017-21.
56831	Utzschneider KM, Kowdley KV (2010). Hereditary hemochromatosis and diabetes mellitus: implications for clinical practice. <i>Nat Rev Endocrinol</i> , 6(1): 26-33.
61900	Valenti L, Dongiovanni P, Fracanzani AL, et al (2008). [Comments] HFE mutations in nonalcoholic fatty liver disease. <i>Hepatology</i> , 47(5): 1794-5; author reply 1795-6.
61898	Valenti L, Fracanzani AL, Bugianesi E, et al (2010). HFE genotype, parenchymal iron accumulation, and liver fibrosis in patients with nonalcoholic fatty liver disease. <i>Gastroenterology</i> , 138(3): 905-12.
96353	Valenti L, Maggioni P, Piperno A, et al (2012). Patatin-like phospholipase domain containing-3 gene I148M polymorphism, steatosis, and liver damage in hereditary hemochromatosis. <i>World J Gastroenterol</i> , 18(22): 2813-20.
61106	van der A DL, Peeters PH, Grobbee DE, et al (2006). HFE genotypes and dietary heme iron: no evidence of strong gene-nutrient interaction on serum ferritin concentrations in middle-aged women. <i>Nutr Metab Cardiovasc Dis</i> , 16(1): 60-8.
96354	Vanclouster A, Wollersheim H, Vanhaecht K, et al (2016). Key-interventions derived from three evidence based guidelines for management and follow-up of patients with HFE haemochromatosis. <i>BMC Health Serv Res</i> , 16(1): 573.
58228	Vergani A, Bovo G, Trombini P, et al (1999). Semiquantitative and qualitative assessment of hepatic iron in patients with chronic viral hepatitis: relation with grading, staging and haemochromatosis mutations. <i>Ital J Gastroenterol Hepatol</i> , 31(5): 395-400.
58146	Waaalen J, Beutler E (2005). Beware of multiple comparisons: a study of symptoms associated with mutations of the HFE hemochromatosis gene. <i>Clin Chem Acta</i> , 361(1-2): 128-34.

61568	Waaalen J, Felitti VJ, Gelbart T, et al (2008). Screening for hemochromatosis by measuring ferritin levels: a more effective approach. <i>Blood</i> , 111(7): 3373-6.
61719	Wallace DF, Subramaniam VN (2009). Co-factors in liver disease: the role of HFE-related hereditary hemochromatosis and iron. <i>Biochim Biophys Acta</i> , 1790(7): 663-70.
57730	Weiss G (2010). Genetic mechanisms and modifying factors in hereditary hemochromatosis. <i>Nat Rev Gastroenterol Hepatol</i> , 7(1): 50-8.
57738	Whittington CA, Kowdley KV (2002). Review article: haemochromatosis. <i>Aliment Pharmacol Ther</i> , 16(12): 1963-75.
96355	Wise M, Finelli L, Sorvillo F (2010). Prognostic factors associated with hepatitis C disease: A case-control study utilizing U.S. multiple-cause-of-death data. <i>Public Health Rep</i> , 125(3): 414-22.
58229	Wojcik JP, Speechley MR, Kertesz AE, et al (2002). Natural history of C282Y homozygotes for hemochromatosis. <i>Can J Gastroenterol</i> , 16(5): 297-302.
96356	Wood MJ, Crawford DH, Wockner LF, et al (2017). Serum ferritin concentration predicts hepatic fibrosis better than hepatic iron concentration in human HFE-Haemochromatosis. <i>Liver Int</i> , 37(9): 1382-8.
96357	Wood MJ, Powell LW, Dixon JL, et al (2012). Clinical cofactors and hepatic fibrosis in hereditary hemochromatosis: the role of diabetes mellitus. <i>Hepatology</i> , 56(3): 904-11.
57732	Wood MJ, Powell LW, Ramm GA (2008). Environmental and genetic modifiers of the progression to fibrosis and cirrhosis in hemochromatosis. <i>Blood</i> , 111(9): 4456-62.
96358	Ye Q, Qian BX, Yin WL, et al (2016). Association between the HFE C282Y, H63D polymorphisms and the risks of non-alcoholic fatty liver disease, liver cirrhosis and hepatocellular carcinoma: An updated systematic review and meta-analysis of 5,758 cases and 14,741 controls. <i>PLoS One</i> , 11(9): e0163423.
61098	Yen AW, Fancher TL, Bowlus CL (2006). Revisiting hereditary hemochromatosis: current concepts and progress. <i>Am J Med</i> , 119(5): 391-9.
61561	Yildirim A, Meral M, Kaynar H, et al (2007). Relationship between serum levels of some acute-phase proteins and stage of disease and performance status in patients with lung cancer. <i>Med Sci Monit</i> , 13(4): CR195-200.
96359	Zou DM, Sun WL (2017). Relationship between hepatitis C virus infection and iron overload. <i>Chin Med J (Engl)</i> , 130(7): 866-71.