



## ACUTE ARTICULAR CARTILAGE TEAR

RMA ID Number	Reference List for RMA357-2 as at February 2019
---------------	---

55646	Aharony S, Milgrom C, Wolf T, et al (2008). Magnetic resonance imaging showed no signs of overuse or permanent injury to the lumbar sacral spine during a Special Forces training course. <i>The Spine Journal</i> , 8: 578-83.
89910	AL Bashaireh AM, Haddad LG, Weaver M, et al (2018). The effect of tobacco smoking on musculoskeletal health: A systematic review. <i>Journal of Environmental and Public Health</i> , 2018: 4184190.
86936	Andrade R, Vasta S, Papalia R, et al (2016). Prevalence of articular cartilage lesions and surgical clinical outcomes in football (soccer) players' knees: A systematic review. <i>Arthroscopy</i> , 32(7): 1466-77.
56436	Anonymous (2006). Articular cartilage problems of the knee. Retrieved 17 December 2009, from <a href="http://www.orthogate.org/patient-education/knee/articular-cartilage-problems-of-the-knee.html">http://www.orthogate.org/patient-education/knee/articular-cartilage-problems-of-the-knee.html</a>
89911	Anonymous (2018). Articular cartilage damage. Retrieved 13 December 2018, from <a href="https://www.nyboneandjoint.com/conditions-treatments/articular-cartilage-damage/">https://www.nyboneandjoint.com/conditions-treatments/articular-cartilage-damage/</a>
89912	Baker JF, Mulhall KJ (2012). Local anaesthetics and chondrotoxicity: What is the evidence? <i>Arthroscopy</i> , 20(11): 2294-301.
89913	Balain B, Kerin C, Kanis G, et al (2012). Effects of knee compartment, concomitant surgery and smoking on medium-term outcome of microfracture. <i>The Knee</i> , 19(4): 440-4. [Abstract]
89142	Barrett GR, Thibodeaux KE, Replogle WH, et al (2015). Body mass index as an indicator of associated intra-articular injuries in patients with anterior cruciate ligament tears. <i>J Surg Orthop Adv</i> , 24(3): 159-63.
88277	Bedno SA, Jackson R, Feng X, et al (2017). Meta-analysis of cigarette smoking and musculoskeletal injuries in military training. <i>Med Sci Sports Exerc</i> , 49(11): 2191-7.
86937	Behery O, Siston RA, Harris JD, et al (2014). Treatment of cartilage defects of the knee: Expanding on the existing algorithm. <i>Clin J Sport Med</i> , 24(1): 21-30.
89130	Berry PA, Wluka AE, Davies-Tuck ML, et al (2010). The relationship between body composition and structural changes at the knee. <i>Rheumatology</i> , 49: 2362-9.
89914	Biswal S, Hastie T, Andriacchi TP, et al (2002). Risk factors for progressive cartilage loss in the knee: a longitudinal magnetic resonance imaging study in forty-three patients. <i>Arthritis &amp; Rheumatism</i> , 46(11): 2884-92.
89915	Blackwell R, Schmitt LC, Flanigan DC, et al (2016). Smoking increases the risk of early meniscus repair failure. <i>Knee Surg Sports Traumatol Arthrosc</i> , 24(5): 1540-3.
55658	Boks SS, Vroegindeweij D, Koes BW, et al (2006). Follow-up of occult bone lesions detected at MR imaging: systematic review. <i>Radiology</i> , 238(3): 853-62.

55735	Boraiah S, Paul O, Parker RJ, et al (2009). Osteochondral lesions of talus associated with ankle fractures. <i>Foot &amp; Ankle International</i> , 30(6): 481-5.
89916	Bowman KF, Fox J, Sekiya JK (2010). A clinically relevant review of hip biomechanics. <i>Arthroscopy</i> , 26(8): 1118-29.
89917	Brambilla L, Pulici L, Carimati G, et al (2015). Prevalence of associated lesions in anterior cruciate ligament reconstruction: Correlation with surgical timing and with patient age, sex, and body mass index. <i>Am J Sports Med</i> , 43(12): 2966-73.
89918	Brophy RH, Haas AK, Huston LJ, et al (2015). Association of meniscal status, lower extremity alignment, and body mass index with chondrosis at revision anterior cruciate ligament reconstruction. <i>Am J Sports Med</i> , 43(7): 1616-22.
55733	Brophy RH, Rodeo SA, Barnes RP, et al (2009). Knee articular cartilage injuries in the national football league. <i>J Knee Surg</i> , 22: 331-8.
55647	Brophy RH, Zeltser D, Wright RW, et al (2010). Anterior cruciate ligament reconstruction and concomitant articular cartilage injury: incidence and treatment. <i>Arthroscopy</i> , 26(1): 112-20.
89919	Buchko JZ, Gurney-Dunlop T, Shin JJ (2015). Knee chondrolysis by infusion of bupivacaine with epinephrine through an intra-articular pain pump catheter after arthroscopic ACL reconstruction. <i>Am J Sports Med</i> , 43(2): 337-44.
41289	Bulstrode C, Buckwalter J, Carr A, et al (2002). <i>Oxford Textbook of Orthopedics and Trauma</i> , Vol 2. Oxford University Press Inc., New York.
55648	Caloia MF, Martinez Gallino RN, Caloia H, et al (2008). Incidence of ligamentous and other injuries associated with scaphoid fractures during arthroscopically assisted reduction and percutaneous fixation. <i>Arthroscopy</i> , 24(7): 754-9.
86938	Carballo CB, Nakagawa Y, Sekiya I, et al (2017). Basic science of articular cartilage. <i>Clin Sports Med</i> , 36(3): 413-25.
81160	Carnes J, Stannus O, Cicuttini F, et al (2012). Knee cartilage defects in a sample of older adults: natural history, clinical significance and factors influencing change over 2.9 years. <i>Osteoarthritis and Cartilage</i> , 20(12): 1541-7.
86954	Case JM, Scopp JM (2016). Treatment of articular cartilage defects of the knee with microfracture and enhanced microfracture techniques. <i>Sports Med Arthrosc Rev</i> , 24(2): 63-8.
89131	Christian M, Nussbaum MA (2015). An exploratory study of the effects of occupational exposure to physical demands on biomarkers of cartilage and muscle damage. <i>J Occup Environ Hyg</i> , 12(2): 138-44.
89920	Ciccotti MC, Kraeutler MJ, Austin LS, et al (2012). The prevalence of articular cartilage changes in the knee joint in patients undergoing arthroscopy for meniscal pathology. <i>Arthroscopy</i> , 28(10): 1437-44.
89136	Cicuttini FM, Wluka AE, Wang Y, et al (2003). Effect of estrogen replacement therapy on patella cartilage in healthy women. <i>Clin Exp Rheumatol</i> , 21(1): 79-82.
89921	Cohen SB, Short CP, O'Hagan T, et al (2012). The effect of meniscal tears on cartilage loss of the knee: findings on serial MRIs. <i>Physician and Sportsmedicine</i> , 40(3): 66-76.
86939	Coleman CM, Flug JA, Major N (2017). Imaging of cartilage in the athlete. <i>Clin Sports Med</i> , 36(3): 427-45.
86940	Correa D, Lietman SA (2017). Articular cartilage repair: Current needs, methods and research directions. <i>Seminars in Cell &amp; Developmental Biology</i> , 62: 67-77.
55649	Curl WW, Krome J, Gordon ES, et al (1997). Cartilage injuries: a review of 31,516 knee arthroscopies. <i>Arthroscopy</i> , 13(4): 456-60.
55115	Cymet TC, Sinkov V (2006). Does long-distance running cause osteoarthritis? <i>JAOA</i> , 106(6): 342-5.

81223	Davies-Tuck ML, Wluka AE, Forbes A, et al (2009). Smoking is associated with increased cartilage loss and persistence of bone marrow lesions over 2 years in community-based individuals. <i>Rheumatology</i> , 48(10): 1227-31.
89922	Ding C, Cicuttini F, Scott F, et al (2005). Association between age and knee structural change: a cross sectional MRI based study. <i>Annals of the Rheumatic Diseases</i> , 64(4): 549-55.
89923	Ding C, Cicuttini F, Scott F, et al (2006). Natural history of knee cartilage defects and factors affecting change. <i>Arch Intern Med</i> , 166(6): 651-8.
51118	Ding C, Cicuttini F, Blizzard L, et al (2007). Smoking interacts with family history with regard to change in knee cartilage volume and cartilage defect development. <i>Arthritis &amp; Rheumatism</i> , 56(5): 1521-8.
89924	Eckstein F, Wirth W, Lohmander LS, et al (2015). Five-year followup of knee joint cartilage thickness changes after acute rupture of the anterior cruciate ligament. <i>Arthritis &amp; Rheumatology</i> , 67(1): 152-61.
55657	Eskelinen AP, Visuri T, Larni HM, et al (2004). Primary cartilage lesions of the knee joint in young male adults. Overweight as a predisposing factor. An arthroscopic study. <i>Scand J Surg</i> , 93: 229-33.
89925	Filardo G, deCaro F, Andriolo L, et al (2017). Do cartilage lesions affect the clinical outcome of anterior cruciate ligament reconstruction? A systematic review. <i>Knee Surg Sports Traumatol Arthrosc</i> , 25(10): 3061-75.
86941	Flanigan DC, Harris JD, Trinh TQ, et al (2010). Prevalence of chondral defects in athletes' knees: A systematic review. <i>Med Sci Sports Exerc</i> , 42(10): 1795-801.
86942	Frank RM, Cole BJ (2013). Complex cartilage cases in the athletic patient: Advances in malalignment, instability, articular defects, and meniscal insufficiency. <i>The Physician and Sportsmedicine</i> , 41(4): 41-52.
55650	Fritz J, Janssen P, Gaissmaier C, et al (2008). Articular cartilage defects in the knee-basics, therapies and results. <i>Injury</i> , 39S1: S50-7.
56060	Frobell RB, Le Graverand MP, Buck R, et al (2009). The acutely ACL injured knee assessed by MRI: changes in joint fluid, bone marrow lesions, and cartilage during the first year. <i>Osteoarthritis Cartilage</i> , 17: 161-7.
89143	Ghodadra N, Mall NA, Karas V, et al (2013). Articular and meniscal pathology associated with primary anterior cruciate ligament reconstruction. <i>J Knee Surg</i> , 26(3): 185-93.
89926	Golditz T, Steib S, Pfeifer K, et al (2014). Functional ankle instability as a risk factor for osteoarthritis: using T2-mapping to analyze early cartilage degeneration in the ankle joint of young athletes. <i>Osteoarthritis and Cartilage</i> , 22(10): 1377-85.
86943	Gomoll AH, Minas T (2014). The quality of healing: Articular cartilage. <i>Wound Repair and Regeneration</i> , 22(Suppl 1): 30-8.
89927	Granán LP, Bahr R, Lie SA, et al (2009). Timing of anterior cruciate ligament reconstructive surgery and risk of cartilage lesions and meniscal tears: a cohort study based on the Norwegian National Knee Ligament Registry. <i>Am J Sports Med</i> , 37(5): 955-61.
55651	Guilak F, Fermor B, Keefe FJ, et al (2004). The role of biomechanics and inflammation in cartilage injury and repair. <i>Clin Orthop Relat Res</i> , 423: 17-26.
81212	Gungor HR, Agadioglu K, Akkaya N, et al (2016). The effects of smoking on ultrasonographic thickness and elastosonographic strain ratio measurements of distal femoral cartilage. <i>Int J Environ Res Public Health</i> , 13(4): 434.
89928	Gutierrez NM, Granville C, Kaplan L, et al (2017). Elbow MRI findings do not correlate with future placement on the disabled list in asymptomatic professional baseball pitchers. <i>Sports Health</i> , 9(3): 222-9.
89929	Hanna FS, Wluka AE, Bell RJ, et al (2004). Osteoarthritis and the postmenopausal woman: Epidemiological, magnetic resonance imaging, and radiological findings. <i>Semin Arthritis Rheum</i> , 34(3): 631-6.

86944	Harris JD, Brophy RH, Siston RA, et al (2010). Treatment of chondral defects in the athlete's knee. <i>Arthroscopy</i> , 26(6): 841-52.
89930	Hepburn J, Walsh P, Mulhall KJ (2011). The chondrotoxicity of local anaesthetics: any clinical impact? <i>Joint Bone Spine</i> , 78(5): 438-40.
55660	Hernigou P, Cohen D (2000). Proximal entry for intramedullary nailing of the tibia. The risk of unrecognised articular damage. <i>J Bone Joint Surg</i> , 82-B: 33-41.
89931	Hirshorn KC, Cates R, Gillogly S (2010). Magnetic resonance imaging-documented chondral injuries about the knee in college football players: 3-year National Football League Combine data. <i>Arthroscopy</i> , 26(9): 1237-40.
53789	Hunter DJ, Eckstein F (2009). Exercise and osteoarthritis. <i>J Anat</i> , 214: 197-207.
89138	Hussain SM, Tan MC, Stathakopoulos K, et al (2017). How are obesity and body composition related to patellar cartilage? A systematic review. <i>J Rheumatol</i> , 44(7): 1071-82.
89932	Jaiswal PK, Macmull S, Bentley G, et al (2009). Does smoking influence outcome after autologous chondrocyte implantation? A case-controlled study. <i>J Bone Joint Surg</i> , 91(12): 1575-8.
55652	Joseph C, Pathak SS, Aravinda M, et al (2008). Is ACL reconstruction only for athletes? A study of the incidence of meniscal and cartilage injuries in an ACL-deficient athlete and non-athlete population - an Indian experience. <i>Int Orthop</i> , 32: 57-61.
86945	Kanneganti P, Harris JD, Brophy RH, et al (2012). The effect of smoking on ligament and cartilage surgery in the knee. <i>Am J Sports Med</i> , 40(12): 2872-8.
89933	Keng A, Sayre EC, Guermazi A, et al (2017). Association of body mass index with knee cartilage damage in an asymptomatic population-based study. <i>BMC Musculoskelet Disord</i> , 18(1): 517.
89934	Krych AJ, Sousa PL, King AH, et al (2015). The effect of cartilage injury after arthroscopic stabilization for shoulder instability. <i>Orthopedics</i> , 38(11): e965-9.
86946	Kumar D, Souza RB, Subburaj K, et al (2015). Are there sex differences in knee cartilage composition and walking mechanics in healthy and osteoarthritis populations? <i>Clin Orthop Relat Res</i> , 473(8): 2548-58.
89935	Kyriakidou M, Mavrogenis AF, Kyriazis S, et al (2016). An FT-IR spectral analysis of the effects of gamma-radiation on normal and cancerous cartilage. <i>In Vivo</i> , 30(5): 599-604.
89936	Lee M, Kwon JW, Choi WJ, et al (2015). Comparison of outcomes for osteochondral lesions of the talus with and without chronic lateral ankle instability. <i>Foot Ankle</i> , 36(9): 1050-7.
81076	Lim YZ, Wang Y, Wluka AE, et al (2014). Association of obesity and systemic factors with bone marrow lesions at the knee: A systematic review. <i>Semin Arthritis Rheum</i> , 43(5): 600-12.
89937	Luke AC, Stehling C, Stahl R, et al (2010). High-field magnetic resonance imaging assessment of articular cartilage before and after marathon running: does long-distance running lead to cartilage damage? <i>Am J Sports Med</i> , 38(11): 2273-80.
86947	Mall NA, Harris JD, Cole BJ (2015). Clinical evaluation and preoperative planning of articular cartilage lesions of the knee. <i>J Am Acad Orthop Surg</i> , 23(10): 633-40.
89938	Matsuda DK, Bharam S, White BJ, et al (2015). Anchor-induced chondral damage in the hip. <i>Journal of Hip Preservation Surgery</i> , 2(1): 56-64.
89140	Mavrogenis AF, Megaloikonomos PD, Panagopoulos GN, et al (2015). Side effects of radiation in bone and cartilage: An FT-IR analysis. <i>J Long Term Eff Med Implants</i> , 25(4): 289-95.

81078	Mezhov V, Ciccutini FM, Hanna FS, et al (2014). Does obesity affect knee cartilage? A systematic review of magnetic resonance imaging data. <i>Obes Res</i> , 15(2): 143-57.
86948	Michalitsis S, Hantes M, Thriskos P, et al (2017). Articular cartilage status 2 years after arthroscopic ACL reconstruction in patients with or without concomitant meniscal surgery: evaluation with 3.0T MR imaging. <i>Knee Surg Sports Traumatol Arthrosc</i> , 25(2): 437-44.
89939	Miller RH (2017). Joint loading in runners does not initiate knee osteoarthritis. <i>Exerc Sport Sci Rev</i> , 45(2): 87-95.
55734	Mithoefer K, McAdams TR, Scopp JM, Mandelbaum BR (2009). Emerging options for treatment of articular cartilage injury in the athlete. <i>Clin Sports Med</i> , 28: 25-40.
86949	Mithoefer K, Peterson L, Zenobi-Wong M, et al (2015). Cartilage issues in football--today's problems and tomorrow's solutions. <i>Br J Sports Med</i> , 49(9): 590-6.
89940	Moore D (2018). Articular cartilage. Retrieved 18 September 2018, from <a href="https://www.orthobullets.com/basic-science/9017/articular-cartilage">https://www.orthobullets.com/basic-science/9017/articular-cartilage</a>
86950	Murray IR, Benke MT, Mandelbaum BR (2016). Management of knee articular cartilage injuries in athletes: chondroprotection, chondrofacilitation, and resurfacing. <i>Knee Surg Sports Traumatol Arthrosc</i> , 24(5): 1617-26.
89135	Nakamae A, Adachi N, Deie M, et al (2018). Risk factors for progression of articular cartilage damage after anatomical anterior cruciate ligament reconstruction. <i>The Bone &amp; Joint Journal</i> , 100-B(3): 285-93.
89941	Nepple JJ, Dunn WR, Wright RW (2012). Meniscal repair outcomes at greater than five years: a systematic literature review and meta-analysis. <i>J Bone Joint Surg</i> , 94(24): 2222.
55653	O'Connor DP, Laughlin MS, Woods GW (2005). Factors related to additional knee injuries after anterior cruciate ligament injury. <i>Arthroscopy</i> , 21(4): 431-8.
55659	Oeppen RS, Connolly SA, Bencardino JT, et al (2004). Acute injury of the articular cartilage and subchondral bone: a common but unrecognized lesion in the immature knee. <i>AJR</i> , 182: 111-7.
89132	Oiestad BE, Quinn E, White D, et al (2015). No association between daily walking and structural changes in people at risk of or with mild knee osteoarthritis. Prospective data from the Multicenter Osteoarthritis Study. <i>J Rheumatol</i> , 42(9): 1685-93.
87603	Piper SL, Kramer JD, Kim HT, et al (2011). Effects of local anesthetics on articular cartilage. <i>Am J Sports Med</i> , 39(10): 2245-53.
89942	Racunica TL, Szramka M, Wluka AE, et al (2007). A positive association of smoking and articular knee joint cartilage in healthy people. <i>Osteoarthritis and Cartilage</i> , 15(5): 587-90.
89943	Richmond RS, Carlson CS, Register TC, et al (2000). Functional estrogen receptors in adult articular cartilage: estrogen replacement therapy increases chondrocyte synthesis of proteoglycans and insulin-like growth factor binding protein 2. <i>Arthritis &amp; Rheumatism</i> , 43(9): 2081-90.
89945	Ruckstuhl H, de Bruin ED, Stussi E, et al (2008). Post-traumatic glenohumeral cartilage lesions: a systematic review. <i>BMC Musculoskeletal Disord</i> , 9: 107.
55654	Ruckstuhl H, Krzycki J, Petrou N, et al (2008). A quantitative study of humeral cartilage in individuals with spinal cord injury. <i>Spinal Cord</i> , 46: 129-34.
86951	Saintigny Y, Cruet-Hennequart S, Hamdi DH, et al (2015). Impact of therapeutic irradiation on healthy articular cartilage. <i>Rad Res</i> , 183(2): 135-46.

89946	Salonen EE, Magga T, Sillanpaa PJ, et al (2017). Traumatic patellar dislocation and cartilage injury: A follow-up study of long-term cartilage deterioration. <i>Am J Sports Med</i> , 45(6): 1376-82.
86952	Scillia AJ, Aune KT, Andrachuk JS, et al (2015). Return to play after chondroplasty of the knee in National Football League athletes. <i>Am J Sports Med</i> , 43(3): 663-8.
55736	Scott CC, Athanasiou KA (2006). Mechanical impact and articular cartilage. <i>Critical Reviews in Biomedical Engineering</i> , 34(5): 347-78.
89947	Shelbourne KD, Jari S, Gray T (2003). Outcome of untreated traumatic articular cartilage defects of the knee: a natural history study. <i>JBJS</i> , 85(Suppl 2): 8-16.
34631	Shrier I (2004). Muscle dysfunction versus wear and tear as a cause of exercise related osteoarthritis: an epidemiological update. <i>Br J Sports Med</i> , 38: 526-35.
55655	Strobel MJ, Weiler A, Schulz MS, et al (2003). Arthroscopic evaluation of articular cartilage lesions in posterior cruciate ligament - deficient knees. <i>Arthroscopy</i> , 19(3): 262-8.
81335	Sugimoto K, Takakura Y, Okahashi K, et al (2009). Chondral injuries of the ankle with recurrent lateral instability: an arthroscopic study. <i>Journal of Bone &amp; Joint Surgery</i> , 91(1): 99-106.
89141	Takahashi T, Mizobuchi H, Toda M, et al (2003). Metabolic effects of x-ray irradiation on adult human articular chondrocytes. <i>Int J Mol Med</i> , 11(5): 631-4.
89133	Teichtahl AJ, Wang Y, Heritier S, et al (2016). The interaction between physical activity and amount of baseline knee cartilage. <i>Rheumatology</i> , 55(7): 1277-84 + supplementary data.
89137	Teichtahl AJ, Wang Y, Wluka AE, et al (2008). The longitudinal relationship between body composition and patella cartilage in healthy adults. <i>Obesity</i> , 16(2): 421-7.
89948	Teichtahl AJ, Wluka AE, Wang Y, et al (2012). Effect of long-term vigorous physical activity on healthy adult knee cartilage. <i>Med Sci Sports Exerc</i> , 44(6): 985-92.
89949	Thrush C, Porter TJ, Devitt BM (2018). No evidence for the most appropriate postoperative rehabilitation protocol following anterior cruciate ligament reconstruction with concomitant articular cartilage lesions: a systematic review. <i>Knee Surg Sports Traumatol Arthrosc</i> , 26(4): 1065-73.
89951	van Ginckel A, Verdonk P, Witvrouw E (2013). Cartilage adaptation after anterior cruciate ligament injury and reconstruction: implications for clinical management and research? A systematic review of longitudinal MRI studies. <i>Osteoarthritis and Cartilage</i> , 21(8): 1009-24.
89952	Watts E, McCulloch P (2018). Articular cartilage defects of knee. Retrieved 14 December 2018, from <a href="https://www.orthobullets.com/knee-and-sports/3133/articular-cartilage-defects-of-knee">https://www.orthobullets.com/knee-and-sports/3133/articular-cartilage-defects-of-knee</a>
89953	Webb ST, Ghosh S (2009). Intra-articular bupivacaine: potentially chondrotoxic? <i>Br J Anaesth</i> , 102(4): 439-41.
81163	Wei S, Venn A, Ding C, et al (2011). The associations between parity, other reproductive factors and cartilage in women aged 50-80 years. <i>Osteoarthritis and Cartilage</i> , 19(11): 1307-13.
55737	Widuchowski W, Lukasik P, Kwiatkowski G, et al (2008). Isolated full thickness chondral injuries. Prevalence and outcome of treatment. A retrospective study of 5233 knee arthroscopies. <i>Acta Chir Orthop Traumatol Cech</i> , 75: 382-6.
55656	Widuchowski W, Widuchowski J, Trzaska T (2007). Articular cartilage defects: study 25,124 knee arthroscopies. <i>The Knee</i> , 14: 177-82.
89955	Wluka AE, Davis SR, Bailey M, et al (2001). Users of oestrogen replacement therapy have more knee cartilage than non-users. <i>Annals of the Rheumatic Diseases</i> , 60(4): 332-6.

89956	Wluka AE, Wolfe R, Davis SR, et al (2004). Tibial cartilage volume change in healthy postmenopausal women: a longitudinal study. <i>Annals of the Rheumatic Diseases</i> , 63(4): 444-9.
89958	Yan F, Xie F, Gong X, et al (2016). Effect of anterior cruciate ligament rupture on secondary damage to menisci and articular cartilage. <i>Knee</i> , 23(1): 102-5.
89960	Yeh PC, Kharrazi FD (2012). Postarthroscopic glenohumeral chondrolysis. <i>J Am Acad Orthop Surg</i> , 20(2): 102-12.
89134	Yoo JI, Ha YC, Hwang SC, et al (2017). Factors associated with the risk of articular surface perforation during anchor placement for arthroscopic acetabular labral repair. <i>Clin Orthop Surg</i> , 9(4): 405-12.