



CHRONIC SOLVENT ENCEPHALOPATHY

RMA ID Number	Reference List for RMA339-4 as at November 2021
---------------	---

101647	Aaserud O, Hommeren OJ, Tvedt B, et al (1990). Carbon disulfide exposure and neurotoxic sequelae among viscose rayon workers. <i>Am J Ind Med</i> , 18(1): 25-37.
29986	Aaserud O, Nakstad PH, Bakke SJ, et al (2000). Failure to confirm neurotoxic impairment using cerebral magnetic resonance imaging on solvent-exposed workers. <i>Scand J Work Environ Health</i> , 26(4): 346-52.
34335	Abjornsson G, Palsson B, Bergendorf U, et al (1998). Long-term follow-up of psychological distress, social functioning, and coping style in treated and untreated patients with solvent-induced chronic toxic encephalopathy. <i>J Occup Environ Med</i> , 40(9): 801-7.
101686	Agency for Toxic Substances and Disease Registry (1997). Toxicological Profile for Chloroform. U.S Department of Health and Human Services.
101679	Agency for Toxic Substances and Disease Registry (1996). Toxicological Profile for Carbon Disulfide. U.S Department of Health and Human Services.
101680	Agency for Toxic Substances and Disease Registry (1998). Toxicological Profile for Chloromethane. U.S Department of Health and Human Services.
101681	Agency for Toxic Substances and Disease Registry (2000). Toxicological Profile for Methylene Chloride. U.S Department of Health and Human Services.
75049	Agency for Toxic Substances and Disease Registry (2007). Toxicological Profile for Benzene. U.S Department of Health and Human Services.
101682	Agency for Toxic Substances and Disease Registry (2009). Addendum to the Toxicological Profile for Chloromethane. U.S Department of Health and Human Services.
101683	Agency for Toxic Substances and Disease Registry (2010). Addendum to the Toxicological Profile for Methylene Chloride. U.S Department of Health and Human Services.
101684	Agency for Toxic Substances and Disease Registry (2011). Addendum to the Toxicological Profile for Styrene. U.S Department of Health and Human Services.
101685	Agency for Toxic Substances and Disease Registry (2012). Addendum to the Toxicological Profile for Carbon Disulfide. U.S Department of Health and Human Services.
103315	Agency for Toxic Substances and Disease Registry (1993). Methylene chloride toxicity. <i>Am Fam Physician</i> , 47(5): 1159-66.
102435	Agency for Toxic Substances and Disease Registry (ATSDR) (1995). Toxicological profile for gasoline, US Department of Health and Human Service.
102436	Agency for Toxic Substances and Disease Registry (ATSDR) (1995). Toxicological profile for stoddard solvent, US Department of Health and Human Service.

102437	Agency for Toxic Substances and Disease Registry (ATSDR) (1995). Toxicological profile for fuel oils, US Department of Health and Human Service.
102438	Agency for Toxic Substances and Disease Registry (ATSDR) (1998). Toxicological profile for 2-Butoxyethanol and 2-Butoxyethanol acetate, U.S Department of Health and Human Services.
102439	Agency for Toxic Substances and Disease Registry (ATSDR) (2001). Toxicological profile for 1,2-Dichloroethane, U.S Department of Health and Human Services.
102440	Agency for Toxic Substances and Disease Registry (ATSDR) (2006). Toxicological profile for 1,1,1-Trichloroethane, U.S Department of Health and Human Services.
102441	Agency for Toxic Substances and Disease Registry (ATSDR) (2010). Toxicological profile for ethylene glycol, U.S Department of Health and Human Services.
102442	Agency for Toxic Substances and Disease Registry (ATSDR) (2019). Toxicological profile for tetrachloroethylene, U.S Department of Health and Human Services.
102443	Agency for Toxic Substances and Disease Registry (ATSDR) (2019). Toxicological profile for trichloroethylene, U.S Department of Health and Human Services.
102444	Agency for Toxic Substances and Disease Registry (ATSDR) (2020). Toxicological profile for bromomethane, U.S Department of Health and Human Services.
102445	Agency for Toxic Substances and Disease Registry (ATSDR) (2020). Toxicological Profile For Lead, U.S Department of Health and Human Services.
102447	Agency for Toxic Substances and Disease Registry (ATSDR) (2020). Toxicological profile for 2-butanone, U.S Department of Health and Human Services.
102448	Agency for Toxic Substances and Disease Registry (ATSDR) (2021). Toxicological profile for 1,1,2-Trichloroethane, U.S Department of Health and Human Services.
102449	Agency for Toxic Substances and Disease Registry (ATSDR) (2021). Toxicological profile for acetone, U.S Department of Health and Human Services.
102450	Agency for Toxic Substances and Disease Registry (ATSDR) (2021). Toxicological profile for 1,2,3-Trichloropropane, U.S Department of Health and Human Services.
102451	Agency for Toxic Substances and Disease Registry (ATSDR) (1998). Toxicological profile for chloroethane, U.S Department of Health and Human Services.
90357	Agency for Toxic Substances and Disease Registry (ATSDR) (2017). Toxicological profile for nitrate and nitrite, U.S Department of Health and Human Services.
88801	Agency for Toxic Substances and Disease Registry (ATSDR) (2017). Toxicological Profile for JP-5. JP-8 and Jet A Fuels. U.S Department of Health and Human Services.
35464	Agency for Toxic Substances and Disease Registry (2005). Toxicological Profile for Carbon Tetrachloride, U.S Department of Health and Human Services.
76079	Agency for Toxic Substances and Disease Registry (ATSDR) (1995). Toxicological profile for otto fuel II and its components. Retrieved 12 October 2015, from http://www.atsdr.cdc.gov/toxprofiles/tp77.pdf
37573	Agency for Toxic Substances and Disease Registry (ATSDR) (1995). Toxicological Profile for Jet Fuels JP-4 and JP-7, U.S Department of Health and Human Services.

65763	Agency for Toxic Substances and Disease Registry (2010). Toxicological profile for styrene. Public Health Service. U.S Department of Health and Human Services.
38359	Agency for Toxic Substances and Disease Registry (2007). Toxicological Profile For Xylene. U.S Department of Health and Human Services.
102446	Ahmed A, Tschetter PA, Krasowski MD, et al (2014). Massive ethylene glycol poisoning triggers osmotic demyelination syndrome. <i>J Emerg Med</i> , 46(3): e69-74.
101675	Akinyemi PA, Adegbenro CA, Ojo TO, et al (2019). Neurobehavioral effects of organic solvents exposure among wood furniture makers in Ile-Ife, Osun State, Southwestern Nigeria. <i>J Health Pollut</i> , 9(22): 190604.
102453	Al-Ajmi AM, Morad MA, Cooper PE, et al (2018). Reversible ethyl chloride neurotoxicity: a case report. <i>Can J Neurol Sci</i> , 45(1): 119-20.
29722	Albers JW, Berent S (2000). Controversies in neurotoxicology: current status. <i>Neurol Clin</i> , 18(3): 741-63.
29885	Albers JW, Wald JJ, Trask CL, et al (2001). Evaluation of blink reflex results obtained from workers previously diagnosed with solvent-induced toxic encephalopathy. <i>J Occup Environ Med</i> , 43(8): 713-22.
29723	Albers JW, Wald JJ, Garabrant DH, et al (2000). Neurologic evaluation of workers previously diagnosed with solvent-induced toxic encephalopathy. <i>J Occup Environ Med</i> , 42(4): 410-23.
30708	Altmann L, Neuhann HF, Kramer U, et al (1995). Neurobehavioral and neurophysiological outcome of chronic low-level tetrachloroethene exposure measured in neighborhoods of dry cleaning shops. <i>Environ Res</i> , 69(2): 83-9.
69324	American Psychiatric Association (2013). Major and mild neurocognitive disorders. <i>Diagnostic and Statistical Manual of Mental Disorders, 5th Edition</i> , 602-11. American Psychiatric Publishing, Inc.
69323	American Psychiatric Association (2013). Inhalant-related disorders. <i>Diagnostic and Statistical Manual of Mental Disorders, 5th Edition</i> , 533-40. American Psychiatric Publishing, Inc.
3722	American Psychiatric Association (1994). <i>Diagnostic and Statistical Manual of Mental Disorders, (Fourth edition)</i> . Washington: American Psychiatric Association.
101676	Aminian O, Hashemi S, Sadeghniaat-Haghighi K, et al (2014). Psychomotor effects of mixed organic solvents on rubber workers. <i>Int J Occup Environ Med</i> , 5(2): 78-83.
101677	Amoruso MA, Gamble JF, McKee RH, et al (2008). Review of the toxicology of mineral spirits. <i>Int J Toxicol</i> , 27(1): 97-165.
31017	Anger WK, Liang YX, Nell V, et al (2000). Lessons learned--15 years of the WHO-NCTB: a review. <i>Neurotoxicology</i> , 21(5): 837-46.
103359	Anger WK, Moody L, Burg L, et al (1986). Neurobehavioral evaluation of soil and structural fumigators using methyl bromide and sulfuryl fluoride. <i>Neurotoxicology</i> , 7(3): 137-56. [Abstract]
50201	Annau Z (1981). The neurobehavioral toxicity of trichloroethylene. <i>Neurobehavioral Toxicology and Teratology</i> , 3: 417-24.
30048	Antti-Poika M, Ojala M, Matikainen E, et al (1989). Occupational exposure to solvents and cerebellar, brainstem and vestibular functions. <i>Int Arch Occup Environ Health</i> , 61(6): 397-401.
102455	Aragones JM, Ayora AA, Ribalta AB, et al (2016). Occupational exposure to volatile anaesthetics: a systematic review. <i>Occup Med (Lond)</i> , 66(3): 202-7.
33553	Araki S, Yokoyama K, Murata K (1997). Neurophysiological methods in occupational and environmental health: methodology and recent findings. <i>Environ Res</i> , 73(1-2): 42-51.
29715	Arlie-Soborg P, Hansen L, Ladefoged O, et al (1992). Report on a conference on organic solvents and the nervous system. <i>Neurotoxicol Teratol</i> , 14(1): 81-2.

102919	Ashenhurst J (2020). Substitution reactions. Polar protic? Polar aprotic? Nonpolar? All about solvents. Retrieved 12 August 2021, from https://www.masterorganicchemistry.com/2012/04/27/polar-protic-polar-aprotic-nonpolar-all-about-solvents/
102452	Aslani MR, Movassaghi AR, Mohri M, et al (2000). Experimental kerosene poisoning in goats. <i>Vet Hum Toxicol</i> , 42(6): 354-5.
91896	ATSDR (2017). Toxicological Profile for Toluene. US Department of Health & Human Service.
30730	Aydin K, Sencer S, Demir T, et al (2002). Cranial MR findings in chronic toluene abuse by inhalation. <i>Am J Neuroradiol</i> , 23(7): 1173-9.
30790	Aylott S, Prasher D (2002). Solvents impair balance in Man. <i>Noise Health</i> , 4(14): 63-71.
30387	Baelum J, Andersen I, Lundqvist GR, et al (1985). Response of solvent-exposed printers and unexposed controls to six-hour toluene exposure. <i>Scand J Work Environ Health</i> , 11(4): 271-80.
101678	Bahadar H, Mostafalou S, Abdollahi M (2014). Current understandings and perspectives on non-cancer health effects of benzene: a global concern. <i>Toxicol Appl Pharmacol</i> , 276(2): 83-94.
29725	Baker EL (1994). A review of recent research on health effects of human occupational exposure to organic solvents. A critical review. <i>J Occup Med</i> , 36(10): 1079-92.
69325	Baker EL (2008). Chronic toxic encephalopathy caused by occupational solvent exposure. <i>Ann Neurol</i> , 63(5): 545-7.
101687	Baker EL Jr, Smith TJ, Landrigan PJ (1985). The neurotoxicity of industrial solvents: a review of the literature. <i>Am J Ind Med</i> , 8(3): 207-17.
29872	Baker EL, Letz RE, Eisen EA, et al (1988). Neurobehavioral effects of solvents in construction painters. <i>J Occup Med</i> , 30(2): 116-23.
30772	Bardodej Z, Vyskocil J (1956). The problem of trichloroethylene in occupational medicine. <i>AMA Arch Ind Health</i> , 13(6): 581-92.
101688	Barrowcliff DF (1978). Chronic carbon monoxide poisoning caused by methylene chloride paintstripper. <i>Med Sci Law</i> , 18(4): 238.
101693	Barrowcliff DF, Knell AJ (1979). Cerebral damage due to endogenous chronic carbon monoxide poisoning caused by exposure to methylene chloride. <i>J Soc Occup Med</i> , 29(1): 12-4.
101689	Bates MN, Reed BR, Liu S, et al (2016). Solvent exposure and cognitive function in automotive technicians. <i>Neurotoxicology</i> , 57: 22-30.
101690	Baydala L (2010). Inhalant abuse. <i>Paediatr Child Health</i> , 15(7): 443-54.
101691	Bebarta V, DeWitt C (2004). Miscellaneous hydrocarbon solvents. <i>Clin Occup Environ Med</i> , 4(3): 455-79, vi.
29883	Bellinger DC (2003). Perspectives on incorporating human neurobehavioral end points in risk assessments. <i>Risk Anal</i> , 23(1): 163-74.
101692	Benignus VA, Geller AM, Boyes WK, et al (2005). Human neurobehavioral effects of long-term exposure to styrene: a meta-analysis. <i>Environ Health Perspect</i> , 113(5): 532-8.
30070	Bernsen HJ, Verhagen WI, de Bijl MA, et al (1992). Magnetic resonance studies on brain dysfunction induced by organic solvents. <i>Acta Neurol Belg</i> , 92(4): 207-14.
102457	Bezdicek O, Michalec J, Vaneckova M, et al (2017). Cognitive sequelae of methanol poisoning involve executive dysfunction and memory impairment in cross-sectional and long-term perspective. <i>Alcohol</i> , 59: 27-35.
102458	Blanco M, Casado R, Vazquez F, et al (2006). CT and MR imaging findings in methanol intoxication. <i>AJNR Am J Neuroradiol</i> , 27(2): 452-4.
30101	Bleecker ML (2000). The role of quantitative neurological examination in clinical neurotoxicology. <i>Neurol Clin</i> , 18(3): 563-78.
29858	Bleecker ML, Bolla KI, Agnew J, et al (1991). Dose-related subclinical neurobehavioral effects of chronic exposure to low levels of organic solvents. <i>Am J Ind Med</i> , 19(6): 715-28.

102921	Board of Inquiry (2001). Chemical exposure of air force maintenance workers. Report of the Board of Inquiry into F-111 (fuel tank) deseal/reseal and spray seal programs. Vol 2. Retrieved 5 August 2021, from https://www.airforce.gov.au/sites/default/files/report_of_the_board_-_volume_2.pdf
30709	Bockelmann I, Darius S, McGauran N, et al (2002). The psychological effects of exposure to mixed organic solvents on car painters. <i>Disabil Rehab</i> , 24(9): 455-61.
29884	Boeckelmann I, Pfister EA (2003). Influence of occupational exposure to organic solvent mixtures on contrast sensitivity in printers. <i>J Occup Environ Med</i> , 45(1): 25-33.
31057	Boey KW, Foo SC, Jeyaratnam J (1997). Effects of occupational exposure to toluene: a neuropsychological study on workers in Singapore. <i>Ann Acad Med Singap</i> , 26(2): 184-7.
30719	Bolla KI (1991). Neuropsychological assessment for detecting adverse effects of volatile organic compounds on the central nervous system. <i>Environ Health Perspect</i> , 95: 93-8.
32177	Bolla KI, Schwartz BS, Stewart W, et al (1995). Comparison of neurobehavioral function in workers exposed to a mixture of organic and inorganic lead and in workers exposed to solvents. <i>Am J Ind Med</i> , 27(2): 231-46.
102460	Bowler RM, Gysens S, Hartney C (2003). Neuropsychological effects of ethylene dichloride exposure. <i>Neurotoxicology</i> , 24(4-5): 553-62.
30766	Bowler RM, Lezak M, Booty A, et al (2001). Neuropsychological dysfunction, mood disturbance, and emotional status of munitions workers. <i>Appl Neuropsychol</i> , 8(2): 74-90.
103322	Bowling FG (2014). Report on the molecular investigations into the jet fuel and solvent exposure in the. DeSeal/ReSeal programme conducted at the Mater Research Institute (UQ), Brisbane,
29741	Broadwell DK, Darcey DJ, Hudnell HK, et al (1995). Work-site clinical and neurobehavioral assessment of solvent-exposed microelectronics workers. <i>Am J Ind Med</i> , 27(5): 677-98.
32120	Bruhn P, Arlien-Soborg P, Gyldensted C, et al (1981). Prognosis in chronic toxic encephalopathy. A two-year follow-up study in 26 house painters with occupational encephalopathy. <i>Acta Neurol Scand</i> , 64(4): 259-72.
103360	Bruschi SA (2006). A toxicological assessment of military aviation turbine fuels and additives: ADF perspectives and recommendations. For the Defence Centre for Occupational Health, Canberra, ACT.
65187	Budnik LT, Kloth S, Velasco-Garrido M, et al (2012). Prostate cancer and toxicology from critical use exemptions of methyl bromide: environmental protection helps protect against human health risks. <i>Environ Health</i> , 11: 5.
102461	Bukacova K, Mana J, Klempir J, et al (2021). Cognitive changes after methanol exposure: Longitudinal perspective. <i>Toxicol Lett</i> , 349: 101-8.
101694	Burg JR, Gist GL (1999). Health effects of environmental contaminant exposure: an intrafile comparison of the Trichloroethylene Subregistry. <i>Arch Environ Health</i> , 54(4): 231-41.
51771	Buxton PH, Hayward M (1967). Polyneuritis cranialis associated with industrial trichloroethylene poisoning. <i>J Neurol Neurosurg Psychiatry</i> , 30(6): 511-8.
32569	Byrne A, Kirby B, Zibin T, et al (1991). Psychiatric and neurological effects of chronic solvent abuse. <i>Can J Psychiatry</i> , 36(10): 735-8.
37013	Cairney S, Maruff P, Burns CB, et al (2005). Neurological and cognitive recovery following abstinence from petrol sniffing. <i>Neuropsychopharmacology</i> , 30(5): 1019-27.
31374	Cairney S, Maruff P, Burns CB, et al (2004). Neurological and cognitive impairment associated with leaded gasoline encephalopathy. <i>Drug Alcohol Depend</i> , 73(2): 183-8.

34338	Cairney S, Maruff P, Burns C, et al (2002). The neurobehavioural consequences of petrol (gasoline) sniffing. <i>Neurosci Biobehav Rev</i> , 26(1): 81-9.
102463	Cairney S, O'Connor N, Dingwall KM, et al (2013). A prospective study of neurocognitive changes 15 years after chronic inhalant abuse. <i>Addiction</i> , 108(6): 1107-14.
34484	Caldemeyer KS, Armstrong SW, George KK, et al (1996). The spectrum of neuroimaging abnormalities in solvent abuse and their clinical correlation. <i>J Neuroimaging</i> , 6(3): 167-73.
29874	Callender TJ, Morrow L, Subramanian K, Duhon D, Ristovv M (1993). Three-dimensional brain metabolic imaging in patients with toxic encephalopathy. <i>Environ Res</i> , 60(2): 295-319.
101695	Campos-Ordóñez T, Gonzalez-Perez O (2016). Glial plasticity after hexahydrobenzene exposure. <i>Neural Regen Res</i> , 11(3): 404-5.
29812	Carlton GN, Smith LB (2000). Exposures to jet fuel and benzene during aircraft fuel tank repair in the U.S. Air Force. <i>Appl Occup Environ Hyg</i> , 15(6): 485-91.
101696	Cartier RL, Gallardo VA (2016). [Toxic encephalopathy caused by liquefied gas exposure: Report of one case]. <i>Rev Med Chil</i> , 144(8): 1083-7 [Article in Spanish].
32370	Cassitto MG, Camerino D, Imbriani M, et al (1993). Carbon disulfide and the central nervous system: a 15-year neurobehavioral surveillance of an exposed population. <i>Environ Res</i> , 63(2): 252-63.
30732	Cavalleri A, Gobba F, Nicali E, et al (2000). Dose-related color vision impairment in toluene-exposed workers. <i>Arch Environ Health</i> , 55(6): 399-404.
102917	CDC - Centers for Disease Control and Prevention (2018). Organic solvents. Retrieved 12 August 2021, from https://www.cdc.gov/niosh/topics/organsolv/default.html
102916	CDC - Centers for Disease Control and Prevention (1994). Ethyl acetate. Retrieved 1 September 2021, from https://www.cdc.gov/niosh/idlh/141786/html
102466	CDC (2008). Neurologic illness associated with occupational exposure to the solvent 1-bromopropane --- New Jersey and Pennsylvania, 2007--2008. <i>MMWR</i> , 57(48): 1300-2.
101697	Ceballos DM, Fellows KM, Evans AE, et al (2021). Perchloroethylene and dry cleaning: It's time to move the industry to safer alternatives. <i>Front Public Health</i> , 9: 638082.
34349	Cha JH, Kim SS, Han H, et al (2002). Brain MRI findings of carbon disulfide poisoning. <i>Korean J Radiol</i> , 3(3): 158-62.
34446	Chadwick OF, Anderson HR (1989). Neuropsychological consequences of volatile substance abuse: a review. <i>Hum Toxicol</i> , 8(4): 307-12.
102468	Chang LW (1977). Pathologic changes following chronic exposures to halothane: a review. <i>Environ Health Perspect</i> , 21: 195-210.
29852	Chen R, Dick F, Seaton A (1999). Health effects of solvent exposure among dockyard painters: mortality and neuropsychological symptoms. <i>Occup Environ Med</i> , 56(6): 383-7.
102474	Chen S, Zhang Z, Lin H, et al (2015). 1,2-Dichloroethane-induced toxic encephalopathy: a case series with morphological investigations. <i>J Neurol Sci</i> , 351(1-2): 36-40.
102472	Chen YQ, Lin YQ, Zhang YL, et al (2019). [Analysis of 18 cases of toxic encephalopathy caused by occupational acute 1, 2-dichloroethane poisoning]. <i>Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi</i> , 37(10): 778-80 [Article in Chinese]. [Abstract]
33552	Chen Z, Liu SJ, Cai SX, et al (1994). Exposure of workers to a mixture of toluene and xylenes. II. Effects. <i>Occup Environ Med</i> , 51(1): 47-9.

29879	Cherry N (1993). Neurobehavioural effects of solvents: the role of alcohol. <i>Environ Res</i> , 62(1): 155-8.
32056	Cherry N, et al (1989). An investigation of the acute behavioural effects of styrene on factory workers. <i>Br J Ind Med</i> , 37: 324-40.
30388	Cherry N, Hutchins H, Pace T, et al (1985). Neurobehavioural effects of repeated occupational exposure to toluene and paint solvents. <i>Br J Ind Med</i> , 42(5): 291-300.
29854	Cherry N, Venables H, Waldron HA (1984). British studies on the neuropsychological effects of solvent exposure. <i>Scand J Work Environ Health</i> , 10(Suppl 1): 10-2.
101698	Cherry N, Venables H, Waldron HA, et al (1981). Some observations on workers exposed to methylene chloride. <i>Br J Ind Med</i> , 38(4): 351-5.
31019	Chia SE, Ong CN, Phoon WH, et al (1993). Neurobehavioural effects on workers in a video tape manufacturing factory in Singapore. <i>Neurotoxicology</i> , 14(1): 51-6.
52532	Chiu WA, Caldwell JC, Keshava N, et al (2006). Key scientific issues in the health risk assessment of trichloroethylene. <i>Environ Health Perspect</i> , 114(9): 1445-9.
90180	Chiu WA, Jinot J, Scott CS, et al (2013). Human health effects of trichloroethylene: Key findings and scientific issues. <i>Environ Health Perspect</i> , 121(3): 303-11.
34339	Cho SK, Kim RH, Yim SH, et al (2002). Long-term neuropsychological effects and MRI findings in patients with CS ₂ poisoning. <i>Acta Neurol Scand</i> , 106(5): 269-75.
101699	Choi JH, Lee SK, Gil YE, et al (2017). Neurological complications resulting from non-oral occupational methanol poisoning. <i>J Korean Med Sci</i> , 32(2): 371-6.
29650	Chouaniere D, Wild P, Fontana JM, et al (2002). Neurobehavioral disturbances arising from occupational toluene exposure. <i>Am J Ind Med</i> , 41(2): 77-88.
101700	Chuang WL, Huang CC, Chen CJ, et al (2007). Carbon disulfide encephalopathy: cerebral microangiopathy. <i>Neurotoxicology</i> , 28(2): 387-93.
101701	Chung H, Youn K, Kim K, et al (2017). Carbon disulfide exposure estimate and prevalence of chronic diseases after carbon disulfide poisoning-related occupational diseases. <i>Ann Occup Environ Med</i> , 29: 52.
91259	Cichocki JA, Guyton KZ, Guha N, et al (2016). Target organ metabolism, toxicity, and mechanisms of trichloroethylene and perchloroethylene: Key similarities, differences, and data gaps. <i>J Pharmacol Exp Ther</i> , 359(1): 110-23.
102476	Clary JJ (1997). Methyl tert butyl ether systemic toxicity. <i>Risk Anal</i> , 17(6): 661-72. [Abstract]
29649	Clary JJ, Feron VJ, van Velthuisen JA (2001). Evaluation of potential neurotoxic effects of occupational exposure to (L)-lactates. <i>Regul Toxicol Pharmacol</i> , 33(1): 21-8.
65030	Committee on Human Health Risks of Trichloroethylene (2006). Assessing the Human Health risks of Trichloroethylene. Key Scientific Issues. National Research Council of the National Academies, . The National Academic Press, Washington DC.
102477	Courville CB (1956). Case studies in cerebral anoxia. XII. Residual cortical and striatal changes consequent to exposure to a simple asphyxiant gas; butane poisoning. <i>Bull Los Angel Neuro Soc</i> , 21(4): 192-8.
102479	da Costa MG, Kalmar AF, Struys MM (2021). Inhaled anesthetics: environmental role, occupational risk, and clinical use. <i>J Clin Med</i> , 10(6): 1306.
102481	Dang J, Chen J, Bi F, et al (2019). The clinical and pathological features of toxic encephalopathy caused by occupational 1,2-dichloroethane exposure. <i>Medicine (Baltimore)</i> , 98(17): e15273.

29989	Daniell W, Stebbins A, O'Donnell J, et al (1993). Neuropsychological performance and solvent exposure among car body repair shop workers. <i>Br J Ind Med</i> , 50(4): 368-77.
29856	Daniell WE, Claypoole KH, Checkoway H, et al (1999). Neuropsychological function in retired workers with previous long term occupational exposure to solvents. <i>Occup Environ Med</i> , 56(2): 93-105.
102483	Davis SI, Laszlo Pallos L, Wu JQ, et al (2005). ATSDR's trichloroethylene subregistry methods and results: 1989-2000. <i>Arch Environ Occup Health</i> , 60(3): 130-9.
102484	D'Costa DF, Gunasekera NP (1990). Fatal cerebral oedema following trichloroethane abuse. <i>J R Soc Med</i> , 83(8): 533-4.
102490	de Souza A, Narvencar KP, Sindhoora KV (2013). The neurological effects of methyl bromide intoxication. <i>J Neurol Sci</i> , 335(1-2): 36-41.
32371	del Amo M, Berenguer J, Pujol T, (1996). MR in trichloroethane poisoning. <i>AJNR Am J Neuroradiol</i> , 17(6): 1180-2.
102497	Demarest C, Torgovnick J, Sethi NK, et al (2011). Acute reversible neurotoxicity associated with inhalation of ethyl chloride: a case report. <i>Clin Neurol Neurosurg</i> , 113(10): 909-10.
32791	Department of Defence (2004). Report on the General Health and Medical Study. Study of Health Outcomes in Aircraft Maintenance Personnel, Vol 5. Commonwealth of Australia.
29988	Deschamps D, Garnier R, Lille F, et al (1993). Evoked potentials and cerebral blood flow in solvent induced psycho-organic syndrome. <i>Br J Ind Med</i> , 50(4): 325-30.
30119	Deschamps D, Geraud C, Dally S (2001). Cognitive functions in workers exposed to toluene: evaluation at least 48 hours after removal from exposure. <i>Int Arch Occup Environ Health</i> , 74(4): 285-8.
30339	Dick F, Semple S, Chen R, et al (2000). Neurological deficits in solvent-exposed painters: a syndrome including impaired colour vision, cognitive defects, tremor and loss of vibration sensation. <i>QJM</i> , 93(10): 655-61.
29880	Dick F, Semple S, Osborne A, et al (2002). Organic solvent exposure, genes, and risk of neuropsychological impairment. <i>QJM</i> , 95(6): 379-87.
30000	Dick F, Semple S, Soutar A, et al (2004). Is colour vision impairment associated with cognitive impairment in solvent exposed workers? <i>Occup Environ Med</i> , 61(1): 76-8.
102499	Dick FD (2006). Solvent neurotoxicity. <i>Occup Environ Med</i> , 63(3): 221-6.
30373	Dick RB, Brown WD, Setzer JV, et al (1988). Effects of short duration exposures to acetone and methyl ethyl ketone. <i>Toxicol Lett</i> , 43(1-3): 31-49.
102502	Ding G, Ren J, Yu S (2014). [9 cases with toxic encephalopathy induced by xylene]. <i>Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi</i> , 32(9): 705 [Article in Chinese]. [Title only]
102509	Domej W, Mitterhammer H, Stauber R, et al (2007). Successful outcome after intravenous gasoline injection. <i>J Med Toxicol</i> , 3(4): 173-7.
29830	Donoghue AM, Dryson EW, Wynn-Williams G (1995). Contrast sensitivity in organic-solvent-induced chronic toxic encephalopathy. <i>J Occup Environ Med</i> , 37(12): 1357-63.
102510	Doring G, Baumeister FA, Peters J, et al (2002). Butane abuse associated encephalopathy. <i>Klin Padiatr</i> , 214(5): 295-8.
102511	Dreyfus E, Tramoni E, Lehucher-Michel MP (2008). Persistent cognitive functioning deficits in operating rooms: two cases. <i>Int Arch Occup Environ Health</i> , 82(1): 125-30.
69326	Dryson E (1992). Chronic Organic Solvent Neurotoxicity: Diagnostic Criteria, . Department of Labour, Wellington, New Zealand.
29680	Dryson EW, Ogden JA (2000). Organic solvent induced chronic toxic encephalopathy: extent of recovery, and associated factors, following cessation of exposure. <i>Neurotoxicology</i> , 21(5): 659-65.

30369	Echeverria D, Fine L, Langolf G, et al (1989). Acute neurobehavioural effects of toluene. <i>Br J Ind Med</i> , 46(7): 483-95.
33567	Edling C, Anundi H, Johanson G, et al (1993). Increase in neuropsychiatric symptoms after occupational exposure to low levels of styrene. <i>Br J Ind Med</i> , 50(9): 843-50.
29990	Edling C, Ekberg K, Ahlborg G Jr, et al (1990). Long-term follow up of workers exposed to solvents. <i>Br J Ind Med</i> , 47(2): 75-82.
34336	Egeghy PP, Hauf-Cabalo L, Gibson R, et al (2003). Benzene and naphthalene in air and breath as indicators of exposure to jet fuel. <i>Occup Environ Med</i> , 60(12): 969-76.
102512	Ehler E, Latta J, Eichlerova A, et al (2011). Exposure to iodomethane and dichloromethane associated with a confusional state. <i>Neurotoxicology</i> , 32(3): 307-11.
29860	Eller N, Netterstrom B, Laursen P (1999). Risk of chronic effects on the central nervous system at low toluene exposure. <i>Occup Med (Oxford)</i> , 49(6): 389-95.
30049	Ellingsen DG, Bekken M, Kolsaker L, et al (1993). Patients with suspected solvent-induced encephalopathy examined with computed tomography. <i>J Occup Med</i> , 35(2): 155-60.
30807	Ellingsen DG, Lorentzen P, Langard S (1997). A Neuropsychological Study of Patients Exposed to Organic Solvents. <i>Int J Occup Environ Health</i> , 3(3): 177-83.
32092	Elofsson SA, Gamberale F, Hindmarsh T, et al (1980). Exposure to organic solvents. A cross-sectional epidemiologic investigation on occupationally exposed care and industrial spray painters with special reference to the nervous system. <i>Scand J Work Environ Health</i> , 6(4): 239-73.
102513	Eom H, Lee J, Kim EA (2019). Screening of workers with presumed occupational methanol poisoning: the applicability of a national active occupational disease surveillance system. <i>Saf Health Work</i> , 10(3): 265-74.
102514	Erburu-Iriarte M, Rodrigo-Armenteros P, Oyarzun-Irazu I, et al (2021). Chronic severe methanol intoxication after repeated mask cleansing due to fear of COVID-19: A new risk of coronaphobia. <i>Eur J Neurol</i> , 28(10): 3448-51.
30771	Escalona E, Yanes L, Feo O, et al (1995). Neurobehavioral evaluation of Venezuelan workers exposed to organic solvent mixtures. <i>Am J Ind Med</i> , 27(1): 15-27.
102603	Evangelista de Duffard AM, Duffard R (1996). Behavioral toxicology, risk assessment, and chlorinated hydrocarbons. <i>Environ Health Perspect</i> , 104(Suppl 2): 353-60.
102604	Evered L, Silbert B, Knopman DS, et al (2018). Recommendations for the nomenclature of cognitive change associated with anaesthesia and surgery-2018. <i>Br J Anaesth</i> , 121(5): 1005-12.
102605	Fagin J, Bradley J, Williams D (1980). Carbon monoxide poisoning secondary to inhaling methylene chloride. <i>Br Med J</i> , 281(6253): 1461.
32011	Fairhurst S (2003). Hazard and risk assessment of industrial chemicals in the occupational context in Europe: some current issues. <i>Food Chem Toxicol</i> , 41(11): 1453-62.
103361	Feany MB, Anthony DC, Frosch MP, et al (2001). August 2000: Two cases with necrosis and hemorrhage in the putamen and white matter. <i>Brain Pathol</i> , 11(1): 121-2. [Abstract]
29682	Feldman RG, Ratner MH, Ptak T (1999). Chronic toxic encephalopathy in a painter exposed to mixed solvents. <i>Environ Health Perspect</i> , 107(5): 417-22.
102606	Feldman RG, White RF, Currie JN, et al (1985). Long-term follow-up after single toxic exposure to trichloroethylene. <i>Am J Ind Med</i> , 8(2): 119-26.

32173	Fidler AT, Baker EL, Letz RE (1987). Neurobehavioural effects of occupational exposure to organic solvents among construction painters. <i>Br J Ind Med</i> , 44(5): 292-308.
102607	Fiedler N, Weisel C, Nwankwo C, et al (2018). Chronic exposure to solvents among construction painters: reductions in exposure and neurobehavioral health effects. <i>J Occup Environ Med</i> , 60(12): e663-70.
102608	Filley CM (2013). Toluene abuse and white matter: a model of toxic leukoencephalopathy. <i>Psychiatr Clin North Am</i> , 36(2): 293-302.
30728	Filley CM, Halliday W, Kleinschmidt-DeMasters BK (2004). The effects of toluene on the central nervous system. <i>J Neuropathol Exp Neurol</i> , 63(1): 1-12.
102609	Finch CK, Lobo BL (2005). Acute inhalant-induced neurotoxicity with delayed recovery. <i>Ann Pharmacother</i> , 39(1): 169-72.
102610	Flanagan RJ, Ruprah M, Meredith TJ, et al (1990). An introduction to the clinical toxicology of volatile substances. <i>Drug Saf</i> , 5(5): 359-83.
102611	Flodin U, Ekberg K, Andersson L (1989). Neuropsychiatric effects of low exposure to styrene. <i>Br J Ind Med</i> , 46(11): 805-8.
30367	Foo SC, Jeyaratnam J, Koh D (1990). Chronic neurobehavioural effects of toluene. <i>Br J Ind Med</i> , 47(7): 480-4.
102612	Ford JB, Sutter ME, Owen KP, et al (2014). Volatile substance misuse: an updated review of toxicity and treatment. <i>Clin Rev Allergy Immunol</i> , 46(1): 19-33.
102613	Freilich BM, Altun Z, Ramesar C, et al (2007). Neuropsychological sequelae of ethylene glycol intoxication: a case study. <i>Appl Neuropsychol</i> , 14(1): 56-61.
30102	Friis L, Norback D, Edling C (1997). Occurrence of neuropsychiatric symptoms at low levels of occupational exposure to organic solvents and relationships to health, lifestyle, and stress. <i>Int J Occup Environ Health</i> , 3(3): 184-9.
15957	Frumkin H (1998). Multiple system atrophy following chronic carbon disulfide exposure. <i>Environ Health Perspect</i> , 106(9): 611-3.
69327	Furu H, Sainio M, Hyvarinen HK, et al (2012). Detecting chronic solvent encephalopathy in occupations at risk. <i>Neurotoxicology</i> , 33(4): 734-41.
60693	Galbraith D, Gross SA, Paustenbach D (2010). Benzene and human health: a historical review and appraisal of associations with various diseases. <i>Crit Rev Toxicol</i> , 40(Suppl 2): 1-46.
30768	Gamberale F, Annwall G, Hultengren M (1975). Exposure to white spirit. II. Psychological functions. <i>Scand J Work Environ Health</i> , 1(1): 31-9.
30767	Gamberale F, Annwall G, Olsen BA (1976). Exposure to trichloroethylene III. Psychological functions. <i>Scand J Work Environ Health</i> , 2(4): 220-4.
34486	Gamberale F, Hultengren M (1974). Exposure to styrene. II. Psychological functions. <i>Work Environ Health</i> , 11(2): 86-93.
30100	Gamble JF (2000). Low-level hydrocarbon solvent exposure and neurobehavioural effects. <i>Occup Med (Lond)</i> , 50(2): 81-102.
102615	Garetto M, Ferrari M, De Angelis R, et al (2021). Occupational exposures and environmental health hazards of military personnel. <i>Int J Environ Res Public Health</i> , 18(10): 5395.
102614	Gelbke HP, Goen T, Maurer M, et al (2009). A review of health effects of carbon disulfide in viscose industry and a proposal for an occupational exposure limit. <i>Crit Rev Toxicol</i> , 39(Suppl 2): 1-126.
33560	Gericke C, Hanke B, Beckmann G, et al (2001). Multicenter field trial on possible health effects of toluene. III. Evaluation of effects after long-term exposure. <i>Toxicology</i> , 168(2): 185-209.
29875	Gilioli R (1993). EURONEST: a concerted action of the European community for the study of organic solvents neurotoxicity. <i>Environ Res</i> , 62(1): 89-98.

102616	Gist GL, Burg JR (1995). Trichloroethylene - a review of the literature from a health effects perspective. <i>Toxicol Ind Health</i> , 11(3): 253-307.
26864	Glass DC, Adams GG, Manuell RW, et al (2000). Retrospective exposure assessment for benzene in the Australian petroleum industry. <i>Ann Occup Hyg</i> , 44(4): 301-20.
30726	Gobba F (2003). Occupational exposure to chemicals and sensory organs: a neglected research field. <i>Neurotoxicology</i> , 24(4-5): 675-91.
30725	Gobba F, Cavalleri A (2003). Color vision impairment in workers exposed to neurotoxic chemicals. <i>Neurotoxicology</i> , 24(4-5): 693-702.
69328	Godderis L, Maertens N, de Gelder V, et al (2010). Genetic susceptibility in solvent induced neurobehavioral effects. <i>Neurotox Res</i> , 17(3): 268-78.
102617	Golbabaie F, Dehghani F, Saatchi M, et al (2018). Evaluation of occupational exposure to different levels of mixed organic solvents and cognitive function in the painting unit of an automotive industry. <i>Health Promot Perspect</i> , 8(4): 296-302.
30644	Gong Y, Kishi R, Kasai S, et al (2003). Visual dysfunction in workers exposed to a mixture of organic solvents. <i>Neurotoxicology</i> , 24(4-5): 703-10.
103326	Goulon M, Nouailhat F, Escourolle R, et al (1975). [Methyl bromide poisoning. 3 cases, 1 fatal. Neuropathological study of one case of coma with myoclonus followed for 5 years]. <i>Rev Neurol (Paris)</i> , 131(7): 445-68 [Article in French]. [Abstract]
29876	Graham DG; Mitran E (2000). [Comment] Critical analysis of Mitran et al. (1997). Neurotoxicity associated with occupational exposure to acetone. Methyl ethyl ketone, and cyclohexanone. <i>Environ. Res.</i> 73, 181-188. <i>Environ Res</i> , 82(2): 181-5.
30806	Grandjean E, et al (1955). Investigations into the effect of exposure to trichloroethylene in mechanical engineering. <i>Br J Ind Med</i> , 12(2): 131-42.
30177	Grant GM, Shaffer KM, Kao WY, et al (2000). Investigation of in vitro toxicity of jet fuels JP-8 and Jet A. <i>Drug Chem Toxicol</i> , 23(1): 279-91.
30396	Grasso P (1988). Neurotoxic and neurobehavioural effects of organic solvents on the nervous system. <i>Occup Med</i> , 3(3): 525-39.
33564	Greenberg MM (1997). The central nervous system and exposure to toluene: a risk characterization. <i>Environ Res</i> , 72(1): 1-7.
29982	Gregersen P (1988). Neurotoxic effects of organic solvents in exposed workers: two controlled follow-up studies after 5.5 and 10.6 years. <i>Am J Ind Med</i> , 14(6): 681-701.
29859	Gregersen P, Angelso B, Nielsen TE, et al (1984). Neurotoxic effects of organic solvents in exposed workers: An occupational, neuropsychological, and neurological investigation. <i>Am J Ind Med</i> , 5(3): 201-25.
32172	Grosch JW, Neale AV, Demers RY (1996). Neurobehavioral and health-related deficits in solvent-exposed painters. <i>Am J Ind Med</i> , 30(5): 623-32.
102618	Gross A, Ong TR, Hoffman T, et al (2009). Human aldehyde dehydrogenase-catalyzed oxidation of ethylene glycol ether aldehydes. <i>Chem Biol Interact</i> , 178(1-3): 56-63.
102619	Grosse K, Grosse J (2000). [Propane abuse. Extreme dose increase due to development of tolerance]. <i>Nervenarzt</i> , 71(1): 50-3 [Article in German]. [Abstract]
102620	Groth-Marnat G (1993). Neuropsychological effects of styrene exposure: a review of current literature. <i>Percept Mot Skills</i> , 77(3 Pt 2): 1139-49.
102623	Gupta A, Diaz FJ, Lal A, et al (2017). Basal ganglion hemorrhage as delayed complication of diethylene glycol ingestion. <i>Am J Forensic Med Pathol</i> , 38(1): 39-42.
30393	Gupta BN, Kumar P, Srivastava AK (1990). An investigation of the neurobehavioural effects on workers exposed to organic solvents. <i>J Soc Occup Med</i> , 40(3): 94-6.
102622	Gupta N, Sonambekar AA, Daksh SK, et al (2013). A rare presentation of methanol toxicity. <i>Ann Indian Acad Neurol</i> , 16(2): 249-51.

32176	Hakkola M (1994). Neuropsychological symptoms among tanker drivers with exposure to solvents. <i>Occup Med (Lond)</i> , 44(5): 243-6.
102625	Han H (2010). Acute 1,2,3-trichloropropane poisoning: a case report and literature review. <i>Basic Clin Pharmacol Toxicol</i> , 107(6): 988-90.
102626	Hanawalt-Squires C, Anfinson TJ (2002). Dependence, dementia, cerebellar dysfunction, and myopathy in association with chronic isopropanol ingestion. <i>Psychopharmacol Bull</i> , 36(3): 46-54.
32055	Hanninen H (1971). Psychological picture of manifest and latent carbon disulphide poisoning. <i>Br J Ind Med</i> , 28(4): 374-81.
29991	Hanninen H, Antti-Poika M, Juntunen J, et al (1991). Exposure to organic solvents and neuropsychological dysfunction: a study on monozygotic twins. <i>Br J Ind Med</i> , 48(1): 18-25.
29853	Hanninen H, Eskelinen L, Husman K, et al (1976). Behavioural effects of long-term exposure to a mixture of organic solvents. <i>Scand J Work Environ Health</i> , 2(4): 240-55.
32052	Hanninen H, Nurminen M, Tolonen M, et al (1978). Psychological tests as indicators of excessive exposure to carbon disulfide. <i>Scand J Psychol</i> , 19(2): 163-74.
33569	Harkonen H, Lindstrom K, Seppalainen AM, et al (1978). Exposure-response relationship between styrene exposure and central nervous functions. <i>Scand J Work Environ Health</i> , 4(1): 53-9.
102627	Harris D, Mirza Z (2005). Butane encephalopathy. <i>Emerg Med J</i> , 22(9): 676-7.
30722	Haut MW, Leach S, Kuwabara H, et al (2000). Verbal working memory and solvent exposure: a positron emission tomography study. <i>Neuropsychology</i> , 14(4): 551-8.
102628	Hauw JJ, Escourolle R, Baulac M, et al (1986). Postmortem studies on posthypoxic and post-methylbromide intoxication: case reports. <i>Adv Neurol</i> , 43: 201-14. [Abstract]
28091	Hearne FT, Pifer JW (1999). Mortality study of two overlapping cohorts of photographic film base manufacturing employees exposed to methylene chloride. <i>J Occup Environ Med</i> , 41(12): 1154-69.
102629	Heaton KJ, Maule AL, Smith KW, et al (2017). JP8 exposure and neurocognitive performance among US Air Force personnel. <i>Neurotoxicology</i> , 62: 170-80.
29992	Hein HO, Suadicani P, Gyntelberg F (1990). Mixed solvent exposure and cerebral symptoms among active and retired workers. An epidemiological investigation of 3387 men aged 53-75 years. <i>Acta Neurol Scand</i> , 81(2): 97-102.
102630	Hernberg S (1980). Neurotoxic effects of long-term exposure to organic hydrocarbon solvents. Epidemiologic aspects. <i>Dev Toxicol Environ Sci</i> , 8: 307-17.
29994	Hogstedt C (1994). Has the Scandinavian solvent syndrome controversy been solved? <i>Scand J Work Environ Health</i> , 20: 59-64.
102631	Hogstedt C, Axelson O (1986). Long-term health effects of industrial solvents--a critical review of the epidemiological research. <i>Med Lav</i> , 77(1): 11-22.
30159	Hogstedt C, Lundberg I (1992). Epidemiology of occupational neurobehavioural hazards. Methodological experiences from organic solvent research. <i>Rev Epidemiol Sante Publique</i> , 40(Suppl 1): S7-16.
30731	Holodny AI (2002). Neuroradiology and drug abuse: a picture is worth a thousand words. <i>AJNR Am J Neuroradiol</i> , 23(7): 1173-9.
29993	Hormes JT, Filley CM, Rosenberg NL (1986). Neurologic sequelae of chronic solvent vapor abuse. <i>Neurology</i> , 36(5): 698-702.
102632	Hsu CC, Haacke EM, Heyn C, et al (2019). "Pseudo" T1-weighted appearance of the brain on FLAIR: unmasking the extent of gray matter

	involvement on susceptibility-weighted imaging in chronic toluene abuse. <i>Neuroradiology</i> , 61(1): 13-5.
102633	Hu J, Yu E, Liao Z (2021). Changes in cognitive function and related brain regions in chronic benzene poisoning: a case report. <i>Ann Transl Med</i> , 9(1): 81.
34479	Huang CC, Chu CC, Chen RS, et al (1996). Chronic carbon disulfide encephalopathy. <i>Eur Neurol</i> , 36(6): 364-8.
32147	Husman K (1980). Symptoms of car painters with long-term exposure to a mixture of organic solvents. <i>Scand J Work Environ Health</i> , 6(1): 19-32.
29793	IARC Working Group (1995). IARC Monographs on the evaluation of carcinogenic risks to humans - dry cleaning, some chlorinated solvents and other industrial chemicals. IARC Monographs, Vol 63. IARC Press, Lyon.
102634	Ichihara G (2005). Neuro-reproductive toxicities of 1-bromopropane and 2-bromopropan. <i>Int Arch Occup Environ Health</i> , 78(2): 79-96.
33367	Ichihara G, Li W, Shibata E, et al (2004). Neurologic abnormalities in workers of a 1-bromopropane factory. <i>Environ Health Perspect</i> , 112(13): 1319-25.
103336	Ichikawa H, Sakai T, Horibe Y, et al (2001). [A case of chronic methyl bromide intoxication showing symmetrical lesions in the basal ganglia and brain stem on magnetic resonance imaging]. <i>Rinsho Shinkeigaku</i> , 41(7): 423-7 [Article in Japanese]. [Abstract]
30046	Ihrig A, Nasterlack M, Dietz MC, et al (2003). Pilot study on prevalence of color vision dysfunction in long-term solvent-exposed painters. <i>Ind Health</i> , 41(1): 39-42.
102635	Imam YZ, Kamran S, Karim H, et al (2014). Neurological manifestation of recreational fatal and near-fatal diethylene glycol poisonings: case series and review of literature. <i>Medicine (Baltimore)</i> , 93(10): e62.
31027	Institute of Medicine (2003). Insecticides and solvents. <i>Gulf War and Health</i> , Vol 2. National Academies Press, Washington, DC.
33950	Integrated Risk Information System (IRIS) (2004). METHYL ISOBUTYL KETONE (MIBK). Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30069	Integrated Risk Information System (EPA) (IRIS) (2004). Ethylad. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30068	Integrated Risk Information System (EPA) (IRIS) (2004). Hydrazine. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30067	Integrated Risk Information System (EPA) (IRIS) (2004). Benzene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~vT4Am7:1
30066	Integrated Risk Information System (EPA) (IRIS) (2004). Naphthalene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30065	Integrated Risk Information System (EPA) (IRIS) (2004). Toluene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~0P9C15:1
30064	Integrated Risk Information System (EPA) (IRIS), (2004). Fuel oil no. 2. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~XOSIXD:1
30063	Integrated Risk Information System (EPA) (IRIS) (2004). Gasoline. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~kkn99D:1
30062	Integrated Risk Information System (EPA) (IRIS) (2004). Carbon tetrachloride. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~KA5mtz:1
30061	Integrated Risk Information System (EPA) (IRIS) (2004). Sodium hydroxide. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30060	Integrated Risk Information System (EPA) (IRIS) (2004). Methylchloride. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~Mbmsrt:1

30059	Integrated Risk Information System (EPA) (IRIS) (2004). Trichloroethane. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~b1RqYj:1
30058	Integrated Risk Information System (IRIS) (2004). Trichloroethylene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30057	Integrated Risk Information System (EPA) (IRIS) (2004). Acetone. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov
30056	Integrated Risk Information System (EPA) (IRIS) (2004). Kerosene. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~LUGix0:3
30055	Integrated Risk Information System (EPA) (IRIS) (2004). Methyl ethyl ketone. Retrieved 14 April 2004, from http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/f?./temp/~Z8uGTl:3
103338	International Programme on Chemical Safety (1996). Environmental Health Criteria 164: Methylene chloride. 2nd edition, Retrieved 8 November 2021, from https://incchem.org/documents/ehc/ehc/ehc164.htm
103340	International Programme on Chemical Safety (1997). Xylenes. Environmental Health Criteria 190. Retrieved 8 November 2021, from https://incchem.org/documents/ehc/ehc/ehc190.htm
103343	International Programme on Chemical Safety (2002). Carbon disulfide. Concise International Chemical Assessment Document 46. Retrieved 8 November 2021, from https://incchem.org/documents/cicads/cicads/cicad46.htm
69870	IPCS International Programme on Chemical Safety (1996). White spirit (Stoddard solvent) health and safety guide No. 103. Retrieved 23 October 2013, from http://www.inchem.org/documents/hsg/hsg/hsg103.htm
102923	IPCS International Programme on Chemical Safety (1996). White spirit (Stoddard solvent) Environmental health criteria 187. Retrieved 27 July 2021, from http://www.inchem.org/documents/ehc/ehc/ehc187.htm
102636	Iversen IB, Mohr MS, Vestergaard JM, et al (2021). Associations of occupational styrene exposure with risk of encephalopathy and unspecified dementia: a long-term follow-up study of workers in the reinforced plastics industry. <i>Am J Epidemiol</i> , 190(2): 288-94.
30765	Jang JY, Lee SY, Kim JI, et al (1999). Application of biological monitoring to the quantitative exposure assessment for neuropsychological effect by chronic exposure to organic solvents. <i>Int Arch Occup Environ Health</i> , 72(2): 107-14.
102637	Jayanth SH, Hugar BS, Praveen S, et al (2017). Glue sniffing. <i>Med Leg J</i> , 85(1): 38-42.
102638	Jayaprasad S, Metturke V (2013). An unusual case of suicide attempt using intravenous injection of kerosene. <i>Indian J Psychol Med</i> , 35(1): 98-100.
102639	Jin X, Liao Y, Tan X, et al (2018). Involvement of CYP2E1 in the course of brain edema induced by subacute poisoning with 1,2-dichloroethane in mice. <i>Front Pharmacol</i> , 9: 1317.
34963	Johnson B (1997). The triennial international symposium on neurobehavioral methods: the history and hope. <i>Environ Res</i> , 73(1-2): 2-8.
102640	Jones AW (2021). Clinical and forensic toxicology of methanol. <i>Forensic Sci Rev</i> , 33(2): 117-43.
30808	Joy S, Fein D, Kaplan E (2003). Decoding digit symbol: speed, memory, and visual scanning. <i>Assessment</i> , 10(1): 56-65.
102676	Juarez-Perez CA, Aguilar-Madrid G, Sandoval-Ocana J, et al (2019). Neuropsychological effects among workers exposed to organic solvents. <i>Salud Publica Mex</i> , 61(5): 670-7.
34340	Juntunen J (1993). Neurotoxic syndromes and occupational exposure to solvents. <i>Environ Res</i> , 60(1): 98-111.

29995	Juntunen J, Hernberg S, Eistola P, et al (1980). Exposure to industrial solvents and brain atrophy. A retrospective study of pneumoencephalographic findings among 37 patients with exposure to industrial solvents. <i>Eur Neurol</i> , 19(6): 366-75.
30047	Juntunen J, Hupli V, Hernberg S, et al (1980). Neurological picture of organic solvent poisoning in industry. A retrospective clinical study of 37 patients. <i>Int Arch Occup Environ Health</i> , 46(3): 219-31.
102852	Kallenberg K, Behrens A, Strik H, et al (2008). MR imaging-based evidence of vasogenic brain edema in a case of acute acetone intoxication. <i>AJNR Am J Neuroradiol</i> , 29(4): e16.
30723	Kamran S, Bakshi R (1998). MRI in chronic toluene abuse: low signal in the cerebral cortex on T2-weighted images. <i>Neuroradiology</i> , 40(8): 519-21.
12171	Kaneko T, Wang PY, Sato A (1997). Assessment of the health effects of trichloroethylene. <i>Ind Health</i> , 35(3): 301-24.
102878	Kang CW, Kim H, Shin K, et al (2018). Toxic Effects of Methanol among Illegally Dispatched workers at aluminum CNC cutting process in small-scale, Third-tier subcontractor factories of smartphone manufacturers in the republic of Korea. <i>Int J Environ Res Public Health</i> , 15(7): 1332.
102877	Kang DM, Kim I (2014). Compensation for occupational neurological and mental disorders. <i>J Korean Med Sci</i> , 29(Suppl): S59-65.
102856	Kang K, Song YM, Jo KD, et al (2006). Diffuse lesion in the splenium of the corpus callosum in patients with methyl bromide poisoning. <i>J Neurol Neurosurg Psychiatry</i> , 77(5): 703-4.
40675	Kang SK, Lee MY, Kim TK, et al (2005). Occupational exposure to benzene in South Korea. <i>Chem Biol Interact</i> , 153-54: 65-74.
102879	Kapoor MC (2020). Neurological dysfunction after cardiac surgery and cardiac intensive care admission: A narrative review part 1: The problem; nomenclature; delirium and postoperative neurocognitive disorder; and the role of cardiac surgery and anesthesia. <i>Ann Card Anaesth</i> , 23(4): 383-90.
30054	Karlson B, Osterberg K, Orbaek P (2000). Euroquest: the validity of a new symptom questionnaire. <i>Neurotoxicology</i> , 21(5): 783-9.
102880	Kasemy ZA, Kamel GM, Abdel-Rasoul GM, et al (2019). Environmental and health effects of benzene exposure among Egyptian taxi drivers. <i>J Environ Public Health</i> , 2019: 7078024.
102884	Keer S, Glass B, McLean D, et al (2017). Neuropsychological performance in solvent-exposed vehicle collision repair workers in New Zealand. <i>PLoS One</i> , 12(12): e0189108.
102882	Keer S, Glass B, Prezant B, et al (2016). Solvent neurotoxicity in vehicle collision repair workers in New Zealand. <i>Neurotoxicology</i> , 57: 223-9.
29681	Kelafant GA, Berg RA, Schleenbaker R (1994). Toxic encephalopathy due to 1,1,1-trichloroethane exposure. <i>Am J Ind Med</i> , 25(3): 439-46.
69329	Keski-Santti P, Kaukiainen A, Hyvarinen HK, et al (2010). Occupational chronic solvent encephalopathy in Finland 1995-2007: incidence and exposure. <i>Int Arch Occup Environ Health</i> , 83(6): 703-12.
103362	Khan HA (2007). Benzene's toxicity: a consolidated short review of human and animal studies. <i>Hum Exp Toxicol</i> , 26(9): 677-85. [Abstract]
30134	Kiesswetter E, Sietmann B, Zupanic M, et al (2000). Neurobehavioral study on the interactive effects of age and solvent exposure. <i>Neurotoxicology</i> , 21(5): 685-95.
30721	Kilburn KH (1999). Neurobehavioral and respiratory findings in jet engine repair workers: a comparison of exposed and unexposed volunteers. <i>Environ Res</i> , 80(3): 244-52.
34341	Kilburn KH (2002). Do duration of exposure, proximity to electronic manufacturing plants, and involvement in a lawsuit affect chlorinated solvent toxicity? <i>Arch Environ Health</i> , 57(2): 121-6.
29661	Kilburn KH (2002). Is neurotoxicity associated with environmental trichloroethylene (TCE)? <i>Arch Environ Health</i> , 57(2): 113-20.

34352	Kilburn KH, Warshaw RH (1993). Effects on neurobehavioral performance of chronic exposure to chemically contaminated well water. <i>Toxicol Ind Health</i> , 9(3): 391-404.
102886	Kile SJ, Camilleri CC, Latchaw RE, et al (2006). Bithalamic lesions of butane encephalopathy. <i>Pediatr Neurol</i> , 35(6): 439-41.
102888	Kim EA, Kang Sk (2010). Occupational neurological disorders in Korea. <i>J Korean Med Sci</i> , 25(Suppl): S26-35.
102890	Kim HJ, Na JY, Lee YJ, et al (2015). An autopsy case of methanol induced intracranial hemorrhage. <i>Int J Clin Exp Pathol</i> , 8(10): 13643-6.
102892	Kinoshita H, Turkan H, Vucinic S, et al (2020). Carbon monoxide poisoning. <i>Toxicol Rep</i> , 7: 169-173.
32146	Kishi R, Harabuchi I, Katakura Y, et al (1993). Neurobehavioral effects of chronic occupational exposure to organic solvents among Japanese industrial painters. <i>Environ Res</i> , 62(2): 303-13.
30791	Kishi R, Tozaki S, Gong YY (2000). Impairment of neurobehavioral function and color vision loss among workers exposed to low concentration of styrene--a review of literatures. <i>Ind Health</i> , 38(2): 120-6.
102893	Kleinbeck S, Juran SA, Kiesswetter E, et al (2008). Evaluation of ethyl acetate on three dimensions: investigation of behavioral, physiological and psychological indicators of adverse chemosensory effects. <i>Toxicol Lett</i> , 182(1-3): 102-9.
29662	Klinken L, Arlien-Soborg P (1993). Brain autopsy in organic solvent syndrome. <i>Acta Neurol Scand</i> , 87(5): 371-5.
31402	Knave B, Olson BA, Elofsson S, et al (1978). Long-term exposure to jet fuel.II. A cross-sectional epidemiologic investigation on occupationally exposed industrial workers with special reference to the nervous system. <i>Scand J Work Environ Health</i> , 4(1): 19-45.
102894	Kobayashi M (2014). Marked asymmetry of white matter lesions caused by chronic toluene exposure. <i>Neurol Sci</i> , 35(3): 495-7.
102895	Koenig ZA, Robertson GA, Koenig NI, et al (2021). Massive gasoline ingestion in a 64-year-old female: an explosive situation. <i>Cureus</i> , 13(2): e13466.
34478	Kornfeld M, Moser AB, Moser HW, et al (1994). Solvent vapor abuse leukoencephalopathy. Comparison to adrenoleukodystrophy. <i>J Neuropathol Exp Neurol</i> , 53(4): 389-98.
102897	Kramp KH, Salih M, Thomeer E, et al (2018). Cardiac arrest by inhalation of deodorant spray. <i>BMJ Case Rep</i> , 2018: bcr2018224345.
102899	Kruse JA (1012). Methanol and ethylene glycol intoxication. <i>Crit Care Clin</i> , 28(4): 661-711.
102904	Ku MC, Huang CC, Kuo HC, et al (2003). Diffuse white matter lesions in carbon disulfide intoxication: microangiopathy or demyelination. <i>Eur Neurol</i> , 50(4): 220-4.
32010	Ku MC, Huang CC, Kuo HC, et al (2003). Diffuse white matter lesions in carbon disulfide intoxication: microangiopathy or demyelination. <i>Eur Neurol</i> , 50(4): 220-4.
102905	Kulkarni PA, Duncan MA, Watters MT, et al (2015). Severe illness from methyl bromide exposure at a condominium resort--U.S. Virgin Islands, March 2015. <i>MMWR Morb Mortal Wkly Rep</i> , 64(28): 763-6.
34342	Kuriwaka R, Mitsui T, Fujiwara S, et al (2002). Loss of postural reflexes in long-term occupational solvent exposure. <i>Eur Neurol</i> , 47(2): 85-7.
102906	Kwak KM, Jeong KS, Shin DH, et al (2018). Acute toxic encephalopathy induced by occupational exposure to 1,2-dichloropropane. <i>Ind Health</i> , 56(6): 561-5.
102907	Labbafinejad Y, Mohammadi S, Mirzamohammadi E, et al (2014). Assessment of neurobehavioral disorders in workers exposed to organic solvents in a publication house. <i>Med J Islam Repub Iran</i> , 28: 3.

32054	Labreche FP, Cherry NM, McDonald JC (1992). Psychiatric disorders and occupational exposure to solvents. <i>Br J Ind Med</i> , 49(12): 820-5.
102908	Lai QQ, Huang F, Li WC, et al (2011). [MRI image analysis of 1,2-dichloroethane chronic toxic encephalopathy]. <i>Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi</i> , 29(1): 62-4 [Article in Chinese]. [Abstract]
32121	Lang CJ (2000). The use of neuroimaging techniques for clinical detection of neurotoxicity: a review. <i>Neurotoxicology</i> , 21(5): 847-55.
33559	Langworth S, Anundi H, Friis L, et al (2001). Acute health effects common during graffiti removal. <i>Int Arch Occup Environ Health</i> , 74(3): 213-8.
30370	Larsen F, Leira HL (1988). Organic brain syndrome and long term exposure to toluene: A clinical psychiatric study of vocationally active printing workers. <i>J Occup Med</i> , 30(11): 875-8.
102909	Lash AA, Becker CE, So Y, et al (1991). Neurotoxic effects of methylene chloride: Are they long lasting in humans? <i>Br J Ind Med</i> , 48(6): 418-26.
103363	Lau YH, Mawardi AS, Zain NR, et al (2021). Toluene-induced leukodystrophy from glue sniffing. <i>Pract Neurol</i> , 21(5): 439-41. [Abstract]
33668	Lee BK, Lee SH, Lee KM, et al (1988). Dose-dependent increase in subjective symptom prevalence among toluene-exposed workers. <i>Ind Health</i> , 26(1): 11-23.
30646	Lee YL, Pai MC, Chen JH, et al (2003). Central neurological abnormalities and multiple chemical sensitivity caused by chronic toluene exposure. <i>Occup Med (Lond)</i> , 53(7): 479-82.
29865	Lees-Haley PR (2000). Methodology in epidemiological studies of human neurobehavioral toxicity: a case study with critical review. <i>Psychol Rep</i> , 86(1): 85-101.
29996	Leira HL, Myhr G, Nilsen G, et al (1992). Cerebral magnetic resonance imaging and cerebral computerized tomography for patients with solvent-induced encephalopathy. <i>Scand J Work Environ Health</i> , 18(1): 68-70.
32053	Lilis R, Stanescu D, Muica N, et al (1969). Chronic effects of trichloroethylene exposure. <i>Med Lav</i> , 60(10): 595-601.
31378	Lillienberg L, Hogstedt B, Jarvholm B, et al (1992). Health effects of tank cleaners. <i>Am Ind Hyg Assoc J</i> , 53(6): 375-80.
34477	Linden CH (1990). Volatile substances of abuse. <i>Emerg Med Clin North Am</i> , 8(3): 559-78.
102911	Lindstrom K (1981). Behavioral changes after long-term exposure to organic solvents and their mixtures: determining factors and research results. <i>Scand J Work Environ Health</i> , 7(Suppl 4): 48-53.
34480	Lindstrom K (1982). Behavioral effects of long-term exposure to organic solvents. <i>Acta Neurol Scand Suppl</i> , 92: 131-41.
32013	Lindstrom K, Harkonen H, Hernberg S (1976). Disturbances in psychological functions of workers occupationally exposed to styrene. <i>Scand J Work Environ Health</i> , 2(3): 129-39.
29998	Lindstrom K, Wickstrom G (1983). Psychological function changes among maintenance house painters exposed to low levels of organic solvent mixtures. <i>Acta Psychiatr Scand Suppl</i> , 67(303): 81-91.
102912	Liscic RM, Skender L, Jakic-Razumovic J, et al (2001). Event-related potentials in medical workers with long-term exposure to xylene. <i>Coll Antropol</i> , 25(1): 357-62. [Abstract]
71725	Liu CH, Huang CY, Huang CC (2012). Occupational neurotoxic diseases in Taiwan. <i>Saf Health Work</i> , 3(4): 257-67.
102685	Liu J, Zhang L, He B, et al (2019). Roles of neuroimage in toxic encephalopathy induced by 1, 2-Dichloroethane. <i>Clin Neurol Neurosurg</i> , 184: 105398. [Abstract]
102913	Liu JR, Fang S, Ding MP, et al (2010). Toxic encephalopathy caused by occupational exposure to 1, 2-Dichloroethane. <i>J Neurol Sci</i> , 292(1-2): 111-3.

102914	Liu X, Qiu ZW, Shen W, et al (2012). [The clinical analysis of 18 cases with acute trichloropropane poisoning]. <i>Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi</i> , 30(4): 307-9 [Article in Chinese]. [Abstract]
102684	Lobo-Mendonca R (1963). Tetrachloroethane--a survey. <i>Br J Ind Med</i> , 20(1): 50-6.
34447	Lolin Y (1989). Chronic neurological toxicity associated with exposure to volatile substances. <i>Hum Toxicol</i> , 8(4): 293-300.
30701	Longley E, Jones AT, Welch R, et al (1967). Two acute toluene episodes in merchant ships. <i>Arch Environ Health</i> , 14(3): 481-7.
33558	LoSasso GL, Rapport LJ, Axelrod BN, et al (2002). Neurocognitive sequelae of exposure to organic solvents and (meth)acrylates among nail-studio technicians. <i>Neuropsychiatry Neuropsychol Behav Neurol</i> , 15(1): 44-55.
33557	LoSasso GL, Rapport LJ, Axelrod BN (2001). Neuropsychological symptoms associated with low-level exposure to solvents and (meth)acrylates among nail technicians. <i>Neuropsychiatry Neuropsychol Behav Neurol</i> , 14(3): 183-9.
102683	LoVecchio F, Sawyers B, Thole D, et al (2004). Outcomes following abuse of methanol-containing carburetor cleaners. <i>Hum Exp Toxicol</i> , 23(10): 473-5.
102682	Lucchini R, Placidi D, Toffoletto F, et al (1996). Neurotoxicity in operating room personnel working with gaseous and nongaseous anesthesia. <i>Int Arch Occup Environ Health</i> , 68(3): 188-92. [Abstract]
29663	Lundberg I, Michelsen H, Nise G, et al (1995). Neuropsychiatric function of housepainters with previous long-term heavy exposure to organic solvents. <i>Scand J Work Environ Health</i> , 21(Suppl 1): 1-44.
13222	Lynge E, Anttila A, Hemminki K (1997). Organic solvents and cancer. <i>Cancer Causes Control</i> , 8(3): 406-19.
102681	Mahmoodpoor A, Soleimanpour H, Hamishehkar H (2012). Multi organ failure following intravenous gasoline for suicide: a case report. <i>Acta Med Iran</i> , 50(12): 846-8.
30805	Maizlish NA, Fine LJ, Albers JW, et al (1987). A neurological evaluation of workers exposed to mixtures of organic solvents. <i>Br J Ind Med</i> , 44(1): 14-25.
103364	Majersik JJ, Caravati EM, Stefens JD (2007). Severe neurotoxicity associated with exposure to the solvent 1-bromopropane (n-propyl bromide). <i>Clin Toxicol (Phila)</i> , 45(3): 270-6. [Abstract]
34343	Maruff P, Burns CB, Tyler P, et al (1998). Neurological and cognitive abnormalities associated with chronic petrol sniffing. <i>Brain</i> , 121(Pt 10): 1903-17.
102680	Matsuoka M (2007). [Neurotoxicity of organic solvents--recent findings]. <i>Brain Nerve</i> , 59(6): 591-6 [Article in Japanese]. [Abstract]
82421	Mattie DR, Sternern TR (2011). Past, present and emerging toxicity issues for jet fuel. <i>Toxicol Appl Pharmacol</i> , 254: 127-32.
102679	McCunney RJ (1988). Diverse manifestations of trichloroethylene. <i>Br J Ind Med</i> , 45(2): 122-6.
102673	McGregor D (2006). Methyl tertiary-butyl ether: studies for potential human health hazards. <i>Crit Rev Toxicol</i> , 36(4): 319-58.
102678	Mckee RH, Adenuga MD, Carrillo JC (2015). Characterization of the toxicological hazards of hydrocarbon solvents. <i>Crit Rev Toxicol</i> , 45(4): 273-365.
102677	McKee RH, Tibaldi R, Adenuga MD, et al (2018). Assessment of the potential human health risks from exposure to complex substances in accordance with REACH requirements. "White spirit" as a case study. <i>Regul Toxicol Pharmacol</i> , 92: 439-57.
102672	Meadows R, Verghese A (1996). Medical complications of glue sniffing. <i>South Med J</i> , 89(5): 455-62.

29666	Meggs WJ (2003). [Comment] Neuropsychologic impairment, MRI abnormalities, and solvent abuse. <i>J Toxicol Clin Toxicol</i> , 41(2): 209-10.
102670	Meyer-Baron M (2005). A meta-analytical approach to neurobehavioural effects of occupational toluene exposure. <i>Environ Toxicol Pharmacol</i> , 19(3): 651-7.
69330	Meyer-Baron M, Blaszkewicz M, Henke H, et al (2008). The impact of solvent mixtures on neurobehavioral performance--conclusions from epidemiological data. <i>Neurotoxicology</i> , 29(3): 349-60.
102675	Mi T, Han C, Wang Y, et al (2013). Acute toxic leukoencephalopathy in migrant workers exposed to organic solvents in construction materials. <i>Occup Environ Med</i> , 70(6): 435-6.
29877	Mikkelsen S (1997). Epidemiological update on solvent neurotoxicity. <i>Environ Res</i> , 73(1-2): 101-12.
29997	Mikkelsen S, Jorgensen M, Browne E, et al (1989). [Comment] Mixed solvent exposure and organic brain damage: the missing table. <i>Acta Neurol Scand</i> , 79(6): 517-20. Comment on ID: 30340.
34344	Miller NS, Gold MS (1991). Organic solvent and aerosol abuse. <i>Am Fam Physician</i> , 44(1): 183-9.
29857	Mitran E, Callender T, Orha B, et al (1997). Neurotoxicity associated with occupational exposure to acetone, methyl ethyl ketone, and cyclohexanone. <i>Environ Res</i> , 73(1-2): 181-8.
30720	Moen BE, Riise T, Haga EM, et al (1990). Reduced performance in tests of memory and visual abstraction in seamen exposed to industrial solvents. <i>Acta Psychiatr Scand</i> , 81(2): 114-9.
34482	Moller C, Odkvist L, Larsby B, et al (1990). Otoneurological findings in workers exposed to styrene. <i>Scand J Work Environ Health</i> , 16(3): 189-94.
34427	Moller C, Odkvist LM, Thell J, et al (1989). Otoneurological findings in psycho-organic syndrome caused by industrial solvent exposure. <i>Acta Otolaryngol</i> , 107(1-2): 5-12.
103365	Monat-Descamps C, Deschamps F (2012). Nervous system disorders induced by occupational and environmental toxic exposure. <i>Open J Prev Med</i> , 2(3): 272-8.
27796	Monteiro-Riviere N, Inman A, Riviere J (2001). Effects of short-term high-dose and low-dose dermal exposure to Jet A, JP-8 and JP-8+100 jet fuels. <i>J Appl Toxicol</i> , 21(6): 485-94.
102674	Moore MM, Kanekar SG, Dhamija R (2015). Ethylene glycol toxicity: chemistry, pathogenesis, and imaging. <i>Radiol Case Rep</i> , 3(1): 122.
50345	Morgan BW, Ford MD, Follmer R (2000). Ethylene glycol ingestion resulting in brainstem and midbrain dysfunction. <i>J Toxicol Clin Toxicol</i> , 38(4): 445-51.
14768	Morgan RW, Kelsh MA, Zhao K, et al (1998). Mortality of aerospace workers exposed to trichloroethylene. <i>Epidemiology</i> , 9(4): 424-31 Erratum: (2000); 11(3): 360.
30789	Morioka I, Miyai N, Yamamoto H, et al (2000). Evaluation of combined effect of organic solvents and noise by the upper limit of hearing. <i>Ind Health</i> , 38(2): 252-7.
30334	Morrow LA, Gibson C, Bagovich GR, et al (2000). Increased incidence of anxiety and depressive disorders in persons with organic solvent exposure. <i>Psychosom Med</i> , 62(6): 746-50.
30332	Morrow LA, Robin N, Hodgson MJ, et al (1992). Assessment of attention and memory efficiency in persons with solvent neurotoxicity. <i>Neuropsychologia</i> , 30(10): 911-22.
30333	Morrow LA, Stein L, Bagovich GR, et al (2001). Neuropsychological assessment, depression and past exposure to organic solvents. <i>Appl Neuropsychol</i> , 8(2): 65-73.
30120	Morrow LA, Steinhauer SR, Ryan CM (1994). The utility of psychophysiological measures in assessing the correlates and

	consequences of organic solvent exposure. <i>Toxicol Ind Health</i> , 10(4-5): 537-44.
33555	Morrow LA, Steinhauer SR, Condray R, et al (1997). Neuropsychological performance of journeymen painters under acute solvent exposure and exposure-free conditions. <i>J Int Neuropsychol Soc</i> , 3(3): 269-75.
102669	Morton WE (1990). Occupational phenoxyethanol neurotoxicity: a report of three cases. <i>J Occup Med</i> , 32(1): 42-5.
29726	Morton WE, (2002). [Comments] Solvent-induced toxic encephalopathy. <i>J Occup Environ Med</i> , 44(5): 393-5.
52112	Moscova M, Oakes DJ, Pollak JK, et al (2004). Effects of a desalant formulation, SR-51® and its individual components on the oxidative functions of mitochondria. <i>Environ Toxicol Pharmacol</i> , 18(2): 181-4.
30707	Muijser H, Geuskens RB, Hooisma J, et al (1996). Behavioral effects of exposure to organic solvents in carpet layers. <i>Neurotoxicol Teratol</i> , 18(4): 455-62.
34487	Mutti AA, Mazzucchi P, Rusticelli G, et al (1984). Exposure-effect and exposure-response relationships between occupational exposure to styrene and neuropsychological functions. <i>Am J Ind Med</i> , 5(4): 275-86.
29850	Myers JE, Nell V, Colvin M, et al (1999). Neuropsychological function in solvent-exposed South African paint makers. <i>J Occup Environ Med</i> , 41(11): 1011-8.
29871	Nasterlack M, Dietz MC, Frank KH, et al (1999). A multidisciplinary cross-sectional study on solvent-related health effects in painters compared with construction workers. <i>Int Arch Occup Environ Health</i> , 72(4): 205-14.
33568	Nasterlack M, Triebig G (1994). [Comment] Increase in neuropsychiatric symptoms after occupational exposure to low levels of styrene. <i>Occup Environ Med</i> , 51(4): 286-7.
102922	National Research Council of the National Academies (2003). Toxicologic assessment of jet-propulsion fuel 8, The National Academic Press, Washington DC.
102671	Nekoukar Z, Zakariaei Z, Taghizadeh F, et al (2021). Methanol poisoning as a new world challenge: A review. <i>Ann Med Surg (Lond)</i> , 66: 102445.
34337	Neubert D, Bochert G, Gericke C, et al (2001). Toluene Field Study Group. Multicenter field trial on possible health effects of toluene. I. Toluene body burdens in workers of the rotogravure industry. <i>Toxicology</i> , 168(2): 139-57.
33561	Neubert D, Gericke C, Hanke B, et al (2001). Toluene Field Study Group. Multicenter field trial on possible health effects of toluene. II. Cross-sectional evaluation of acute low-level exposure. <i>Toxicology</i> , 168(2): 159-83.
29711	Ng TP, Lim LC, Win KK (1992). An investigation of solvent-induced neuropsychiatric disorders in spray painters. <i>Ann Acad Med Singap</i> , 21(6): 797-803.
69869	Nielsen GD, Lund SP, Ladefoged O (2006). Neurological effects of white spirit: contribution of animal studies during a 30-year period. <i>Basic Clin Pharmacol Toxicol</i> , 98(2): 115-23.
29759	Niklasson M, Arlinger S, Ledin T, et al (1998). Audiological disturbances caused by long-term exposure to industrial solvents. Relation to the diagnosis of toxic encephalopathy. <i>Scand Audiol</i> , 27(3): 131-6.
34476	Niklasson M, Moller C, Odkvist LM, et al (1997). Are deficits in the equilibrium system relevant to the clinical investigation of solvent-induced neurotoxicity? <i>Scand J Work Environ Health</i> , 23(3): 206-13.
29999	Nilson LN, Sallsten G, Hagberg S, et al (2002). Influence of solvent exposure and aging on cognitive functioning: an 18 year follow up of formerly exposed floor layers and their controls. <i>Occup Environ Med</i> , 59(1): 49-57.
102668	Nishiwaki Y, Takebayashi T, O'Uchi T, et al (2004). Six year observational cohort study of the effect of carbon disulphide on brain MRI in rayon manufacturing workers. <i>Occup Environ Med</i> , 61(3): 225-32.

30774	Nomiyama K, Nomiyama H (1977). Dose-response relationship for trichloroethylene in man. <i>Int Arch Occup Environ Health</i> , 39(4): 237-48.
34440	Noraberg J, Arlien-Soborg P (2000). Neurotoxic interactions of industrially used ketones. <i>Neurotoxicology</i> , 21(3): 409-18.
102918	Oakes D, Ritchie H, Woodman P, et al (2005). Final report on research into the toxicological effects of chemicals used in the F-111 Deseal/Reseal programs. CHALUS, Chemical Hazard Assessment Laboratory University of Sydney.
102667	O'Callaghan JP, Daughtrey WC, Clark CR, et al (2014). Health assessment of gasoline and fuel oxygenate vapors: neurotoxicity evaluation. <i>Regul Toxicol Pharmacol</i> , 70(Suppl 2): S35-42.
34485	Odkvist L, Larsby B, Tham R, et al (1983). Vestibulo-oculomotor disturbances caused by industrial solvents. <i>Otolaryngol Head Neck Surg</i> , 91(5): 537-9.
34432	Odkvist LM, Arlinger SD, Edling C, et al (1987). Audiological and vestibulo-oculomotor findings in workers exposed to solvents and jet fuel. <i>Scand Audiol</i> , 16(2): 75-81.
102666	Ohl G, Wegman DH (1978). Transcutaneous ethylene glycol monomethyl ether poisoning in the work setting. <i>J Occup Med</i> , 20(10): 675-6.
32175	Orbaek P, Lindgren M (1988). Prospective clinical and psychometric investigation of patients with chronic toxic encephalopathy induced by solvents. <i>Scand J Work Environ Health</i> , 14(1): 37-44.
32171	Orbaek P, Nise G (1989). Neurasthenic complaints and psychometric function of toluene-exposed rotogravure printers. <i>Am J Ind Med</i> , 16(1): 67-77.
32170	Orbaek P, Risberg J, Rosen I, et al (1985). Effects of long-term exposure to solvents in the paint industry. A cross-sectional epidemiologic study with clinical and laboratory methods. <i>Scand J Work Environ Health</i> , 11(Suppl 2): 1-28.
34483	Osterberg K, Orbaek P, Karlson B, et al (2000). Psychological test performance during experimental challenge to toluene and n-butyl acetate in cases of solvent-induced toxic encephalopathy. <i>Scand J Work Environ Health</i> , 26(3): 219-26.
29657	Osterberg K, Orbaek P, Karlson B, et al (2000). A comparison of neuropsychological tests for the assessment of chronic toxic encephalopathy. <i>Am J Ind Med</i> , 38(6): 666-80.
33566	Ostlin P, Thorslund M (1988). Problems with cross-sectional data in research on working environment and health. <i>Scand J Soc Med</i> , 16(3): 139-43.
102665	Owen EB, Calhoun AW, McDonald MJ (2017). Reversibility of severe cerebral magnetic resonance imaging changes associated with ethylene glycol toxicity. <i>J Pediatr Intensive Care</i> , 6(3): 214-20.
102664	Paasma R, Hovda KE, Jacobsen D (2009). Methanol poisoning and long term sequelae - a six years follow-up after a large methanol outbreak. <i>BMC Clin Pharmacol</i> , 9: 5.
102663	Pahwa R, Kalra J (1993). A critical review of the neurotoxicity of styrene in humans. <i>Vet Hum Toxicol</i> , 35(6): 516-20.
32368	Paramei G, Meyer-Baron M, Seeber A (2004). Impairments of colour vision induced by organic solvents: a meta-analysis study. <i>Neurotoxicology</i> , 25(5): 803-16.
102662	Park MG, Choi J, Hong YS, et al (2020). Negative effect of methyl bromide fumigation work on the central nervous system. <i>PLoS One</i> , 15(8): e0236694.
34448	Parker SE (1989). Use and abuse of volatile substances in industry. <i>Hum Toxicol</i> , 8(4): 271-5.

29833	Parkinson DK, Bromet EJ, Cohen S, et al (1990). Health effects of long-term solvent exposure among women in blue-collar occupations. <i>Am J Ind Med</i> , 17(6): 661-75.
102661	Patel AL, Shaikh WA, Patel HL, et al (2004). Kerosene poisoning--varied systemic manifestations. <i>J Assoc Physicians India</i> , 52: 65-6.
102660	Peters HA, Levine RL, Matthews CG, et al (1982). Carbon disulfide-induced neuropsychiatric changes in grain storage workers. <i>Am J Ind Med</i> , 3(4): 373-91.
27803	Pleil JD, Smith LB, Zelnick SD (2000). Personal exposure to JP-8 jet fuel vapors and exhaust at air force bases. <i>Environ Health Perspect</i> , 108(3): 183-92.
102659	Pomierny B, Starek A, Krzyzanowska W, et al (2013). Potential neurotoxic effect of ethylene glycol ethers mixtures. <i>Pharmacol Rep</i> , 65(5): 1415-21.
30724	Prince TS, Spengler SE (2001). Severe headache associated with occupational exposure to Stoddard solvent. <i>Occup Med (Lond)</i> , 51(2): 136-8.
77322	Proctor SP, Heaton KJ, Smith KW, et al (2011). The occupational JP8 exposure neuroepidemiology study (OJENES): repeated workday exposure and central nervous system functioning among US Air Force personnel. <i>Neurotoxicology</i> , 32(6): 799-808.
34390	Proctor SP, Letz R, White RF (2000). Validity of a computer-assisted neurobehavioral test battery in toxicant encephalopathy. <i>Neurotoxicology</i> , 21(5): 703-14.
102658	Putz-Anderson V, Albright BE, Lee ST, et al (1983). A behavioral examination of workers exposed to carbon disulfide. <i>Neurotoxicology</i> , 4(1): 67-77.
102657	Qian CZ, Chen ZY, Yun WW, et al (2005). [Eight cases of encephalopathy induced by ethylene dichloride]. <i>Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi</i> , 23(6): 467-8 [Article in Chinese]. [Abstract]
102656	Quraishi R, Pattanayak RD, Jain R, et al (2013). A descriptive study of clinical, hematological, and biochemical parameters of inhalant users seeking treatment at a tertiary care center in India. <i>Indian J Psychol Med</i> , 35(2): 174-9.
103346	Rajan ST, Malathi N (2014). Health hazards of xylene: a literature review. <i>J Clin Diagn Res</i> , 8(2): 271-4.
102654	Ramcharan K, Ramesar A, Ramdath M, et al (2014). Encephalopathy and neuropathy due to glue, paint thinner, and gasoline sniffing in Trinidad and Tobago-MRI findings. <i>Case Rep Neurol Med</i> , 2014: 850109.
102653	Ramon MF, Ballesteros S, Martinez-Arrieta R, et al (2003). Volatile substance and other drug abuse inhalation in Spain. <i>J Toxicol Clin Toxicol</i> , 41(7): 931-6.
69331	Ramos A, Jardim SR, Silva-Filho JF (2004). Solvent-related chronic toxic encephalopathy as a target in the worker's mental health research. <i>An Acad Bras Cienc</i> , 76(4): 757-69.
102652	Ramsey J, Anderson HR, Bloor K, et al (1989). An introduction to the practice, prevalence and chemical toxicology of volatile substance abuse. <i>Hum Toxicol</i> , 8(4): 261-9.
102602	Rana SV, Verma Y (2005). Biochemical toxicity of benzene. <i>J Environ Biol</i> , 26(2): 157-68.
30103	Rasmussen K, Jeppesen HJ, Sabroe S (1993). Psychometric tests for assessment of brain function after solvent exposure. <i>Am J Ind Med</i> , 24(5): 553-65.
29679	Rasmussen K, Jeppesen HJ, Sabroe S (1993). Solvent-induced chronic toxic encephalopathy. <i>Am J Ind Med</i> , 23(5): 779-92.
30710	Ratzon NZ, Derazne E, Sculsky M (1999). Part II: The Effect of Long-Term Exposure to Organic Solvents on Senso-Motor Skills: A Cross Sectional Study. <i>Work</i> , 12(2): 159-64.

29664	Rebert CS, Hall TA (1994). The neuroepidemiology of styrene: a critical review of representative literature. <i>Crit Rev Toxicol</i> , 24(Suppl 1): S57-106.
102920	Recochem (2020). Safety data sheet. Violet methylated spirits. Retrieved 27 July 2021, from http://www.recochem.com.au/files/downloads/Violet_Methylated_Spirits_v7.pdf
72764	Reddy NJ, Sudini M, Lewis LD (2010). Delayed neurological sequelae from ethylene glycol, diethylene glycol and methanol poisonings. <i>Clin Toxicol (Phila)</i> , 48(10): 967-73.
102601	Reidy TJ, Bolter JF, Cone JE (1994). Neuropsychological sequelae of methyl bromide: a case study. <i>Brain Inj</i> , 8(1): 83-93.
30712	Reif JS, Burch JB, Nuckols JR, et al (2003). Neurobehavioral effects of exposure to trichloroethylene through a municipal water supply. <i>Environ Res</i> , 93(3): 248-58.
33562	Reinhardt F, Drexler H, Bickel A, et al (1997). Neurotoxicity of long-term low-level exposure to carbon disulphide: results of questionnaire, clinical neurological examination and neuropsychological testing. <i>Int Arch Occup Environ Health</i> , 69(5): 332-8.
30775	Reinvang I, Borchgrevink HM, Aaserud O, et al (1994). Neuropsychological findings in a non-clinical sample of workers exposed to solvents. <i>J Neurol Neurosurg Psychiatry</i> , 57(5): 614-6.
29658	Ridgway P, Nixon TE, Leach JP (2003). Occupational exposure to organic solvents and long-term nervous system damage detectable by brain imaging, neurophysiology or histopathology. <i>Food Chem Toxicol</i> , 41(2): 153-87.
103366	Rioux JP, Myers RA (1988). Methylene chloride poisoning: a paradigmatic review. <i>J Emerg Med</i> , 6(3): 227-38. [Abstract]
31436	Ritchie G, Still K, Rossi J, et al (2003). Biological and health effects of exposure to kerosene-based jet fuels & performance additives. <i>J Toxicol Environ Health B Crit Rev</i> , 6(4): 357-451.
31434	Ritchie GD, Still KR, Alexander WK, et al (2001). A review of the neurotoxicity risk of selected hydrocarbon fuels. <i>J Toxicol Environ Health B Crit Rev</i> , 4(3): 223-312.
33719	Rom WN (Ed) (1998). <i>Environmental & Occupational Medicine</i> , Third Edition, Lippincott-Raven, Philadelphia.
102600	Rosenberg N (1989). Nervous system effects of toluene and other organic solvents. <i>West J Med</i> , 150(5): 571-2.
29683	Rosenberg NL (2003). [Comment] A reply to "Neuropsychologic impairment, MRI abnormalities, and solvent abuse". <i>J Toxicol Clin Toxicol</i> , 41(2): 211-4.
29665	Rosenberg NL, Grigsby J, Driesbach J, et al (2002). Neuropsychologic impairment and MRI abnormalities associated with chronic solvent abuse. <i>J Toxicol Clin Toxicol</i> , 40(1): 21-34.
29881	Rouch I, Wild P, Fontana JM, et al (2003). Evaluation of the French version of EUROQUEST: a questionnaire for neurotoxic symptoms. <i>Neurotoxicology</i> , 24(4-5): 541-6.
31018	Ruijten MW, Hooisma J, Brons JT, et al (1994). Neurobehavioral effects of long-term exposure to xylene and mixed organic solvents in shipyard spray painters. <i>Neurotoxicology</i> , 15(3): 613-20.
102599	Sabbath EL, Gutierrez LA, Okechukwu CA, et al (2014). Time may not fully attenuate solvent-associated cognitive deficits in highly exposed workers. <i>Neurology</i> , 82(19): 1716-23.
30645	Saddik B, Nuwayhid I, Williamson A, et al (2003). Evidence of neurotoxicity in working children in Lebanon. <i>Neurotoxicology</i> , 24(4-5): 733-9.
33717	Sadock BJ (2000). <i>Pharmacology and Toxicology</i> . Kaplan and Sadock's comprehensive textbook of psychiatry, Chapter 11 - Substance related disorders: 1026-7. Lippincott Williams & Wilkins, (Philadelphia).

102598	Saha A, Tripathi SR (2014). A study on neurobehavioral performance of workers occupationally exposed to solvent in synthetic resin manufacturing. <i>Toxicol Int</i> , 21(3): 264-8.
102597	Sainio MA Sr (2015). Neurotoxicity of solvents. <i>Handb Clin Neurol</i> , 131: 93-110.
33549	Saito K, Wada H (1993). Behavioral approaches to toluene intoxication. <i>Environ Res</i> , 62(1): 53-62.
30773	Salvini M, Binaschi S, Riva M (1971). Evaluation of the psychophysiological functions in humans exposed to trichloroethylene. <i>Br J Ind Med</i> , 28(3): 293-5.
102596	Santana-Cabrera L, Espinosa EV, Zborovszky EC, et al (2013). Ethylene glycol toxic encephalopathy. <i>J Neurosci Rural Pract</i> , 4(4): 477-8.
102595	Sanz P, Nogue S, Vilchez D, et al (2008). Myoclonic encephalopathy after exposure to trichloroethylene. <i>Ind Health</i> , 46(6): 635-7.
52370	Sathiakumar N, Graff J, Macaluso M, et al (2005). An updated study of mortality among North American synthetic rubber industry workers. <i>Occup Environ Med</i> , 62(12): 822-9.
102594	Sato T, Nishioka H, Tsuboi K, et al (2017). Detection of butane gas inhalation at 16days after hypoxic encephalopathy: A case report. <i>Leg Med (Tokyo)</i> , 29: 34-7.
32373	Schaper M, Demes P, Kiesswetter E, et al (2004). Colour vision and occupational toluene exposure: results of repeated examinations. <i>Toxicol Lett</i> , 151(1): 193-202.
32372	Schaper M, Demes P, Zupanic M, (2003). Occupational toluene exposure and auditory function: results from a follow-up study. <i>Ann Occup Hyg</i> , 47(6): 493-502.
102593	Schep LJ, Slaughter RJ, Temple WA, et al (2009). Diethylene glycol poisoning. <i>Clin Toxicol (Phila)</i> , 47(6): 525-35.
33550	Scheringer M, Vogl T, von Grote J, et al (2001). Scenario-based risk assessment of multi-use chemicals: application to solvents. <i>Risk Anal</i> , 21(3): 481-97.
100862	Schlosser PM, Bale AS, Gibbons CF, et al (2015). Human health effects of dichloromethane: key findings and scientific issues. <i>Environ Health Perspect</i> , 123(2): 114-9.
102592	Schofield PW, Gibson R, Tavener M, et al (2006). Neuropsychological health in F-111 aircraft maintenance workers. <i>Neurotoxicology</i> , 27(5): 852-60.
34346	Sclar G (1999). Encephalomyeloradiculoneuropathy following exposure to an industrial solvent. <i>Clin Neurol Neurosurg</i> , 101(3): 199-202.
102591	Scrimgeour EM (1980). Outbreak of methanol and isopropanol poisoning in New Britain, Papua New Guinea. <i>Med J Aust</i> , 2(1): 36-8.
34365	Seeber A (1989). Neurobehavioral toxicity of long-term exposure to tetrachloroethylene. <i>Neurotoxicol Teratol</i> , 11(6): 579-83.
33554	Seeber A, Blaszkewicz M, Golka K, et al (1997). Solvent exposure and ratings of well-being: dose-effect relationships and consistency of data. <i>Environ Res</i> , 73(1-2): 81-91.
102590	Seeber A, Bruckner T, Triebig G (2009). Occupational styrene exposure and neurobehavioural functions: a cohort study with repeated measurements. <i>Int Arch Occup Environ Health</i> , 82(8): 969-84.
30130	Seeber A, Demes P, Golka K, et al (2000). Subjective symptoms due to solvent mixtures, dioxin, and toluene: impact of exposure versus personality factors. <i>Neurotoxicology</i> , 21(5): 677-84.
32374	Seeber A, Schaper M, Zupanic M, (2004). Toluene exposure below 50 ppm and cognitive function: a follow-up study with four repeated measurements in rotogravure printing plants. <i>Int Arch Occup Environ Health</i> , 77(1): 1-9.

30711	Seeber A, Sietmann B, Zupanic M (1996). In Search of Dose-Response Relationships of Solvent Mixtures to Neurobehavioural Effects in Paint Manufacturing & Painters. <i>Food Chem Toxicol</i> , 34(11-12): 1113-20.
102589	Sefidbakht S, Rasekhi AR, Kamali K, et al (2007). Methanol poisoning: acute MR and CT findings in nine patients. <i>Neuroradiology</i> , 49(5): 427-35.
29984	Semple S, Dick F, Osborne A, et al (2000). Impairment of colour vision in workers exposed to organic solvents. <i>Occup Environ Med</i> , 57(9): 582-7.
102587	Senussi MH, Chalise S (2015). Acute reversible neurologic deficits due to ethyl chloride sniffing: a case report and review of literature. <i>Am J Ther</i> , 22(2): e40-2.
102588	Seo S, Kim J (2018). An aggravated return-to-work case of organic solvent induced chronic toxic encephalopathy. <i>Ann Occup Environ Med</i> , 30: 27.
102586	Silva-Filho AR, Pires ML, Shiotsuki N (1992). Anticonvulsant and convulsant effects of organic solvents. <i>Pharmacol Biochem Behav</i> , 41(1): 79-82. [Abstract]
102585	Slaughter RJ, Mason RW, Beasley DM, et al (2014). Isopropanol poisoning. <i>Clin Toxicol (Phila)</i> , 52(5): 470-8.
32367	Slikker Wr, Pogge A, Walker R, et al (2004). Neuroimaging: strategies to illuminate environment-disease linkages Session II. Summary and research needs. <i>Neurotoxicology</i> , 25(4): 501-2.
30788	Sliwinska-Kowalska M, Zamyslowska-Szmytke E, Szymczak W, et al (2001). Hearing loss among workers exposed to moderate concentrations of solvents. <i>Scand J Work Environ Health</i> , 27(5): 335-42.
102584	Smith GF (1966). Trichlorethylene: a review. <i>Br J Ind Med</i> , 23(4): 249-62.
32057	Smith GF (1970). The investigation of the mental effects of trichlorethylene. <i>Ergonomics</i> , 13(5): 580-6.
29820	Smith LB, Bhattacharya A, Lemasters G, et al (1997). Effect of chronic low-level exposure to jet fuel on postural balance of US Air Force personnel. <i>J Occup Environ Med</i> , 39(7): 623-32.
76773	Smith MT (2010). Advances in understanding benzene health effects and susceptibility. <i>Annu Rev Public Health</i> , 31: 133-48.
102583	Snyder BD, Thomas RS, Gyorky Z (1978). Behavioral toxicity of anesthetic gases. <i>Ann Neurol</i> , 3(1): 67-71.
102582	Song H, Yu IT, Lao XQ (2015). Neurobehavioral effects of occupational exposure to organic solvents among male printing workers in Hong Kong. <i>Arch Environ Occup Health</i> , 70(3): 147-53.
102581	Sonkar SK, Soni D, Soni DK, et al (2012). Drowsy man with breathlessness and blurred vision. Methanol toxicity. <i>Ann Emerg Med</i> , 59(4): 255, 64.
102580	Sosa NR, Rodriguez GM, Schier JG, et al (2014). Clinical, laboratory, diagnostic, and histopathologic features of diethylene glycol poisoning--Panama, 2006. <i>Ann Emerg Med</i> , 64(1): 38-47.
69332	Spee T, van Valen E, van Duivenbooden C, et al (2012). A screening programme on chronic solvent-induced encephalopathy among Dutch painters. <i>Neurotoxicology</i> , 33(4): 727-33.
50240	Spencer PS, Schaumburg HH (1985). Organic solvent neurotoxicity. Facts and research needs. <i>Scand J Work Environ Health</i> , 11(Suppl 1): 53-60.
102579	Spiller HA (2004). Epidemiology of volatile substance abuse (VSA) cases reported to US poison centers. <i>Am J Drug Alcohol Abuse</i> , 30(1): 155-65.
29870	Spurgeon A, Glass DC, Calvert I, et al (1994). Investigation of dose related neurobehavioural effects in paintmakers exposed to low levels of solvents. <i>Occup Environ Med</i> , 51(9): 626-30.
30441	Spurgeon A, Gray CN, Sims J, et al (1992). Neurobehavioural effects of long-term occupational exposure to organic solvents: two comparable studies. <i>Am J Ind Med</i> , 22(3): 325-34.
102578	Stevens DL, Hix M (2020). Intentional ingestion of hand sanitizer in an adult psychiatric unit. <i>Ment Health Clin</i> , 10(2): 60-3.

30718	Stewart RD, Dodd HC, Gay HH, et al (1970). Experimental human exposure to trichloroethylene. <i>Arch Environ Health</i> , 20(1): 64-71.
102577	Stewart RD, Herrmann AA, Baretta ED, et al (1977). Acute and repetitive human exposure to isobutane. <i>Scand J Work Environ Health</i> , 3(4): 234-43.
102576	Stewart RD, Newton PE, Baretta ED, et al (1978). Physiological response to aerosol propellants. <i>Environ Health Perspect</i> , 26: 275-85.
29882	Stollery BT (1996). Long-term cognitive sequelae of solvent intoxication. <i>Neurotoxicol Teratol</i> , 18(4): 471-6.
102575	Stollery BT, Broadbent DE, Lee WR, et al (1988). Mood and cognitive functions in anaesthetists working in actively scavenged operating theatres. <i>Br J Anaesth</i> , 61(4): 446-55.
30474	Stollery BT, Flindt ML (1998). Memory sequelae of solvent intoxication. <i>Scand J Work Environ Health</i> , 14(1): 45-8.
103367	Stracciari A, Gallassi R, Ciardulli C, et al (1985). Neuropsychological and EEG evaluation in exposure to trichloroethylene. <i>J Neurol</i> , 232(2): 120-2. <i>J Neurol</i> , 232(2): 120-2. [Abstract]
32017	Struwe G, Knave B, Mindus P (1983). Neuropsychiatric symptoms in workers occupationally exposed to jet fuel--a combined epidemiological and casuistic study. <i>Acta Psychiatr Scand Suppl</i> , 303: 55-67.
30764	Sulkowski WJ, Kowalska S, Matyja W, et al (2002). Effects of occupational exposure to a mixture of solvents on the inner ear. <i>Int J Occup Med Environ Health</i> , 15(3): 247-56.
29713	Szlatenyi CS, Wang RY (1996). Encephalopathy and cranial nerve palsies caused by intentional trichloroethylene inhalation. <i>Am J Emerg Med</i> , 14(5): 464-6.
102655	T Rajan S, Malathi N (2014). Health hazards of xylene: a literature review. <i>J Clin Diagn Res</i> , 8(2): 271-4.
102574	Taheri MS, Moghaddam HH, Moharamzad Y, et al (2010). The value of brain CT findings in acute methanol toxicity. <i>Eur J Radiol</i> , 73(2): 211-4.
33570	The Institute of Occupational Health - University of Birmingham (2001). The validity and interpretation of neurobehavioural data obtained in studies to investigate the neurotoxic effects of occupational exposure to mixtures of organic solvents: the feasibility of a benchmarking approach to interpretation. Health & Safety Executive (HSE): Contract Research Report 355/2001. University of Birmingham.
103415	The Macquarie concise dictionary (1998). Definition of solvent and solution. The Macquarie Library. 3rd Edition, Macquarie University, NSW, Australia.
102915	The National Academies Press (2012). Acute exposure guideline levels for selected airborne chemicals. Vol 12. Retrieved 26 October 2021, from http://www.nap.edu/catalog.php?record_id=13377
30105	Thuomas KA, Moller C, Odkvist LM, et al (1996). MR imaging in solvent-induced chronic toxic encephalopathy. <i>Acta Radiol</i> , 37(2): 177-9.
14537	Tola S, Vilhunen R, Jarvinen E, et al (1980). A cohort study on workers exposed to trichloroethylene. <i>J Occup Med</i> , 22(11): 737-40.
102573	Tormoehlen LM, Tekulve KJ, Nanagas KA (2014). Hydrocarbon toxicity: A review. <i>Clin Toxicol (Phila)</i> , 52(5): 479-89.
29712	Triebig G (1989). Occupational neurotoxicology of organic solvents and solvent mixtures. <i>Neurotoxicol Teratol</i> , 11(6): 575-8.
29716	Triebig G (2000). Solvent related chronic encephalopathy. <i>Int Arch Occup Environ Health</i> , 73(6): 361.
29869	Triebig G, Barocka A, Erbguth F, et al (1992). Neurotoxicity of solvent mixtures in spray painters, II. Neurologic, psychiatric, psychological, and neuroradiologic findings. <i>Int Arch Occup Environ Health</i> , 64(5): 361-72.
30045	Triebig G, Claus D, Csuzda I, et al (1988). Cross-sectional epidemiological study on neurotoxicity of solvents in paints and lacquers. <i>Int Arch Occup Environ Health</i> , 60(4): 233-41.

29667	Triebig G, Hallermann J (2001). Survey of solvent related chronic encephalopathy as an occupational disease in European countries. <i>Occup Environ Med</i> , 58(9): 575-81.
29878	Triebig G, Lang C (1993). Brain imaging techniques applied to chronically solvent-exposed workers: current results and clinical evaluation. <i>Environ Res</i> , 61(2): 239-50.
102572	Triebig G, Lehl S, Weltle D, et al (1989). Clinical and neurobehavioural study of the acute and chronic neurotoxicity of styrene. <i>Br J Ind Med</i> , 46(11): 799-804.
29851	Tripathi SR, Bhattacharya SK, Kashyap SK (1995). Neurobehavioural changes in workshop painters of a public transport network. <i>J Hum Ergol (Tokyo)</i> , 24(2): 153-60.
102571	Troster AI, Ruff RM (1990). Neuropsychological sequelae of exposure to the chlorinated hydrocarbon solvents trichloroethylene and trichloroethane. <i>Arch Clin Neuropsychol</i> , 5(1): 31-47.
30733	Tsai SY, Chen JD, Chao WY, et al (1997). Neurobehavioral effects of occupational exposure to low-level organic solvents among Taiwanese workers in paint factories. <i>Environ Res</i> , 73(1-2): 146-55.
30106	Tu RH, Mitchell CS, Kay GG, et al (2004). Human exposure to the jet fuel, JP-8. <i>Aviat Space Environ Med</i> , 75(1): 49-59.
102624	U.S. Environmental Protection Agency (2008). Health effects support document for 1,1,2,2-tetrachloroethane. Retrieved 18 October 2021, from www.epa.gov/safewater/ccl/pdf/1122tetrachloroethane.pdf
34445	Uchida Y, Nakatsuka H, Ukai H, et al (1993). Symptoms and signs in workers exposed predominantly to xylenes. <i>Int Arch Occup Environ Health</i> , 64(8): 597-605.
34347	Ukai H, Takada S, Inui S, et al (1994). Occupational exposure to solvent mixtures: effects on health and metabolism. <i>Occup Environ Med</i> , 51(8): 523-9.
32145	Ukai H, Watanabe T, Nakatsuka H, et al (1993). Dose-dependent increase in subjective symptoms among toluene-exposed workers. <i>Environ Res</i> , 60(2): 274-89.
27801	Ullrich SE (1999). Dermal application of JP-8 jet fuel induces immune suppression. <i>Toxicol Sci</i> , 52(1): 61-7.
102570	Valentine WM (2020). Toxic peripheral neuropathies: agents and mechanisms. <i>Toxicol Pathol</i> , 48(1): 152-73.
29668	Valk J, van der Knaap MS (1992). Toxic encephalopathy. <i>AJNR Am J Neuroradiol</i> , 13(2): 747-60.
29659	van der Hoek JA, Verberk MM, van der Laan G, et al (2001). Routine diagnostic procedures for chronic encephalopathy induced by solvents: survey of experts. <i>Occup Environ Med</i> , 58(6): 382-5.
102569	van der Hoek JA, Verberk MM, Hageman G (2000). Criteria for solvent-induced chronic toxic encephalopathy: a systematic review. <i>Int Arch Occup Environ Health</i> , 73(6): 362-8.
29714	van der Hoek JA, Verberk MM, Hageman G (2000). Criteria for solvent-induced chronic toxic encephalopathy: a systematic review. <i>Int Arch Occup Environ Health</i> , 73(6): 362-8.
69333	van der Laan G, Sainio M (2012). Chronic solvent induced encephalopathy: a step forward. <i>Neurotoxicology</i> , 33(4): 897-901.
29660	van Hout MS, Schmand B, Wekking EM, et al (2003). Suboptimal performance on neuropsychological tests in patients with suspected chronic toxic encephalopathy. <i>Neurotoxicology</i> , 24(4-5): 547-51.
69334	van Valen E, van Thriel C, Akila R, et al (2012). Chronic solvent-induced encephalopathy: European consensus of neuropsychological characteristics, assessment, and guidelines for diagnostics. <i>Neurotoxicology</i> , 33(4): 710-26.

69335	van Valen E, Wekking E, van der Laan G, et al (2009). The course of chronic solvent induced encephalopathy: a systematic review. <i>Neurotoxicology</i> , 30(6): 1172-86.
102568	van Valen E, Wekking E, van Hout M, et al (2018). Chronic solvent-induced encephalopathy: course and prognostic factors of neuropsychological functioning. <i>Int Arch Occup Environ Health</i> , 91(7): 843-58.
102567	Varughese S, Ahmed R (2021). Environmental and occupational considerations of anesthesia: A narrative review and update. <i>Anesth Analg</i> , 133(4): 826-35.
29983	Vendetti VJ, Allen JW (1999). Aircraft fuel tank maintenance: several atmospheric hazards are unique to the inside of these tanks, which are involved in a FAA-mandated maintenance program. <i>Occup Health Saf</i> , 68(8): 34-43.
34348	Verberk MM, Brons JT, Salle HJ (2004). Visual evoked potentials in workers with chronic solvent encephalopathy. <i>Int Arch Occup Environ Health</i> , 77(5): 328-34.
69336	Verberk MM, van der Hoek JA, van Valen E, et al (2012). Decision rules for assessment of chronic solvent-induced encephalopathy: Results in 2370 patients. <i>Neurotoxicology</i> , 33(4): 742-52.
30717	Vernon RJ, Ferguson RK (1969). Effects of trichloroethylene in visual-motor performance. <i>Arch Environ Health</i> , 18(6): 894-900.
69337	Visser I, Lavini C, Booij J, et al (2008). Cerebral impairment in chronic solvent-induced encephalopathy. <i>Ann Neurol</i> , 63(5): 572-80.
102566	Wallace EA, Green AS (2009). Methanol toxicity secondary to inhalant abuse in adult men. <i>Clin Toxicol (Phila)</i> , 47(3): 239-42.
33556	Wang JD, Chen JD (1993). Acute and chronic neurological symptoms among paint workers exposed to mixtures of organic solvents. <i>Environ Res</i> , 61(1): 107-16.
103307	Wang TH, Wu ML, Wu YH, et al (2015). Neurotoxicity associated with exposure to 1-bromopropane in golf-club cleansing workers. <i>Clin Toxicol (Phila)</i> , 53(8): 823-6.
29669	Welch L, Kirshner H, Heath A, et al (1991). Chronic neuropsychological and neurological impairment following acute exposure to a solvent mixture of toluene and methyl ethyl ketone (MEK). <i>J Toxicol Clin Toxicol</i> , 29(4): 435-45.
32598	Welp E, Kogevinas M, Andersen A, et al (1996). Exposure to styrene and mortality from nervous system diseases and mental disorders. <i>Am J Epidemiol</i> , 144(7): 623-33.
102565	Werder EJ, Engel LS, Richardson DB, et al (2018). Environmental styrene exposure and neurologic symptoms in U.S. Gulf coast residents. <i>Environ Int</i> , 121(Pt 1): 480-90.
30179	White RD (1999). Refining and blending of aviation turbine fuels. <i>Drug Chem Toxicol</i> , 22(1): 143-53.
103368	White RF, Feldman RG, Eviator II, et al (1997). Hazardous waste and neurobehavioral effects: a developmental perspective. <i>Environ Res</i> , 73(1-2): 113-24. [Abstract]
29873	White RF, Proctor SP, Echeverria D, et al (1995). Neurobehavioural effects of acute and chronic mixed-solvent exposure in the screen printing industry. <i>Am J Ind Med</i> , 28(2): 221-31.
12660	White RF, Proctor SP (1997). Solvents and neurotoxicity. <i>Lancet</i> , 349(9060): 1239-43.
102564	White RF, Robins TG, Proctor S, et al (1994). Neuropsychological effects of exposure to naphtha among automotive workers. <i>Occup Environ Med</i> , 51(2): 102-12.
69338	White V, Bariola E (2012). Australian secondary school students' use of tobacco, alcohol, and over-the-counter and illicit substances in 2011. Report

	to the Minister For Veteran's Affairs, : 71-4. Australian Government Department of Health & Ageing.
102561	Williams JF, Storck M (2007). Inhalant abuse. <i>Pediatrics</i> , 119(5): 1009-17.
32039	Williamson A, C Winder (1993). A prospective cohort study of the chronic effects of solvent exposure. <i>Environ Res</i> , 62(2): 256-71.
27799	Winder C, Balouet JC (2002). The toxicity of commercial jet oils. Section A. <i>Environ Res</i> , 89(2): 146-64.
102556	Winneke G (1981). The neurotoxicity of dichloromethane. <i>Neurobehav Toxicol Teratol</i> , 3(4): 391-5.
102555	Wolfsdorf J, Paed D (1976). Kerosene intoxication: an experimental approach to the etiology of the CNS manifestations in primates. <i>J Pediatr</i> , 88(6): 1037-40.
102553	Woods D, Chantavarin S (2017). Serial neuropsychological assessment of an adolescent girl after suffering a sudden out-of-hospital-cardiac-arrest following recreational inhalant use. <i>Appl Neuropsychol Child</i> , 6(4): 378-87. [Abstract]
102924	World Health Organization (1998). 1,1,2,2-tetrachloroethane. Concise International Chemical Assessment Document 3,
30727	Xiao JQ, Levin SM (2000). The diagnosis and management of solvent-related disorders. <i>Am J Ind Med</i> , 37(1): 44-61.
34481	Yamanouchi N, Okada S, Kodama K, et al (1997). Effects of MRI abnormalities on WAIS-R performance in solvent abusers. <i>Acta Neurol Scand</i> , 96(1): 34-9.
30577	Yamanouchi N, Okada SI, Kodama K, et al (1995). White matter changes caused by chronic solvent abuse. <i>AJNR Am J Neuroradiol</i> , 16(8): 1643-9.
102552	Yang XB, Hu HT, Zhang Y, et al (2009). [Clinical and cranial MRI analysis on five cases of toxic encephalopathy induced by dichloroethane]. <i>Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi</i> , 27(12): 744-6 [Article in Chinese]. [Abstract]
102551	Yang ZQ, Li XH, Fan YY, et al (2020). [Detection of neuron-specific enolase in patients with subacute 1, 2-dichloroethane poisoning]. <i>Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi</i> , 38(7): 530-3 [Article in Chinese]. [Abstract]
33565	Yu IT, Lee NL, Zhang XH, et al (2004). Occupational exposure to mixtures of organic solvents increases the risk of neurological symptoms among printing workers in Hong Kong. <i>J Occup Environ Med</i> , 46(4): 323-30.
69339	Yucel M, Takagi M, Walterfang M, et al (2008). Toluene misuse and long-term harms: a systematic review of the neuropsychological and neuroimaging literature. <i>Neurosci Behav Physiol</i> , 32(5): 910-26.
27804	Zeiger E, Smith L (1998). The first international conference on the environmental health and safety of jet fuel. <i>Environ Health Perspect</i> , 106(11): 763-4.
30734	Zhou W, Liang Y, Christiani DC (2002). Utility of the WHO neurobehavioral core test battery in Chinese workers-a meta-analysis. <i>Environ Res</i> , 88(2): 94-102.
102550	Zhou X, Zhou W, Zhou J, et al (2015). 1,2-Dichloroethane-induced toxic leukoencephalopathy with a brain biopsy. <i>Neurol Sci</i> , 36(5): 817-9.
102515	Zuo Z (2012). Are volatile anesthetics neuroprotective or neurotoxic? <i>Med Gas Res</i> , 2(1): 10.
30001	Zupanic M, Demes P, Seeber A (2002). Psychomotor performance and subjective symptoms at low level toluene exposure. <i>Occup Environ Med</i> , 59(4): 263-8.