



INGUINAL HERNIA

RMA ID Number	Reference List for RMA021-3 as at April 2021
---------------	--

32691	Abrahamson J (1998). Etiology and pathophysiology of primary and recurrent groin hernia formation. <i>Surg Clin North Am</i> , 78(6): 953-72.
64588	Abramson JH, Gofin J, Hopp C, et al (1978). The epidemiology of inguinal hernia. <i>J Epidemiol Comm Health</i> , 32(1): 59-67.
12796	Akin ML, Karaya M, Batkin A, et al (1997). Prevalence of inguinal hernia in otherwise healthy males of 20 to 22 years of age. <i>J R Army Med Corps</i> , 143(2): 101-2.
TBA	Alder R, Zetner D, Rosenberg J (2020). Incidence of inguinal hernia after radical prostatectomy: a systematic review and meta-analysis. <i>J Urol</i> , 203(2): 265-74.
TBA	Arao M, Kubota M, Ibuka T, et al (2019). A rare complication of colonoscopy: iatrogenic right inguinal hernia of the ascending colon. <i>Am J Gastroenterol</i> , 114(11): 1707.
377	Bailey, Hamilton (1988). <i>Bailey & Love's Short Practice of Surgery</i> , 20th Edition, 1169, 1172-3. HK Lewis & Co Ltd London.
77248	Balda S, Power A, Papalois V, et al (2013). Impact of hernias on peritoneal dialysis technique survival and residual renal function. <i>Perit Dial Int</i> , 33(6): 629-34.
TBA	Balentine JR (2020). Hernia FAQ. Retrieved 19 January 2021, from https://www.emedicinehealth.com/hernia_faqs/article_em.htm
TBA	Banks RD, Brinkley JW, Allnutt R, et al (2008) Human response to acceleration. <i>Fundamentals of Aerospace Medicine</i> . 94-5, Chapter 4. Lippincott Williams & Wilkins.
TBA	Beales IL (2000). Strangulated inguinal hernia complicating colonoscopy. <i>Int J Clin Pract</i> , 54(9): 625.
TBA	Beard JH, Ohene-Yeboah M, Devries CR, et al (2015). Chapter 9. Hernia and hydrocele. Retrieved 24 November 2020, from https://www.ncbi.nlm.nih.gov/books/NBK333501/
12772	Ben-Hur H, Mashiah A, Lifschitz-Mercer B, et al (1996). Recurrent mucinous adenocarcinoma of the ovary presenting as an inguino-labial hernia. <i>Eur J Gynaecol Oncol</i> , 17(4): 299-302.
TBA	Biswas S, Vedanayagam M, Hipkins G, et al (2010). Acute direct inguinal hernia resulting from blunt abdominal trauma: Case Report. <i>World J Emerg Surg</i> , 5: 16.
TBA	Boopathy V, Alexander T (2014). Incidental entry of a colonoscope into the scrotum: not a mystery but a missed history. <i>BMJ Case Rep</i> , 2014: bcr2014207558.
TBA	Bosmans I, De Boe V, Wissing KM, et al (2019). A preventable cause of transplant hydroureteronephrosis: inguinal herniation of the transplant ureter: case report and review of the literature. <i>Acta Chir Belg</i> 14:1-6.
TBA	Bou Antoun M, Reboul G, Ronot M, et al (2018). Imaging of inguinal-related groin pain in athletes. <i>Br J Radiol</i> , 91(1092): 20170856.

64611	Brandt-Kerkhof A, van Mierlo M, (2011). Follow-up period of 13 years after endoscopic total extraperitoneal repair of inguinal hernias: a cohort study. <i>Surg Endosc</i> , 25(5): 1624-9.
32872	Brendan Devlin H, Kingsnorth A, O'Dwyer P, et al (1998). Epidemiology and aetiology of primary groin hernias in adults. <i>Management of Abdominal Hernias</i> , 2 nd Edition, Chapter 3: 28-33.
TBA	Brooks DC, Hawn M (2019). Classification, clinical features, and diagnosis of inguinal and femoral hernias in adults. Retrieved 24 November, from https://www.uptodate.com/contents/classification-clinical-features-and-diagnosis-of-inguinal-and-femoral-hernias-in-adults
TBA	Bugeja A, Clark EG, Sood MM, et al (2018). As in real estate, location is what matters: a case report of transplant ureteral obstruction due to an inguinal hernia. <i>Can J Kidney Health Dis</i> , 5: 2054358117753620.
77247	Bunker D, Ilie V, Fisher D (2014). Laparoscopic Tenckhoff catheter insertion: a retrospective study over 6 years. <i>ANZ J Surg</i> , 84(1-2): 73-7.
TBA	Burcharth J, Pommegaard HC, Bisgaard T, et al (2015). Patient-related risk factors for recurrence after inguinal hernia repair: a systematic review and meta-analysis of observational studies. <i>Surg Innov</i> , 22(3): 303-17.
32692	Carbonell J, Sanchez, J, Peris R (1993). Risk factors associated with inguinal hernias: a case-control study. <i>Eur J Surg</i> , 159(9): 481-6.
TBA	Cartanese C, Guastadisegno C, Magli M, et al (2019). Intestinal perforation secondary to blunt abdominal trauma in pre-existing inguinal hernia. <i>G Chir</i> , 40(3): 230-3.
TBA	Chow KL, Smith-Singares E, Doherty J (2018). A traumatic direct inguinal hernia from pelvic ring disruption. <i>Case Rep Surg</i> , 2018: 5392430.
TBA	Corey KE, Friedman LS (2020). Abdominal Swelling and Ascites. <i>Harrison's Principles of Internal Medicine</i> . 20e, Chapter 46. McGraw Hill, New York.
TBA	Danawar NA, Mekaiel A, Raut S, et al (2020). How to treat hernias in pregnant women? <i>Cureus</i> , 12(7): e8959.
32291	De Luca L, Di Giorgio P, Signoriello G, et al (2004). Relationship between hiatal hernia and inguinal hernia. <i>Dig Dis Sci</i> , 49(2): 243-7.
12749	Deans DT, Wilson MS, Royston CM, et al (1995). Recurrent inguinal hernia after laparoscopic repair: possible cause and prevention. <i>Br J Surg</i> , 82(4): 539-1.
12750	Deshmukh N, Kjellberg SI, Shaw PM (1995). Occult inguinal hernia, a cause of rapid onset of penile and scrotal edema in patients on chronic peritoneal dialysis. <i>Mil Med</i> , 160(11): 597-8.
32290	Dickerman RD, Smith A, Stevens QE (2004). Umbilical and bilateral inguinal hernias in a veteran powerlifter: is it a pressure-overload syndrome? <i>Clin J Sport Med</i> , 14(2): 95-6. Comment on ID: 69799.
77017	Earle D, McLellan J (2013). Repair of umbilical and epigastric hernias. <i>Surg Clin North Am</i> , 93(5): 1057-89.
TBA	Esquivel J, Sugarbaker PH (2000). Clinical presentation of the Pseudomyxoma peritonei syndrome. <i>Br J Surg</i> , 87(10): 1414-8.
TBA	Fanta CH (2020). Cough. <i>Harrison's Principles of Internal Medicine</i> . 20e, Chapter 34. McGraw Hill, New York.
TBA	Fernando H, Garcia C, Hossack T, et al (2019). Incidence, predictive factors and preventive measures for inguinal hernia following robotic and laparoscopic radical prostatectomy: a systematic review. <i>J Urol</i> , 201(6): 1072-9.
64586	Flich J, Alfonso JL, Delgado F, et al (1992). Inguinal hernia and certain risk factors. <i>Eur J Epidemiol</i> , 8(2): 277-82.
32595	Fon LJ, Spence RA (2000). Sportsman's hernia. <i>Br J Surg</i> , 87(5): 545-52.
TBA	Fridriksson JO, Folkvaljon Y, Lundstrom KJ, et al (2017). Long-term adverse effects after retropubic and robot-assisted radical prostatectomy. Nationwide, population-based study. <i>J Surg Oncol</i> , 116(4): 500-6.

TBA	Gorgulu O, Kosar MN (2020). Spontaneous direct inguinal hernia rupture and intestinal mesenteric separation: A case report. <i>Ulus Travma Acil Cerrahi Derg</i> , 26(4): 647-9.
TBA	Guderian RH, Kerrigan KR (1990). Onchocerciasis and acquired groin hernias in Ecuador. <i>Trop Med Parasitol</i> , 41(1): 69-70.
TBA	Hakeem AR, Gopalakrishnan P, Dooldeniya MD, et al (2016). Inguinal herniation of a transplant ureter: lessons learned from a case of "water over the bridge". <i>Exp Clin Transplant</i> , 14(1): 103-5.
TBA	Hakiman H, Delibero J, Pham T, et al (2013). Coughing-induced bowel transection in a patient with an incarcerated inguinal hernia: a case report. <i>J Med Case Rep</i> , 7: 47.
TBA	Hammoud M, Gerken J (2019). Inguinal hernia. Retrieved 10 December 2020, from https://europepmc.org/article/NBK/NBK513332#free-full-text .
TBA	Hemberg A, Holmberg H, Norberg M, et al (2017). Tobacco use is not associated with groin hernia repair, a population-based study. <i>Hernia</i> , 21(4): 517-23.
64585	Hendry PO, Paterson-Brown S, de Beaux A (2008). Work related aspects of inguinal hernia: a literature review. <i>Surgeon</i> , 6(6): 361-5.
77031	Henriksen N, Yadete D, Sorensen L, et al (2011). Connective tissue alteration in abdominal wall hernia. <i>Br J Surg</i> , 98(2): 210-9.
TBA	HerniaSurge Group (2018). International guidelines for groin hernia management. <i>Hernia</i> , 22(1): 1-165.
64865	Hugosson J, Stranne J, Carlsson SV (2011). Radical retropubic prostatectomy: A review of outcomes and side-effects. <i>Acta Oncol</i> , 50(Suppl 1): 92-7.
32289	Ichioka K, Yoshimura K, Utsunomiya N, et al (2004). High incidence of inguinal hernia after radical retropubic prostatectomy. <i>Urology</i> , 63(2): 278-81.
TBA	Idiz C, Cakir C (2020). Nutritional status and constipation scoring of inguinal hernia patients: a case-control study. <i>Hernia</i> , 24(5): 1107-12.
TBA	Jadav D, Gorchiya A, Shekhawat RS, et al (2020). Traumatic inguinal hernia: An uncommonly reported entity. <i>Med Sci Law</i> , 60(4): 319-22.
64609	Jansen PL, Klinge U, Jansen M, et al (2009). Risk factors for early recurrence after inguinal hernia repair. <i>BMC Surg</i> , 9: 18.
TBA	Jia Z, Zhang J, Kong CJ (2017). Perioperative management of groin ascitic hernia by hernia-roof technique: a 14-year experience. <i>Arch Med</i> , 9(4): 4.
64867	Junge K, Rosch R, Klinge U, et al (2006). Risk factors related to recurrence in inguinal hernia repair: a retrospective analysis. <i>Hernia</i> , 10(4): 309-15.
32294	Kang SK, Burnett CA, Friend E, et al (1999). Hernia: Is it a work-related condition? <i>Am J Ind Med</i> , 36(6): 638-44.
TBA	Kapoor VK (2019). Open inguinal hernia repair. https://emedicine.medscape.com/article/1534281-overview#showall
TBA	Kartal A, Yalcin M, Citgez B, et al (2017). The effect of chronic constipation on the development of inguinal herniation. <i>Hernia</i> , 21(4): 531-5.
32292	Kluin J, den Hoed PT, van Linschoten R, et al (2004). Endoscopic evaluation and treatment of groin pain in the athlete. <i>Am J Sports Med</i> , 32(4): 944-9.
TBA	Korean Association for the Study of the Liver (KASL) (2018). KASL clinical practice guidelines for liver cirrhosis: Ascites and related complications. <i>Clin Mol Hepatol</i> , 24(3): 230-77.
TBA	Ku JY, Lee CH, Park WY, et al (2018). The cumulative incidence and risk factors of postoperative inguinal hernia in patients undergoing radical prostatectomy. <i>Int J Clin Oncol</i> , 23(4): 742-8.
TBA	Kuijjer PP, Hondebrink D, Hulshof CT, et al (2020). Work-relatedness of inguinal hernia: a systematic review including meta-analysis and GRADE. <i>Hernia</i> , 24(5): 943-50.

TBA	Kulacoglu H, Köckerling F (2019). Hernia and cancer: the points where the roads intersect. <i>Front Surg</i> , 6: 19.
32596	Liem M, van der Graaf Y, Zwart R, et al (1997). Risk factors for inguinal hernia in women: a case-control study. The Coala Trial Group. <i>Am J Epidemiol</i> , 146(9): 721-6.
12751	Liem MS, van der Graaf Y, Beemer FA, et al (1997). Increased risk for inguinal hernia in patients with Ehlers-Danlos syndrome. <i>Surgery</i> , 122(1): 114-5.
TBA	Liu D, Zhu L, Wang M (2017). Trauma to an inguinal hernia resulting in bowel rupture: A case report and literature review. <i>Int J Surg Case Rep</i> , 41: 495-7.
TBA	Liu L, Xu H, Qi F, et al (2020). Incidence and risk factors of inguinal hernia occurred after radical prostatectomy-comparisons of different approaches. <i>BMC Surg</i> , 20(1): 218.
TBA	Lockhart K, Dunn D, Teo S, et al (2018). Mesh versus non-mesh for inguinal and femoral hernia repair. <i>Cochrane Database Syst Rev</i> , 9(9): CD011517.
32288	Lodding P, Bergdahl C, Nyberg M, et al (2001). Inguinal hernia after radical retropubic prostatectomy for prostate cancer: a study of incidence and risk factors in comparison to no operation and lymphadenectomy. <i>J Urol</i> , 166(3): 964-7.
TBA	Loong TH, Ng CY (2013). Obstructed bilateral inguinal hernias after robotic-assisted laparoscopic ultra-low anterior resection: an uncommon complication? <i>Tech Coloproctol</i> , 17(1): 127-8.
12773	Magee JF, Barker NE, Blair GK, et al (1996). Inguinal herniation with glial implants: possible complication of ventriculoperitoneal shunting. <i>Pediatr Pathol Lab Med</i> , 16(4): 591-6.
TBA	Mayo Clinic (2019). Inguinal hernia. Retrieved 19 January 2021, from https://www.mayoclinic.org/diseases-conditions/inguinal-hernia/symptoms-causes/syc-20351547?p=1
12770	McArdle G (1997). Is inguinal hernia a defect in human evolution and would this insight improve concepts for methods of surgical repair? <i>Clin Anat</i> , 10(1): 47-55.
12771	Moller H, Prener A, Skakkebaek NE (1996). Testicular cancer, cryptorchidism, inguinal hernia, testicular atrophy, and genital malformations: case-control studies in Denmark. <i>Cancer Causes Control</i> , 7(2): 264-74.
TBA	Moustafa F, Avouac J, Vaz MA, et al (2014). Diagnosis of an inguinal hernia after a blunt inguinal trauma with an intestinal perforation. <i>Case Rep Emerg Med</i> , 2014:653847.
TBA	Natarajan B, Burjonrappa SC, Cemaj S, et al (2013). Basic features of groin hernia and its repair. <i>Shelford's Surgery of the Alimentary Canal</i> . 7th Edition, Chapter 46.
TBA	Nelson GS (1958). Hanging groin and hernia complications of onchocerciasis. <i>Trans R Soc Trop Med Hyg</i> , 52(3): 272-5.
64613	Nicks BA (2012). Hernias Clinical Presentation. Retrieved 3 July 2012, from http://emedicine.medscape.com/article/775630-clinical
64612	Nicks BA (2012). Hernias. Retrieved 3 July 2012, from http://emedicine.medscape.com/article/775630-overview
TBA	Nilsson H, Stranne J, Stattin P, et al (2014). Incidence of groin hernia repair after radical prostatectomy: a population based nationwide study. <i>Ann Surg</i> , 259(6): 1223-7.
TBA	Nutman TB, Weller PF (2020). Onchocerciasis. <i>Harrison's Principles of Internal Medicine</i> . 20e, Chapter 228: Filarial and Related Infections. McGraw Hill, New York.
378	Nyhus LM, Condon RE (Eds) (1989). <i>Hernia</i> , 3rd Edition, 52-4. JB Lippincott Co. Philadelphia.

TBA	Oberg S, Andresen K, Rosenberg J (2017). Etiology of inguinal hernias: a comprehensive review. <i>Front Surg</i> , 4: 52.
TBA	Oma E, Bay-Nielsen M, Jensen KK, et al (2017). Primary ventral or groin hernia in pregnancy: a cohort study of 20,714 women. <i>Hernia</i> , 21(3): 335-9.
TBA	Pastorino A, Alshuqayfi AA (2020). Strangulated hernia. Retrieved 19 January 2021, from https://www.ncbi.nlm.nih.gov/books/NBK555972/
64610	Pathak S, Poston GJ (2006). It is highly unlikely that the development of an abdominal wall hernia can be attributable to a single strenuous event. <i>Ann R Coll Surg Engl</i> , 88(2): 168-71.
95972	Patterson T, Currie P, Spence R, et al (2018). A systematic review of the association between a single strenuous event and the development of an inguinal hernia: A medicolegal grey area. <i>Surgeon</i> , 16(5): 309-14.
12769	Prasad A, Sharma A, Foley R (1995). Exacerbation of groin hernias after laparoscopy. <i>Surg Laparosc Endosc</i> , 5(2): 155-6.
TBA	Prockop DJ, Bateman JF (2020). Marfan Syndrome. <i>Harrison's Principles of Internal Medicine</i> . 20e, Chapter 406: Heritable Disorders of Connective Tissue. McGraw Hill, New York.
TBA	Rabindranath KS, Adams J, Ali TZ, et al (2007). Continuous ambulatory peritoneal dialysis versus automated peritoneal dialysis for end-stage renal disease. <i>Cochrane Database Syst Rev</i> , 2007(2): CD006515.
TBA	Ramsook C (2020). Inguinal hernia in children. Retrieved 11 March 2021, from https://www.uptodate.com/contents/inguinal-hernia-in-children
TBA	Rather AA, Nicks BA (2019). Abdominal hernias. Retrieved 11 March 2021, from https://emedicine.medscape.com/article/189563-overview#showall
TBA	Ravanbakhsh S, Batech M, Tejirian T (2015). Increasing body mass index is inversely related to groin hernias. <i>Am Surg</i> , 81(10): 1043-6.
12748	Regan TC, Mordkin RM, Constantinople NL, et al (1996). Incidence of inguinal hernias following radical retropubic prostatectomy. <i>Urology</i> , 47(4): 536-7.
TBA	Rocco M, Burkart JM (2019). Abdominal hernias in continuous peritoneal dialysis. Retrieved 24 November 2020, from https://www.uptodate.com/contents/abdominal-hernias-in-continuous-peritoneal-dialysis
TBA	Rothstein E, Edwards K (2005). Health burden of pertussis in adolescents and adults. <i>Pediatr Infect Dis J</i> , 24(5 Suppl): S44-7.
64589	Ruhl CE, Everhart JE (2007). Risk factors for inguinal hernia among adults in the US population. <i>Am J Epidemiol</i> , 165(10): 1154-61.
TBA	Sanjay P, Woodward A (2007). Single strenuous event: does it predispose to inguinal herniation? <i>Hernia</i> , 11(6): 493-6.
95954	Sazhin A, Zolotukhin I, Seliverstov E, et al (2019). Prevalence and risk factors for abdominal wall hernia in the general Russian population. <i>Hernia</i> , 23(6): 1237-42.
TBA	Schjoth-Iversen L, Refsum A, Brudvik KW (2017). Factors associated with hernia recurrence after laparoscopic total extraperitoneal repair for inguinal hernia: a 2-year prospective cohort study. <i>Hernia</i> , 21(5): 729-35.
379	Schwartz SI (Ed). <i>Principles of Surgery</i> , 6th Edition, 1521-2. McGraw-Hill Inc. New York.
32720	Shadbolt CL, Heinze SB, Dietrich RB (2001). Imaging of groin masses: inguinal anatomy and pathologic conditions revisited. <i>Radiographics</i> , 21: S261-71.
TBA	Shafik A (2004). Hernia formation after laparoscopic surgery. <i>Tech Coloproctol</i> , 8(1): 55.
TBA	Shahin Y, Sahota G, Hotouras A, et al (2012). Small bowel perforation due to blunt trauma to an inguinal hernia: a case report and literature review. <i>Hernia</i> , 16(3): 349-50.
TBA	Shakil A, Aparicio K, Barta E, et al (2020). Inguinal hernias: diagnosis and management. <i>Am Fam Physician</i> , 102(8): 487-92.

77197	Singh V, Nishant K, Sharma B, et al (2014). A weeping umbilical hernia: bilateral ovarian mucinous cystadenoma with disseminated peritoneal adenomucinosis. <i>BMJ Case Rep</i> , 2014: bcr2014204748.
12752	Smith GD, Crosby DL (1996). Inguinal hernia and a single strenuous event. <i>Ann R Coll Surg Engl</i> , 78(4): 367-8.
32401	Snyder QC, Kearney PJ (2002). High +Gz induced acute inguinal herniation in an F-16 aircrew member: case report and review. <i>Aviat Space Environ Med</i> , 73(1): 68-72.
64587	Sorensen LT, Friis E, Jorgensen T, et al (2002). Smoking is a risk factor for recurrence of groin hernia. <i>World J Surg</i> , 26: 397-400.
32287	Stoppa R (2004). [Comment] The etiology of indirect hernias: congenital and/or acquired? (Historical comment on modern work). <i>Hernia</i> , 8(1): 16-8.
64866	Stranne J, Lodding P (2011). Inguinal hernia after radical retropubic prostatectomy: risk factors and prevention. <i>Nat Rev Urol</i> , 8(5): 267-73.
78193	Sundstrom A, Mortimer O, Akerlund B, et al (2010). Increased risk of abdominal wall hernia associated with combination anti-retroviral therapy in HIV-infected patients--results from a Swedish cohort-study. <i>Pharmacoepidemiol Drug Saf</i> , 19(5): 465-73.
TBA	Svendsen SW, Frost P, Vad MV, et al (2013). Risk and prognosis of inguinal hernia in relation to occupational mechanical exposures--a systematic review of the epidemiologic evidence. <i>Scand J Work Environ Health</i> , 39(1): 5-26.
TBA	Unknown (2020) [Diagram] inguinal hernia. Retrieved 4 December 2020, from https://jamanetwork.com/data/Journals/JAMA/936324/jpg170007fa.png
TBA	Vad MV, Frost P, Svendsen SW (2015). Occupational mechanical exposures and reoperation after first-time inguinal hernia repair: a prognosis study in a male cohort. <i>Hernia</i> , 19(6): 893-900.
32286	van Wessel KJ, Simons MP, Plaisier PW, et al (2003). The etiology of indirect inguinal hernias: congenital and/or acquired? <i>Hernia</i> , 7(2): 76-9.
TBA	Wang X, Zhang Y (2017). Incarceration of a colonoscope within an inguinal hernia: An unusual complication <i>Case Rep Biomed Res</i> , 28(22): 9822-4.
TBA	Williamson JS, Jones HG, Radwan RR, et al (2016). Inguinal hernias associated with a single strenuous event. <i>Hernia</i> , 20(5): 687-90.
TBA	World Health Organization (2019). Onchocerciasis. Retrieved 11 March 2021, from https://www.who.int/news-room/fact-sheets/detail/onchocerciasis
TBA	Wu YH, Juan YS, Shen JT, et al (2020). Lower urinary tract symptoms-Benign prostatic hyperplasia may increase the risk of subsequent inguinal hernia in a Taiwanese population: A nationwide population-based cohort study. <i>PLoS One</i> , 15(6): e0234329.
12768	Wyte CD, Stowell J (1995). Acute incarcerated inguinal hernia attributed to sexual intercourse. <i>Am J Emerg Med</i> , 13(1): 106-7.
TBA	Yahya Z, Al-Habbal Y, Hassen S (2017). Ureteral inguinal hernia: an uncommon trap for general surgeons. <i>BMJ Case Rep</i> , 2017: bcr2017219288.
TBA	Zendejas B, Hernandez-Irizarry R, Ramirez T, et al (2014). Relationship between body mass index and the incidence of inguinal hernia repairs: a population-based study in Olmsted County, MN. <i>Hernia</i> , 18(2): 283-8.
TBA	Zhu S, Zhang H, Xie L, et al (2013). Risk factors and prevention of inguinal hernia after radical prostatectomy: a systematic review and meta-analysis. <i>J Urol</i> , 189(3): 884-90.