



CHOLELITHIASIS

RMA ID Number	Reference List for RMA023-2 as at April 2016
---------------	--

44133	Abayli B, Colakoglu S, Serin M, Erdogan S, et al (2005). Helicobacter pylori in the etiology of cholesterol gallstones. <i>J Clin Gastroenterol</i> , 39(2) pp 134-137.
47544	Abraham P, Desai DC, Joshi AG (2002). [Comment] Gallstones in portal hypertension: is the liver or the portal hypertension responsible? <i>JAPI</i> , 50: 515-7. Comment on ID: 44246.
44326	Abraham P, Desai DC, Joshi AG (2002). [Comment] Gallstones in portal hypertension: is the liver or the portal hypertension responsible? <i>JAPI</i> , Vol 50 pp 515-517.
75639	Abraham S, Rivero HG, Erlikh IV, et al (2014). Surgical and Nonsurgical Management of Gallstones. <i>American Family Physician</i> , 89(10): 795-802.
44127	Acalovschi M (2001). Cholesterol gallstones: from epidemiology to prevention. <i>Postgrad Med J</i> , Vol 77 pp 221-229.
75640	Acalovschi M (2014). Gallstones in patients with liver cirrhosis: Incidence, etiology, clinical and therapeutical aspects. <i>World J Gastroenterol</i> , 20(23): 7277-85.
44248	Acalovschi M, Blendea D, Feier C, Letia AI, et al (2003). Risk factors for symptomatic gallstones in patients with liver cirrhosis: a case-control study. <i>The American Journal of Gastroenterology</i> , 98(8) pp 1856-1860.
75641	Acosta A, Camilleri M (2014). Gastrointestinal Morbidity in Obesity. <i>Ann N Y Acad Sci</i> , 1311: 42-56.
76537	Adair JD, Ellsmere JC (2014). Late complications of bariatric surgical operations. , : . Retrieved 25 November 2015, from http://www.uptodate.com/contents/late-complications-of-bariatric-surgical-operations
44094	Aerts R, Penninckx F (2003). The burden of gallstone disease in Europe. <i>Aliment Pharmacol Ther</i> , 18(Supp 3) pp 49-53.
76538	Afdhal NH (2015). Epidemiology of and risk factors for gallstones. , : . Retrieved 25 November 2015, from http://www.uptodate.com/contents/epidemiology-of-and-risk-factors-for-gallstones
44096	Ahmed HU, Smith JB, Rudderow DJ, Longo WE, Virgo KS, Johnson FE (2002). Cholecystectomy in patients with previous spinal cord injury. <i>Am J Surg</i> , 184(5) pp 452-459.
75642	Ahmed MH, Ali A (2014). Nonalcoholic fatty liver disease and cholesterol gallstones: Which comes first? <i>Scand J Gastroenterol</i> , 49: 521-7.
76801	Ahmed MH, Barakat S, Almobarak AO (2014). The association between renal stone disease and cholesterol gallstones: the easy to believe and not hard to retrieve theory of the metabolic syndrome. <i>Renal Failure</i> , 36(6): 957-62.

44207	Akatsu T, Yoshida M, Kubota T, Shimazu M, et al (2005). Gallstone disease after extended (D2) lymph node dissection for gastric cancer. <i>World Journal of Surgery</i> , 29(2) pp 182-186.
44111	Akin ML, Uluutku H, Erenoglu C, et al (2003). Tamoxifen and gallstone formation in postmenopausal breast cancer patients: retrospective cohort study. <i>World J Surg</i> , 27: 395-9.
75643	Al-Bayati S, Kodayer S (2012). Gallstones in a group of Iraqi patients with type 2 diabetes mellitus. <i>Saudi Med J</i> , 33(4): 412-7.
44298	Alberu J, Gatica M, Cachafeiro-Vilar M, Robles-Diaz G, et al (2001). Asymptomatic gallstones and duration of cyclosporine use in kidney transplant recipients. <i>Rev Invest Clin</i> , 53(5) pp 396-400.
44893	Al-Jiffry BO, Shaffer EA, Saccone GTP, et al (2003). Changes in gallbladder motility and gallstone formation following laparoscopic gastric banding for morbid obesity. <i>Can J Gastroenterol</i> , 17(3): 169-74.
76540	Almashhrawi AA, Ahmed KT, Rahman RN, et al (2013). Liver diseases in pregnancy: diseases not unique to pregnancy. <i>World Journal of Gastroenterology</i> , 19(43): 7630-8.
76539	Altiparmak MR, Pamuk ON, Pamuk GE, et al (2003). Incidence of gallstones in chronic renal failure patients undergoing hemodialysis: experience of a centre in Turkey. <i>Am J Gastroenterol</i> , 98(4): 813-20.
44145	Amigo L, Zanlungo S, Mendoza H, Miquel JF, Nervi F (1999). Risk factors and pathogenesis of cholesterol gallstones: state of the art. <i>Eur Rev Med Pharmacol Sci</i> , 3(6) pp 241-246.
75644	Amoako MO, Casella JF, Strouse JJ (2013). High Rates of Recurrent Biliary Tract Obstruction in Children with Sickle Cell Disease. <i>Pediatr Blood Cancer</i> , 60(4): 650-2.
43387	Attili AF, De Santis A, Attili F, Roda E, Festi D, Carulli N (2005). Prevalence of gallstone disease in first-degree relatives of patients with cholelithiasis. <i>World Journal of Gastroenterology</i> , 11(41) pp 6508-6511
43385	Au WY, Cheung WC, Chan GCF, Ha SY, et al (2003). [Letter] Risk factors for hyperbilirubinemia and gallstones in Chinese patients with B thalassemia syndrome. <i>Journal of Hematology</i> , 8(22) pp 220-222.
44118	Aydogdu I, Sari R, Ulu R, Sevinc A (2001). The frequency of gallbladder stones in patients with pernicious anemia. <i>Journal of Surgical Research</i> , Vol 101 pp 120-123.
75645	Babakhanian Z, Donovan JA (2013). Biliary Manifestations of Systemic Diseases. <i>Gastrointest Endoscopy Clin N Am</i> , 23: 333-46.
75731	Balci U, Dogantekin E, Ozer K, et al (2015). Patterns, risks and outcomes of urethral recurrence after radical cystectomy for urothelial cancer; over 20 year single center experience. <i>Int J Surg</i> , 13: 148-51.
75646	Baltas CS, Balanika AP, Sgantzos MN (2009). Gallstones and biliary sludge in Greek patients with complete high spinal cord injury: an ultrasonographical evaluation. <i>Singapore Med J</i> , 50(9): 889-93.
76645	Banim PJ, Luben RN, Wareham NJ, et al (2010). Physical activity reduces the risk of symptomatic gallstones: a prospective cohort study. <i>Eur J Gastroenterol Hepatol</i> , 22: 983-8.
75647	Bartos D, Bartos A, Acalovschi I (2012). Biliary Plastic stent as a matrix Core for Lithogenesis in the Common Bile Duct: a Rare Cause of Jaundice. <i>J Gastrointestin Liver Dis</i> , 21(4): 427-9.
75648	Bass G, Gilani SNS, Walsh TN (2013). Validating the 5Fs mnemonic for cholelithiasis: time to include family history. <i>Postgrad Med J</i> , 89: 638-41.
75649	Beardsley C, Lim J, Gananadha S (2012). Nonabsorbable Suture Material in the Biliary Tract. <i>J Gastrointest Surg</i> , 16: 2182-3.
75650	Bektas A, Belet U, Kelkitli E, et al (2005). Ultrasonic Gallbladder Function in Chronic Kidney Disease: Does Predialysis, Hemodialysis, or CAPD Affect it? <i>Renal Failure</i> , 27: 677-81.

44088	Belzer C, Kusters JG, Kuipers EJ, van Vliet AHM (2006). Urease induced calcium precipitation by Helicobacter species may initiate gallstone formation [Letter]. <i>Gut</i> , 55(11) pp 1678-1679.
75651	Bhadada SK, Bhansali A, Shah VN, et al (2011). High prevalence of cholelithiasis in primary hyperparathyroidism: a retrospective analysis of 120 cases. <i>Indian J Gastroenterol</i> , 30(2): 100-1.
44895	Bickford CL, Spencer AP (2005). Biliary sludge and hyperbilirubinemia associated with ceftriaxone in an adult: case report and review of the literature. <i>Pharmacotherapy</i> , 25(10) pp 1389-1395.
44100	Bini EJ, McGready J (2005). Prevalence of gallbladder disease among persons with hepatitis C virus infection in the United States. <i>Hepatology</i> , 41(5) pp 1029-1036.
44121	Bohr URM, Kuester D, Meyer F, Wex T, et al (2007). Low prevalence of helicobacteraceae in gall-stone disease and gall-bladder carcinoma in the German population. <i>Clin Microbiol Infect</i> , Vol 13 pp 525-531.
44171	Bolukbas FF, Bolukbas C, Horoz M, Ince AT, et al (2006). Risk factors associated with gallstone and biliary sludge formation during pregnancy. <i>Journal of Gastroenterology and Hepatology</i> , Vol 21 pp 1150-1153.
75652	Bonfrate L, Wang D, Garruti G, et al (2014). Obesity and the risk and prognosis of gallstone disease and pancreatitis. <i>Best Pract Res Clin Gastroenterol</i> , 28: 623-35.
76541	Borgna-Pignatti C, Gamberini MR (2011). Complications of thalassemia major and their treatment. <i>Expert Rev Hematol</i> , 4(3): 353-66.
43386	Borgna-Pignatti C, Rigon F, Merlo L, Chakrok R, et al (2003). Thalassemia minor, the Gilbert mutation, and the risk of gallstones. <i>Journal of Hematology</i> , 88(10) pp 1106-1109.
47129	Broulik PD, Haas T, Adamek S (2005). Analysis of 645 patients with primary hyperparathyroidism with special references to cholelithiasis. <i>Internal Medicine</i> , 44(9): 917-21.
47241	Buch S, Schafmayer C, Volzke H, Becker C et al (2007). A genome-wide association scan identifies the hepatic cholesterol transporter ABCG8 as a susceptibility factor for human gallstone disease. <i>Nature Genetics</i> , 39(8): 995-9.
44162	Buchner A, Sonnenberg A (2002). Factors influencing the prevalence of gallstones in liver disease: the beneficial and harmful influences of alcohol. <i>The American Journal of Gastroenterology</i> , 97(4) pp 905-909.
75653	Cafasso DE, Smith RR (2014). Symptomatic Cholelithiasis and Functional Disorders of the Biliary Tract. <i>Surg Clin N Am</i> , 94: 233-56.
75654	Cariati A (2013). Blackberry pigment (whitlockite) gallstones in uremic patient. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 37: e69-72.
44110	Cariati A, Cetta F; Kawai M, Iwahashi M, Uchiyama K, Uamaue H (2002). [Letters] Bacteria are not important in the formation of pure cholesterol stones. <i>Am J Gastroenterol</i> , 97(11) pp 2921-2923.
44090	Caserta L, Riegler G (2002). Hepatobiliary alterations in patients with inflammatory bowel disease [Letter]. <i>Arch Intern Med</i> , 162(11) pp 1312. Author reply pp 1312-1313.
76542	Ceccato F, Scaroni C, Bascaro M (2015). Clinical use of pasireotide for Cushing's disease in adults. <i>Ther Clin Risk Manag</i> , 11: 425-34.
43384	Chaar V, Keclard L, Diara JP, Leturdu C, et al (2005). Association of UGT1A1 polymorphism with prevalence and age at onset of cholelithiasis in sickle cell anemia. <i>The Hematology Journal</i> , 90(2) pp 188-193.
75655	Chakravarty AA, Ajmani A, Manchanda S (2012). Incidence of gall stone formation in acromegalic patients on octreotide therapy. <i>Indian J Endocrinol Metab</i> , 16(3): 406-8.
75656	Chen L-Y, Qiao Q-H, Zhang S-C, et al (2012). Metabolic syndrome and gallstone disease. <i>World J Gastroenterol</i> , 18(31): 4215-4220.

44900	Chen X-G, Liu J-Q, Peng M-H, Wang W-G, et al (2003). Clinical epidemiological study on intrahepatic cholelithiasis: analysis of 8585 cases. HBPD Int, Vol 2 pp 281-284.
44327	Chew SSB, Ngo TQ, Douglas PR, Newstead GL, et al (2003). Cholecystectomy in patients with Crohn's ileitis. Dis Colon Rectum, 46(11) pp 1484-1488.
75658	Chiu H-F, Chen CC, Kuo H-W, et al (2012). Statin use and the risk of gallstone disease: a population-based case--control study. Expert Opin Drug Saf, 11(3): 369-74.
43383	Chong VH, Yim HB, Lim CC (2004). Clip-induced biliary stone. Singapore Medical Journal 45(11) pp 533-535.
44103	Chung E-J, Kim M-H, Lee SS, Lee SK (2003). Primary vs. secondary common bile duct stones: apples and oranges. [Letter] Endoscopy, 35(1) pp 92. Author reply pp 93.
43382	Cirillo DJ, Wallace RB, Rodabough RJ, Greenland P, et al (2005). Effect of estrogen therapy on gallbladder disease. JAMA, 293(3) pp 330-338.
44126	Collins C, Maguire D, Ireland A, Fitzgerald E, O'Sullivan GC (2004). A prospective study of common bile duct calculi in patients undergoing laparoscopic cholecystectomy. Natural history of choledocholithiasis revisited. Ann Surg, Vol 239 pp 28-33.
75659	Conte D, Fraquelli M, Giunta M, et al (2011). Gallstones and Liver Disease: an Overview. J Gastrointest Liver Dis, 20(1): 9-11.
384	Cooper AD (1993). Epidemiology, Pathogenesis, Natural history, and Medical Therapy of Gallstones in Gastrointestinal Disease, 5th Edition, 2 chap 89: 1788-1804. WB Saunders Co. Philadelphia.
75660	Corredoira J, Alonso MP, Garcia-Garrote F, Garcia-Pais MJ, et al (2014). Streptococcus bovis group and biliary tract infections: an analysis of 51 cases. Clin Microbiol Infect, 20: 405-9.
75661	Costi R, Gnocchi A, Di Mario F, et al (2014). Diagnosis and management of choledocholithiasis in the golden age of imaging, endoscopy and laparoscopy. World J Gastroenterol, 20(37): 13382-13401.
75662	Courbon E, Laylavoux F, Soulie C, et al (2012). Unexpected atazanavir-associated biliary lithiasis in an HIV-infected patient. J Antimicro Chemother, 67(1): 250-1.
75663	Crema E, Silva E, Franciscon PM, et al (2011). Prevalence of cholelithiasis in patients with chagasic megaesophagus. Rev Soc Bras Med Trop, 44(3): 324-6.
43381	Cuevas A, Miquel JF, Reyes MS, Zanolungo S, Nervi F (2004). Diet as a risk factor for cholesterol gallstone disease. Journal of American College of Nutrition, 23(3) pp 187-196.
75664	Dai C-Y, Lin C, Yeh M-L, et al (2013). Association between gallbladder stones and chronic hepatitis C: Ultrasonographic survey in a hepatitis C and B hyperendemic township in Taiwan. Kaohsiung J Med Sci, 29: 430-5.
44213	Dakdouki GK, Araj GF, Hussein M (2003). Campylobacter jejuni: unusual cause of cholecystitis with lithiasis. Case report and literature review. Clin Microbiol Infect, 9(9) pp 970-972.
47246	Darko R, Rodrigues OP, Oliver-Commey JO, Kotei CN (2005). Gallstones in Ghanaian children with sickle cell disease. West Afr J Med, 24(4): 295-8. Abstract.
76543	de Bari O, Wang TY, Liu M, et al (2014). Cholesterol cholelithiasis in pregnant women: pathogenesis, prevention and treatment. Ann Hepatol, 13(6): 728-45.
44301	Dhiman RK, Chawla YK (2006). Is there a link between oestrogen therapy and gallbladder disease? Expert Opinion Drug Saf, 5(1) pp 117-129.
385	Diehl AK (1991). Epidemiology and natural history of gallstone disease. Gastroenterology Clinics of North America, 20(1): 1-19.

44168	Dittrick GW, Thompson JS, Campos D, Bremers D, Sudan D (2005). Gallbladder pathology in morbid obesity. <i>Obesity Surgery</i> , 15(2) pp 238-242.
44092	Dray X, Joly F, Reijasse D, Attar A, Alves A, et al (2007). Incidence, risk factors, and complications of cholelithiasis in patients with home parenteral nutrition. <i>J Am Coll Surg</i> , 204(1) pp 13-21.
44901	Dubach UC, Rosner B, Sturmer T (1991). An epidemiologic study of abuse of analgesic drugs. <i>NEJM</i> , Vol 324 pp 155-160.
75665	Ebert E (2012). Gastrointestinal Involvement in Spinal Cord Injury: a Clinical Perspective. <i>J Gastrointestin Liver Dis</i> , 21(1): 75-82.
75666	Elmehdawi RR, Elmajberi SJ, Behieh A, et al (2009). Prevalence of Gall Bladder Stones among Type 2 Diabetic Patients in Benghazi Libya: A Case-control Study. <i>Libyan J Med</i> , 4(1): 27-30.
44902	Elseviers MM, De Broe ME (1995). A long-term prospective controlled study of analgesic abuse in Belgium. <i>Kidney International</i> , Vol 48 pp 1912-1919.
75667	Erichsen R, Froslev T, Lash TL, et al (2011). Long-term Statin Use and the Risk of Gallstone Disease: A Population-based Case-Control Study. <i>Am J Epidemiol</i> , 173(2): 162-70.
44085	Erlinger S (2000). Gallstones in obesity and weight loss. <i>Eur J Gastroenterol Hepatol</i> , 12(12) pp 1347-1352.
75668	Erlinger S (2012). Low phospholipid- associated cholestasis and cholelithiasis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 36: S36-S40.
44139	Everhart JE (2001). Gallstones and ethnicity in the Americas. <i>J Assoc Acad Minor Phys</i> , 12(3) pp 137-143.
44140	Farrell FJ, Keeffe EB (1998). Diabetes and the hepatobiliary system. <i>Clinics in Liver Disease</i> , 2(1) pp 119-131.
44894	Festi D, Colecchia A, Orsini M, Sangermano A, et al (1998). Gallbladder motility and gallstone formation in obese patients following very low calorie diets. Use it (fat) to lose it (well). <i>Int J Obesity</i> , Vol 22 pp 592-600.
44212	Fortun P, Anagnostopoulos G, Laurence B (2005). Suture material as a nidus for common bile duct stones: taking a closer look. <i>The New Zealand Medical Journal</i> , 118(1210) pp U1318.
76545	Fracanzani AL, Valenti L, Russello M, et al (2012). Gallstone disease is associated with more severe liver damage in patients with non-alcoholic fatty liver disease. <i>PLoS One</i> , 7: e41183.
76544	Fradin K, Racine AD, Belamarich PF (2014). Obesity and symptomatic cholelithiasis in childhood: epidemiologic and case-control evidence for a strong relation. <i>JPGLN</i> , 58(1): 102-6.
44117	Frankenburg FR, Zanarini MC (2006). Obesity and obesity-related illnesses in borderline patients. <i>Journal of Personality Disorders</i> , 20(1) pp 71-80.
44089	Fraquelli M, Losco A, Visentin S, Cesana BM, Pometta R, et al (2001). Gallstone disease and related risk factors in patients with Crohn disease. <i>Arch Intern Med</i> , 161(18) pp 2201-2204.
75669	Fremont-Rahl JJ, Ge Z, Umana C, et al (2013). An Analysis of the Role of the Indigenous Microbiota in Cholesterol Gallstone Pathogenesis. <i>PLoS One</i> , 8(7): e70657.
44093	Galanello R, Piras S, Barella S, Leoni GB, Cipollina MD, Perseu L, Cao A (2001). Cholelithiasis and Gilbert's syndrome in homozygous B-thalassaemia. <i>Br J Haematol</i> , 115(4) pp 926-928.
76802	Genctoy G, Ayidaga S, Ergun T, et al (2014). Increased frequency of gallbladder stone and related parameters in hemodialysis patients. <i>Turk J Gastroenterol</i> , 25: 54-8.
75671	Ghazal A, El Sabbagh N, El Riwi M (2011). Presence of Helicobacter spp. DNA in the gallbladder of Egyptian patients with gallstone diseases. <i>EMHJ</i> , 17(12): 925-9.
43358	Ghosh JB, Chakrabarty S, Singh A, Gupta D (2004). Wilson's disease - unusual features. <i>Indian J Pediatr</i> , 71(10) pp 937-938.

75672	Gillen S, Michalski CW, Schuster T, et al (2010). Simultaneous/Incidental Cholecystectomy During Gastric/Esophageal Resection: Systematic Analysis of Risks and Benefits. <i>World J Surg</i> , 34: 1008-14.
75673	Gizard E, Ford AC, Bronowicki J-P, et al (2014). Systematic review: the epidemiology of the hepatobiliary manifestations in patients with inflammatory bowel disease. <i>Aliment Pharmacol Ther</i> , 40: 3-15.
383	Greenberger NJ, Isselbacher KJ (1994). Diseases of the gallbladder and bile ducts. KJ Isselbacher, JB Martin, E Braunwald, AS Fauci, JD Wilson , DL Kasper (Eds). <i>Principles of Internal Medicine</i> , 13th Edition, 272: 1507, 1509. McGraw Hill, New York.
75674	Grover BT, Kothari SN (2014). Biliary Issues in the Bariatric Population. <i>Surg Clin N Am</i> , 94: 413-25.
43379	Grundy SM (2004). Cholesterol gallstones: a fellow traveler with metabolic syndrome? <i>Am J Clin Nutr</i> , Vol 80 pp 1-2.
57414	Guh DP, Zhang W, Bansback N, Amarsi Z, et al (2009). The incidence of co-morbidities related to obesity and overweight: a systematic review and meta-analysis. <i>BMC Public Health</i> , 9: 88.
72440	Guidotti TL (2014). Health risks and occupation as a firefighter. Medical Advisory Services, . Department of Veterans' Affairs, Commonwealth of Australia.
75675	Gurusamy KS, Davidson BR (2014). Gallstones. <i>BMJ</i> , 348: g2669.
44165	Hahm JS, Lee HL, Park JY, Eun CS, et al (2003). Prevalence of gallstone disease in patients with end-stage renal disease treated with hemodialysis in Korea. <i>Hepato-Gastroenterology</i> , Vol 50 pp 1792-1795.
47925	Hai S, Tanaka H, Kubo S, Takemura S et al (2003). Choledocholithiasis caused by migration of a surgical clip into the biliary tract following laparoscopic cholecystectomy. <i>Surg Endosc</i> , 17(12): 2028-31. [Abstract Only]
44119	Haverfield EV, McKenzie CA, Forrester T, Bouzekri N, et al (2005). UGT1A1 variation and gallstone formation in sickle cell disease. <i>Blood</i> , 105(3) pp 968-972.
47285	Heeney MM (2005). Risk of cholelithiasis in sickle cell anemia. <i>Haematologica</i> , 90(2): 147.
75676	Heida A, Koot BGP, vd Baan-Slootweg OH, et al (2014). Gallstone disease in severely obese children participating in a lifestyle intervention program: incidence and risk factors. <i>Int J Obes</i> , 38: 950-3.
75677	Henao-Moran S, Denova-Gutierrez E, Moran S, et al (2014). Recreational physical activity is inversely associated with asymptomatic gallstones in adult Mexican women. <i>Ann Hepatol</i> , 13(6): 810-8.
76546	Hussain A, Nadeem MA, Nisar S, et al (2014). Frequency of gallstones in patients with liver cirrhosis. <i>J Ayub Med Coll Abbottabad</i> , 26(3): 341-3.
44302	Inuzuka S, Tomiyasu N, Kumamoto M, Egashira T, et al (2003). A patient with hyperlipidemia who had a gallbladder stone caused by administration of Fenofibrate. <i>Kurume Med J</i> , 50(1-2) pp 77-80.
44300	Ishizuk H, Eguchi H, Oda T, Ogawa S, et al (2003). Relation of coffee, green tea and caffeine intake to gallstone disease in middle-aged Japanese men. <i>European Journal of Epidemiology</i> , 18(5) pp 401-405.
75679	Jayakrishnan TT, Groeschl RT, George B, et al (2014). Review of the Impact of Antineoplastic Therapies on the Risk for Cholelithiasis and Acute Cholecystitis. <i>Ann Surg Oncol</i> , 21: 240-7.
43380	Jayanthi V, Anand L, Ashok L, et al (2005). Dietary factors in pathogenesis of gallstone disease in southern India - a hospital based case-control study. <i>Indian Journal of Gastroenterology</i> , 24(3): 97-9.
77586	Jessri M, Rashidkhani B (2015). Dietary patterns and risk of gallbladder disease: a hospital-based case-control study in adult women. <i>J Health Popul Nutr</i> , 33(1): 39-49.

75680	Johansson K, Sundstrom J, Marcus C, et al (2014). Risk of symptomatic gallstones and cholecystectomy after a very-low-calorie diet or low-calorie diet in a commercial weight loss program: 1-year matched cohort study. <i>Int J Obes</i> , 38: 279-84.
41897	Johnson CD (2001). ABC of the upper gastrointestinal tract. Upper abdominal pain: gall bladder. <i>BMJ</i> , 323: 1170-1173.
75681	Jonas E, Marsk R, Rasmussen F, et al (2010). Incidence of postoperative gallstone disease after antiobesity surgery: population-based study from Sweden. <i>Surg Obes Relat Dis</i> , 6: 54-8.
44128	Jonkers IJAM, Smelt AHM, Ledebuur M, Hollum ME, et al (2003). Gall bladder dysmotility: a risk factor for gall stone formation in hypertriglyceridaemia and reversal on triglyceride lowering therapy by bezafibrate and fish oil. <i>Gut</i> , Vol 52 pp 109-115.
47130	Jorgensen T (1989). Gall stones in a Danish population. Relation to weight, physical activity, smoking, coffee consumption, and diabetes mellitus. <i>Gut</i> , 30(4): 528-34.
44215	Juran BD, Lazaridis KN (2006). Genetics of hepatobiliary diseases. <i>Clinical Gastroenterology and Hepatology</i> , 4(5) pp 548-57.
47131	Kaaja R, Greer IA (2005). Manifestations of chronic disease during pregnancy. <i>JAMA</i> , 294(21): 2751-9.
44137	Kaechele V, Wabitsch M, Thiere D, Kessler AL, et al (2006). Prevalence of gallbladder stone disease in obese children and adolescents: influence of the degree of obesity, sex and pubertal development. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 42(1) pp 66-70.
44144	Kaji H, Asano N, Tamura H, Yuh I (2004). Common bile duct stone caused by a fish bone: report of a case. <i>Surg Today</i> , 34(3) pp 268-271.
44105	Kalloo AN, Kantsevoy SV (2001). Gallstones and biliary diseases. <i>Prim Care</i> , 28(3) pp 591-606.
44899	Kamrath RO, Plummer LJ, Sadur CN, Adler MA, et al (1992). Cholelithiasis in patients treated with a very-low-calorie diet. <i>Am J Clin Nutr</i> , Vol 56 pp 255S-257S.
44141	Kaneko K, Ando H, Seo T, Ono Y, et al (2005). Bile infection contributes to intrahepatic calculi formation after excision of choledochal cysts. <i>Pediatr Surg Int</i> , 21(1) pp 8-11.
47242	Kang JY, Ellis C, Majeed A, Hoare J et al (2003). Gallstones - an increasing problem: a study of hospital admissions in England between 1989/1990 and 1999/2000. <i>Aliment Pharmacol Ther</i> , 17(4): 561-9.
44098	Katsika D, Grjibovski A, Einarsson C, Lammert F, Lichtenstein P, Marschall H-U (2005). Genetic and environmental influences on symptomatic gallstone disease: a Swedish study of 43,141 twin pairs. <i>Hepatology</i> , 41(5) pp 1138-1143.
76596	Kazama JJ, Kazama S, Koda R, et al (2009). The risk of gallbladder stone formation is increased in patients with predialysis chronic kidney disease but not those undergoing chronic hemodialysis therapy. <i>Nephron Clin Pract</i> , 111: c167-72.
43377	Kejariwal D (2006). Cholelithiasis associated with haemolytic-uraemic syndrome. <i>World Journal of Gastroenterology</i> , 12(14) pp 2291-2292.
44108	Khanna S, Vij JC (2005). Endoclips as nidus for choledocholithiasis presenting 5 years after laparoscopic cholecystectomy. <i>Endoscopy</i> , 37(2) pp 188.
76547	Khoo AK, Cartwright R, Berry S, et al (2014). Cholecystectomy in English children: evidence of an epidemic (1997-2012). <i>J Pediatr Surg</i> , 49(2): 284-8.
44206	Kiewiet RM, Durian MF, van Leersum M, Hesp FLEM, van Vliet ACM (2006). Gallstone formation after weight loss following gastric banding in morbidly obese Dutch patients. <i>Obesity Surgery</i> , 16(5) pp 592-596.

43376	Kim IS, Myung S-J, Lee SS, Kim M-H (2003). Classification and nomenclature of gallstones revisited. <i>Yonsei Medical Journal</i> , 44(4) pp 561-570.
44170	Kim TO, Lee SH, Kim GH, Heo J, et al (2006). Common bile duct stone caused by a phytobezoar. <i>Gastrointestinal Endoscopy</i> , 63(2) pp 324.
44214	Kim YH, Kim YJ, Park WK, Lee SK, et al (2004). Fish bone as a nidus for stone formation in the common bile duct: report of two cases. <i>Korean J Radiol</i> , 5(3) pp 210-213.
75682	Kitamura E, Ogino M (2011). Occurrence of Cholelithiasis and Cholecystitis in Amyotrophic Lateral Sclerosis Patients with Long-Term Tracheostomy Invasive Ventilation. <i>Intern Med</i> , 50: 2291-5.
43375	Kitsiou-Tzeli S (2003). Gilbert's syndrome as a predisposing factor for idiopathic cholelithiasis in children. <i>Journal of Hematology</i> , 88(10) pp 1193-1194.
76548	Klahan S, Kuo CN, Chien SC, et al (2014). Osteoporosis increases subsequent risk of gallstone: a nationwide population-based cohort study in Taiwan. <i>BMC Gastroenterology</i> , 14: 192.
44217	Klar A, Branski D, Akerman Y, Nadjari M, Berkun Y, et al (2005). Sludge ball, pseudolithiasis, cholelithiasis and choledocholithiasis from intrauterine life to 2 years: a 13-year follow-up. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 40(4) pp 477-480.
43351	Kleiner O, Ramesh J, Huleihel M, Cohen B, Kantarovich K, et al (2002). A comparative study of gallstones from children and adults using FTIR spectroscopy and fluorescence microscopy. <i>BMC Gastroenterology</i> , 2(3) Epub
44099	Ko CW, Beresford SAA, Schulte SJ, Matsumoto AM, Lee SP (2005). Incidence, natural history, and risk factors for biliary sludge and stones during pregnancy. <i>Hepatology</i> , 41(2) pp 359-365.
44104	Ko CW, Lee SP (2002). Epidemiology and natural history of common bile duct stones and prediction of disease. <i>Gastrointestinal Endoscopy</i> , 56(6 Suppl) pp S165-S169.
44107	Kobayashi T, Hisanaga M, Kanehiro H, Yamada Y, Ko S, Nakajima Y (2005). Analysis of risk factors for the development of gallstones after gastrectomy. <i>Br J Surg</i> , 92(11) pp 1399-1403.
75683	Kocher R, Banerjee S (2013). Infections of the biliary tract. <i>Gastrointest Endosc Clin N Am</i> , 23: 199-218.
75684	Koebnick C, Smith N, Black MH, et al (2012). Pediatric obesity and gallstone disease: results from a cross-sectional study of over 510,000 youth. <i>J Pediatr Gastroenterol Nutr</i> , 55(3): 328-33.
76549	Koller T, Kollerova J, Hlavaty T, et al (2012). Cholelithiasis and markers of nonalcoholic fatty liver disease in patients with metabolic risk factors. <i>Scand J Gastroenterol</i> , 47: 197-203.
44135	Kono S, Eguchi H, Honjo S, Todoroki I, et al (2002). Cigarette smoking, alcohol use, and gallstone risk in Japanese men. <i>Digestion</i> , 65(3) pp 177-183.
44138	Kosters A, Jirsa M, Groen AK (2003). Genetic background of cholesterol gallstone disease. <i>Biochimica et Biophysica Acta</i> , 1637(1) pp 1-19.
43374	Kratzer W, Haenle MM, Mason RA, von Tirpitz C, Kaechele V (2005). Prevalence of cholelithiasis in patients with chronic inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 11(39) pp 6170-6175.
76646	Kriska AM, Brach JS, Jarvis BJ, et al (2007). Physical activity and gallbladder disease determined by ultrasonography. <i>Med Sci Sports Exerc</i> , 39(11): 1927-32.
44892	Kumar D, Garg PK, Tandon RK (2001). Clinical and biochemical comparative study of different types of common bile duct stones. <i>Indian J Gastroenterol</i> , 20: 187-90.

44109	Lai K-H, Wu C-M, Lo C-C, Lo G-H (2004). Clonorchiasis and biliary stones. <i>Gastrointestinal Endoscopy</i> , 59(1) pp 78-79.
76799	Lai SW, Liao KF, Lai HC, et al (2009). The prevalence of gallbladder stones is higher among patients with chronic kidney disease in Taiwan. <i>Medicine</i> , 88: 46-51.
44095	Lai S-W, Ng K-C (2002). Risk factors for gallstone disease in a hospital-based study. <i>Southern Medical Journal</i> , 95(12) pp 1419-1423.
44210	Lammert F, Sauerbruch T (2005). Mechanisms of disease: the genetic epidemiology of gallbladder stones. <i>Nature Clinical Practice. Gastroenterology & Hepatology</i> , 2(9) pp 423-433.
43373	Lapidus A, Akerlund J-E, Einarsson C (2006). Gallbladder bile composition in patients with crohn's disease. <i>World Journal of Gastroenterology</i> , 12(1) pp 70-74.
44325	Laukkarinen J, Sand J, Saaristo R, Salmi J, et al (2003). Is bile flow reduced in patients with hypothyroidism? <i>Surgery</i> , Vol 133 pp 288-293.
76550	Lee JY, Keane MG, Pereira S (2015). Diagnosis and treatment of gallstone disease. <i>The Practitioner</i> , 259(1783): 15-9.
75685	Lee YC, Wu JS, Yang YC, et al (2014). Hepatitis B and Hepatitis C associated with risk of gallstone disease in elderly adults. <i>JAGS</i> , 62(8): 1600-2.
75686	Lee YC, Wu JS, Yang Y-C, et al (2014). Moderate to severe, but not mild, nonalcoholic fatty liver disease associated with increased risk of gallstone disease. <i>Scand J Gastroenterol</i> , 49: 1001-6.
44114	Leitzmann MF, Stampfer MJ, Willett WC, Spiegelman D, et al (2002). Coffee intake is associated with lower risk of symptomatic gallstone disease in women. <i>Gastroenterology</i> , Vol 123 pp 1823-1830.
43372	Li Vecchi M, Soresi M, Cusimano R, et al (2003). Prevalence of biliary lithiasis in a Sicilian population of chronic renal failure patients. <i>Nephrol Dial Transplant</i> , 18(11): 2321-4.
75687	Li VK, Pulido N, Fajnwaks P, et al (2009). Predictors of gallstone formation after bariatric surgery: a multivariate analysis of risk factors comparing gastric bypass, gastric banding, and sleeve gastrectomy. <i>Surg Endosc</i> , 23: 1640-4.
76597	Lichtenstein DR (2011). Hepatobiliary complications of inflammatory bowel disease. <i>Curr Gastroenterol Rep</i> , 13: 495-505.
75688	Lin I-C, Yang Y-W, Wu M-F, et al (2014). The association of metabolic syndrome and its factors with gallstone disease. <i>BMC Family Practice</i> , 15: 138.
44208	Lin J-N, Yen C-M, Liu C-S, Tsai M-S, Kuo K-K (2001). Hepatic schistosomiasis japonica in a patient with gallstones and bile duct stones - a case report. <i>Kaohsiung J Med Sci</i> , 17(8) pp 437-440.
44203	Lindseth G, Bird-Baker MY (2004). Risk factors for cholelithiasis in pregnancy. <i>Research in Nursing & Health</i> , 27(6): 382-91.
75657	Liu C-M, Hsu C-T, Li C-Y, et al (2012). A population-based cohort study of symptomatic gallstone disease in diabetic patients. <i>World J Gastroenterol</i> , 18(14): 1652-9.
45452	Liu CM, Tung T-H, Tsai S-T, Liu J-H, et al (2005). Serum insulin, insulin resistance, B-cell dysfunction, and gallstone disease among type 2 diabetics in Chinese population: A community-based study in Kinmen, Taiwan. <i>World J Gastroenterol</i> , 11(45) pp 7159-7164.
76551	Liu J, Lin H, Zhang C, et al (2014). Non-alcoholic fatty liver disease associated with gallstones in females rather than males: a longitudinal cohort study in Chinese urban population. <i>BMC Gastroenterology</i> , 14: 213.
43588	Liu X-T, Hu J (2002). Relationship between bilirubin free radical and formation of pigment gallstone. <i>World J Gastroenterol</i> , 8(3) pp 413-417.

44164	Loria P, Lonardo A, Lombardini S, Carulli L, et al (2005). Gallstone disease in non-alcoholic fatty liver: prevalence and associated factors. <i>Journal of Gastroenterology and Hepatology</i> , Vol 20 pp 1176-1184.
75689	Luu MB, Deziel DJ (2014). Unusual complications of gallstones. <i>Surg Clin N Am</i> , 94: 377-394.
75690	Maeda C, Yokoyama N, Otani T, et al (2013). Bile duct stone formation around a nylon suture after gastrectomy: A case report. <i>BMC Research Notes</i> , 6(108): .
76598	Martin D (2011). Physical activity benefits and risks on the gastrointestinal system. <i>Southern Med J</i> , 104(12): 831-7.
76552	Mathew LK, Ko C (2014). Dietary fat and protein intake are not associated with incident biliary sludge and stones during pregnancy. <i>JPEN J Parenter Enteral Nutr</i> , 39(1): 124-8.
43370	Mendez-Sanchez N, Bermejo-Martinez LB, Vinals Y, Chavez-Tapia NC, et al (2005). Serum leptin levels and insulin resistance are associated with gallstone disease in overweight subjects. <i>World Journal of Gastroenterology</i> , 11(39) pp 6182-6187.
43371	Mendez-Sanchez N, Chavez-Tapia NC, Motola-Kuba D, Sanchez-Lara K, et al (2005). Metabolic syndrome as a risk factor for gallstone disease. <i>World Journal of Gastroenterology</i> , 11(11) pp 1653-1657.
44199	Mendez-Sanchez N, Chavez-Tapia NC, Uribe M (2003). The role of dietary fats in the pathogenesis of gallstones. <i>Frontiers in Bioscience</i> , 8: e420-7.
44305	Mendez-Sanchez N, King-Martinez AC, Ramos MH, Pichardo-Bahena R, Uribe M (2004). The Amerindian's genes in the Mexican population are associated with development of gallstone disease. <i>American Journal of Gastroenterology</i> , 99(11) pp 2166-2170.
387	Messing B, Bories C, Kunstlinger F, Bernier J-J (1983). Does total parenteral nutrition induce gallbladder sludge formation and lithiasis? <i>Gastroenterology</i> , 84(5): 1012- 19.
44161	Michielsen PP, Fierens H, Van Maercke YM (1992). Drug-induced gallbladder disease. Incidence, aetiology and management. <i>Drug Safety</i> , 7(1) pp 32-45.
43369	Miller K, Hell E, Lang B, Lengauer E (2003). Gallstone formation prophylaxis after gastric restrictive procedures for weight loss. A randomized double-blind placebo-controlled trial. <i>Annals of Surgery</i> , 238(5) pp 697-702.
44205	Miquel JF, Zanolungo S, Nervi F (2005). The old enigma of diets, oils, and stones. <i>Nutrition</i> , 118(12) pp 419-421.
43350	Mittal B, Mittal R (2002). Genetics of gallstone disease. <i>J Postgrad Med</i> , 48(2) pp 149-152.
75670	Moghaddam TG, Fakheri H, Abdi R, et al (2013). The Incidence and Outcome of Pregnancy-related Biliary Sludge/stones and Potential Risk Factors. <i>Arch Iran Med</i> , 16(1): 12-6.
75691	Mohamed APA, Kadambari D, Bhuvaneswari V (2009). Tamoxifen use and gallstone formation in postmenopausal breast cancer patients in south Indian population. <i>Ind J Cancer</i> , 46(2): 151-4.
44123	Mouzas IA, Petrakis I, Vardas Em Kogerakis N, et al (2005). Bile leakage presenting as acute abdomen due to a stone created around a migrated surgical clip. <i>Med Sci Monit</i> , 11(3) pp CS16-CS18.
44116	Nakai K, Tazuma S, Ochi H, et al (2001). Does bilirubin play a role in the pathogenesis of both cholesterol and pigment gallstone formation? Direct and indirect influences of bilirubin on bile lithogenicity. <i>Biochimica et Biophysica Acta</i> , 1534: 78-84.
43368	Nakeeb A, Comuzzie AG, Martin L, Sonnenberg GE, et al (2002). Gallstones. Genetics versus environment. <i>Annals of Surgery</i> , 235(6) pp 842-849.
75692	Nervi F, Arrese M (2013). Cholecystectomy and NAFLD: Does Gallbladder Removal Have Metabolic Consequences? <i>Am J Gastroenterol</i> , 108: 959-61.

76553	Nishijima T, Shimbo T, Komatsu H, et al (2014). Cumulative exposure to ritonavir-boosted atazanavir is associated with cholelithiasis in patients with HIV-1 infection. <i>J Antimicro Chemother</i> , 69(5): 1385-9.
43378	Nitin Rao AR, Chui AK (2004). Intrahepatic stones - an etiological quagmire. <i>Indian J Gastroenterol</i> , 23(6) pp 201-202.
44299	Novacek G (2006). Gender and gallstone disease. <i>Wien Med Wochenschr</i> , 156(19-20) pp 527-533.
75693	O'Connell K, Brasel K (2014). Bile Metabolism and Lithogenesis. <i>Surg Clin N Am</i> , 94: 361-75.
76643	Oida T, Mimatsu K, Kano H, et al (2012). Cholecystitis, cholelithiasis and hyperbilirubinemia after esophagectomy. <i>Hepatogastroenterology</i> , 59(115): 742-4.
44202	Pagliarulo M, Fornari F, Fraquelli M, Zolu M, et al (2004). Gallstone disease and related risk factors in a large cohort of diabetic patients. <i>Digestive and Liver Disease</i> , 36(2) pp 130-134.
47240	Palazzo L, O'Toole D (2005). Biliary stones: including acute biliary pancreatitis. <i>Gastrointest Endosc Clin N Am</i> , 15(1): 63-82.
44306	Pamuk ON, Umit H, Unlu E, Koker IH, Cakir N (2006). An increased frequency of gallbladder stones in rheumatoid arthritis patients. Factors related to gallbladder stone formation. <i>Clinical and Experimental Rheumatology</i> , 24(3) pp 317-320.
44296	Pandey M, Shukla VK (2002). Diet and gallbladder cancer: a case-control study. <i>European Journal of Cancer Prevention</i> , 11(4): 365-38.
44245	Parente F, Pastore L, Bargiggia S, Cucino C, et al (2007). Incidence and risk factors for gallstones in patients with inflammatory bowel disease: a large case-control study. <i>Hepatology</i> , 45(5) pp 1267-1274.
76554	Pasternak A, Szura M, Gil K, et al (2014). Metabolism of bile with respect to etiology of gallstone disease - systematic review. <i>Folia Medica Cracoviensis</i> , 2: 5-16.
75694	Pellino G, Candilio G, De Fatico G, et al (2015). Gallstone ileus without bilioenteric fistula years after bypass surgery for Crohn's disease. Case report and clues to etiology of a neglected cause of obstruction. <i>Int J Surg Case Rep</i> , 9: 134-8.
75695	Plecka Ostlund M, Wenger U, Mattsson F, et al (2012). Population-based study of the need for cholecystectomy after obesity surgery. <i>Br J Surg</i> , 99: 864-9.
44204	Portincasa P, Moschetta A, Calmita G, Margari A, Palasciano (2003). Pathobiology of cholesterol gallstone disease: from equilibrium ternary phase diagram to agents preventing cholesterol crystalization and stone formation. <i>Curr Drug Targets Immune Endocr Metabol Discord</i> , 3(1) pp 67-81.
44120	Portincasa P, Moschetta A, Palasciano G (2006). Cholesterol gallstone disease. <i>Lancet</i> , Vol 368 pp 230-239.
43367	Portincasa P, Moschetta A, Berardino M, Di Ciaula A, et al (2004). Impaired gallbladder motility and delayed orocecal transit contribute to pigment gallstone and biliary sludge formation in B-thalassemia major adults. <i>World Journal of Gastroenterology</i> , 10(16) pp 2383-2390.
47127	Prakash K, Ramesh H, Jacob G, Venugopal A et al (2004). Multidisciplinary approach in the long-term management of intrahepatic stones: Indian experience. <i>Indian J Gastroenterol</i> , 23(6): 209-13.
75696	Premkumar M, Sable T (2012). Obesity, dyslipidemia and cholesterol gallstone disease during one year of Antarctic residence. <i>Rural and Remote Health</i> , 12(2186): .
43366	Prouty AM, Gunn JS (2003). Comparative analysis of salmonella enterica serovar typhimurium biofilm formation on gallstones and on glass. <i>Infection and Immunity</i> , 71(12) pp 7154-7158.

75697	Pulkkinen J, Eskelinen M, Kiviniemi V, et al (2014). Effect of statin use on outcome of symptomatic cholelithiasis: a case-control study. <i>BMC Gastroenterology</i> , 14(119): .
75698	Qiao T, Ma R-H, Luo X-B, et al (2012). Cholecystolithiasis Is Associated with Clonorchis sinensis Infection. <i>PLoS One</i> , 7(8): e42471.
75699	Qiao T, Ma RH, Luo ZL, et al (2014). Clonorcis sinensis eggs are associated with calcium carbonate gallbladder stones. <i>Acta Tropica</i> , 138: 28-37.
75700	Rakotondravelo S, Poinsignon Y, Borsa-Lebas F, et al (2012). Complicated Atazanavir-Associated Cholelithiasis: A Report of 14 Cases. <i>CID</i> , 55(9): 1270-2.
75701	Ramzan Z, Anzengruber F (2014). A Case of Biliary Ascariasis. <i>IMAJ</i> , 16: 324-5.
75702	Reddy SK, Zhan M, Alexander H (2013). Nonalcoholic fatty liver disease is associated with benign gastrointestinal disorders. <i>World J Gastroenterol</i> , 19(45): 8301-1.
44101	Redfern JS, Fortuner WJ II (1995). Octreotide-associated biliary tract dysfunction and gallstone formation: pathophysiology and management. <i>Am J Gastroenterol</i> , 90(7) pp 1042-1052.
44167	Rege RV (2002). The role of biliary calcium in gallstone pathogenesis. <i>Frontiers in Bioscience</i> , Vol 7 pp e315-e325.
75703	Rhodes MM, Bates DB, Andrews T, et al (2014). Abdominal pain in children with sickle cell disease. <i>J Clin Gastroenterol</i> , 48(2): 99-105.
44125	Richardson WS, Surowiec WJ, Carter KM, Howell TP, et al (2003). Gallstone disease in heart transplant recipients. <i>Annals of Surgery</i> , 237(2) pp 273-276.
9101	Robertson FM, Crombleholme TM, Barlow SE, Verhave M and Brown D (1996). Ceftriaxone choledocholithiasis. <i>Pediatrics</i> , 98(1): 133-5.
44131	Roberts-Thomson IC, Butler WJ (2005). Polymorphism and gallstones. <i>Journal of Gastroenterology and Hepatology</i> , 20(2) pp 319-320.
75704	Rojas-Feria M, Castro M, Suarez E, et al (2013). Hepatobiliary manifestations in inflammatory bowel disease: The gut, the drugs and the liver. <i>World J Gastroenterol</i> , 19(42): 7327-40.
47243	Rosenbaum H, Sidransky E (2002). Cholelithiasis in patients with Gaucher disease. <i>Blood Cells Mol Dis</i> , 28(1): 21-7.
44097	Rotter KP, Larrain CG (2003). Gallstones in spinal cord injury (SCI): a late medical complication? <i>Spinal Cord</i> , 41(2) pp 105-108.
75705	Ruhl CE, Everhart JE (2013). Relationship of Non-alcoholic Fatty Liver Disease With Cholecystectomy in the US Population. <i>Am J Gastroenterol</i> , 108: 952-8.
389	Ruppin DC, Dowling RH (1982). Is recurrence inevitable after gallstone dissolution by bile-acid treatment? <i>Lancet</i> , 23 Jan: 181-5.
44247	Sakuta H, Suzuki T (2005). Plasma total homocysteine and gallstone in middle-aged Japanese men. <i>J Gastroenterol</i> , 40(11) pp 1061-1064.
47244	Sakuta H, Suzuki T (2005). [Comment] Homocysteine and gallstone diseases: is hyperhomocysteinemia a prerequisite for or secondary to gallstone formation? <i>J Gastroenterol</i> , 40(11): 1085-7.
44132	Salinas G, Velasquez C, Saavedra L, Ramirez E, et al (2004). Prevalence and risk factors for gallstone disease. <i>Surg Laparosc Endosc Percutan Tech</i> , 14(5) pp 250-253.
44209	Sandhya B, Kate V, Ananthakrishnan N, Bhuvaneshwari V, Koner BC (2005). Effect on gallbladder function subsequent to truncal vagotomy and gastrojejunostomy for chronic duodenal ulcer. <i>Tropical Gastroenterology</i> , 26(1) pp 43-47.
44303	Sandoval C, Katz B, Stringel G, Jayabose S, Lebovics E (2003). Cholelithiasis and Choledocholithiasis after sequential cytarabine and asparaginase. <i>Journal of Hematology/Oncology</i> , 25(8) pp 637-639.

44246	Sarin SK, Guptan RC, Malhotra S (2002). Increased frequency of gallstones in cirrhotic and non-cirrhotic portal hypertension. <i>J Assoc Physicians India</i> , Vol 50 pp 518-522.
43365	Schafmayer C, Hartleb J, Tepel J, Albers S, et al (2006). Predictors of gallstone composition in 1025 symptomatic gallstones from Northern Germany. <i>BMC Gastroenterology</i> , Vol 6 pp 36-41.
44169	Schirmer B, Winters KL, Edlich RF (2005). Cholelithiasis and Cholecystitis. <i>Journal of Long-Term Effects of Medical Implants</i> , 15(3): 329-38.
75706	Schmidt M, Dumot JA, Soreide O, et al (2012). Diagnosis and management of gallbladder calculus disease. <i>Scand J Gastroenterol</i> , 47: 1257-65.
388	Scragg RKR, McMichael AJ, Baghurst PA (1984). Diet, alcohol and relative weight in gall stone disease: A case-control study. <i>British Med Journal</i> , Vol 288: 1113 & 1118.
44112	Serra I, Yamamoto M, Calvo A, Cavada G, et al (2002). Association of chili pepper consumption, low socioeconomic status and longstanding gallstones with gallbladder cancer in a Chilean population. <i>Int J Cancer</i> , Vol 102 pp 407-411.
44076	Shaffer EA (2005). Epidemiology and risk factors for gallstone disease: has the paradigm changed in the 21st century? <i>Curr Gastroenterol Reports</i> , 7(2) pp 132-140.
44124	Shaffer EA (2006). Epidemiology of gallbladder stone disease. <i>Best Practice & Research Clinical Gastroenterology</i> , 20(6) pp 981-986.
75707	Shah SI, Shah S, Hannan A (2014). Hepatitis C - a risk factor for gallstone disease. <i>J Ayub Med Coll Abbottabad</i> , 26(1): 84-7.
75678	Sherafat SJ, Tajeddin E, Majidi MRS, et al (2012). Lack of Association between Helicobacter pylori Infection and Biliary Tract Diseases. <i>Polish Journal of Microbiology</i> , 61(4): 319-22.
382	Sherlock S, Dooley J (1989). Gall stones and Inflammatory Gallbladder Diseases. <i>Diseases of the Liver and Biliary System</i> , 9th Edition, chap 31 562-91. Blackwell Scientific Publications, Oxford.
44297	Shigeta A, Ratanamaneechat S, Srisukho S, et al (2002). Epidemiological correlation between chromium content in gallstones and cholesterol in blood. <i>J Med Assoc Thai</i> , 85(2): 183-94.
44198	Shrivasta UK, Jain N (2002). [Letters] Biliary stones and ascariasis - our experience. <i>Indian J Physiol Pharmacol</i> , 46(2) pp 252-254.
43363	Silva CP, Pereira-Lima JC, Oliveira AG, et al (2003). Association of the presence of helicobacter in gallbladder tissue with cholelithiasis and cholecystitis. <i>Journal of Clinical Microbiology</i> , 41(12): 5615-8.
44200	Silva MA, Wong T (2005). Gallstones in chronic liver disease. <i>J Gastrointest Surg</i> , 9(5) pp 739-746.
44746	Simon JA, Hunninghake DB, Agarwal SK, Lin F, et al (2001). Effect of estrogen plus progestin on risk for biliary tract surgery in postmenopausal women with coronary artery disease. The heart and estrogen/progestin replacement study. <i>Ann Intern Med</i> , Vol 135 pp 493-501.
75708	Simonsen MH, Erichsen R, Froslev T, et al (2013). Postmenopausal Estrogen Therapy and Risk of Gallstone Disease: A Population-Based Case-Control Study. <i>Drug Saf</i> , 36: 1189-97.
44146	Simren M (2002). Physical activity and the gastrointestinal tract. <i>Eur J Gastroenterol Hepatol</i> , 14(10) pp 1053-1056.
75709	Smelt AHM (2010). Triglycerides and gallstone formation. <i>Clinica Chimica Acta</i> , 411: 1625-31.
75710	Sodhi JS, Zargar SA, Khateeb S, et al (2014). Prevalence of gallstone disease in patients with type 2 diabetes and the risk factors in North Indian population: A case control study. <i>Indian J Gastroenterol</i> , 33(6): 507-11.
43364	Sripa B, Kanla P, Sinawat P, Haswell-Elkins MR (2004). Opisthorchiasis-associated biliary stones: light and scanning electron microscopic study. <i>World Journal of Gastroenterology</i> , 10(22) pp 3318-3321.

44891	Stampfer MJ, Maclure KM, Colditz GA, Manson JE, Willett WC (1992). Risk of symptomatic gallstones in women with severe obesity. <i>Am J Clin Nutr</i> , Vol 55 pp 652-658.
75711	Stender S, Frikkie-Schmidt R, Benn M, et al (2013). Low-density lipoprotein cholesterol and risk of gallstone disease: A Mendelian randomization study and meta-analyses. <i>Journal of Hepatology</i> , 58: 126-33.
75712	Stender S, Nordestgaard BG, Tybjærg-Hansen A (2013). Elevated Body Mass Index as a Causal Risk Factor for Symptomatic Gallstone Disease: A Mendelian Randomization Study. <i>Hepatology</i> , 58(6): 2133-41.
44211	Stewart L, Griffiss JM, Way LW (2005). Spectrum of gallstone disease in the veterans population. <i>The American Journal of Surgery</i> , 190(5) pp 746-751.
44216	Stewart L, Oesterle AL, Erdan I, Griffiss JM, Way LW (2002). Pathogenesis of pigment gallstones in Western societies: the central role of bacteria. <i>J Gastrointest Surg</i> , 6(6) pp 891-904.
75713	Stief J, Stempfle HU, Gotzberger M, et al (2009). Biliary diseases in heart transplanted patients: a comparison between cyclosporine A versus tacrolimus-based immunosuppression. <i>Eur J Med Res</i> , 14: 206-9.
75714	Stinton LM, Myers RP, Shaffer EA (2010). Epidemiology of gallstones. <i>Gastroenterol Clin N Am</i> , 39: 157-69.
44134	Storti KL, Brach JS, FitzGerald SJ, Zmuda JM, et al (2005). Physical activity and decreased risk of clinical gallstone disease among post-menopausal women. <i>Preventative Medicine</i> , 41(3-4) pp 772-777.
75715	Su Y, Dai Y, Lin Y, et al (2012). Serum organochlorine pesticide residues and risk of gallstone disease: A case-control study in Xiamen. <i>Ann Epidemiol</i> , 22: 592-7.
75716	Supe A (2011). Asymptomatic gall stones - revisited. <i>Trop Gastroenterol</i> , 32(3): 196-203.
75717	Svensson J, Makin E (2012). Gallstone disease in children. <i>Semin Pediatr Surg</i> , 21: 255-65.
75718	Takahashi Y, Yamamichi N, Shimamoto T, et al (2014). Helicobacter pylori infection is positively associated with gallstones: a large-scale cross-sectional study in Japan. <i>J Gastroentero</i> , 49: 882-9.
44304	Tamary H, Aviner S, Freud E, Miskin H, et al (2003). High incidence of early cholelithiasis detected by ultrasonography in children and young adults with hereditary spherocytosis, <i>J Pediatr Hematol Oncol</i> pp 952-954.
44249	Taylor B, Rehm J, Gmel G (2005). Moderate alcohol consumption and the gastrointestinal tract. <i>Dig Dis</i> , 23(3-4): 170-6.
76800	Taylor EN, Chan AT, Giovannucci EL, et al (2011). Cholelithiasis and risk of nephrolithiasis. <i>J Urol</i> , 186(5): 1882-7.
44122	Tazuma S (2005). Homocysteine and gallstone diseases: is hyperhomocysteinemia a prerequisite for or secondary to gallstone formation? <i>J Gastroenterol</i> , Vol 40 pp 1085-1087.
44087	Tazuma S (2006). Epidemiology, pathogenesis, and classification of biliary stones (common bile duct and intrahepatic). <i>Best Practice & Research Clinical Gastroenterology</i> , 20(6) PP 1075-1083.
75719	Tazuma S, Kanno K, Sugiyama A, et al (2013). Nutritional factors (nutritional aspects) in biliary disorders: Bile acid and lipid metabolism in gallstone diseases and pancreaticobiliary maljunction. <i>JGH</i> , 28(Supp. 4): 103-7.
76599	Thandassery RB, Jha AK, Goenka MK (2014). Biliary ascariasis: an uncommon cause for recurrent biliary colic after biliary sphincterotomy and common bile duct stone removal. <i>Trop Doct</i> , 44(2): 108-9.
386	The Coronary Drug Project Research Group (1977). Gallbladder disease as a side effect of drugs influencing lipid metabolism. <i>NEJM</i> , 296(21): 1185-90.
44201	Tola VB, Chamberlain S, Kotyk SK, Soybel DI (2000). Symptomatic gallstones in patients with spinal cord injury. <i>J Gastrointest Surg</i> , 4(6) pp 642-647.

44218	Torchio P, Corrao G; Volpi A, Okolicsanyi L; Pagliarulo M, Fraquelli M, Conte D; Caroli A (2004). [Letters] Prevalence of gallstone disease and related risk factors in 889 diabetic subjects of southern Italy; Gallstone disease in diabetics: prevalence and associated factors; Reply to Caroli. <i>Digestive and Liver Disease</i> , 36(10) pp 698-700.
44307	Torgerson JS, Lindroos AK, Naslund I, et al (2003). Gallstones, gallbladder disease, and pancreatitis: cross-sectional and 2-year data from the Swedish Obese Subjects (SOS) and SOS reference studies. <i>The American Journal of Gastroenterology</i> , 98(5): 1032-41.
75720	Tsai C-H, Wu J-S, Chang Y-F, et al (2014). The Number of Metabolic Abnormalities Associated with the Risk of Gallstones in a Non-diabetic Population. <i>PLoS One</i> , 9(3): e90310.
43362	Tsai C-J, Leitzmann MF, Willett WC, Giovannucci EL (2004). Prospective study of abdominal adiposity and gallstone disease in US men. <i>American Society for Clinical Nutrition</i> , Vol 80 pp 38-44.
45453	Tsai C-J, Leitzmann MF, Hu FB, Willett WC, Giovannucci EL (2004). Frequent nut consumption and decreased risk of cholecystectomy in women. <i>Am J Clin Nutr</i> , Vol 80 pp 76-81.
44091	Tsai C-J, Leitzmann MF, Willett WC, Giovannucci EL (2005). Long-term intake of trans-fatty acids and risk of gallstone disease in men. <i>Arch Intern Med</i> , 165(9) pp 1011-1015.
44113	Tsai C-J, Leitzmann MF, Willett WC, Giovannucci EL (2007). Heme and non-heme iron consumption and risk of gallstone disease in men. <i>Am J Clin Nutr</i> , Vol 85 pp 518-522.
43360	Tsai C-J, Leitzmann MF, Hu FB, Willett WC, Giovannucci EL (2004). A prospective cohort study of nut consumption and the risk of gallstone disease in men. <i>American Journal of Epidemiology</i> , 160(10) pp 961-968.
43361	Tsai C-J, Leitzmann MF, Willett WC, Giovannucci EL (2004). Dietary protein and the risk of cholecystectomy in a cohort of us women: the nurses health study. <i>American Journal of Epidemiology</i> , 160(1) pp 11-18
75721	Tsai CJ, Leitzmann MF, Willett WC, et al (2006). Central adiposity, regional fat distribution, and the risk of cholecystectomy in women. <i>Gut</i> , 55: 708-14.
47245	Tsai CJ, Leitzmann MF, Willett WC, Giovannucci EL (2006). Weight cycling and risk of gallstone disease in men. <i>Arch Intern Med</i> , 166(21): 2369-71. Abstract.
75722	Tsirline VB, Keilani ZM, Djouzi SE, et al (2014). How frequently and when do patients undergo cholecystectomy after bariatric surgery? <i>Surg Obes Relat Dis</i> , 10: 313-21.
44136	Tsunoda K, Shirai Y, Wakai T, Yokoyama N, et al (2004). Increased risk of cholelithiasis after esophagectomy. <i>J Hepatobiliary Pancreat Surg</i> , 11(5) pp 319-323.
44166	Tsunoda K, Shirai Y, Hatakeyama K (2004). Prevalence of cholesterol gallstones positively correlates with per capita daily calorie intake. <i>Hepato-Gastroenterology</i> , Vol 51 pp 1271-1274.
45454	Tung T-H, Ho H-M, Shih H-C, Chou P, et al (2006). A population-based follow-up study on gallstone disease among type 2 diabetics in Kinmen, Taiwan. <i>World J Gastroenterol</i> , 12(28) pp 4536-4540.
44102	Tyler CV Jr, Zyzanski SJ, Runser L (2004). Increased risk of symptomatic gallbladder disease in adults with Down Syndrome. <i>Am J Med Genet</i> , 130A(4) pp 351-353.
44163	Tzanakis I, Papadaki A, Kagia S, Karefyllakis N, et al (2003). Prevalence of cholelithiasis in hemodialysis patients. <i>Clinical Nephrology</i> , 59(6) pp 483-484
47132	Uhler ML, Marks JW, Voigt BJ, Judd HL (1998). Comparison of the impact of transdermal versus oral estrogens on biliary markers of gallstone formation in postmenopausal women. <i>J Clin Endocrinol Metab</i> , 83(2): 410-4.

44143	van Erpecum K (2004). Cholesterol-gallstone formation: more than a biliary lipid defect? <i>J Lab Clin Med</i> , 144(3) pp 121-123.
75723	Venneman NG, van Erpecum KJ (2010). Pathogenesis of gallstones. <i>Gastroenterol Clin N Am</i> , 39: 171-83.
75724	Verma SK, Mishra AK, Jaiswal AK (2013). Tuberculosis of gallbladder neck: a cause of cholecystitis with cholelithiasis. <i>BMJ Case Reports</i> , : pii: bcr2012008007.
44142	Volzke H, Baumeister SE, Alte D, Hoffman W, et al (2005). Independent risk factors for gallstone formation in a region with high cholelithiasis prevalence. <i>Digestion</i> , 71(2) pp 97-105.
43359	Walcher T, Haenle MM, Kron M, Hay B, et al (2005). Pregnancy is not a risk factor for gallstone disease: results of randomly selected population sample. <i>World Journal of Gastroenterology</i> , 11(43) pp 6800-6806.
75725	Walker SK, Maki AC, Cannon RM, et al (2013). Etiology and incidence of pediatric gallbladder disease. <i>Surgery</i> , 154: 927-33.
44086	Wang DQH, Afdhal NH (2004). Genetic analysis of cholesterol gallstone formation: searching for lith (gallstone) genes. <i>Curr Gastroenterol Reports</i> , 6(2): 140-50.
75726	Wang J, Pan Y-L, Xie Y, et al (2013). Biliary ascariasis in a bile duct stones-removed female patient. <i>World J Gastroenterol</i> , 19(36): 6122-4.
44896	Weinsier RL, Wilson LJ, Lee J (1995). Medically safe rate of weight loss for the treatment of obesity: a guideline based on risk of gallstone formation. <i>Am J Med</i> , Vol 98 pp 115-117.
43355	Wen Y, Li Y-G, Yang Z-L, Wang X-J, et al (2005). Detection of nanobacteria in serum, bile and gallbladder mucosa of patients with cholecystolithiasis. <i>Chinese Medical Journal</i> , 118(5) pp 421-424.
47924	Wittenburg, H, Lammert F (2007). Genetic predisposition to gallbladder stones. <i>Semin Liver Dis</i> , 27(1): 109.21.
44324	Worthington HV, Hunt LP, McCloy RF, et al (2004). Dietary antioxidant lack, impaired hepatic glutathione reserve, and cholesterol gallstones. <i>Clinica Chimica Acta</i> , 349(1-2): 157-65.
43357	Wu S-D, Yu H, Sun J-M (2006). Bacteriological and electron microscopic examination of primary intrahepatic stones. <i>Hepatobiliary & Pancreatic Diseases International</i> , 5(2) pp 228-231.
44115	Wudel LJ Jr, Wright JK, Debelak JP, Allos TM, et al (2002). Prevention of gallstone formation in morbidly obese patients undergoing rapid weight loss: results of a randomized controlled pilot study. <i>Journal of Surgical Research</i> , Vol 102 pp 50-56.
43356	Xia C-S, Han Y-Q, Yang X-Y, Hong G-X (2004). Spinal cord injury and cholelithiasis. <i>Hepatobiliary Pancreat Dis Int</i> , 3(4) pp 595-598.
47247	Yamada M, Wong FL, Fujiwara S, Tatsukawa Y, Suzuki G (2005). Smoking and alcohol habits as risk factors for benign digestive diseases in a Japanese population: the radiation effects research foundation adult health study. <i>Digestion</i> , 71(4): 231-7.
44897	Yang H, Petersen GM, Roth M-P, Schoenfield LJ, Marks JW (1992). Risk factors for gallstone formation during rapid loss of weight. <i>Digestive Diseases and Sciences</i> , 37(6) pp 912-918.
44898	Zapata R, Severin C, Manriquez M, Valdivieso V (2000). Gallbladder motility and lithogenesis in obese patients during diet-induced weight loss. <i>Digestive Diseases and Sciences</i> , 45(2) pp 421-428.
44106	Zhang X-H, Andreotti G, Gao Y-T, et al (2006). Tea drinking and the risk of biliary tract cancers and biliary stones: a population-based case-control study in Shanghai, China. <i>Int J Cancer</i> , 118(12): 3089-3094.
75727	Zhou D, Zhang Y, Gong W, et al (2011). Are Helicobacter Pylori and Other Helicobacter Species Infection Associated with Human Biliary Lithiasis? A Meta-Analysis. <i>PLoS One</i> , 6(11): e27390.