



## HYPERACUSIS

RMA ID Number	Reference List for RMA444-1 as at December 2020
---------------	---

93517	Aazh H, Knipper M, Danesh A, et al (2018). Insights from the third international conference on hyperacusis: causes, evaluation, diagnosis, and treatment. <i>Noise Health</i> , 20(95): 162-70.
96880	American Psychiatric Association (2013). Major or Mild Neurocognitive Disorder Due to Traumatic Brain Injury. Diagnostic and Statistical Manual of Mental Disorders, 5th Edition, Section 2. American Psychiatric Association.
95783	American Speech-Language-Hearing Association (2015). Hyperacusis. <i>Audiology Information Series</i> .
TBA	Andersson G (2018). Psychological aspects and management of hyperacusis. <i>Hyperacusis and Disorders of Sound Intolerance: Clinical and Research Perspectives</i> . Chapter 10, 167-77. Plural Publishing Inc.
93527	Asha'ari Z, et al (2010). Phonophobia and hyperacusis: practical points from a case report. <i>Malays J Med Sci</i> , 17(1): 49-51.
95377	Assi H, Moore RD, Ellemborg D, et al (2018). Sensitivity to sounds in sport-related concussed athletes: A new clinical presentation of hyperacusis. <i>Sci Rep</i> , 8(1): 9921.
TBA	Attalla M (2020). Tramadol and hyperacusis. <i>World Health Organization Pharmaceuticals Newsletter No. 2, 2020</i> . 24-30. Geneva: World Health Organization, 2020.
96531	Auerbach BD, Radziwon K, Salvi R (2019). Testing the central gain model: loudness growth correlates with central auditory gain enhancement in a rodent model of hyperacusis. <i>Neuroscience</i> , 407: 93-107.
96804	Auerbach BD, Rodrigues PV, Salvi RJ (2014). Central gain control in tinnitus and hyperacusis. <i>Front Neurol</i> , 5: 206.
93526	Baguley D, Hoare D (2018). Hyperacusis: major research questions. <i>HNO</i> , 66(5): 358-63.
97361	Baguley D, McFerran D (2019). Hyperacusis and other forms of altered sound tolerance. <i>British Tinnitus Association, Version 3.0</i> .
96958	Baguley DM (2003). Hyperacusis. <i>J R Soc Med</i> , 96(12): 582-5.
TBA	Baguley DM (2018). Reflections on the Associations between Hyperacusis and Tinnitus. <i>Hyperacusis and Disorders of Sound Intolerance: Clinical and Research Perspectives</i> . Chapter 11, 181-9. Plural Publishing Inc.
TBA	Baguley DM (2003). Hyperacusis. <i>J R Soc Med</i> , 96(12): 582-5.
95860	Barbieri MA, Cicala G, Cutroneo PM, et al (2019). Ototoxic adverse drug reactions: A disproportionality analysis using the Italian spontaneous reporting database. <i>Front Pharmacol</i> , 10: 1161.
95764	Bloem C, Harriott A, Doty C, et al (2018). Herpes zoster oticus overview of herpes zoster oticus. Retrieved 7 May 2020, from <a href="https://emedicine.medscape.com/article/1952189-overview#showall">https://emedicine.medscape.com/article/1952189-overview#showall</a>
96879	Boucher O, Turgeon C, Champoux S, et al (2015). Hyperacusis following unilateral damage to the insular cortex: A three-case report. <i>Brain Res</i> , 1606: 102-12.

TBA	Brantberg K, Bagger-Sjöbäck D, Mathiesen T, et al (2006). Posterior canal dehiscence syndrome caused by an apex cholesteatoma. <i>Otol Neurotol</i> , 27(4): 531-4.
93519	Callahan ML, Binder LM, O'Neil ME, et al (2018). Sensory sensitivity in operation enduring freedom/operation Iraqi freedom veterans with and without blast exposure and mild traumatic brain injury. <i>Appl Neuropsychol Adult</i> , 25(2): 126-36.
96803	Callahan ML, Storzbach D (2019). Sensory sensitivity and posttraumatic stress disorder in blast exposed veterans with mild traumatic brain injury. <i>Appl Neuropsychol Adult</i> , 26(4): 365-73.
TBA	Campbell WW, DeJong RN (2005). Localization of peripheral facial nerve palsy. <i>DeJong's the Neurologic Examination</i> , Part 327, Issue 2005. Chapter 16, The Facial Nerve, 208-26.
TBA	Carruthers BM, van de Sande MI, De Meirlier KL, et al (2011). Myalgic encephalomyelitis: International Consensus Criteria. <i>J Intern Med</i> , 270(4):327-38.
93518	Cavanna AE, Seri S (2015). Misophonia: current perspectives. <i>Neuropsychiatr Dis Treat</i> , 11: 2117-23.
91732	Chen JX, Lindeborg M, Herman S, et al (2018). Systematic review of hearing loss after traumatic brain injury without associated temporal bone fracture. <i>Am J Otolaryngol</i> , 39(3): 338-44
96942	Coey JG, De Jesus O (2020). Hyperacusis. Retrieved 14 July 2020, from <a href="https://www.ncbi.nlm.nih.gov/books/NBK557713/">https://www.ncbi.nlm.nih.gov/books/NBK557713/</a>
TBA	Cohen M, Rudge P, Robinson K, et al (1998). The effects on auditory function of damage to the pontine olivo-cochlear bundle in man. <i>Scand Audiol</i> , 17(3): 185-9.
TBA	Cowan G (2000). Rickettsial diseases: the typhus group of fevers--a review. <i>Postgrad Med J</i> , 76(895): 269-72.
TBA	Cox KW (2008). Temporomandibular disorder and new aural symptoms. <i>Arch Otolaryngol Head Neck Surg</i> , 134(4): 389–93.
TBA	Crane BT, Carey JP, Minor LB (2010). Superior Semicircular Canal Dehiscence Syndrome. Chapter 42. <i>Otologic Surgery (Third Edition)</i> , 507-18.
TBA	Dakshinamurti K, Dakshinamurti S, Czubryt MP (2017). Vitamin B6: Effects of deficiency, and metabolic and therapeutic functions. <i>Handbook of Famine, Starvation, and Nutrient Deprivation</i> . Springer, Cham. <a href="https://doi.org/10.1007/978-3-319-40007-5_81-1">https://doi.org/10.1007/978-3-319-40007-5_81-1</a>
TBA	Dang PT, Kennedy TA, Gubbels SP (2014). Simultaneous, unilateral plugging of superior and posterior semicircular canal dehiscences to treat debilitating hyperacusis. <i>J Laryngol Otol</i> , 128(2): 174-8.
TBA	de Klaver MJ, van Rijn MA, Marinus J, et al (2007). Hyperacusis in patients with complex regional pain syndrome related dystonia. <i>J Neurol Neurosurg Psychiatry</i> , 78(12): 1310–13.
95784	Dennison R, Novak C, Rebman A, et al (2019). Lyme disease with erythema migrans and seventh nerve palsy in an African-American man. <i>Cureus</i> , 11(12): e6509.
93522	Di Stadio A, Dipietro L, Ricci G, et al (2018). Hearing loss, tinnitus, hyperacusis, and diplacusis in professional musicians: a systematic review. <i>Int J Environ Res Public Health</i> , 15(10): 2120.
TBA	Di Stadio A, Ralli M (2017). Systemic lupus erythematosus and hearing disorders: Literature review and meta-analysis of clinical and temporal bone findings. <i>J Int Med Res</i> , 45(5):1470-80.
95371	Dinces EA, Deschler DG, Kunins L (2019). Patient education: Tinnitus (ringing in the ears) (Beyond the Basics). Retrieved 6 April 2020, from <a href="https://www.uptodate.com/contents/tinnitus-ringing-in-the-ears-beyond-the-basics">https://www.uptodate.com/contents/tinnitus-ringing-in-the-ears-beyond-the-basics</a>
TBA	Dorsch JN (2014). Neurological syndromes of the head and neck. <i>Prim Care Clin Office Pract</i> , 41(1): 133–49.

TBA	Duncan JS, Shorvon SD, Trimble MR (1988). Withdrawal symptoms from phenytoin, carbamazepine and sodium valproate. <i>J Neurol Neurosurg Psychiatry</i> , 51(7): 924-8.
TBA	Edvall NK, Gunan E, Genitsaridi E, et al (2019). Impact of temporomandibular joint complaints on tinnitus-related distress. <i>Front Neurosci</i> , 13: 879.
96943	Fackrell K, Potgieter I, Shekhawat GS, et al (2017). Clinical interventions for hyperacusis in adults: A scoping review to assess the current position and determine priorities for research. <i>Biomed Res Int</i> , 2017: 2723715.
93524	Fackrell K, Stratmann L, Kennedy V, et al (2019). Identifying and prioritising unanswered research questions for people with hyperacusis: James Lind Alliance Hyperacusis Priority Setting Partnership. <i>BMJ Open</i> , 9(11): e032178.
TBA	Fagelson M, Baguley DM (2018). Disorders of Sound Intolerance: History and Terminology. <i>Hyperacusis and Disorders of Sound Intolerance: Clinical and Research Perspectives</i> . Chapter 1, 3-14. Plural Publishing Inc.
97006	Felicio JS, Koury CC, Abdallah Zahalan N, et al (2019). Ankle-brachial index and peripheral arterial disease: An evaluation including a type 2 diabetes mellitus drug-naive patients cohort. <i>Diab Vasc Dis Res</i> , 16(4): 344-50.
95782	Flint Beal M, Hauser SL (2018). Trigeminal Neuralgia, Bell's Palsy, and Other Cranial Nerve Disorders. <i>Harrison's Principles of Internal Medicine</i> , 20th Edition, Chapter 433. McGraw Hill.
97050	Fukaya T, Nomura Y (1988). Audiological aspects of idiopathic perilymphatic fistula. <i>Acta Otolaryngol Suppl</i> , 456: 68-73.
96945	Fukutake T, Hattori T (1998). Auditory illusions caused by a small lesion in the right medial geniculate body. <i>Neurology</i> , 51(5): 1469-71.
TBA	Gavilán J, Gavilán C (1984). Middle fossa vestibular neurectomy: long-term results. <i>Arch Otolaryngol</i> , 110(12): 785-7.
TBA	Geisser ME, Glass JM, Rajcevska LD, et al (2008). A psychophysical study of auditory and pressure sensitivity in patients with fibromyalgia and healthy controls. <i>J Pain</i> , 9(5):417-22.
TBA	Genetech Inc (2016). Valium. Medication Guide. <a href="https://www.accessdata.fda.gov/drugsatfda_docs/label/2016/013263s094lbl.pdf">https://www.accessdata.fda.gov/drugsatfda_docs/label/2016/013263s094lbl.pdf</a>
95969	Gilchrist JM (2009). Seventh cranial neuropathy. <i>Semin Neurol</i> , 29(1): 5-13.
96877	Gona A, Phillips JS (2020). 'Soft reinforcement' of the round window for superior semi-circular canal dehiscence syndrome. <i>J Laryngol Otol</i> , 134(4): 366-8.
TBA	Halicka M, Vitterso AD, Proulx MJ, et al (2020). Neuropsychological changes in complex regional pain syndrome (CRPS). <i>Behav Neurol</i> , 2020: 4561831.
TBA	Hannula S, Bloigu R, Majamaa K, et al (2011). Self-reported hearing problems among older adults: prevalence and comparison to measured hearing impairment. <i>J Am Acad Audiol</i> , 22(8): 550-9.
TBA	Health and Safety Authority (2007). The Noise of Music. Sound advice for the music and entertainment sectors. Guidance on how to comply with the Safety, Health and Welfare at Work (General Application) Regulations 2007.
TBA	Health Products Regulatory Authority (2015) Package leaflet: Oxycodone Hydrochloride. Retrieved 13 August 2020 from <a href="https://www.hpra.ie/img/uploaded/swedocuments/2145017.PA0749_211_003.93c1dbbe-1ac8-43a9-8661-e636adadcb91.000001Product%20Leaflet%20Approved.150220.pdf">https://www.hpra.ie/img/uploaded/swedocuments/2145017.PA0749_211_003.93c1dbbe-1ac8-43a9-8661-e636adadcb91.000001Product%20Leaflet%20Approved.150220.pdf</a>
TBA	Henssler J, Heinz A, Brandt L, et al (2019). Antidepressant withdrawal and rebound phenomena. <i>Dtsch Arztebl Int</i> , 116(20): 355-61.
TBA	Hickox AE, Liberman MC (2014). Is noise-induced cochlear neuropathy key to the generation of hyperacusis or tinnitus? <i>J Neurophysiol</i> , 111(3): 552-64.
74085	Hilgenberg PB, Saldanha AD, Cunha CO, et al (2012). Temporomandibular disorders, otologic symptoms and depression levels in tinnitus patients. <i>J Oral Rehabil</i> , 39(4): 239-44.

97364	Ho ML, Moonis G, Halpin CF, et al (2017). Spectrum of third window abnormalities: Semicircular canal dehiscence and beyond. <i>AJNR Am J Neuroradiol</i> , 38(1): 2-9.
95374	Ikeda R, Miyaazaki H, Morita M, et al (2019). Surgical treatments for a case of superior canal dehiscence syndrome associated with patulous Eustachian tube. <i>Auris Nasus Larynx</i> , 46(4): 630-5.
51844	Institute of Medicine (2009). Long-Term Consequences of Traumatic Brain Injury. Gulf War and Health, Volume 7. National Academy Press, Washington, D.C.
97363	Ishikawa T, Tatsumoto M, Maki K, et al (2019). Identification of everyday sounds perceived as noise by migraine patients. <i>Intern Med</i> , 58(11): 1565-72.
97077	Jastreboff PJ, Jastreboff MM (2015). Decreased sound tolerance: hyperacusis, misophonia, diplacusis, and polyacusis. <i>Handb Clin Neurol</i> , 129: 375-87.
96941	Juris L, Andersson G, Larsen HC, et al (2013). Psychiatric comorbidity and personality traits in patients with hyperacusis. <i>Int J Audiol</i> , 52(4): 230-5.
TBA	Kaki AR, Satyendra S (2016). Scrub typhus with hyperacusis and tinnitus. <i>J Assoc Physicians India</i> , 64(1): 154.
TBA	Kararizou E, Naoumis D, Gkiatas K, et al (2010). An unusual presentation of neurosyphilis as a probable migraine. <i>J Headache Pain</i> , 11(6): 543-5.
96955	Katzenell U, Segal S (2001). Hyperacusis: review and clinical guidelines. <i>Otol Neurotol</i> , 22(3): 321-6; discussion 326-7.
TBA	Keidar E, Kwartowitz G (2020). Tensor Tympani Syndrome. In: StatPearls Retrieved from <a href="https://www.ncbi.nlm.nih.gov/books/NBK519055/">https://www.ncbi.nlm.nih.gov/books/NBK519055/</a>
96946	Khalil S, Ogunyemi L, Osborne J (2002). Middle cerebral artery aneurysm presenting as isolated hyperacusis. <i>J Laryngol Otol</i> , 116(5): 376-8.
96947	Knipper M Van Dijk P, Nunes I, et al (2013). Advances in the neurobiology of hearing disorders: recent developments regarding the basis of tinnitus and hyperacusis. <i>Prog Neurobiol</i> , 111: 17-33.
96938	Knoll RM, Herman SD, Lubner RJ, et al (2020). Patient-reported auditory handicap measures following mild traumatic brain injury. <i>Laryngoscope</i> , 130(3): 761-7.
96939	Knoll RM, Lubner RJ, Brodsky JR, et al (2020). Auditory quality-of-life measures in patients with traumatic brain injury and normal pure tone audiometry. <i>Otolaryngol Head Neck Surg</i> , Online ahead of print.
TBA	Kusdra PM, Stechman-Neto J, Lopes Cavalcante de Leão B, et al (2018). Relationship between otological symptoms and TMD. <i>Int Tinnitus J</i> , 22(1): 30-4.
90937	Kyle ME, Wang JC, Shin JJ (2015). Impact of nonaspirin nonsteroidal anti-inflammatory agents and acetaminophen on sensorineural hearing loss: a systematic review. <i>Otolaryngol Head Neck Surg</i> , 152(3): 393-409.
TBA	Lader M (2014). Benzodiazepine harm: how can it be reduced?. <i>Br J Clin Pharmacol</i> , 77(2): 295-301.
97060	Landon J, Shepherd D, Stuart S, et al (2012). Hearing every footstep: noise sensitivity in individuals following traumatic brain injury. <i>Neuropsychol Rehabil</i> , 22(3): 391-407.
TBA	Larson TL, Wong ML (2018). Imaging of the Postoperative Middle Ear, Mastoid, and Internal Auditory Canal, Chapter 10, 215-31. <i>Skull Base Imaging</i> . Elsevier
96940	Lee E, Sohn HY, Kwon M, et al (2008). Contralateral hyperacusis in unilateral pontine hemorrhage. <i>Neurology</i> , 70(24 Pt 2): 2413-5.
TBA	Lerner A, Klein M (2019). Dependence, withdrawal and rebound of CNS drugs: an update and regulatory considerations for new drugs development. <i>Brain Communications</i> , 1(1): fcz025
TBA	Livingstone DM, Smith KA, Lange B (2017). Scuba diving and otology: a systematic review with recommendations on diagnosis, treatment and post-operative care. <i>Diving Hyperb Med</i> , 47(2): 97-109.

TBA	Maciejewska-Szaniec Z, Maciejewska B, Mehr K, et al (2017). Incidence of otologic symptoms and evaluation of the organ of hearing in patients with temporomandibular disorders (TDM). <i>Med Sci Monit</i> , 23: 5123-9.
TBA	Marriage J, Barnes NM (1995). Is central hyperacusis a symptom of 5-hydroxytryptamine (5-HT) dysfunction? <i>J Laryngol Otol</i> , 109(10): 915-21.
TBA	McCandless GA, Goering DM (1974). Changes in loudness after stapedectomy. <i>Arch Otolaryngol</i> , 100(5): 344-50.
TBA	McConnell JG (2008). Benzodiazepine tolerance, dependency, and withdrawal syndromes and interactions with fluoroquinolone antimicrobials. <i>Br J Gen Pract</i> , 58(550): 365-6.
TBA	McFerran D (2018). Hyperacusis: Medical Diagnoses and Associated Syndromes. <i>Hyperacusis and Disorders of Sound Intolerance: Clinical and Research Perspectives</i> . Chapter 7, 107-31. Plural Publishing Inc.
TBA	McFerran DJ, Stockdale D, Holme R, et al (2019). Why is there no cure for tinnitus? <i>Front Neurosci</i> , 13: 802.
97365	Miller MA, Kesarwani P, Crane BT (2016). Imaging case of the month: Autophony in a patient with giant cell tumor of the temporal bone. <i>Otol Neurotol</i> , 37(7): e238-9.
TBA	Mizutari K (2019). Blast-induced hearing loss. <i>J Zhejiang Univ Sci B</i> , 20(2):111-5.
97366	Modugno GC, Brandolini C (2014). Can lateral semicircular canal dysplasia play a role in the genesis of hyperacusis? <i>Acta Otorhinolaryngol Ital</i> , 34(1): 71-4.
TBA	Naert L, Van de Berg R, Van de Heyning P, et al (2017). Aggregating the symptoms of superior semicircular canal dehiscence syndrome. <i>Laryngoscope</i> . 128(8):1932-8
96874	Nelson JJ, Chen K (2004). The relationship of tinnitus, hyperacusis, and hearing loss. <i>Ear Nose Throat J</i> , 83(7): 472-6.
95785	Nields JA, Fallon BA, Jastreboff PJ (1999). Carbamazepine in the treatment of Lyme disease-induced hyperacusis. <i>J Neuropsychiatry Clin Neurosci</i> , 11(1): 97-9.
96876	Nolle C, Todt I, Seidl RO, et al (2004). Pathophysiological changes of the central auditory pathway after blunt trauma of the head. <i>J Neurotrauma</i> , 21(3): 251-8.
TBA	Norena AJ, Fournier P, Londero A, et al (2018). An Integrative Model Accounting for the Symptom Cluster Triggered After an Acoustic Shock. <i>Trends Hear</i> , 22: 2331216518801725.
97362	Palma Diaz M, Cisneros Lesser JC, Vega Alarcon A (2017). Superior semicircular canal dehiscence syndrome - diagnosis and surgical management. <i>Int Arch Otorhinolaryngol</i> , 21(2): 195-8.
TBA	Papesh MA, Theodoroff SM, Gallun FJ (2018). Traumatic Brain Injury and Auditory Processing. <i>Hyperacusis and Disorders of Sound Intolerance: Clinical and Research Perspectives</i> . Chapter 7, 149-66. Plural Publishing Inc.
93520	Paulin J, Andersson L, Nordin S (2016). Characteristics of hyperacusis in the general population. <i>Noise Health</i> , 18(89): 178-84.
97367	Pawlaczyk-Luszczynska M, Zamojska-Daniszewska M, Dudarewicz A, et al (2017). Exposure to excessive sounds and hearing status in academic classical music students. <i>Int J Occup Environ Health</i> , 30(1): 55-75.
95781	Peltomaa M, Pyykkö I, Seppälä I, et al (2002). Lyme borreliosis and facial paralysis--a prospective analysis of risk factors and outcome. <i>Am J Otolaryngol</i> , 23(3): 125-32.
97368	Peng KA, Ahmed S, Yang I, et al (2014). Temporal bone fracture causing superior semicircular canal dehiscence. <i>Case Rep Otolaryngol</i> , 2014: 817291.
96961	Pienkowski M, Tyler RS, Roncancio ER, et al (2014). A review of hyperacusis and future directions: Part II. Measurement, mechanisms, and treatment. <i>Am J Audiol</i> , 23(4): 420-36.

TBA	Pollard B (2019). Unravelling the mystery of hyperacusis with pain. Vol 27, No. 6 ENT and Audiology News. Retrieved 13 August 2020, from <a href="https://www.entandaudiologynews.com/media/14524/entjf19-pollard.pdf">https://www.entandaudiologynews.com/media/14524/entjf19-pollard.pdf</a>
63044	Ponsford J, Cameron P, Fitzgerald M, et al (2011). Long-term outcomes after uncomplicated mild traumatic brain injury: a comparison with trauma controls. <i>J Neurotrauma</i> , 28(6): 937-46.
95363	Porto De Toledo I, Stefani FM, Porporatti AL, et al (2017). Prevalence of otologic signs and symptoms in adult patients with temporomandibular disorders: a systematic review and meta-analysis. <i>Clin Oral Investig</i> , 21(2): 597-605.
TBA	Purdue Pharma (2016) Highlights of prescribing information. Medication guide: Oxycontin. Retrieved 12 August 2020, from <a href="https://www.fda.gov/media/131026/download">https://www.fda.gov/media/131026/download</a>
96875	Radziwon K, Holfoth D, Lindner J, et al (2017). Salicylate-induced hyperacusis in rats: dose- and frequency-dependent effects. <i>Hear Res</i> , 350: 133-8.
TBA	Ralli M, D'Aguanno V, Di Studio A, et al (2018). Audiovestibular symptoms in systemic autoimmune diseases. <i>J Immunol Res</i> , 2018: 5798103.
96873	Ralli M, Salvi RJ, Greco A, et al (2017). Characteristics of somatic tinnitus patients with and without hyperacusis. <i>PLoS One</i> , 12(11): e0188255.
93521	Remenschneider AK, Lookabaugh S, Aliphas A, et al (2014). Otologic outcomes after blast injury: the Boston Marathon experience. <i>Otol Neurotol</i> , 35(10): 1825-34.
95780	Rissardo JP, Caprara AL (2018). Herpes zoster oticus, ophthalmicus, and cutaneous disseminated: case report and literature review. <i>Neuroophthalmology</i> , 43(6): 407-10.
93523	Rosing SN, Schmidt JH, Wedderkopp N, et al (2016). Prevalence of tinnitus and hyperacusis in children and adolescents: a systematic review. <i>BMJ Open</i> , 6(6): e010596.
TBA	Safe Work Australia (2018) Managing noise and preventing hearing loss at work. Code of Practice. 1-59
59378	Sanders RD (2010). The trigeminal (V) and facial (VII) cranial nerves. Head and face sensation and movement. <i>Psychiatry (Edgmont)</i> , 7(1): 13-16.
96964	Scarpa A, Ralli M, Cassandro C, et al (2020). Inner-ear disorders presenting with air-bone gaps: A review. <i>J Int Adv Otol</i> , 16(1): 111-6.
96805	Schecklmann M, Landgrebe M, Langguth B, et al (2014). Phenotypic characteristics of hyperacusis in tinnitus. <i>PLoS One</i> , 9(1): e86944.
96972	Schroder A, Vulink N, Denys D (2013). Misophonia: diagnostic criteria for a new psychiatric disorder. <i>PLoS One</i> , 8(1): e54706.
TBA	Sekeyova Z, Danchenko M, Filipcik P, et al (2019). Rickettsial infections of the central nervous system. <i>PLoS Negl Trop Dis</i> , 13(8): e0007469.
TBA	Sellers EM (1988). Alcohol, barbiturate and benzodiazepine withdrawal syndromes: clinical management. <i>CMAJ</i> , 139(2): 113-20.
96944	Sheldrake J, Diehl PU, Schaette R (2015). Audiometric characteristics of hyperacusis patients. <i>Front Neurol</i> , 6: 105.
95372	Silverstein H, Kellermeyer B, Martinez U (2020). Minimally invasive surgery for the treatment of hyperacusis: New technique and long term results. <i>Am J Otolaryngol</i> , 41(1): 102319.
95373	Silverstein H, Smith J, Kellermeyer B (2019). Stapes hypermobility as a possible cause of hyperacusis. <i>Am J Otolaryngol</i> , 40(2): 247-52.
97088	Singh T, Seidman MD (2019). Hearing Disorders Associated With Mild Traumatic Brain Injury (mTBI). <i>Neurosensory Disorders in Mild Traumatic Brain Injury</i> , Chapter 11: 149-63. Academic Press Inc. (London) Ltd.
TBA	Suhnan AP, Finch PM, Drummond PD (2017). Hyperacusis in chronic pain: neural interactions between the auditory and nociceptive systems. <i>Int J Audiol</i> , 56(11): 801-9.

95309	Szibor A, Hyvarinen P, Lehtimaki J, et al (2018). Hearing disorder from music; a neglected dysfunction. <i>Acta Otolaryngol</i> , 138(1): 21-4.
TBA	Tabuchi S (2014). Auditory dysfunction in patients with cerebrovascular disease. <i>ScientificWorldJournal</i> , 2014: 261824.
97369	Takeuti AA, Favero ML, Zaia EH, et al (2019). Auditory brainstem function in women with vestibular migraine: a controlled study. <i>BMC Neurol</i> , 19(1): 144.
96878	Taylor S (2017). Misophonia: A new mental disorder? <i>Med Hypotheses</i> , 103: 109-17.
97370	Teixido M, Kung B, Rosowski JJ, et al (2012). Histopathology of the temporal bone in a case of superior canal dehiscence syndrome. <i>Ann Otol Rhinol Laryngol</i> , 121(1): 7-12.
96973	Theodoroff SM, Reavis KM, Griest SE, et al (2019). Decreased sound tolerance associated with blast exposure. <i>Sci Rep</i> , 9(1): 10204.
93525	Tyler RS, Pienkowski M, Roncancio ER, et al (2014). A review of hyperacusis and future directions: part 1. Definitions and manifestations. <i>Am J Audiol</i> , 23(4): 402-19.
91785	Van Haesendonck G, Van Rompaey V, Gilles A, et al (2018). Otologic outcomes after blast injury: the Brussels bombing experience. <i>Otol Neurotol</i> , 39(10): 1250-5.
97051	Wackym PA, Balaban CD, Zhang P, et al (2019). Third window syndrome: Surgical management of cochlea-facial nerve dehiscence. <i>Front Neurol</i> , 10: 1281.
TBA	Vingen JV, Pareja JA, Støren O, et al (1998). Phonophobia in migraine. <i>Cephalgia</i> , 18(5): 243-9.
97371	Ward BK, Carey JP, Minor LB (2017). Superior canal dehiscence syndrome: Lessons from the first 20 years. <i>Front Neurol</i> , 8: 177.
TBA	Weber H, Pfadenhauer K, Stöhr M, et al (2002). Central hyperacusis with phonophobia in multiple sclerosis. <i>Mult Scler</i> , 8(6): 505-9.
96573	Weber PC (2020). Etiology of hearing loss in adults. Retrieved 9 June 2020, from <a href="https://www.uptodate.com/contents/etiology-of-hearing-loss-in-adults">https://www.uptodate.com/contents/etiology-of-hearing-loss-in-adults</a>
62367	Westcott M (2006). Acoustic shock injury (ASI). <i>Acta Otolaryngol Suppl</i> , 556: 54-8.
95375	Westcott M (2016). Hyperacusis-induced pain: Understanding and management of tonic tensor tympani syndrome (TTTS) symptoms. <i>J Pain Relief</i> , 5: 2.
72028	Westcott M, Sanchez TG, Diges I, et al (2013). Tonic tensor tympani syndrome in tinnitus and hyperacusis patients: a multi-clinic prevalence study. <i>Noise Health</i> , 15(63): 117-28.
97076	Whitelaw G (2019). Hyperacusis and disorders of sound intolerance. <i>Int J Audiol</i> , 58(1): 59.
TBA	Yang L, Agarwal P (2011). Systematic drug repositioning based on clinical side-effects. <i>PLoS One</i> , 6(12): e28025.
TBA	Young AS, Rosengren SM, Welgampola MS (2018). Third window syndromes. Chapter 25, Disorders of the inner-ear balance organs and their pathways. <i>Handbook of Clinical Neurology</i> , Vol 159, 385-401.
95786	Zalagh M, Boukhari A, Attifi H, et al (2014). Contralateral facial nerve palsy following mandibular second molar removal: is there co-relation or just coincidence? <i>Pan Afr Med J</i> , 18: 173.