



DIVERTICULAR DISEASE OF THE COLON

RMA ID Number	Reference List for RMA015-4 as at 7 April 2020
---------------	--

44031	Afzal NA, Thomson M (2002). Diverticular disease in adolescence. Best Pract Res Clin Gastroenterol, 16(4): 621-34.
44319	Aldoori W, Ryan-Harshman M (2002). Preventing diverticular disease. Can Fam Physician, 48: 1632-7.
75580	Aldoori WH, Giovannucci EL, Rockett HR, et al (1998). A prospective study of dietary fiber types and symptomatic diverticular disease in men. J Nutr, 128(4): 714-9.
75563	Aldoori WH, Giovannucci EL, Rimm EB, et al (1994). A prospective study of diet and the risk of symptomatic diverticular disease in men. Am J Clin Nutr, 60(5): 757-64.
75568	Aldoori WH, Giovannucci EL, Rimm EB, et al (1998). Use of acetaminophen and nonsteroidal anti-inflammatory drugs. Arch Fam Med, 7(3): 255-60.
10277	Aldoori WH, Giovannucci EL, Rimm EB, et al (1995). Prospective study of physical activity and the risk of symptomatic diverticular disease in men. Gut, 36(2): 276-82.
10276	Aldoori WH, Giovannucci EL, Rimm EB, et al (1995). A prospective study of alcohol, smoking, caffeine, and the risk of symptomatic diverticular disease in men. Annals of Epidemiology, 5(3): 221-8.
4680	Almy TP, Howell DA (1980). Diverticular disease of the colon. NEJM, 302(6): 324-31.
4666	Almy TP, Naitove A (1993). Diverticular disease of the colon. MH Sleisenger, J Fordtran (Eds). Gastrointestinal Disease, 3rd Edition, Chapter 55: 896-912. WB Saunders Company, Philadelphia.
75398	Andersen JC, Bundgaard L, Elbrond H, et al (2012). Danish national guidelines for treatment of diverticular disease. Danish Medical Journal, 59(5): C4453.
9998	Arfwidsson S (1964). Pathogenesis of multiple diverticula of the sigmoid colon in diverticular disease. ACTA Chirurgica Scandinavica (Supplement), 342: 1-68.
76241	Aytac E, Stocchi L, Gorgun E, et al (2014). Risk of recurrence and long-term outcomes after colonic diverticular bleeding. Int J Colorectal Dis, 29(3): 373-8.
75396	Bailey MB, Davenport DL, Procter L, et al (2013). Morbid obesity and diverticulitis: results from the ACS NSQIP dataset. J Am Coll Surg, 217(5): 874-80.
76064	Ballinger A (2008). Adverse effects of nonsteroidal anti-inflammatory drugs on the colon. Curr Gastroenterol Rep, 10(5): 485-9
10279	Balson R, Gibson PR (1995). Lower gastrointestinal tract. 2. Diarrhoea and diverticular disease. Medical Journal of Australia, 162(4): 217-9.
76275	Barada K, Abdul-Baki H, El Hajj II, et al (2009). Gastrointestinal bleeding in the setting of anticoagulation and antiplatelet therapy. J Clin Gastroenterol, 43(1): 5-12.

8960	Berk RM (1980). Radiographic evaluation of spastic colon disease, diverticulosis, and diverticulitis. <i>Gastrointestinal Endoscopy</i> , 26(2 Suppl): 26S-30S.
10620	Berk RN (1974). The Radiology Corner. Scleroderma of the Gastrointestinal Tract. <i>American Journal of Gastroenterology</i> , 61(3): 226-31.
75442	Biondo S, Borao JL, Kreisler E, et al (2012). Recurrence and virulence of colonic diverticulitis in immunocompromised patients. <i>Am J Surg</i> , 204(2): 172-9.
76162	Biondo S, Lopez Borao J, Millan M, et al (2011). Current status of the treatment of acute colonic diverticulitis: a systematic review. <i>Colorectal Disease</i> , 14(1): e1-11.
71285	Booth FW, Roberts CK, Laye MJ (2012). Lack of exercise is a major cause of chronic diseases. <i>Compr Physiol</i> , 2(2): 1143-211.
75397	Bose KP, Khorshidi I, Southern WN, et al (2013). The impact of ethnicity and obesity on the course of colonic diverticulitis. <i>J Clin Gastroenterol</i> , 47(2): 160-4.
4669	Bouchier IA, Allan RN, Hodgson HJ, et al (Eds) (1984). The large intestine. <i>Textbook of Gastroenterology</i> , Chapter 11: 812-22. Bailliere Tindall, London.
4681	Brodribb AJ (1977). Treatment of symptomatic diverticular disease with a high-fibre diet. <i>Lancet</i> , 1(8013): 664-6.
75584	Brodribb AJ, Humphreys DM (1976). Diverticular disease: three studies. Part III - Metabolic effect of bran in patients with diverticular disease. <i>Br Med J</i> , 1(6007): 428-30.
75583	Brodribb AJ, Humphreys DM (1976). Diverticular disease: three studies. Part II - Treatment with bran. <i>Br Med J</i> , 1(6007): 425-8.
10912	Brodribb AJ, Humphreys DM (1976). Diverticular disease: three studies. Part 1-Relation to other disorders and fibre intake. <i>British Medical Journal</i> , 1(6007): 424-25.
76921	Broersen LH, Pereira AM, Jorgensen JO, et al (2015). Adrenal insufficiency in corticosteroids use: systematic review and meta-analysis. <i>J Clin Endocrinol Metab</i> , 100(6): 2171-80. [Abstract]
75483	Buckley O, Geoghegan T, O'Riordain DS, et al (2004). Computed tomography in the imaging of colonic diverticulitis. <i>Clin Radiol</i> , 59(11): 977-83.
75445	Burke CA (2010). Colonic complications of obesity. <i>Gastroenterol Clin North Am</i> , 39(1): 47-55.
76131	Campbell K, Steele RJ (1991). Non-steroidal anti-inflammatory drugs and complicated diverticular disease: a case-control study. <i>Br J Surg</i> , 78(2): 190-1.
4683	Champion RH, Burton JL, Ebling FJ (Eds) (1992). Systemic Sclerosis: The 'connective tissue diseases'. <i>Textbook of Dermatology</i> , 5th Edition, Vol 3 Chapter 55: 2241-55. Blackwell Scientific Publications, London.
10938	Cheskin LJ, Lamport RD (1995). Diverticular disease. Epidemiology and pharmacological treatment. <i>Drugs & Aging</i> , 6(1): 55-63.
10283	Childs P (1975). A new look at diarrhoea, diverticulitis and 'colitis' after 25 years of clinical study. <i>Practitioner</i> , 215(1290): 757-62.
76922	Colecchia A, Vestito A, Pasqui F, et al (2007). Efficacy of long term cyclic administration of the poorly absorbed antibiotic Rifaximin in symptomatic, uncomplicated colonic diverticular disease. <i>World J Gastroenterol</i> , 13(2): 264-69.
75406	Commane DM, Arasaradnam RP, Mills S, et al (2009). Diet, ageing and genetic factors in the pathogenesis of diverticular disease. <i>World J Gastroenterol</i> , 15(20): 2479-88.
75489	Compton R (1969). Scleroderma with diverticulosis and colonic obstruction. <i>Am J Surg</i> , 118(4): 602-6.

10284	Connell AM (1977). Wheat bran as an etiologic factor in certain diseases. <i>Journal of the American Dietetic Association</i> , 71(3): 235-9.
76158	Corder A (1987). Steroids, non-steroidal anti-inflammatory drugs, and serious septic complications of diverticular disease. <i>Br Med J</i> , 295(6608): 1238.
75567	Crowe FL, Appleby PN, Allen NE, et al (2011). Diet and risk of diverticular disease in Oxford cohort of European Prospective Investigation into Cancer and Nutrition (EPIC): prospective study of British vegetarians and non-vegetarians. <i>BMJ</i> , 343: d4131.
75439	Crowe FL, Balkwill A, Cairns BJ, et al (2014). Source of dietary fibre and diverticular disease incidence: a prospective study of UK women. <i>Gut</i> , 63(9): 1450-6.
75947	Cuomo R, Barbara G, Pace F, et al (2014). Italian consensus conference for colonic diverticulosis and diverticular disease. <i>United European Gastroenterology Journal</i> , 2(5): 413-42.
75478	Curtis JR, Lanas A, John A, et al (2012). Factors associated with gastrointestinal perforation in a cohort of patients with rheumatoid arthritis. <i>Arthritis Care & Research</i> , 64(12): 1819-28.
75480	Curtis JR, Xie F, Chen L, et al (2011). The incidence of gastrointestinal perforations among rheumatoid arthritis patients. <i>Arthritis & Rheumatism</i> , 63(2): 346-51.
75526	Daniels LB, Gordon JB, Burns JC (2012). Kawasaki disease: late cardiovascular sequelae. <i>Curr Opin Cardiol</i> , 27(6): 572-7.
76159	Davies NM (1995). Toxicity of nonsteroidal anti-inflammatory drugs in the large intestine. <i>Dis Colon Rectum</i> , 38(12): 1311-21.
76160	Day TK (1983). Intestinal perforation associated with osmotic slow release indomethacin capsules. <i>Br Med J</i> , 287(6406): 1671-2.
76923	de Boer SY, Stolk MF, van Berg Henegouwen GP, et al (1989). Non-steroidal anti-inflammatory drugs and inflammation of the colon. <i>Ned Tijdschr Geneeskd</i> , 133(17): 883-86. [Abstract]
10336	Deckmann RC, Cheskin LJ (1993). Diverticular Disease in the elderly. <i>Journal of American Geriatrics</i> , 41(9): 986-93.
75404	Dobbins C, DeFontgalland D, Duthie G, et al (2006). The relationship of obesity to the complications of diverticular disease. <i>Colorectal Disease</i> , 8(1): 37-40.
76161	Doyle G, Furey S, Berlin R, et al (1999). Gastrointestinal safety and tolerance of ibuprofen at maximum over-the-counter dose. <i>Aliment Pharmacol Ther</i> , 13(7): 897-906.
48674	Duclos M, Guinot M, Colsy M, et al (2007). High risk of adrenal insufficiency after a single articular steroid injection in athletes. <i>Med Sci Sports Exerc</i> , 39(7): 1036-43.
45625	Fenton JJ, Cicale MJ (1997). Sigmoid diverticular perforation complicating lung transplantation. <i>J Heart Lung Transplant</i> , 16(6): 681-5.
76002	Filik L (2011). [Comment] Comment to "Cigarette smoking and appendectomy: Effect on clinical course of diverticulosis". <i>Dig Liver Dis</i> , 43(5): 417; Author's reply: 417.
9671	Fleischner FG (1971). Diverticular disease of the colon. New observations and revised concepts. <i>Gastroenterology</i> , 60(2): 316-24.
75457	Ganapathi S, Farooq AH, Ghosh S (2011). Large bowel obstruction in an obese woman. <i>Gastroenterology</i> , 141(6): 2279.
10345	Gear JS, et al (1974). Symptomless diverticular disease and intake of dietary fibre. <i>The Lancet</i> , 1(8115): 146-9.
4677	Gear JS, Ware A, Fursdon P, et al (1979). Symptomless diverticular disease and intake of dietary fibre. <i>Lancet</i> , 1(8115): 511-4.
44032	Goh H, Bourne R (2002). Non-steroidal anti-inflammatory drugs and perforated diverticular disease: a case-control study. <i>Ann R Coll Surg Engl</i> , 84(2): 93-6.

4671	Goligher J, Duthie H, Nixon H (1984). Diverticulosis and diverticulitis of the colon. <i>Surgery of the Anus, Rectum and Colon</i> , 5th Edition,: 1092-5; 1112-6. Bailliere Tindall, London.
75441	Gras B, Magge S, Ballom A, et al (2013). Motility disorders of the colon and rectum. <i>Curr Opin Gastroenterol</i> , 29(1): 66-71.
75477	Gravante G, Yahia S (2013). Medical influences, surgical outcomes: role of common medications on the risk of perforation from untreated diverticular disease. <i>World J Gastroenterol</i> , 19(36): 5947-52.
76276	Hashash JG, Shamseddeen W, Skoury A, et al (2009). Gross lower gastrointestinal bleeding in patients on anticoagulant and/or antiplatelet therapy: endoscopic findings, management, and clinical outcomes. <i>J Clin Gastroenterol</i> , 43(1): 36-42.
9744	Havia T, Manner R (1971). The irritable colon syndrome. A follow-up study with special reference to the development of diverticula. <i>Acta Chir Scand</i> , 137(6): 569-72.
75469	Hjern F, Mahmood MW, Abraham-Nordling M, et al (2012). Cohort study of corticosteroid use and risk of hospital admission for diverticular disease. <i>Br J Surg</i> , 102(1): 119-24.
75399	Hjern F, Wolk A, Hakansson N (2012). Obesity, physical inactivity, and colonic diverticular disease requiring hospitalization in women: a prospective cohort study. <i>Am J Gastroenterol</i> , 107(2): 296-302.
75564	Hjern F, Wolk A, Hakansson N (2011). Smoking and the risk of diverticular disease in women. <i>Br J Surg</i> , 98(7): 997-1002.
76415	Hodgson WJ (1977). The placebo effect. Is it important in diverticular disease? <i>Am J Gastroenterol</i> , 67(2): 157-62. [Abstract]
10000	Horner JL (1958). Natural history of diverticulosis of the colon. <i>The American Journal of Digestive Diseases</i> , 3(5): 343-50.
76924	Hreinsson JP, Gumundsson S, Kalaitzakis E, et al (2013). Lower gastrointestinal bleeding: incidence, etiology, and outcomes in a population-based setting. <i>Eur J Gastroenterol Hepatol</i> , 25(1): 37-43.
75476	Hsiao KC, Wann JG, Lin CS, et al (2013). Colonic diverticulitis with comorbid diseases may require elective colectomy. <i>World J Gastroenterol</i> , 19(39): 6613-7.
75557	Humes DJ (2012). Changing epidemiology: does it increase our understanding? <i>Dig Dis</i> , 30(1): 6-11.
75481	Humes DJ, Fleming KM, Spiller RC, et al (2011). Concurrent drug use and the risk of perforated colonic diverticular disease: a population-based case-control study. <i>Gut</i> , 60(2): 219-24.
75573	Humes DJ, Solaymani-Dodaran M, Fleming KM, et al (2009). A population-based study of perforated diverticular disease incidence and associated mortality. <i>Gastroenterology</i> , 136(4): 1198-205.
75448	Humes DJ, Spiller RC (2014). Review article: the pathogenesis and management of acute colonic diverticulitis. <i>Aliment Pharmacol Ther</i> , 39(4): 359-70.
75559	Hwang SS, Cannom RR, Abbas MA, et al (2010). Diverticulitis in transplant patients and patients on chronic corticosteroid therapy: a systematic review. <i>Dis Col & Rect</i> , 53(12): 1699-707.
8959	Hyland JM, Darby CF, Hammond P, Taylor I (1980). Myoelectrical activity of the sigmoid colon in patients with diverticular disease and the irritable colon syndrome suffering from diarrhoea. <i>Digestion</i> , 20(5): 293-9.
4679	Hyland MP, Taylor I (1980). Does a high fibre diet prevent the complications of diverticular disease? <i>Br J Surg</i> , 67(2): 77-9.
10909	Ihekweaba FN (1992). Diverticular disease of the colon in black Africa. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 37(2): 107-9.
94030	Jagpal A, Curtis JR (2018). Gastrointestinal perforations with biologics in patients with rheumatoid arthritis: Implications for clinicians. <i>Drug Saf</i> , 41(6): 545-53.

75475	Jansen A, Harenberg S, Grenda U, et al (2009). Risk factors for colonic diverticular bleeding: A Westernized community based hospital study. <i>World J Gastroenterol</i> , 15(4): 457-61.
75400	Jeong JH, Lee HL, Kim JO, et al (2011). Correlation between complicated diverticulitis and visceral fat. <i>J Korean Med Sci</i> , 26(10): 1339-43.
83805	Johnston PC, Lansang MC, Chatterjee S, et al (2015). Intra-articular glucocorticoid injections and their effect on hypothalamic-pituitary-adrenal (HPA)-axis function. <i>Endocrine</i> , 48(2): 410-6.
8955	Jones DJ (1992). ABC of colorectal diseases. Diverticular disease. <i>BMJ</i> , 304(6839): 1435-7.
44030	Jun S, Stollman N (2002). Epidemiology of diverticular disease. <i>Best Pract Res Clin Gastroenterol</i> , 16(4): 529-42.
8958	Katschinski M, Lederer P, Ellerman A, et al (1990). Myoelectric and manometric patterns of human rectosigmoid colon in irritable bowel syndrome and diverticulosis. <i>Scand J Gastroenterol</i> , 25(7): 761-8.
75456	Kemppainen E (2010). [Comment] Smoking and diverticular disease of the colon. <i>Scand J Surg</i> , 99(1): 2. Comment on ID: 75455.
75468	Kim JH, Cheon JH, Park S, et al (2008). Relationship between disease location and age, obesity, and complications in Korean patients with acute diverticulitis: a comparison of clinical patterns with those of Western populations. <i>Hepatogastroenterology</i> , 55(84): 983-6.
76163	Klarenbeek BR, Samuels M, van der Wal M, et al (2010). Indications for elective sigmoid resection in diverticular disease. <i>Ann Surg</i> , 251(4): 670-4.
75491	Kongara KR, Soffer EE (2000). Intestinal motility in small bowel diverticulosis: a case report and review of the literature. <i>J Clin Gastroenterol</i> , 30(1): 84-6.
75451	Kopylov U, Ben-Horin S, Lahat A, et al (2012). Obesity, metabolic syndrome and the risk of development of colonic diverticulosis. <i>Digestion</i> , 86(3): 201-5.
75409	Korzenik JR (2006). Case closed? Diverticulitis: epidemiology and fiber. <i>J Clin Gastroenterol</i> , 40(Suppl 3): S112-6.
75403	Korzenik JR (2008). Diverticulitis: new frontiers for an old country: risk factors and pathogenesis. <i>J Clin Gastroenterol</i> , 42(10): 1128-9.
44015	Kouyialis AT, Boviatsis E, Sakas DE (2006). Oral steroids as a cause of diverticulum perforation. <i>Lancet</i> , 367(9504): 83.
75452	Kruis W, Morgenstern J, Schanz S (2013). Appendicitis/diverticulitis: diagnostics and conservative treatment. <i>Dig Dis</i> , 31(1): 69-75.
75485	Kvasnovsky CL, Papagrigoriadis S, Bjarnason I (2014). Increased diverticular complications with nonsteroidal anti-inflammatory drugs and other medications: a systematic review and meta-analysis. <i>Colorectal Disease</i> , 16(6): O189-96.
76925	Laine L, Connors LG, Reisin A, et al (2006). Serious lower gastrointestinal clinical events with nonselective NSAID or coxib use. <i>Gastroenterology</i> , 124(2): 288-92.
76926	Laine L, Smith R, Min K, et al (2006). Systematic review: the lower gastrointestinal adverse effects of non-steroidal anti-inflammatory drugs. <i>Aliment Pharmacol Ther</i> , 24(5): 751-67.
76278	Lanas A, Carrera-Lasfuentes P, Arguedas Y, et al (2014). Risk of upper and lower gastrointestinal bleeding in patients taking nonsteroidal anti-inflammatory drugs, antiplatelet agents, or anticoagulants. <i>Clin Gastroenterol Hepatol</i> , 13(5): 906-12.
76927	Lanas A, Perez-Aisa MA, Feu F, et al (2005). A nationwide study of mortality associated with hospital admission due to severe gastrointestinal events and those associated with nonsteroidal antiinflammatory drug use. <i>Am J Gastroenterol</i> , 100(8): 1685-93.
76928	Langman MJ, Morgan L, Worrall A (1985). Use of anti-inflammatory drugs by patients admitted with small or large bowel perforations and haemorrhage. <i>Br Med J (Clin Res Ed)</i> , 290(6465): 347-49.

4682	Laurence C, Tiddy J (1989). From bully beef to icecream: the diet of the Australian Armed Forces in World War I and World War II . Repatriation General Hospital, Daw Park, Adelaide.
75556	Lawson EH, Ko CY (2011). [Comment] Preventing unintended consequences of quality measurement. Arch Surg, 146(9): 1072-3. Comment on ID: 75555.
10913	Leahy AL, Ellis RM, Quill DS, Peel ALG (1985). High fibre diet in symptomatic diverticular disease of the colon. Annals of the Royal College of Surgeons of England, 67(3): 173-4.
45627	Lederman ED, Conti DJ, Lempert N, et al (1998). Complicated diverticulitis following renal transplantation. Dis Colon Rectum, 41(5): 613-8.
75393	Lee SP, Ahn YW, Lee OY, et al (2014). The relationship between colonic diverticulosis and abdominal visceral and subcutaneous fat accumulation measured by abdominal CT scan. Turk J Gastroenterol, 25(2): 192-7.
44388	Lin OS, Soon MS, Wu SS, et al (2000). Dietary habits and right-sided colonic diverticulosis. Dis Colon Rectum, 43(10): 1412-8.
75973	Maconi G, Barbara G, Bosetti C, et al (2011). Treatment of diverticular disease of the colon and prevention of acute diverticulitis: a systematic review. Dis Col & Rect, 54(10): 1326-38.
10282	Madar Z, Odes HS (1990). Dietary fiber research. Progress in Biochemical Pharmacology, 24(III-VIII): 1-137.
75565	Maguire LH, Song M, Strate LE, et al (2013). Higher serum levels of vitamin D are associated with a reduced risk of diverticulitis. Clin Gastroenterol Hepatol, 11(12): 1631-5.
10347	Manousos O, Day NE, Tzonou A, et al (1985). Diet and other factors in the aetiology of diverticulosis. Gut, 26(6): 544-9.
10421	Mapp E (1981). Colonic manifestations of the connective tissue disorders. American Journal of Gastroenterology, 75(5): 386-93.
75472	Masoomi H, Kang CY, Chaudhry O, et al (2012). Predictive factors of early bowel obstruction in colon and rectal surgery: data from the Nationwide Inpatient Sample, 2006-2008. J Am Coll Surg, 214(5): 831-7.
75471	Masoomi H, Kang CY, Chen A, et al (2012). Predictive factors of in-hospital mortality in colon and rectal surgery. J Am Coll Surg, 215(2): 255-61.
10285	McIntyre PB, Pemberton JH (1993). Pathophysiology of colonic motility disorders. Surgical clinics of North America, 73(6): 1225-43.
10281	Mendeloff AI (1978). Dietary fiber and gastrointestinal diseases: some facts and fancies. Medical Clinics of North America, 62(1): 165-71.
75579	Miettinen TA, Tarpila S (1978). Fecal beta-sitosterol in patients with diverticular disease of the colon and in vegetarians. Scand J Gastroenterol, 13(5): 573-6.
10280	Misiewicz JJ (1984). Human colonic motility. Scandinavian Journal of gastroenterology, 93: 43-51.
75566	Morris CR, Harvey IM, Stebbings WS, et al (2003). Do calcium channel blockers and antimuscarinics protect against perforated colonic diverticular disease? A case control study. Gut, 52(12): 1734-7.
44028	Morris CR, Harvey IM, Stebbings WL, et al (2003). Anti-inflammatory drugs, analgesics and the risk of perforated colonic diverticular disease. Br J Surg, 90(10): 1267-72.
75449	Morris CR, Harvey IM, Stebbings WS, et al (2002). Epidemiology of perforated colonic diverticular disease. Postgrad Med, 78(925): 654-8.
53478	Moxley G (2007). Scleroderma and related diseases. Retrieved 27 November 2008, from http://www.acpmedicine.com/acpmedicine/pdf/med1505.pdf
44016	Mpofu S, Mpofu CM, Hutchinson D, et al (2004). Steroids, non-steroidal anti-inflammatory drugs, and sigmoid diverticular abscess perforation in rheumatic conditions. Ann Rheum Dis, 63(5): 588-90.

75454	Nagata N, Niikura R, Shimbo T, et al (2013). Alcohol and smoking affect risk of uncomplicated colonic diverticulosis in Japan. <i>PLoS One</i> , 8(12): e81137.
76277	Nagata N, Niikura R, Aoki T, et al (2014). Colonic diverticular hemorrhage associated with the use of nonsteroidal anti-inflammatory drugs, low-dose aspirin, antiplatelet drugs, and dual therapy. <i>J Gastroenterol Hepatol</i> , 29(10): 1786-93.
10350	Naitove A, Smith RE (1993). Diverticular disease of the colon,. <i>Gastrointestinal Disease</i> , 5th edition,: 1347-53, 60-1. Saunders, Philadelphia.
75486	Niikura R, Nagata N, Yamada A, et al (2012). Recurrence of colonic diverticular bleeding and associated risk factors. <i>Colorectal Disease</i> , 14(3): 302-5.
76183	Niikura R, Nagata N, Akiyama J, et al (2012). Hypertension and concomitant arteriosclerotic diseases are risk factors for colonic diverticular bleeding: a case-control study. <i>Int J Colorectal Dis</i> , 27(9): 1137-43.
75524	Nishikawa H, Maruo T, Tsumura T, et al (2013). Risk factors associated with recurrent hemorrhage after the initial improvement of colonic diverticular bleeding. <i>Acta Gastroenterol Belg</i> , 76(1): 20-4.
75446	O'Brien DP, Senagore A, Merlino J, et al (2007). Predictors and outcome of readmission after laparoscopic intestinal surgery. <i>World J Surg</i> , 31(12): 2430-5.
45624	Okada M, Konishi F, Sakuma K, et al (1999). Perforation of the sigmoid colon with ischemic change due to polyarteritis nodosa. <i>J Gastroenterol</i> , 34(3): 400-4.
76182	Okamoto T, Watabe H, Yamada A, et al (2012). The association between arteriosclerosis related diseases and diverticular bleeding. <i>Int J Colorectal Dis</i> , 27(9): 1161-6.
76929	Ornstein MH, Littlewood ER, Baird IM, et al (1981). Are fibre supplements really necessary in diverticular disease of the colon? A controlled clinical trial. <i>Br Med J (Clin Res Ed)</i> , 282(6273): 1353-56.
75394	Otles S, Ozgoz S (2014). Health effects of dietary fiber. <i>Acta Scientiarum Polonorum Technologia Alimentaria</i> , 13(2): 191-202.
9112	Otte JJ, Larsen L, Andersen JR (1986). Irritable bowel syndrome and symptomatic diverticular disease - different diseases? <i>American Journal of Gastroenterology</i> , 81(7): 529-31.
10911	Painter NS (1985). The cause of diverticular disease of the colon, its symptoms and its complications. Review and hypothesis. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 30(2): 118-22.
4678	Painter NS, Burkitt DP (1975). Diverticular disease of the colon, a 20th century problem. <i>Clin Gastroenterol</i> , 4(1): 3-21.
75450	Papagrigoriadis S, Macey L, Bourantas N, et al (1999). Smoking may be associated with complications in diverticular disease. <i>British Journal of Surgery</i> , 86(7): 923-6.
76274	Parsa F, Wilson SE (1974). Bleeding diverticulosis in patients on oral anticoagulants. <i>Am J Surg</i> , 127(6): 708-10.
45628	Patel SA, Al-Haddadin D, Schopp J, et al (1993). Gastrointestinal manifestations of amyloidosis: a case of diverticular perforation. <i>Am J Gastroenterol</i> , 88(4): 578-82.
75581	Peery AF, Barrett PR, Park D, et al (2012). A high-fiber diet does not protect against asymptomatic diverticulosis. <i>Gastroenterology</i> , 142(2): 266-72.
44033	Petruzzello L, Iacopini F, Bulajic M, et al (2006). Review article: uncomplicated diverticular disease of the colon. <i>Alimentary Pharmacology & Therapeutics</i> , 23(10): 1379-91.
75492	Picchio M, La Rovere C, Gatto A (2005). Diffuse intestinal diverticulosis: a case report. <i>Acta Chirurgica Belgica</i> , 105(6): 670-2.

75482	Piekarek K, Israelsson LA (2008). Perforated colonic diverticular disease: the importance of NSAIDs, opioids, corticosteroids, and calcium channel blockers. <i>Int J Colorectal Dis</i> , 23(12): 1193-7.
75395	Pilgrim SM, Hart AR, Speakman CT (2013). Diverticular disease in younger patients - is it clinically more complicated and related to obesity? <i>Colorectal Disease</i> , 15(10): 1205-10.
75490	Pirildar T, Saruc M, Aydede H, et al (2002). [Comment] A case of systemic sclerosis and diverticulosis coli complicated by intestinal haemorrhage. <i>Clin Rheumatol</i> , 21(6): 541-2.
44029	Place RJ, Simmang CL (2002). Diverticular disease. <i>Best Pract Res Clin Gastroenterol</i> , 16(1): 135-48.
10578	Plavsic BM, Raider L, Drnovsek VH, et al (1995). Association of rectal diverticula and scleroderma. <i>Acta Radiologica</i> , 36(1): 96-9.
75422	Robbins SE (2013). A common cause of irritable bowel syndrome and diverticulitis: chronic distal colon distention from sedentary behavior and excessive dietary fiber. <i>Expert Rev Gastroenterol Hepatol</i> , 7(5): 413-9.
10908	Roger T, Rommens J, Bailly JM, et al (1996). Giant colonic diverticulum: presentation of one case and review of the literature. <i>Abdom Imaging</i> , 21(6): 530-3.
75577	Rosemar A, Angeras U, Rosengren A (2007). Body mass index and diverticular disease: a 28-year follow-up study in men. <i>Dis Colon Rectum</i> , 51(4): 450-5.
74356	Russell RC, Doggett SL, Munro R, et al (1994). Lyme disease: a search for a causative agent in ticks in south-eastern Australia. <i>Epidemiol Infect</i> , 112(2): 375-84.
51288	Sallam H, McNearney TA, Chen DZ (2006). Systematic review: pathophysiology and management of gastrointestinal dysmotility in systemic sclerosis (scleroderma). <i>Alimentary Pharmacology & Therapeutics</i> , 23(6): 691-712.
76181	Samdani T, Pieracci FM, Eachempati SR, et al (2014). Colonic diverticulitis in chemotherapy patients: should operative indications change? A retrospective cohort study. <i>Int J Surg</i> , 12(12): 1489-94.
8956	Sasaki D, Kido A, Yoshida Y (1986). An endoscopic method to study the relationship between bowel habit and motility of the ascending and sigmoid colon. <i>Gastrointestinal Endoscopy</i> , 32(3): 185-9.
10910	Schauer PR, Ramos R, Ghiatas AA, et al (1992). Virulent diverticular disease in young obese men. <i>American Journal of Surgery</i> , 164(5): 443-8.
94029	Scotti A, Santangelo M, Federico S, et al (2014). A complicated diverticulitis in kidney transplanted patients: analysis of 717 cases. <i>Transplant Proc</i> , 46(7): 2247-50.
4675	Segal I, Solomon A, Med D, et al (1977). Emergence of diverticular disease in the urban South African black. <i>Gastroenterology</i> , 72(2): 215-9.
9999	Segal I, Walker AR (1984). The irritable bowel syndrome in the black community. <i>S Afr Med J</i> , 65(3): 72-3.
76157	Shahedi K, Dea SK, Chudasama YN, et al (2015). Diverticulosis. . Retrieved 27 July 2015, from http://emedicine.medscape.com/article/173388-overview
75443	Sharara AI, El-Halabi MM, Mansour NM, et al (2013). Alcohol consumption is a risk factor for colonic diverticulosis. <i>J Clin Gastroenterol</i> , 47(5): 420-5.
10278	Sikirov BA (1988). Etiology and pathogenesis of diverticulosis coli: a new approach. <i>Medical Hypotheses</i> , 26(1): 17-20
44254	Simpson J, Spiller R (2003). Colonic diverticular disease. <i>Clin Evid</i> , 9: 478-87.
75479	Smeenk RM, Plaisier PW, van der Hoeven JA, et al (2012). Outcome of surgery for colovesical and colovaginal fistulas of diverticular origin in 40 patients. <i>J Gastrointest Surg</i> , 16(8): 1559-65.

75474	Song JH, Kim YS, Lee JH, et al (2010). Clinical characteristics of colonic diverticulosis in Korea: a prospective study. <i>Korean J Intern Med</i> , 25(2): 140-6.
75423	Sorser SA, Hazan TB, Piper M, et al (2009). Obesity and complicated diverticular disease: is there an association? <i>South Med J</i> , 102(4): 350-3.
10364	Spiro HM (1993). Structural disorders. <i>Clinical Gastroenterology</i> , 4th Edition,: 585-9. McGraw Hill Inc.
4676	Stemmermann GN, Yatani R (1973). Diverticulosis and polyps of the large intestine - A necropsy study of Hawaii Japanese. <i>Cancer</i> , 31(5): 1260-70.
75424	Strate LL (2012). Lifestyle factors and the course of diverticular disease. <i>Dig Dis</i> , 30(1): 35-45.
75487	Strate LL, Liu Y, Huang ES, et al (2011). Use of aspirin or nonsteroidal anti-inflammatory drugs increases risk for diverticulitis and diverticular bleeding. <i>Gastroenterology</i> , 140(5): 1427-33.
75407	Strate LL, Liu YL, Aldoori WH, et al (2009). Physical activity decreases diverticular complications. <i>Am J Gastroenterol</i> , 104(5): 1221-30.
75402	Strate LL, Liu YL, Aldoori H, et al (2009). Obesity increases the risks of diverticulitis and diverticular bleeding. <i>Gastroenterology</i> , 136(1): 115-22e1.
75408	Strate LL, Liu YL, Syngal S, et al (2008). Nut, corn, and popcorn consumption and the incidence of diverticular disease. <i>JAMA</i> , 300(8): 907-14.
75401	Strate LL, Modi R, Cohen E, et al (2012). Diverticular disease as a chronic illness: evolving epidemiologic and clinical insights. <i>Am J Gastroenterol</i> , 107(10): 1486-93.
76930	Suh S, Seo PJ, Park H, et al (2012). The risk factors for colonic diverticular bleeding. <i>Korean J Gastroenterol</i> , 60(6): 349-54.
75525	Suzuki K, Uchiyama S, Imajo K, et al (2012). Risk factors for colonic diverticular hemorrhage: Japanese Multicenter Study. <i>Digestion</i> , 85(4): 261-5.
75488	Szajda MM, Cuesta MA, Mulder CM, et al (2007). Review article: management of diverticulitis. <i>Aliment Pharmacol Ther</i> , 26(Suppl 2): 67-76.
93529	Tan JP, Barazanchi AW, Singh PP, et al (2016). Predictors of acute diverticulitis severity: A systematic review. <i>Int J Surg</i> , 26: 43-52.
75391	Tanase I, Paun S, Stoica B, et al (2015). Epidemiology of the diverticular disease - systematic review of the literature. <i>Chirurgia (Bucuresti)</i> , 110(1): 9-14.
75949	Tarleton S, DiBaise JK (2011). Low-residue diet in diverticular disease: putting an end to a myth. <i>Nutr Clin Pract</i> , 26(2): 137-42.
75440	Templeton AW, Strate LL (2013). Updates in diverticular disease. <i>Curr Gastroenterol Rep</i> , 15(8): 339.
75582	Tonnesen H, Engholm G, Moller H (1999). Association between alcoholism and diverticulitis. <i>Br J Surg</i> , 86(8): 1067-8.
8957	Trotman IF, Misiewicz JJ (1988). Sigmoid motility in diverticular disease and the irritable bowel syndrome. <i>Gut</i> , 29(2): 218-22.
9672	Trowell HC (1977). Dietary fibre and diseases of the large bowel. <i>The Practitioner</i> , 219(1311): 350-4.
75473	Tsuruoka N, Iwakiri R, Hara M, et al (2011). NSAIDs are a significant risk factor for colonic diverticular hemorrhage in elder patients: evaluation by a case-control study. <i>J Gastroenterol Hepatol</i> , 26(6): 1047-52.
75447	Tuech JJ, Regenet N, Hennekinne S, et al (2001). Laparoscopic colectomy for sigmoid diverticulitis in obese and nonobese patients. <i>Surg Endosc</i> , 15(12): 1427-30.
75455	Turunen P, Wikstrom H, Carpelan-Holmstrom M, et al (2010). Smoking increases the incidence of complicated diverticular disease of the sigmoid colon. <i>Scand J Surg</i> , 99(1): 14-7.

75948	Unlu C, Daniels L, Vrouenraets BC, et al (2012). A systematic review of high-fibre dietary therapy in diverticular disease. <i>Int J Colorectal Dis</i> , 27(4): 419-27.
76001	Usai P, Ibba I, Lai M, et al (2011). Cigarette smoking and appendectomy: Effect on clinical course of diverticulosis. <i>Dig Liver Dis</i> , 43(2): 98-101.
76164	von Rahden BH, Germer CT (2012). Pathogenesis of colonic diverticular disease. <i>Langenbecks Arch Surg</i> , 397(7): 1025-33.
45626	Weiner HL, Rezai AR, Cooper PR (1993). Sigmoid diverticular perforation in neurosurgical patients receiving high-dose corticosteroids. <i>Neurosurgery</i> , 33(1): 40-3.
9670	Weinreich J, Andersen D (1976). Intraluminal pressure in the sigmoid colon II. Patients with sigmoid diverticula and related conditions. <i>Scandinavian Journal of Gastroenterology</i> , 11(6): 581-6.
75392	Weisberger L, Jamieson B (2009). How can you help prevent a recurrence of diverticulitis? <i>Journal of Family Practice</i> , 58(7): 381-2.
75405	Weizman AV, Nguyen GC (2011). Diverticular disease: epidemiology and management. <i>Can J Gastroenterol</i> , 25(7): 385-9.
44231	West AB, Losada M (2004). The pathology of diverticulosis coli. <i>J Clin Gastroenterol</i> , 38(5 Suppl 1): S11-S16.
75555	Wick EC, Hirose K, Shore AD, et al (2011). Surgical site infections and cost in obese patients undergoing colorectal surgery. <i>Arch Surg</i> , 146(9): 1068-72.
76180	Wilcox CM, Alexander LN, Cotsonis GA, et al (1997). Nonsteroidal antiinflammatory drugs are associated with both upper and lower gastrointestinal bleeding. <i>Dig Dis Sci</i> , 42(5): 990-7.
75444	Williams PT (2009). Incident diverticular disease is inversely related to vigorous physical activity. <i>Med Sci Sports Exerc</i> , 41(5): 1042-7.
76130	Wilson RG, Smith AN, Macintyre IM (1990). Complications of diverticular disease and non-steroidal anti-inflammatory drugs: a prospective study. <i>Br J Surg</i> , 77(10): 1103-4.
76132	Wilson RG, Smith AN, Macintyre IM (1991). [Comment] Non-steroidal anti-inflammatory drugs and complicated diverticular disease: a case-control study. <i>Br J Surg</i> , 78(9): 1148. Comment on ID: 76131.
94323	Xie F, Yun H, Bernatsky S, et al (2016). Brief report: Risk of Gastrointestinal perforation among rheumatoid arthritis patients receiving tofacitinib, tocilizumab, or other biologic treatments. <i>Arthritis Rheumatol</i> , 68(11): 2612-7.
75039	Yamada A, Sugimoto T, Kondo S, et al (2008). Assessment of the risk factors for colonic diverticular hemorrhage. <i>Dis Colon Rectum</i> , 51(1): 116-20.
76931	Yamamichi N, Shimamoto T, Takahashi Y, et al (2015). Trend and risk factors of diverticulosis in Japan: age, gender, and lifestyle-metabolic-related factors may cooperatively affect on the colorectal diverticula formation. <i>PLoS One</i> , 10(4): e0123688.
76156	Young-Fadok T, Pemberton JH (2013). Colonic diverticulosis and diverticular disease: Epidemiology, risk factors, and pathogenesis. . Retrieved 21 October 2015, from http://www.uptodate.com/contents/colonic-diverticulosis-and-diverticular-disease-epidemiology-risk-factors-and-pathogenesis
75484	Yuhara H, Corley DA, Nakahara F, et al (2014). Aspirin and non-aspirin NSAIDs increase risk of colonic diverticular bleeding: a systematic review and meta-analysis. <i>J Gastroenterol</i> , 49(6): 992-1000.
75453	Zaidi E, Daly B (2006). CT and clinical features of acute diverticulitis in an urban U.S. population: rising frequency in young, obese adults. <i>Am J Roentgenol</i> , 187(3): 689-94.