



LOCALISED SCLEROSIS

RMA ID Number	Reference List for RMA354-1 as at June 2018
---------------	---

50956	Abraham DJ, Varga J (2005). Scleroderma: from cell and molecular mechanisms to disease models. <i>Trends in Immunology</i> , 26(11): 587-95.
51293	Abu-Shakra M, Guillemain F, Lee P (1993). Cancer in systemic sclerosis. <i>Arthritis & Rheumatism</i> . <i>Arthritis & Rheumatism</i> , 36(4): 460-64.
53429	Agency for Toxic Substances and Disease Registry (2009). Vinyl Chloride. Retrieved 9 February 2009, from http://www.atsdr.cdc.gov/MHMI/mmg20.html
83497	Ahn JG, Kim YT, Lee CW (1995). Trauma-induced isomorphic lesions in morphea--a brief case report. <i>J Korean Med Sci</i> , 10(2): 152-4.
50886	Airo P, Scarsi M, Rossi M, et al (2008). Onset and enhancement of systemic sclerosis after treatments for multiple sclerosis. <i>Rheumatol Int</i> , 28: 703-7.
82538	Al Aranji G, White D, Solanki K (2014). Scleroderma renal crisis following silicone breast implant rupture: a case report and review of the literature. <i>Clinical and Experimental Rheumatology</i> , 32: 262-6.
49567	Albert LJ, Inman RD (1999). Molecular mimicry and autoimmunity. <i>N Engl J Med</i> , 341(27): 2068-2074.
51038	Alexandrescu DT, Bhagwati NS, Wiernik PH (2005). Chemotherapy-induced scleroderma: a pleiomorphic syndrome. <i>Clin Exp Dermatol</i> , 30: 141-5.
83498	Alhathloul A, Hein R, Andres C, et al (2012). Post-irradiation morphea: case report and review of the literature. <i>J Dermatol Case Rep</i> , 6(3): 73-7.
52581	Anonymous (2008). Scleroderma. . Retrieved 12 February 2009, from http://www.medical-library.org/journals5a/scleroderma.HTM
51300	Anonymous (2008). Scleroderma & occupational exposure to silica dust. . Retrieved 5 January 2009, from http://www.wsib.on.ca/wsib/woph.nsp/public/160219
50952	Arnett FC (2006). Is scleroderma an autoantibody mediated disease? <i>Curr Opin Rheumatol</i> , 18: 579-81.
50958	Arnett FC, Cho M, Chatterjee S, Aguilar MB, et al (2001). Familial occurrence frequencies and relative risks for systemic sclerosis (scleroderma) in three Unites States cohorts. <i>Arthritis & Rheumatism</i> , 44(6): 1359-62.
50906	Atzeni F, Bardoni A, Cutolo M, et al (2006). Localized and systemic forms of scleroderma in adults and children. <i>Clin Exp Rheumatol</i> , 24(Suppl 40): S36-S45.
51287	Avouac J, Sordet C, Depinay C, et al (2006). Systemic sclerosis - associated Sjogren's syndrome and relationship to the limited cutaneous subtype. Results of a prospective study of Sicca syndrome in 133 consecutive patients. <i>Arthritis & Rheumatism</i> , 54(7): 2243-9.
83500	Bakst R, Kovarik C, Werth VP (2009). A case of localized scleroderma in a sculptor and his wife. <i>J Clin Rheumatol</i> , 15(8): 399-401.

83501	Barausse G, Caramaschi P, Scambi C, et al (2010). Clinical, serologic and instrumental data of ten patients affected by sclerodermatous chronic graft versus host disease: similarities and differences in respect to systemic sclerosis. <i>Int J Immunopathol Pharmacol</i> , 23(1): 373-7.
50894	Barnett AJ (2006). Studies of scleroderma at The Alfred Hospital, Melbourne. <i>Intern Med J</i> , 36: 513-18.
49576	Baroni SS, Santillo M, Bevilacqua F, et al (2006). Stimulatory autoantibodies to the PDGF receptor in systemic sclerosis. <i>N Engl J Med</i> , 354(25): 2667-76.
83502	Barrera Vigo MV, Torrelo A, Hernandez A, et al (2008). [Comment] Linear morphea with spontaneous fractures. <i>Br J Dermatol</i> , 158(4): 852-3.
83504	Bell HK, Dobson CM, Jackson SP, et al (2003). Localized morphea preceded by a pigmented purpuric dermatosis. <i>Clin Exp Dermatol</i> , 28(4): 369-71.
52658	Bellman B, Berman B (1996). Localized indurated brown plaques on arms and right buttock. <i>Arch Dermatol</i> , 132(11): 1366-7, 1368-9.
50895	Bernatsky S, Ramsey-Goldman R, Clarke A (2006). Malignancy and autoimmunity. <i>Curr Opin Rheumatol</i> , 18: 129-34.
51582	Boin F, Hummers LK (2008). Scleroderma-like fibrosing disorders. <i>Rheum Dis Clin N Am</i> , 34: 199-220.
50949	Boin F, Wigley FM (2005). Understanding, assessing and treating Raynaud's phenomenon. <i>Curr Opin Rheumatol</i> , 17: 752-60.
51867	Bond C, Pile KD, McNeil JD, Ahern MJ, et al (1998). South Australian scleroderma register: analysis of deceased patients. <i>Pathology</i> , 30(4): 386-90.
83505	Bouchard SM, Mohr MR, Pariser RJ (2010). Taxane-induced morphea in a patient with CREST syndrome. <i>Dermatology Reports</i> , 2(e9): 23-4.
51599	Bovenzi M, Barbone F, Betta A, et al (1995). Scleroderma and occupational exposure. <i>Scand J Work Environ Health</i> , 21: 289-92.
50959	Bovenzi M, Barbone F, Pisa FE, Betta A, et al (2004). A case-control study of occupational exposures and systemic sclerosis. <i>Int Arch Occup Environ Health</i> , 77: 10-16.
51595	Bovenzi M, Barbone F, Pisa FE, et al (2001). Scleroderma and occupational exposure to hand-transmitted vibration. <i>Int Arch Occup Environ Health</i> , 74: 579-82.
52947	Bretza J, Goldman JA (1979). Scleroderma simulating vinyl chloride disease. <i>Journal of Occupational Medicine</i> , 21(6): 436-8.
45978	Brogan BL, Olsen NJ (2003). Drug-induced rheumatic syndromes. <i>Current Opinion in Rheumatology</i> , 15: 76-80.
51305	Bruining HA, Ong EGL, Gershuny AR, et al (1985). Cushing's syndrome and pheochromocytoma caused by an adrenal tumor, also containing met-enkephalin and somatostatin: a case report. <i>World J Surg</i> , 9: 639-42.
50871	Buechner SA, Winkelmann RK, Lautenschlager S, et al (1993). Localized scleroderma associated with <i>Borrelia burgdorferi</i> infection. <i>J Am Acad Dermatol</i> , 29: 190-6.
83506	Careta MF, Romiti R (2015). Localized scleroderma: clinical spectrum and therapeutic update. <i>An Bras Dermatol</i> , 90(1): 62-73.
50953	Cepeda EJ, Reveille JD (2004). Autoantibodies in systemic sclerosis and fibrosing syndromes: clinical indications and relevance. <i>Curr Opin Rheumatol</i> , 16: 723-32.
50957	Charles C, Clements P, Furst DE (2006). Systemic sclerosis: hypothesis-driven treatment strategies. <i>Lancet</i> , 367: 1683-91.
51041	Chen K, See A, Shumack S (2003). Epidemiology and pathogenesis of scleroderma. <i>Australasian Journal of Dermatology</i> , 44: 1-9.
50889	Chiffot H, Fautrel B, Sordet C, et al (2008). Incidence and prevalence of systemic sclerosis: A systemic literature review. <i>Semin Arthritis Rheum</i> , 37: 223-35.

50890	Chizzolini C (2007). Update on pathophysiology of scleroderma with special reference to immunoinflammatory events. <i>Ann Med</i> , 39(1): 42-53.
51336	Christen U, von Herrath MG (2005). Infections and autoimmunity - good or bad? <i>The Journal of Immunology</i> , 174: 7481-6.
50893	Chung L, Lin J, Furst DE, et al (2006). Systemic and localized scleroderma. <i>Clinics in Dermatology</i> , 24: 374-92.
50907	Ciolkiewicz M, Domyslawska I, Ciolkiewicz A, et al (2008). Coexistence of systemic sclerosis, scleroderma-like syndromes and neoplastic diseases. <i>Pol Arch Med Wewn</i> , 118(3): 119-25.
53318	Committee on Contaminated Drinking Water at Camp Lejeune; National Research Council (2009). Contaminated water supplies at Camp Lejeune: assessing potential health effects. National Academy of Sciences. National Academy Press, Washington, D.C.
30666	Cooper GS, Miller FW, Germolec DR (2002). Occupational exposures and autoimmune diseases. <i>International Immunopharmacology</i> , 2(2-3): 303-13.
51299	Cowie RL (1987). Silica-dust-exposed mine workers with scleroderma (systemic sclerosis). <i>Chest</i> , 92: 260-62.
83507	Czirjak L, Pocs E, Szegedi G (1994). Localized scleroderma after exposure to organic solvents. <i>Dermatology</i> , 189(4): 399-401. [Abstract]
51592	Dang H, Dauphinee MJ, Talal N, et al (1991). [Comment] Serum antibody to retroviral gag proteins in systemic sclerosis. <i>Arthritis & Rheumatism</i> , 34(10): 1336-7.
49574	Davidson S (1999). Organisation and function of the immune system. <i>Davidson's Practice and Principles of Medicine</i> , Chapter 1: 35-36.
41343	D'Cruz D (2000). Autoimmune diseases associated with drugs, chemicals and environmental factors. <i>Toxicology Letters</i> , 112-113: 421-432.
52576	De Angelis R, Bugatti L, Cerioni A, et al (2003). Diffuse scleroderma occurring after the use of paclitaxel for ovarian cancer. <i>Clin Rheumatol</i> , 22: 49-52.
83508	De Giorgi V, Santi R, Grazzini M, et al (2010). Synchronous angiosarcoma, melanoma and morphea of the breast skin 14 years after radiotherapy for mammary carcinoma. <i>Acta Derm Venereol</i> , 90(3): 283-6.
83511	De Martinis M, Ciccarelli F, Sirufo MM, et al (2016). An overview of environmental risk factors in systemic sclerosis. <i>Expert Rev Clin Immunol</i> , 12(4): 465-78.
83512	de Oliveira FL, de Barros Silveira LK, Rambaldi ML, et al (2012). Localized scleroderma associated with chronic hepatitis C. <i>Case Rep Dermatol Med</i> , 2012: 743896.
83513	Denton CP (2016). Overview and classification of scleroderma disorders. , : . Retrieved 14 August 2017, from https://www.uptodate.com/contents/overview-and-classification-of-scleroderma-disorders
51291	Denton CP, Black CM (2004). Scleroderma - clinical and pathological advances. <i>Best Practice & Research Clinical Rheumatology</i> , 18(3): 271-90.
50899	Derk CT, Jimenez SA (2003). Systemic sclerosis: current views of its pathogenesis. <i>Autoimmunity Reviews</i> , 2: 181-91.
83514	di Meo N, Noal C, Trevisini S, et al (2015). Abdominopelvic post-irradiation morphea in a prostate cancer patient: the first case of an under-recognized condition. <i>Acta Dermatovenerol APA</i> , 24(4): 67-8.
51296	Diot E, Lesire V, Guilmot JL, et al (2002). Systemic sclerosis and occupational risk factors: a case-control study. <i>Occup Environ Med</i> , 59: 545-9.
49244	du Bois RM (2007). Mechanisms of scleroderma-induced lung disease. <i>Proc Am Thorac Soc</i> , 4: 434-438.

83515	Dunnill MG, Black MM (1994). Sclerodermatous syndrome after occupational exposure to herbicides-response to systemic steroids. <i>Clin Exp Dermatol</i> , 19: 518-20. [Abstract]
53480	Englert H, Small-McMahon J, Davis K, et al (2000). Male systemic sclerosis and occupational silica exposure - a population-based study. <i>Aust N Z J Med</i> , 30(2): 215-20.
83516	Espinoza-Leon F, Hassanhi-Hassanhi M, Arocha-Sandoval F, et al (2006). Absence of <i>Borrelia burgdorferi</i> antibodies in the sera of Venezuelan patients with localized scleroderma (morphea). <i>Invest Clin</i> , 47(3): 283-8.
50898	Farrant PBJ, Mortimer PS, Gore M (2004). Scleroderma and the taxanes. Is there really a link? <i>Clin Exp Dermatol</i> , 29: 360-2.
51591	Feghali-Bostwick C, Medsger TA Jr, Wright TM (2003). Analysis of systemic sclerosis in twins reveals low concordance for disease and high concordance for the presence of antinuclear antibodies. <i>Arthritis & Rheumatism</i> , 48(7): 1956-63.
82497	Ferrelli C, Gasparini G, Parodi A, et al (2017). Cutaneous manifestations of scleroderma and scleroderma-like disorders: a comprehensive review. <i>Clin Rev Allergy Immunol</i> , : Epub ahead of print.
83518	Fett N (2013). Scleroderma: Nomenclature, etiology, pathogenesis, prognosis, and treatments: Facts and controversies. <i>Clin Dermatol</i> , 31(4): 432-7.
83517	Fett N, Werth VP (2011). Update on morphea: Part 1. Epidemiology, clinical presentation, and pathogenesis. <i>J Am Acad Dermatol</i> , 64: 217-28.
83519	Fleming JN, Shulman HM, Nash RA, et al (2009). Cutaneous chronic graft-versus-host disease does not have abnormal endothelial phenotype or vascular rarefaction characteristic of systemic sclerosis. <i>PLoS One</i> , 4(7): e6203.
83520	Flindt-Hansen H, Isager H (1987). Scleroderma after occupational exposure to trichlorethylene and trichlorethane. <i>Acta Derm Venereol</i> , 67(3): 263-4. [Abstract]
83521	Forschner A, Metzler G, Rassner G, et al (2005). [Comment] Morphea with features of lichen sclerosus et atrophicus at the site of a herpes zoster scar: another case of an isotropic response. <i>Int J Dermatol</i> , 44(6): 524-5.
83522	Foti R, Leonardi R, Rondinone R, et al (2008). Scleroderma-like disorders. <i>Autoimmun Rev</i> , 7(4): 331-9.
82498	Frances L, Leiva-Salinas M, Angelica MB, et al (2014). Morphea as a sign of autoimmune syndrome induced by adjuvants (ASIA). <i>Eur J Dermatol</i> , 24(3): 377-8.
49570	Friedman SM, Posnett DN, Tumang JR, et al (1991). A potential role for microbial superantigens in the pathogenesis of systemic autoimmune disease. <i>Arthritis Rheum</i> , 34(4): 468-80.
83523	Fruchter R, Kurtzman DJ, Mazori DR, et al (2017). [Comment] Characteristics and treatment of postirradiation morphea: A retrospective multicenter analysis. <i>J Am Acad Dermatol</i> , 76(1): 19-21.
50954	Fujimoto M, Sato S (2005). B lymphocytes and systemic sclerosis. <i>Curr Opin Rheumatol</i> , 17: 746-51.
50903	Gabrielli A, Svegliati S, Moroncini G, et al (2007). Pathogenic autoantibodies in systemic sclerosis. <i>Curr Opin Immunol</i> , 19: 640-5.
50960	Garabrant DH, Lacey JV Jr, Laing TJ, et al (2003). Scleroderma and solvent exposure among women. <i>Am J Epidemiol</i> , 157(6): 493-500.
83524	Garcia-Martinez FJ, Garcia-Gavin J, Alvarez-Perez A, et al (2012). Scleroderma-like syndrome due to hydroxyurea. <i>Clin Exp Dermatol</i> , 37(7): 755-8.
83525	Gerceker Turk B, Urkmez A, Kilinc Karaarslan I, et al (2010). [Comment] Unilateral generalized morphea: could vibration be a stimulating factor? <i>Clin Exp Dermatol</i> , 35(4): e165-6.
51043	Gilliam AC (2008). Scleroderma. <i>Curr Dir Autoimmun</i> , 10: 258-79.

50888	Gleicher N, Barad D, Weghofer A (2007). Functional autoantibodies, a new paradigm in autoimmunity? <i>Autoimmunity Reviews</i> , 7: 42-5.
48735	Gold LS, Ward MH, Dosemeci M, et al (2007). Systemic autoimmune disease mortality and occupational exposures. <i>Arthritis & Rheumatism</i> , 56(10): 3189-201.
50962	Goodlad JR, Davidson MM, Gordon P, et al (2002). Morphoea and <i>Borrelia burgdorferi</i> : results from the Scottish Highlands in the context of the world literature. <i>J Clin Pathol: Mol Pathol</i> , 55: 374-8.
82525	Gorkiewicz-Petkow A, Kalinska-Bienias A (2015). Systemic involvement in localized scleroderma/morphea. <i>Clinics in Dermatology</i> , 33(5): 556-62.
83526	Grabell D, Hsieh C, Andrew R, et al (2014). The role of skin trauma in the distribution of morphea lesions: a cross-sectional survey of the Morphea in Adults and Children cohort IV. <i>J Am Acad Dermatol</i> , 71(3): 493-8.
50884	Grassegger A, Pohla-Gubo G, Frauscher M, et al (2008). Autoantibodies in systemic sclerosis (scleroderma): clues for clinical evaluation, prognosis and pathogenesis. <i>Wien Med Wochenschr</i> , 158(1-2): 19-28.
50885	Gupta RA, Fiorentino D (2007). Localized scleroderma and systemic sclerosis: Is there a connection? <i>Best Practice & Research Clinical Rheumatology</i> , 21(6): 1025-36.
83527	Gutierrez-Gomez C, Godinez-Hana AL, Garcia-Hernandez M, et al (2014). Lack of IgG antibody seropositivity to <i>Borrelia burgdorferi</i> in patients with Parry-Romberg syndrome and linear morphea en coup de sabre in Mexico. <i>Int J Dermatol</i> , 53(8): 947-51.
83528	Hanami Y, Ohtsuka M, Yamamoto T (2016). [Comment] Paraneoplastic eosinophilic fasciitis with generalized morphea and vitiligo in a patient working with organic solvents. <i>J Dermatol</i> , 43(1): 67-8.
48780	Harel-Meir M, Sherer Y, Shoenfeld Y (2007). Tobacco smoking and autoimmune rheumatic diseases. <i>Nat Clin Pract Rheumatol</i> , 3(12): 707-15.
51295	Harrison BJ, Silman AJ, Hider SL, et al (2002). Cigarette smoking as a significant risk factor for digital vascular disease in patients with systemic sclerosis. <i>Arthritis & Rheumatism</i> , 46(12): 3312-6.
49572	Harrison's Principles of Internal Medicine (2008). Immune tolerance and autoimmunity. Chapter 308. Retrieved 16 September 2008, from http://www.accessmedicine.com/popup.aspx?aID=2858456
52656	Hassett G, Harnett P, Manolios N (2001). Scleroderma in association with the use of docetaxel (taxotere) for breast cancer. <i>Clin Exp Rheumatol</i> , 19: 197-200.
49566	Haustein U (2008). Systemic sclerosis - scleroderma. 8 (1): 1-30. Retrieved 16 September 2008, from http://dermatology.cdlib.org/DOJvol8num1/reviews/scleroderma/haustein.html
53482	Haynes BF, Soderberg KA, Fauci AS (2008). Introduction to the immune system. Harrison's Principles of Internal Medicine, 17th Edition, Chapter 308: 2019-45. .
83529	Heidary N, Naik H, Burgin S (2008). Chemotherapeutic agents and the skin: An update. <i>J Am Acad Dermatol</i> , 58(4): 545-70.
50950	Herrick AL (2005). Pathogenesis of Raynaud's phenomenon. <i>Rheumatol</i> , 44: 587-96.
51037	Herrick AL (2008). Systemic sclerosis: an update for clinicians. <i>Br J Hosp Med</i> : 464-70.
82499	Herrmann T, Gunther C, Csere P (2009). Localized morphea--a rare but significant secondary complication following breast cancer radiotherapy. Case report and review of the literature on radiation reaction among patients with scleroderma/morphea. <i>Strahlenther Onkol</i> , 185(9): 603-7.
52574	Ho J, Rothchild YH, Sengelmann R (2004). Vitamin B12-associated localized scleroderma and its treatment. <i>Dermatol Surg</i> , 30: 1252-5.

51596	Holmich LR, Lipworth L, McLaughlin JK, et al (2007). Breast implant rupture and connective tissue disease: a review of the literature. <i>Plastic and Reconstructive Surgery</i> , 120(Suppl 1): 62S-69S.
83530	Hubbard V, Davenport A, Jarmulowicz M, et al (2003). Scleromyxoedema-like changes in four renal dialysis patients. <i>Br J Dermatol</i> , 148(3): 563-8.
51864	Industrial Injuries Advisory Council (Newman Taylor AJ (Chair) (2005). Report to Department for Work and Pensions. Retrieved 9 February 2009, from http://www.official-documents.gov.uk/document/cm66/6645/6645.pdf
82496	Inoue-Nishimoto T, Hanafusa T, Igawa K, et al (2015). Possible association of anti-tumor necrosis factor-alpha antibody therapy with the development of scleroderma-like changes with lichen planus. <i>Eur J Dermatol</i> , 25(5): 513-5.
78302	Institute of Medicine (IOM) (2016). Committee to review the health effects in Vietnam veterans of exposure to herbicides. <i>Veterans and Agent Orange: Update 2014</i> . National Academies Press - Washington, DC.
83531	Ishikawa K, Sakai T, Saito-Shono T, et al (2016). Pemetrexed-induced scleroderma-like conditions in the lower legs of a patient with non-small cell lung carcinoma. <i>J Dermatol</i> , 43(9): 1071-4.
52575	Itoh M, Yanaba K, Kobayashi T, et al (2007). Taxane-induced scleroderma. <i>Br J Dermatol</i> , 156: 353-67.
50880	Jackson JM, Callen JP (1998). Scarring alopecia and sclerodermatous changes of the scalp in a patient with hepatitis C infection. <i>J Am Acad Dermatol</i> , 39: 824-6.
83532	Jacobe H (2017). Pathogenesis, clinical manifestations, and diagnosis of morphea (localized scleroderma) in adults. . Retrieved 15 August 2017, from https://www.uptodate.com/contents/pathogenesis-clinical-manifestations-and-diagnosis-of-morphea-localized-scleroderma-in-adults?source=search_result&search=pathogenesis,%20clinical%20manifestations,%20and%20diagnosis%20of%20morphea&selectedTitle=1~47
83533	Jacobe H (2017). Treatment of morphea (localized scleroderma) in adults. . Retrieved 15 August 2017, from https://www.uptodate.com/contents/treatment-of-morphea-localized-scleroderma-in-adults?source=related_link
30560	Janowsky EC, Kupper LL, Hulka BS (2000). Meta-analyses of the relation between silicone breast implants and the risk of connective-tissue diseases. <i>N Engl J Med</i> , 342: 781-90.
50951	Jimenez SA, Derk CT (2004). Following the molecular pathways toward an understanding of the pathogenesis of systemic sclerosis. <i>Ann Intern Med</i> , 140: 37-50.
51600	Jimenez SA, Diaz A, Khalili K (1995). Retroviruses and the pathogenesis of systemic sclerosis. <i>Intern Rev Immunol</i> , 12: 159-75.
51285	Juarez M, Misischia R, Alarcon GS (2003). Infections in systemic connective tissue diseases: systemic lupus erythematosus, scleroderma, and polymyositis/dermatomyositis. <i>Rheum Dis Clin N Am</i> , 29: 163-84.
49562	Kamradt T, Goggel R, Erb KJ (2005). Induction, exacerbation and inhibition of allergic and autoimmune diseases by infection. <i>Trends in Immunology</i> , 26(5): 260-7.
50870	Kanaji N, Fujita J, Bando S, et al (2005). Small cell lung cancer associated with systemic sclerosis. <i>Intern Med</i> , 44(4): 315-8.
50874	Kettaneh A, Al Moufti O, Tiev KP, et al (2007). Occupational exposure to solvents and gender-related risk of systemic sclerosis: a metaanalysis of case-control studies. <i>J Rheumatol</i> , 34: 97-103.
83534	Kitko CL, White ES, Baird K (2012). Fibrotic and sclerotic manifestations of chronic graft-versus-host disease. <i>Biology of Blood and Marrow Transplantation</i> , 18(1 Suppl): S46-52.

83535	Kivity S, Katz M, Langevitz P, et al (2012). Autoimmune syndrome induced by adjuvants (ASIA) in the Middle East: morphea following silicone implantation. <i>Lupus</i> , 21(2): 136-9.
83536	Komocsi A, Tovari E, Kovacs J, et al (2000). Physical injury as a provoking factor in three patients with scleroderma. <i>Clin Exp Rheumatol</i> , 18(5): 622-4.
83539	Kreuter A (2012). Localized scleroderma. <i>Dermatologic Therapy</i> , 25(2): 135-47.
51587	Kung EF, Soltani K, Petronic-Rosic V (2008). Clinicopathologic challenge. <i>International Journal of Dermatology</i> , 47: 655-7.
50873	Kutting B, Uter W, Drexler H (2006). Is occupational exposure to solvents associated with an increased risk for developing systemic scleroderma? <i>J Occup Med Toxicol</i> , 1: 15.
51040	Launay D, Le Berre R, Hatron P-Y, et al (2004). Association between systemic sclerosis and breast cancer: eight new cases and review of the literature. <i>Clin Rheumatol</i> , 23: 516-22.
50892	Laxer RM, Zulian F (2006). Localized scleroderma. <i>Curr Opin Rheumatol</i> , 18: 606-13.
51590	Lee P, Alderdice C, Wilkinson S, et al (1983). [Comment] Malignancy in progressive systemic sclerosis - association with breast carcinoma. <i>Journal of Rheumatology</i> , 10(4): 665-6.
49575	Lernmark A (2001). Autoimmune diseases: are markers ready for prediction? <i>J Clin Invest</i> , 108: 1091-96.
83540	Lidar M, Agmon-Levin N, Langevitz P, et al (2012). Silicone and scleroderma revisited. <i>Lupus</i> , 21(2): 121-7.
49573	Lipsky PE, Diamond B (2008). Autoimmunity and autoimmune diseases. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 312: 2071-74. .
50948	Lipworth L, Tarone RE, McLaughlin JK (2004). Silicone breast implants and connective tissue disease. <i>Ann Plast Surg</i> , 52(6): 598-601.
50878	Lunardi C, Bason C, Corrocher R, (2005). Induction of endothelial cell damage by HCMV molecular mimicry. <i>Trends in Immunology</i> , 26(1): 19-24.
50879	Lunardi C, Bason C, Navone R, et al (2000). Systemic sclerosis immunoglobulin G autoantibodies bind the human cytomegalovirus late protein UL94 and induce apoptosis in human endothelial cells. <i>Nature Med</i> , 6(10): 1183-6.
50883	Maggi P, Filotico R, Bonora S, et al (2008). Does iatrogenic scleroderma due to injection-site reaction to enfuvirtide impair absorption of the drug? <i>Clin Drug Invest</i> , 28(5): 305-11.
50875	Magnant J, De Monte M, Guilmot JL, et al (2005). Relationship between occupational risk factors and severity markers of systemic sclerosis. <i>J Rheumatol</i> , 32: 1713-8.
51598	Magro CM, Crowson AN, Ferri C (2007). Cytomegalovirus-associated cutaneous vasculopathy and scleroderma sans inclusion body change. <i>Human Pathology</i> , 38: 42-9.
50876	Maitre A, Hours M, Bonnetterre V, et al (2004). Systemic sclerosis and occupational risk factors: role of solvents and cleaning products. <i>J Rheumatol</i> , 31: 2395-401.
83541	Marangoni RG, Varga J, Tourtellotte WG (2016). Animal models of scleroderma: recent progress. <i>Curr Opin Rheumatol</i> , 28(6): 561-70.
83543	Maricq HR, Johnson MN, Whetstone CL, et al (1976). Capillary abnormalities in polyvinyl chloride production workers. Examination by in vivo microscope. <i>JAMA</i> , 236(12): 1368-71. [Abstract]
83544	Marie I, Gehanno JF (2015). Environmental risk factors of systemic sclerosis. <i>Semin Immunopathol</i> , 37(5): 463-73.

83545	Martires KJ, Baird K, Citrin DE, et al (2011). Localization of sclerotic-type chronic graft-vs-host disease to sites of skin injury. <i>Arch Dermatol</i> , 147(9): 1081-6.
83983	Martires KJ, Baird K, Steinberg SM, et al (2011). Sclerotic-type chronic GVHD of the skin: clinical risk factors, laboratory markers, and burden of disease. <i>Blood</i> , 118(15): 4250-7.
52065	Marzano AV, Menni S, Parodi A, et al (2003). Localized scleroderma in adults and children. Clinical and laboratory investigations of 239 cases. <i>Eur J Dermatol</i> , 13: 171-6.
83546	Mattozzi C, Richetta AG, Cantisani C, et al (2010). Morphea, an unusual side effect of anti-TNF-alpha treatment. <i>Eur J Dermatol</i> , 20(3): 400-1.
41354	Mayes MD (1999). Epidemiologic studies of environmental agents and systemic autoimmune diseases. <i>Environmental Health Perspectives</i> , 107(Suppl 5): 743-748.
51284	Mayes MD (2003). Scleroderma epidemiology. <i>Rheum Dis Clin N Am</i> , 29: 239-54.
52659	Mayes MR, Johnson MN, Whetstone CL, LeRoy C (1976). Capillary abnormalities in polyvinyl chloride production workers. Examination by in vivo microscopy. <i>JAMA</i> , 236(12): 1368-71.
51597	McLaughlin JK, Lipworth L, Murphy DK, et al (2007). The safety of silicone gel-filled breast implants. A review of the epidemiologic evidence. <i>Annals of Plastic Surgery</i> , 59(5): 569-80.
83547	Mertens JS, Seyger MM, Kievit W, et al (2015). Disease recurrence in localized scleroderma: a retrospective analysis of 344 patients with paediatric- or adult-onset disease. <i>Br J Dermatol</i> , 172(3): 722-8.
83552	Mertens JS, Seyger MM, Thurlings RM, et al (2017). Morphea and eosinophilic fasciitis: An update. <i>Am J Clin Dermatol</i> , 18(4): 491-512.
83553	Migliano B, Viana M, Zavattaro E, et al (2012). [Comment] Localized scleroderma unius lateri and <i>Borrelia burgdorferi</i> infection. <i>Indian Journal of Dermatology, Venereology & Leprology</i> , 78(3): 383-5.
83554	Mihás AA, Abou-Assi SG, Heuman DM (2003). [Comment] Cutae morphea associated with chronic hepatitis C. <i>J Hepatol</i> , 39(3): 458-9.
79236	Miller FW, Alfredsson L, Costenbader KH, et al (2012). Epidemiology of environmental exposures and human autoimmune diseases: findings from a national institute of environmental health sciences expert panel workshop. <i>J Autoimmun</i> , 39(4): 259-71.
53483	MIMS Online (2009). Bleomycin Sulfate for Injection (DBL). Retrieved 2 September 2009, from http://proxy8.use.hcn.com.au/ifmx-nsapi/mims-data/?Mival=2MIMS_abbr_pi&product_code=00001001&product_name=Search
53477	MIMS Online (2009). Blenoxane. Retrieved 9 February 2009, from http://proxy8.use.hcn.com.au/ifmx-nsapi/mims-ddata/?Mlva1=2MIMS_abbr_pi&product_code=00001001&product_Name=Search
83555	Moniuszko A, Gindzienska-Sieskiewicz E, Pancewicz SA, et al (2012). Evaluation of skin thickness lesions in patients with Lyme disease measured by modified Rodnan total skin score. <i>Rheumatol Int</i> , 32(10): 3189-91.
53478	Moxley G (2007). Scleroderma and related diseases. Retrieved 27 November 2008, from http://www.acpmedicine.com/acpmedicine/pdf/med1505.pdf
51589	Nakamura K, Kawakami Y, Oyama N, et al (2006). A case of sclerodermatous graft-versus-host disease following autologous peripheral blood stem cell transplantation. <i>Journal of Dermatology</i> , 2: 135-8.

51301	National Institute for Occupational Safety & Health (2002). Hazard review health effects of occupational exposure to respirable crystalline silica. Autoimmune and chronic renal diseases. Section 3.6: 67-68. Retrieved 19 January 2009, from http://www.cdc.gov/niosh/docs/2002-129/pdfs/02-129.pdf
51594	Neidhart M, Kuchen S, Distler O, et al (1999). [Comment] Increased serum levels of antibodies against human cytomegalovirus and prevalence of autoantibodies in systemic sclerosis. <i>Arthritis & Rheumatism</i> , 42(2): 389-92.
52657	Nicholson WJ, Henneberger PK, Seidman H (1984). Occupational hazards in the VC-PVC industry. <i>Prog Clin Biol Res</i> , 141: 155-75.
83556	Nielson C, Fraga GR, Fischer R, et al (2015). Pressure-induced isomorphic sclerodermoid graft-versus-host disease from brassiere underwire and tight-fitting watch. <i>Dermatology Online Journal</i> , 21(11): 10.
49565	Nietert PJ, Silver RM (2000). Systemic sclerosis: environmental and occupational risk factors. <i>Curr Opin Rheumatol</i> , 12: 520-6.
51298	Nietert PJ, Sutherland SE, Silver RM, Pandey JP, et al (1998). Is occupational organic solvent exposure a risk factor for scleroderma? <i>Arthritis & Rheumatism</i> , 41(6): 1111-8.
83557	Niklas K, Niklas AA, Majewski D, et al (2016). Rheumatic diseases induced by drugs and environmental factors: the state-of-the-art - part one. <i>Reumatologia</i> , 54(3): 122-7.
83558	Ohashi A, Minagawa A, Ashida A, et al (2015). [Comment] Histopathological improvement of scleroderma induced by paclitaxel in a patient with breast cancer. <i>J Dermatol</i> , 42: 1198-9.
49561	Oldstone MBA (1998). Molecular mimicry and immune-mediated diseases. <i>FASEB J</i> , 12: 1255-65.
46583	Otsuki T, Maeda M, Murakami S, et al (2007). Immunological effects of silica and asbestos. <i>Cellular & Molecular Immunology</i> , 4(4): 261-8.
83559	Palacios R, Torres A, Trujillo R (2003). IgG antibody reactivity to <i>Borrelia burgdorferi sensu stricto</i> antigens in patients with morphea in Colombia. <i>Int J Dermatol</i> , 42(11): 882-6.
51593	Pandey JP, LeRoy EC (1998). Human cytomegalovirus and the vasculopathies of autoimmune disease (especially scleroderma), allograft rejection, and coronary restenosis. <i>Arthritis & Rheumatism</i> , 41(1): 10-5.
27867	Parks CG, Conrad K, Cooper GS (1999). Occupational exposure to crystalline silica and autoimmune disease. <i>Environmental Health Perspectives</i> , 107(S5): 793-802.
51585	Penas PF, Jones-Caballero M, Aragues M, et al (2002). Sclerodermatous graft-vs-host disease. Clinical and pathological study of 17 patients. <i>Arch Dermatol</i> , 138: 924-34.
50882	Peroni A, Zini A, Braga V, et al (2008). Drug-induced morphea: Report of a case induced by balicatib and review of the literature. <i>J Am Acad Dermatol</i> , 59: 125-9.
50902	Posada de la Paz M, Philen RM, Borda IA (2001). Toxic oil syndrome: The perspective after 20 years. <i>Epidemiol Rev</i> , 23(2): 231-47.
83560	Prinz JC, Kutasi Z, Weisenseel P, et al (2009). "Borrelia-associated early-onset morphea": A particular type of scleroderma in childhood and adolescence with high titer antinuclear antibodies? <i>J Am Acad Dermatol</i> , 60(2): 248-55.
49569	Proft T, Fraser JD (2003). Bacterial superantigens. <i>Clin Exp Immunology</i> , 133: 299-306.
83564	Ramirez J, Hernandez MV, Galve J, et al (2012). Morphea associated with the use of adalimumab: a case report and review of the literature. <i>Mod Rheumatol</i> , 22(4): 602-4.
83565	Ranganathan P (2005). Infliximab-induced scleredema in a patient with rheumatoid arthritis. <i>J Clin Rheumatol</i> , 11(6): 319-22.

50897	Reddy SM, Pui JC, Gold LI, et al (2005). Postirradiation morphea and subcutaneous polyarteritis nodosa: Case report and literature review. <i>Semin Arthritis Rheum</i> , 34: 728-34.
50872	Reinauer S, Goerz G, Ruzicka T, et al (1994). Helicobacter pylori in patients with systemic sclerosis: detection with the 13C-urea breath test and eradication. <i>Acta Derm Venereol (Stockh)</i> , 74: 361-3.
49564	Riley PA (2004). Bacteriophages in autoimmune disease and other inflammatory conditions. <i>Medical Hypotheses</i> , 62: 493-8.
51289	Rosenthal AK, McLaughlin JK, Linet M, et al (1993). Scleroderma and malignancy: an epidemiological study. <i>Annals of the Rheumatic Diseases</i> , 52: 531-3.
51294	Roumm AD, Medsger TA (1985). Cancer and systemic sclerosis. An epidemiologic study. <i>Arthritis & Rheumatism</i> , 28(12): 1336-40.
83569	Rubio-Rivas M, Moreno R, Corbella X (2017). Occupational and environmental scleroderma. Systematic review and meta-analysis. <i>Clin Rheumatol</i> , 36(3): 569-82.
83570	Runger TM, Adami S, Benhamou CL, et al (2012). Morphea-like skin reactions in patients treated with the cathepsin K inhibitor balicatib. <i>J Am Acad Dermatol</i> , 66(3): e89-96.
51588	Ruzek MC, Jha S, Ledbetter S, et al (2004). A modified model of graft-versus-host -induced systemic sclerosis (scleroderma) exhibits all major aspects of the human disease. <i>Arthritis & Rheumatism</i> , 50(4): 1319-31.
50896	Sakkas LI (2005). New developments in the pathogenesis of systemic sclerosis. <i>Autoimmunity</i> , 38(2): 113-6.
51292	Sakkas LI, Chikanza IC, Platsoucas CD (2006). Mechanisms of disease: the role of immune cells in the pathogenesis of systemic sclerosis. <i>Nature Clinical Practice</i> , 2(12): 679-85.
50955	Sakkas LI, Platsoucas CD (2004). Is systemic sclerosis an antigen-driven T cell disease? <i>Arthritis & Rheumatism</i> , 50(6): 1721-33.
83571	Salhotra A, Tsai N, Thomas SH, et al (2015). Sclerodermatous chronic GVHD in patients receiving tyrosine kinase inhibitors after allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplant</i> , 50(1): 139-41.
51288	Sallam H, McNearney TA, Chen DZ (2006). Systematic review: pathophysiology and management of gastrointestinal dysmotility in systemic sclerosis (scleroderma). <i>Alimentary Pharmacology & Therapeutics</i> , 23: 691-712.
83572	Salpietro DC, Merlino MV, Bruglia S, et al (2004). [Comment] Linear scleroderma 'en coup de sabre' associated with facial atrophy in a patient seropositive for <i>Borrelia burgdorferi</i> : a true case of molecular mimicry? <i>Pediatr Allergy Immunol</i> , 15(6): 570-2.
49563	Samarkos M, Vaiopoulos G (2005). The role of infections in the pathogenesis of autoimmune diseases. <i>Current Drug Targets - Inflammation & Allergy</i> , 4: 99-103.
51866	Scheinfeld NS, Kuechle MK (2008). Graft versus host disease. Retrieved 12 February 2009, from http://emedicine.medscape.com/article/1050580-print
49571	Schiffenbauer J, Soos J, Johnson H (1998). The possible role of bacterial superantigens in the pathogenesis of autoimmune disorders. <i>Immunol Today</i> , 19: 117-120.
82501	Shibao K, Okiyama N, Maruyama H, et al (2016). Scleroderma-like skin changes occurring after the use of paclitaxel without any chemical solvents: a first case report. <i>Eur J Dermatol</i> , 26(3): 317-8.
50877	Sikdar S, Grover C, Kubba S, et al (2005). An uncommon cause of scleroderma. <i>Scand J Rheumatol</i> , 34(3): 242-5.

83573	Silman AJ, Jones S (1992). What is the contribution of occupational environmental factors to the occurrence of scleroderma in men? <i>Ann Rheum Dis</i> , 51(12): 1322-4.
28338	Sim M, Abramson M, Forbes A, et al (2003). Australian Gulf War Veterans' Health Study, Vol 1. Commonwealth of Australia.
51586	Skert C, Patriarca F, Sperotto A, et al (2006). Sclerodermatous chronic graft-versus-host disease after allogeneic hematopoietic stem cell transplantation: incidence, predictors and outcome. <i>Haematologica</i> , 91: 258-61.
51863	Sluis-Cremer GK, Hessel PA, Nizdo EH, et al (1985). Silica, silicosis, and progressive systemic sclerosis. <i>Br J Ind Med</i> , 42: 838-43.
50881	Smiley JD, Hoffman WL (1991). Southwestern Internal Medicine Conference: The role of infections in the rheumatic diseases: molecular mimicry between bacterial and human stress proteins? <i>Am J Med Sci</i> , 301(2): 138-49.
83574	Sozeri B, Gulez N, Aksu G, et al (2012). Pesticide-induced scleroderma and early intensive immunosuppressive treatment. <i>Arch Environ Occup Health</i> , 67(1): 43-7.
83575	Spalek M, Jonska-Gmyrek J, Galecki J (2015). Radiation-induced morphea - a literature review. <i>J Eur Acad Dermatol Venereol</i> , 29(2): 197-202.
51297	Steenland K, Brown D (1995). Silicosis among gold miners: exposure - response analyses and risk assessment. <i>Am J Public Health</i> , 85: 1372-7.
82559	Stewart FA, Gavino AC, Elewski BE (2013). New side effect of TNF-alpha inhibitors: morphea. <i>SKINmed</i> , 11(1): 59-60.
55491	Stinco G, Piccirillo F, De Francesco V, Patrone P (2007). Scleroderma-like lesions and Parkinson's disease: possible links with exposure to pesticides. <i>EJD</i> , 17(3): 256-7.
52579	Studnicka MJ, Menzinger G, Drlicek M, et al (1995). Pneumoconiosis and systemic sclerosis following 10 years of exposure to polyvinyl chloride dust. <i>Thorax</i> , 50: 583-5.
83576	Sumi K, Yamamoto T, Yokozeki H, et al (2003). Amyloid deposition associated with generalized morphea-like scleroderma. <i>Eur J Dermatol</i> , 13(5): 509-11. [Abstract]
51042	Summers EM, Kendrick CG (2008). Localized cutaneous nodular amyloidosis and CREST syndrome: a case report and review of the literature. <i>Cutis</i> , 82: 55-9.
50961	Suter LG, Murabito JM, Felson DT, et al (2005). The incidence and natural history of Raynaud's phenomenon in the community. <i>Arthritis & Rheumatism</i> , 52(4): 1259-63.
50900	Takehara K (2003). Pathogenesis of systemic sclerosis. <i>J Rheumatol</i> , 30: 755-9.
83577	Takehara K, Sato S (2005). Localized scleroderma is an autoimmune disorder. <i>Rheumatology</i> , 44(3): 274-9.
52066	Tamagawa R, Takenaka H, Katoh N, et al (2006). [Comment] Sclerodermatous chronic graft-versus-host disease presenting with dysphagia. <i>Eur J Dermatol</i> , 16(1): 92-3. Comment on ID: 52065.
51290	Tan FK (2003). Systemic sclerosis: the susceptible host (genetics and environment). <i>Rheum Dis Clin N Am</i> , 29: 211-37.
83578	Tausend WE, Stewart LR, Rapini RP (2015). Morphea-like complications to illicit gluteal silicone injections. <i>Dermatology Online Journal</i> , 21(4): 5.
83579	Telakis E, Nikolaou A (2009). Localized scleroderma (morphea) in a patient with chronic hepatitis C. <i>Eur J Gastroenterol Hepatol</i> , 21(4): 486.
83580	Terao M, Murota H, Song M, et al (2006). [Comment] Case of morphea occurring on a scar after laparoscopy. <i>J Dermatol</i> , 33(10): 722-3.

83588	Thomas R, Vigerstad T, Meagher J, et al (2000). Particulate exposure during the Persian Gulf War. . Retrieved 17 August 2017, from http://www.gulflink.osd.mil/thomas_report.pdf
81448	Touloei K, Wiener A, Glick BP (2015). Solitary morphea profunda following trauma sustained in an automobile accident. <i>Cutis</i> , 95: 32-6.
51584	Tyndall A, Dazzi F (2008). Chronic GVHD as an autoimmune disease. <i>Best Practice & Research Clinical Haematology</i> , 21(2): 281-9.
83589	Ueda T, Niiyama S, Amoh Y, et al (2010). Linear scleroderma after contusion and injection of mepivacaine hydrochloride. <i>Dermatology Online Journal</i> , 16(5): 11.
50901	Ullen H, Bjorkholm E (2003). Localized scleroderma in a woman irradiated at two sites for endometrial and breast carcinoma: A case history and a review of the literature. <i>Int J Gynecol Cancer</i> , 13: 77-82.
49316	Varga J (2008). Systemic sclerosis (scleroderma) and related disorders. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 316: 2096-06. .
51335	Varga J, Abraham D (2007). Systemic sclerosis: a prototypic multisystem fibrotic disorder. <i>The Journal of Clinical Investigation</i> , 117(3): 557-67.
83590	Verberkt RM, Janssen M, Wesseling J (2014). A boy with a tight skin: <i>Borrelia</i> -associated early-onset morphea. <i>Clin Exp Rheumatol</i> , 32(1): 121-2.
83591	Verdelli A, Antiga E, Bonciolini V, et al (2014). Drug induction in connective tissue diseases. <i>G Ital Dermatol Venereol</i> , 149(5): 573-80.
52580	Walker A (1975). Occupational acro-osteolysis (two cases). <i>Proc Roy Soc Med</i> , 68: 343-4.
50904	Walker JG, Pope J, Baron M, et al (2007). The development of systemic sclerosis classification criteria. <i>Clin Rheumatol</i> , 26: 1401-9.
52577	Wanchu A, Misra R (1995). Limited cutaneous scleroderma induced by pentazocine abuse. <i>JAPI</i> , 43(2): 145.
83592	Wang YJ, Huang XL, Yan JW, et al (2015). The association between vibration and vascular injury in rheumatic diseases: A review of the literature. <i>Autoimmunity</i> , 48(1): 61-8.
83593	Weide B, Schitteck B, Klyszcz T, et al (2000). Morphoea is neither associated with features of <i>Borrelia burgdorferi</i> infection, nor is this agent detectable in lesional skin by polymerase chain reaction. <i>Br J Dermatol</i> , 143(4): 780-5.
50905	Wenzel J (2002). Scleroderma and malignancy. Mechanisms of interrelationship. <i>Eur J Dermatol</i> , 12(3): 296-300.
51583	White JML, Creamer D, du Vivier AWP, et al (2007). Sclerodermatous graft-versus-host disease: clinical spectrum and therapeutic challenges. <i>British Journal of Dermatology</i> , 156: 1032-8.
53479	WHO International Classification of Disease (2007). ICD Codes. Retrieved 1 December 2008, from http://www.who.int/classifications/apps/icd/icd10online/
50891	Williams RC Jr (2007). Autoimmune disease etiology - a perplexing paradox or a turning leaf? <i>Autoimmunity Reviews</i> , 6: 204-8.
83594	Winkelmann RR, Yiannias JA, DiCaudo DJ, et al (2016). Paclitaxel-induced diffuse cutaneous sclerosis: a case with associated esophageal dysmotility, Raynaud's phenomenon, and myositis. <i>Int J Dermatol</i> , 55(1): 97-100.
51039	Wooten M (2008). Systemic sclerosis and malignancy: a review of the literature. <i>Southern Medical Journal</i> , 101(1): 59-62.
49568	Wucherpennig KW (2001). Mechanisms for the induction of autoimmunity by infectious agents. <i>J Clin Invest</i> , 108(8): 1097-1104.
83607	Yamakage A, Ishikawa H (1982). Generalized morphea-like scleroderma occurring in people exposed to organic solvents. <i>Dermatologica</i> , 165(3): 186-93. [Abstract]

53481	Yamamoto T (2006). The bleomycin-induced scleroderma model: what have we learned for scleroderma pathogenesis? Arch Dermatol Res, 297(8): 333-344.
83175	Yamanaka CT, Gibbs NF (1999). Trauma-induced linear scleroderma. Cutis, 63(1): 29-32.
83609	Yanaba K, Umezawa Y, Nakagawa H (2015). A case of radiation-induced generalized morphea with prominent mucin deposition and tenderness. Am J Case Rep, 16: 279-82.
83610	Yaqub A, Chung L, Rieger KE, et al (2013). Localized cutaneous fibrosing disorders. Rheum Dis Clin N Am, 39(2): 347-64.
50887	Yazawa N, Fujimoto M, Tamaki K (2007). Recent advances on pathogenesis and therapies in systemic sclerosis. Clinic Rev Allerg Immunol, 33: 107-12.
52578	Zandman-Goddard G, Tweezer-Zaks N, Shoenfeld Y (2005). New therapeutic strategies for systemic sclerosis - a critical analysis of the literature. Clin Dev Immunol, 12(3): 165-73.
51865	Zhang C, Todorov I, Zhang Z, et al (2006). Donor CD4+ T and B cells in transplants induce chronic graft-versus-host disease with autoimmune manifestations. Blood, 107: 2993-3001.
83614	Zinchuk AN, Kalyuzhna LD, Pasichna IA (2016). Is localized scleroderma caused by Borrelia burgdorferi? Vector-Borne and Zoonotic Diseases, 16(9): 577-80.
51286	Zulian F, Athreya BH, Laxer R, et al (2006). Juvenile localized scleroderma: clinical and epidemiological features in 750 children. An international study. Rheumatology, 45: 614-20.