



ACOUSTIC NEUROMA

RMA ID Number	Reference List for RMA254-3 as at October 2019
---------------	--

1841	Adelman S (1983). Identification of acoustic neuroma in noise-exposed workers. <i>Scand Audiol</i> , 12: 247-50.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
58303	Ahlbom A, Feychting M, Green A, et al (2009). Epidemiologic evidence on mobile phones and tumor risk. A review. <i>Epidemiology</i> , 20(5): 639-52.
59387	Anonymous (2008). Interphone study. Latest results update - 8 October 2008. Retrieved 17 December 2010, from http://www.iarc.fr/en/research-groups/RAD/Interphone8oct08.pdf
59389	Anonymous (2010). The Interphone Study. Retrieved 8 December 2010, from http://www.iarc.fr/en/research-groups/RAD/RCAAd.html
80745	ARPANSA (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA.
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm
80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units/cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.

92685	Benoudiba F, Toulgoat F, Sarrazin JL (2013). The vestibulocochlear nerve (VIII). <i>Diagn Interv Imaging</i> , 94(10): 1043-50.
58645	Benson VS, Green J, Pirie K, et al (2010). Cigarette smoking and risk of acoustic neuromas and pituitary tumours in the Million Women Study. <i>Br J Cancer</i> , 102: 1654-6.
75998	Benson VS, Kirichek O, Beral V, et al (2015). Menopausal hormone therapy and central nervous system tumor risk: Large UK prospective study and meta-analysis. <i>Int J Cancer</i> , 136: 2369-2377.
76682	Benson VS, Pirie K, Schuz J, et al (2013). Mobile phone use and risk of brain neoplasms and other cancers: prospective study. <i>Int J Epidemiol</i> , 42: 792-802.
92686	Benson VS, Pirie K, Schuz J, et al (2014). [Comment] Authors' response to: The case of acoustic trauma: comment on mobile phone use and risk of brain neoplasms and other cancers. <i>Int J Epidemiol</i> , 43(1): 275. Comment on ID: 92688.
92687	Berkowitz O, Iyer AK, Kano H, et al (2015). Epidemiology and environmental risk factors associated with vestibular schwannoma. <i>World Neurosurg</i> , 84(6): 1674-80.
48877	Blettner M, Schlehofer B, Samkange-Zeeb F, et al (2007). Medical exposure to ionising radiation and the risk of brain tumours: interphone study group, Germany. <i>Eur J Cancer</i> , 43: 1990-8.
48871	Bluhm EC, Zahm SH, Fine HA, et al (2006). Personal hair dye use and risks of glioma, meningioma, and acoustic neuroma among adults. <i>Am J Epidemiol</i> , 165(1): 63-71.
82139	Bortkiewicz A, Gadzicka E, Szymczak W (2017). Mobile phone use and risk for intracranial tumors and salivary gland tumors - A Meta-analysis. <i>Int J Occup Med Environ Health</i> , 30(1): 27-43.
73101	Braganza MZ, Kitahara CM, Berrington de Gonzalez A, et al (2012). Ionizing radiation and the risk of brain and central nervous system tumors: a systematic review. <i>Neuro Oncol</i> , 14(11): 1316-24.
26043	Brenner AV, Linet MS, Fine HA, (2002). History of allergies and autoimmune diseases and risk of brain tumors in adults. <i>Int J Cancer</i> , 99(2): 252-9.
48880	Brenner AV, Linet MS, Selker RG, et al (2003). Polio vaccination and risk of brain tumors in adults: no apparent association. <i>Cancer Epidemiol Biomarkers Prev</i> , 12(2): 177-8.
58646	Burkhardt CG (2010). Herpes and acoustic neuromas: Is there a cause and effect to observe? <i>Med Hypotheses</i> , 74: 1013-4.
59386	Cardis E, Kilkenny M (2001). Interphone. International case control study of tumours of the brain and salivary glands. Protocol, rev. 1. IARC Internal Report 01/002. IARC Press, Lyon.
58845	Cardis E, Kilkenny M for the International Study Group (1999). International case-control study of adult brain, head and neck tumours: results of the feasibility study. <i>Radiat Prot Dosimetry</i> , 83(1-2): 179-83.
48866	Cardis E, Richardson L, Deltour I, et al (2007). The INTERPHONE study: design, epidemiological methods, and description of the study population. <i>Eur J Epidemiol</i> , 22: 647-64.
43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiation Res</i> , 167(4): 396-416.
80746	Carter M, Robotham R, Wise K, et al (2006). Dosimetry. Australian participants in British nuclear tests in Australia, Vol 1. Commonwealth of Australia.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp

1842	Chandler CL, Ramsden RT (1993). Acoustic schwannoma. <i>Br J Hosp Med</i> , 49(5): 335-43.
92689	Chen M, Fan Z, Zheng X, et al (2016). Risk factors of acoustic neuroma: Systematic review and meta-analysis. <i>Yonsei Med J</i> , 57(3): 776-83.
58838	Christensen HC, Schuz J, Kosteljanetz M, et al (2004). Cellular telephone use and risk of acoustic neuroma. <i>Am J Epidemiol</i> , 159(3): 277-83.
92690	Corona AP, Ferrite S, Lopes Mda S, et al (2012). Risk factors associated with vestibular nerve schwannomas. <i>Otol Neurotol</i> , 33(3): 459-65.
60301	Corona AP, Oliveira JC, de Souza FPA, et al (2009). Risk factors associated with vestibulocochlear nerve schwannoma: systematic review. <i>Braz J Otorhinolaryngol</i> , 75(4): 593-615.
1843	Cox GJ (1993). Intracanalicular acoustic neuromas: a conservative approach. <i>Clin Otolaryngol Allied Sci</i> , 18: 153-4.
58650	Croft RJ, McKenzie RJ, Inyang I, et al (2008). Mobile phones and brain tumours: a review of epidemiological research. <i>Australas Phys Eng Sci Med</i> , 31(4): 255-67.
92691	Davis DL, Kesari S, Soskolne CL, et al (2013). Swedish review strengthens grounds for concluding that radiation from cellular and cordless phones is a probable human carcinogen. <i>Pathophysiology</i> , 20(2): 123-9.
92688	De Vocht F (2014). [Comment] The case of acoustic trauma: Comment on: Mobile phone use and risk of brain neoplasms and other cancers. <i>Int J Epidemiol</i> , 43(1): 273-4. Comment on ID: 82139.
58638	Deltour I, Johansen C, Auvinen A, et al (2009). Time trends in brain tumor incidence rates in Denmark, Finland, Norway, and Sweden, 1974-2003. <i>JNCI</i> , 101: 1721-4.
92692	Dilwali S, Kao SY, Fujita T, et al (2015). Non-steroidal anti-inflammatory medications are cytostatic against human vestibular schwannomas. <i>Transl Res</i> , 166(1): 1-11.
92693	Dobes M, Khurana VG, Shadbolt B, et al (2011). Increasing incidence of glioblastoma multiforme and meningioma, and decreasing incidence of Schwannoma (2000-2008): Findings of a multicenter Australian study. <i>Surg Neurol Int</i> , 2: 176.
58641	Edwards CG, Schwartzbaum JA, Lonn S, et al (2006). Exposure to loud noise and risk of acoustic neuroma. <i>Am J Epidemiol</i> , 163(4): 327-33.
24922	Erman M, Celik I, Kars A, et al (2001). [Comment] Cellular telephones and brain tumors. <i>NEJM</i> , 344(17): 1331-2.
49419	Eskandary H, Sabba M, Khajepour F, et al (2005). Incidental findings in brain computed tomography scans of 3000 head trauma patients. <i>Surg Neurol</i> , 63: 550-3.
92694	Fisher JL, Pettersson D, Palmisano S, et al (2014). Loud noise exposure and acoustic neuroma. <i>Am J Epidemiol</i> , 180(1): 58-67.
58841	Forssen UM, Lonn S, Ahlbom A, et al (2006). Occupational magnetic field exposure and the risk of acoustic neuroma. <i>Am J Ind Med</i> , 49: 112-8.
1844	Frohlich AM, Sutherland GR (1993). Epidemiology and clinical features of vestibular schwannoma in Manitoba, Canada. <i>Can J Neurol Sci</i> , 20(2): 126-30.
59467	Frosch MP (2007). The nervous system. Kumar V, Abbas AK, et al [Eds]. <i>Robbins Basic Pathology</i> , Chapter 23: 897-902. Saunders Elsevier, Philadelphia.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 2: Mortality and Cancer Incidence. Department of Veterans' Affairs, Canberra.

92695	Halliday J, Rutherford SA, McCabe MG, et al (2018). An update on the diagnosis and treatment of vestibular schwannoma. <i>Exp Rev Neurother</i> , 18(1): 29-39.
91380	Han YY, Berkowitz O, Talbott E, et al (2012). Are frequent dental x-ray examinations associated with increased risk of vestibular schwannoma? <i>J Neurosurg</i> , 117: 78-83.
58649	Han YY, Kano H, Davis DL, et al (2009). Cell phone use and acoustic neuroma: the need for standardized questionnaires and access to industry data. <i>Surg Neurol</i> , 72: 216-22.
92696	Hardell L (2017). World Health Organization, radiofrequency radiation and health - a hard nut to crack (Review). <i>Int J Oncol</i> , 51(2): 405-13.
58644	Hardell L, Carlberg M (2009). Mobile phones, cordless phones and the risk for brain tumours. <i>Int J Oncol</i> , 35: 5-17.
91381	Hardell L, Carlberg M (2013). Using the Hill viewpoints from 1965 for evaluating strengths of evidence of the risk for brain tumors associated with use of mobile and cordless phones. <i>Rev Environ Health</i> , 28: 97-106.
48959	Hardell L, Carlberg M, Mild KH (2005). Case-control study on cellular and cordless telephones and the risk for acoustic neuroma or meningioma in patients diagnosed 2000-2003. <i>Neuroepidemiology</i> , 25: 120-8.
45670	Hardell L, Carlberg M, Soderqvist F, et al (2007). Long-term use of cellular phones and brain tumours: increased risk associated with use for > or =10 years. <i>Occup Environ Med</i> , 64: 626-32.
50480	Hardell L, Carlberg M, Soderqvist F, et al (2008). Meta-analysis of long-term mobile phone use and the association with brain tumours. <i>Int J Oncol</i> , 32: 1097-103.
58639	Hardell L, Carlberg M, Soderqvist F, et al (2010). [Comment] Re: Time trends in brain tumor incidence rates in Denmark, Finland, Norway, and Sweden, 1974-2003. <i>JNCI</i> , 102(10): 740-1; Author's reply: 742-3. Comment on ID: 58638.
92697	Hardell L, Carlberg M, Soderqvist F, et al (2013). Pooled analysis of case-control studies on acoustic neuroma diagnosed 1997-2003 and 2007-2009 and use of mobile and cordless phones. <i>Int J Oncol</i> , 43(4): 1036-44.
58842	Hardell L, Hallquist A, Mild KH, et al (2002). Cellular and cordless telephones and the risk for brain tumours. <i>Eur J Cancer Prev</i> , 11(4): 377-86.
45673	Hardell L, Hansson Mild K (2006). Mobile phone use and risk of acoustic neuroma: results of the interphone case-control study in five North Europe countries. <i>Br J Cancer</i> , 94: 1348-9.
48961	Hardell L, Mild KH, Carlberg M (2003). Further aspects on cellular and cordless telephones and brain tumours. <i>Int J Oncol</i> , 22: 399-407.
52214	Hardell L, Mild KH, Carlberg M, et al (2006). Tumour risk associated with use of cellular telephones or cordless desktop telephones. <i>World J Surg Oncol</i> , 4: 74.
58839	Hardell L, Mild KH, Kundi M (2004). [Comments] Re: "Cellular telephone use and risk of acoustic neuroma". <i>Am J Epidemiol</i> , 160(9): 923-4; Authors' reply 924-5. Comments on ID: 58838.
58846	Hardell L, Mild KH, Sandstrom M, et al (2003). Vestibular schwannoma, tinnitus and cellular telephones. <i>Neuroepidemiology</i> , 22: 124-9.
81179	Harrison J (2009). Biokinetic and dosimetric modelling in the estimation of radiation risks from internal emitters. <i>J Radiol Prot</i> , 29: A81-A105.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
92698	Hilton DA, Hanemann CO (2014). Schwannomas and their pathogenesis. <i>Brain Pathol</i> , 24(3): 205-20.

58851	Hocking B (2006). [Comment] Mobile phone use and risk of acoustic neuroma. <i>Br J Cancer</i> , 94: 1350. Comment on ID: 58850.
58643	Hours M, Bernard M, Arslan M, et al (2009). Can loud noise cause acoustic neuroma? Analysis of the INTERPHONE study in France. <i>Occup Environ Med</i> , 66: 480-6.
58657	Hours M, Bernard M, Montestrucq L, et al (2007). Cell phones and risk of brain and acoustic nerve tumours: the French INTERPHONE case-control study. <i>Rev Epidemiol Sante Publique</i> , 55(5): 321-32 [Article in French]. [Abstract]
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>BJC</i> , 109(7): 1989-96.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
23854	Inskip PD, Tarone RE, Hatch EE, et al (2001). Cellular-telephone use and brain tumors. <i>NEJM</i> , 344(2): 79-86.
92699	International Agency for Research on Cancer (IARC) (2013). Non-ionizing radiation, Part 2: Radiofrequency electromagnetic fields. IARC Monographs, Vol 102: 199-233. World Health Organization.
92700	International Agency for Research on Cancer (IARC) (2013). Non-ionizing radiation, Part 2: Radiofrequency electromagnetic fields. IARC Monographs, Vol 102: 407-19. World Health Organization.
80754	International Atomic Energy Agency (undated). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. <i>Journal of the ICRU, Report 86</i> , 11(2): 33-8.
1845	Irving RM, Moffat DA, Hardy DG, et al (1993). Molecular genetic analysis of the mechanism of tumorigenesis in acoustic neuroma. <i>Arch Otolaryngol Head Neck Surg</i> , 119: 1222-8.
36188	Johansen C (2004). Electromagnetic fields and health effects - epidemiologic studies of cancer, diseases of the central nervous system and arrhythmia-related heart disease. <i>Scand J Work Environ Health</i> , 30(Suppl 1): 1-30.
90912	Juliano AF, Ginat DT, Moonis G (2015). Imaging review of the temporal bone: Part II. Traumatic, postoperative, and noninflammatory nonneoplastic conditions. <i>Radiology</i> , 276(3): 655-72.
48444	Kan P, Simonsen SE, Lyon JL, et al (2008). Cellular phone use and brain tumor: a meta-analysis. <i>J Neurooncol</i> , 86: 71-8.
92840	Kandathil CK, Cunnane ME, McKenna MJ, et al (2016). Correlation between aspirin intake and reduced growth of human vestibular schwannoma: Volumetric analysis. <i>Otol Neurotol</i> , 37(9): 1428-34.
58629	Khurana VG, Teo C, Kundi M, et al (2009). Cell phones and brain tumors: a review including the long-term epidemiologic data. <i>Surg Neurol</i> , 72: 205-15.
45927	Klaeboe L, Blaasaas KG, Tynes T (2007). Use of mobile phones in Norway and risk of intracranial tumours. <i>Eur J Cancer Prev</i> , 16: 158-64.
91616	Kleijwegt M, Ho V, Visser O, et al (2016). Real incidence of vestibular schwannoma? Estimations from a national registry. <i>Otol Neurotol</i> , 37: 1411-7.

45614	Kleinerman RA, Linet MS, Hatch EE, et al (2005). Self-reported electrical appliance use and risk of adult brain tumors. <i>Am J Epidemiol</i> , 161(2): 136-46.
92702	Kshetry VR, Hsieh JK, Ostrom QT, et al (2015). Incidence of vestibular schwannomas in the United States. <i>J Neurooncol</i> , 124(2): 223-8.
58637	Kundi M (2008). [Comment] What can be learned from the Japanese study of mobile phone use and acoustic neuroma? <i>Occup Environ Med</i> , 65(6): 428. Comment on ID: 58636.
58824	Kundi M (2009). The controversy about a possible relationship between mobile phone use and cancer. <i>Environ Health Perspect</i> , 117(3): 316-24.
58823	Kutz JW, Roland PS (2009). Skull base, acoustic neuroma (vestibular schwannoma). Retrieved 23 September 2010, from http://emedicine.medscape.com/article/882876
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
75057	Lagorio S, Roosli M (2014). Mobile phone use and risk of intracranial tumors: a consistency analysis. <i>Bioelectromagnetics</i> , 35(2): 79-90.
1846	Lanser MJ, Sussman SA, Frazer K (1992). Epidemiology, pathogenesis, and genetics of acoustic tumors. <i>Otolaryngol Clin North Am</i> , 5(3): 499-519.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35: 891-909.
73771	Lee PN (2013). Epidemiological evidence relating snus to health - an updated review based on recent publications. <i>Harm Reduct J</i> , 10: 36.
91253	Lee SH, Choi SK, Lim YJ, et al (2015). Otologic manifestations of acoustic neuroma. <i>Acta Otolaryngol</i> , 135(2): 140-6.
59465	Leszczynski D, Xu Z (2010). Mobile phone radiation health risk controversy: the reliability and sufficiency of science behind the safety standards. <i>Health Res Policy Syst</i> , 8: 2.
92703	Levis AG, Minicuci N, Ricci P, et al (2011). Mobile phones and head tumours. The discrepancies in cause-effect relationships in the epidemiological studies - how do they arise? <i>Environ Health</i> , 10: 59.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2: 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46: 299-310.
58847	Lonn S, Ahlbom A, Hall P, et al (2004). Mobile phone use and the risk of acoustic neuroma. <i>Epidemiol</i> , 15(6): 653-9.
92704	MacKeith S, Wasson J, Baker C, et al (2018). Aspirin does not prevent growth of vestibular schwannomas: A case-control study. <i>Laryngoscope</i> , 128(9): 2139-44.
1847	Maire JP, Floquet A, Darrouzet V, et al (1992). Fractionated radiation therapy in the treatment of stage III and IV cerebello-pontine angle neurinomas: preliminary results in 20 cases. <i>Int J Radiat Oncol Biol Phys</i> , 23(1): 147-52.
91382	Marinelli JP, Lees KA, Tombers NM, et al (2019). Impact of aspirin and other NSAID use on volumetric and linear growth in vestibular schwannoma. <i>Otolaryngol Head Neck Surg</i> , 2019: 1-6.

92705	Markou K, Eimer S, Perret C, et al (2012). Unique case of malignant transformation of a vestibular schwannoma after fractionated radiotherapy. <i>Am J Otolaryngol Head Neck Med Surg</i> , 33(1): 168-73.
58822	Mayo Clinic staff (2010). Acoustic neuroma. Retrieved 23 September 2010, from http://www.mayoclinic.com/health/acoustic-neuroma/DS00803
92706	Michaud D, Batchelor T (2019). Risk factors for brain tumors. Retrieved 27 September 2019, from https://www.uptodate.com/contents/risk-factors-for-brain-tumors
92707	Mielczarek M, Olezewski J (2018). Increased sensibility to acute acoustic and blast trauma among patients with acoustic neuroma. <i>Int J Occup Med Environ Health</i> , 31(3): 361-9.
45928	Mild KH, Hardell L, Carlberg M (2007). Pooled analysis of two Swedish case-control studies on the use of mobile and cordless telephones and the risk of brain tumours diagnosed during 1997-2003. <i>Int J Occup Safety Ergonomics</i> , 13(1): 63-71.
60304	Milham S (2006). [Comment] Mobile phone use and risk of glioma in adults: case-control study. <i>Br J Cancer</i> , 94: 1351.
92829	Miller AB, Morgan LL, Udasin I, et al (2018). Cancer epidemiology update, following the 2011 IARC evaluation of radiofrequency electromagnetic fields (Monograph 102). <i>Environ Res</i> , 167: 673-83.
1848	Miller MH, Doyle TJ, Geier SR (1981). Acoustic neurinoma in a population of noise exposed workers. <i>Laryngoscope</i> , 91: 363-71.
58647	Miric D, Mahious F, Fondop E, et al (2010). [Comment] Yellow fever vaccination and vestibular schwannoma: A dangerous combination. <i>J Am Geriatr Soc</i> , 58(1): 202-3.
1849	Moffat DA, Ballagh RH (1995). Rare tumours of the cerebellopontine angle. <i>Clin Oncol (R Coll Radiol)</i> , 7(1): 28-41.
45782	Monteiro GT, Pereira RA, Koifman RJ, et al (2006). Head injury and brain tumours in adults: A case-control study in Rio de Janeiro, Brazil. <i>Eur J Cancer</i> , 42: 917-21.
92830	Moon IS, Kim BG, Kim J, et al (2014). Association between vestibular schwannomas and mobile phone use. <i>Tumor Biol</i> , 35(1): 581-7.
92831	Mornet E, Kania R, Sauvaget E, et al (2013). Vestibular schwannoma and cell-phones. Results, limits and perspectives of clinical studies. <i>Eur Ann Otorhinolaryngol Head Neck Dis</i> , 130(5): 275-82.
58957	Muscat JE, Malkin MG, Shore RE, et al (2002). Handheld cellular telephones and risk of acoustic neuroma. <i>Neurology</i> , 58: 1304-6.
58921	Myung SK, Ju W, McDonnell DD, et al (2009). Mobile phone use and risk of tumors: a meta-analysis. <i>J Clin Oncol</i> , 27(33): 5565-72.
80742	National Council on Radiation Protection & Measurements (2009). Radiation dose reconstruction: principles and practices. Report No. 163. NCRP.
46871	National Research Council (2006). Health Risks from Exposure to Low Levels of Ionizing Radiation, Beir VII Phase 2. The National Academies Press, Washington D.C.
58844	Nawrot T, Plusquin M, Hogervorst J, et al (2006). Environmental exposure to cadmium and risk of cancer: a prospective population-based study. <i>Lancet Oncol</i> , 7: 119-26.
58642	Nordstrom CH (2006). [Comment] Re: "Exposure to loud noise and risk of acoustic neuroma". <i>Am J Epidemiol</i> , 164(7): 706; Author's reply 706-7. Comment on ID: 58641.
70194	Ozasa K, Shumizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.
26045	Page EH (2000). A cluster of acoustic neuromas in fish hatchery workers. <i>Ear Nose Throat J</i> , 79(1): 34-7.

92832	Palmisano S, Schwartzbaum J, Prochazda M, et al (2012). Role of tobacco use in the etiology of acoustic neuroma. <i>Am J Epidemiol</i> , 175(12): 1243-51.
80756	Paquet F, Etherington G, Bailey MR, et al (2015). Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection.
92833	Park JK, Vernick DM, Ramakrishna N (2019). Vestibular schwannoma (acoustic neuroma). Retrieved 27 September 2019, from https://www.uptodate.com/contents/vestibular-schwannoma-acoustic-neuroma
58640	Patel D (2006). Exposure to loud noise and risk of acoustic neuroma. <i>Occup Med</i> , 56: 514.
92834	Pettersson D, Bottai M, Mathiesen T, et al (2015). Validation of self-reported start year of mobile phone use in a Swedish case-control study on radiofrequency fields and acoustic neuroma risk. <i>J Exp Sci Environ Epidemiol</i> , 25(1): 72-9.
92835	Pettersson D, Mathiesen T, Prochazka M, et al (2014). Long-term mobile phone use and acoustic neuroma risk. <i>Epidemiology</i> , 25(2): 233-41.
92836	Prasad M, Kathuria P, Nair P, et al (2017). Mobile phone use and risk of brain tumours: a systematic review of association between study quality, source of funding, and research outcomes. <i>Neurol Sci</i> , 38: 797-810.
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiation Res</i> , 168: 1-64.
26022	Preston DL, Ron E, Yonehara S, et al (2002). Tumors of the nervous system and pituitary gland associated with atomic bomb radiation exposure. <i>JNCI</i> , 94(20): 1555-63.
35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. <i>Radiation Res</i> , 160: 381-407.
1850	Preston-Martin S, Thomas DC, Wright WE, et al (1989). Noise trauma in the aetiology of acoustic neuromas in men in Los Angeles County, 1978-1985. <i>Br J Cancer</i> , 59: 783-6.
58840	Prochazka M, Feychting M, Ahlborn A, et al (2010). Occupational exposures and risk of acoustic neuroma. <i>Occup Environ Med</i> , 67(11): 766-71.
59385	Propp JM, McCarthy BJ, Davis FG, et al (2006). Descriptive epidemiology of vestibular schwannomas. <i>Neuro Oncol</i> , 8: 1-11.
28577	Propst AM, Laufer MR (1999). Endometriosis in adolescents. Incidence, diagnosis and treatment. <i>J Reprod Med</i> , 44(9): 751-8.
26044	Pulec JL (1999). New knowledge about acoustic neuromas. <i>Ear Nose Throat J</i> , 78(2): 74; Comment: 91-4, 96.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
48855	Rajaraman P, De Roos AJ, Stewart PA, et al (2004). Occupation and risk of meningioma and acoustic neuroma in the United States. <i>Am J Ind Med</i> , 45: 395-407.
48885	Rajaraman P, Stewart PA, Samet JM, et al (2006). Lead, genetic susceptibility, and risk of adult brain tumors. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(12): 2514-20.
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs.
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs.

48859	Rodvall Y, Ahlbom A, Pershagen G, et al (1998). Dental radiography after age 25 years, amalgam fillings and tumours of the central nervous system. <i>Oral Oncol</i> , 34: 265-9.
58825	Ropper AH, Samuels MA (2009). Major categories of neurologic disease. Intracranial neoplasms and paraneoplastic disorders. <i>Adams and Victor's Principles of Neurology</i> , 9th Edition, Part 4, Chapter 31: 644-6. McGraw Hill.
24913	Rothman KJ (2000). Epidemiological evidence on health risks of cellular telephones. <i>Lancet</i> , 356: 1837-40.
58302	Rothman KJ (2009). Health effects of mobile telephones. <i>Epidemiology</i> , 20(5): 653-5.
59466	Sagar SM, Israel MA (2008). Primary and metastatic tumors of the nervous system. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 374: 2606-7.
58843	Salahaldin AH, Bener A (2006). Long-term and frequent cellular phone use and risk of acoustic neuroma. <i>Int Tinnitus J</i> , 12(2): 145-8.
1851	Salvati M, Ciappetta P, Raco A, et al (1992). Radiation-induced schwannomas of the neuraxis: report of three cases. <i>Tumori</i> , 78(2): 143-6.
59183	Samkange-Zeeb F, Schlehofer B, Schuz J, et al (2010). Occupation and risk of glioma, meningioma and acoustic neuroma: Results from a German case-control study (Interphone Study Group, Germany). <i>Cancer Epidemiol</i> , 34: 55-61.
59257	Sato Y, Akiba S, Kubo O, et al (2010). A case-case study of mobile phone use and acoustic neuroma risk in Japan. <i>Bioelectromagnetics</i> , [Epub ahead of print].
58849	Savitz DA (2004). Mixed signals on cell phones and cancer. <i>Epidemiology</i> , 15(6): 651-2.
1852	Schlehofer B, Blettner M, Becker N, et al (1992). Medical risk factors and the development of brain tumors. <i>Cancer</i> , 69(10): 2541-7.
60303	Schlehofer B, Schlaefer K, Blettner M, et al (2007). Environmental risk factors for sporadic acoustic neuroma (interphone Study Group, Germany). <i>Eur J Cancer</i> , 43: 1741-7.
92837	Schlehofer B, Siegmund B, Linseisen J, et al (2011). Primary brain tumours and specific serum immunoglobulin E: a case-control study nested in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Allergy</i> , 66(11): 1434-41.
59181	Schneider AB, Ron E, Lubin J, et al (2008). Acoustic neuromas following childhood radiation treatment for benign conditions of the head and neck. <i>Neuro Oncol</i> , 10(1): 73-8.
58850	Schoemaker MJ, Swerdlow AJ, Ahlbom A, et al (2005). Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries. <i>Br J Cancer</i> , 93: 842-8.
58648	Schoemaker MJ, Swerdlow AJ, Auvinen A, et al (2006). Medical history, cigarette smoking and risk of acoustic neuroma: An international case-control study. <i>Int J Cancer</i> , 120: 103-10.
58852	Schoemaker MJ, Swerdlow AJ, Cardis E, et al (2006). [Comment] Reply: Mobile phone use and acoustic neuroma in five North European countries. <i>Br J Cancer</i> , 94: 1352-3. Comment on ID: 58851.
46667	Schuz J, Jacobsen R, Olsen JH, et al (2006). Cellular telephone use and cancer risk: update of a nationwide Danish cohort. <i>J Natl Cancer Inst</i> , 98(23): 1707-13.
92838	Schuz J, Steding-Jessen M, Hansen S, et al (2011). Long-term mobile phone use and the risk of vestibular schwannoma: A Danish nationwide cohort study. <i>Am J Epidemiol</i> , 174(4): 416-22.

59464	Scientific Committee on Emerging and Newly Identified Health Risks (2009). Health Effects of Exposure to EMF. SCENIHR. European Commission, Brussels.
44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
18408	Shimizu Y, Pierce DA, Preston DL, et al (1999). Studies of the mortality of atomic bomb survivors. Report 12, Part II. Noncancer mortality: 1950-1990. <i>Rad Res</i> , 152: 374-89.
1853	Shore RE, Albert RE, Pasternack BS (1976). Follow-up study of patients treated by x-ray epilation for tinea capitis. Resurvey of post-treatment illness and mortality experience. <i>Arch Environ Health</i> , 31: 21-8.
36108	Shore RE, Moseson M, Harley N, et al (2003). Tumors and other diseases following childhood X-ray treatment for ringworm of the scald (<i>Tinea Capitis</i>). <i>Health Phys</i> , 85(4): 404-8.
1854	Shore-Freedman E, Abrahams C, Recant W, et al (1983). Neurilemmomas and salivary gland tumors of the head and neck following childhood irradiation. <i>Cancer</i> , 51(12): 2159-63.
38292	Sienkiewicz ZJ, Kowalczyk CI (2004). A Summary of Recent Reports on Mobile Phones & Health (2000-2004). National Radiological Protection Board, Chilton, Didcot, Oxon.
1855	Slapak CA, Kufe DW (1994). Principles of cancer therapy. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 31: 1828-9. .
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> : Epub ahead of print.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123: 905-11.
1856	Sordillo PP, Helson L, Hajdu SI, et al (1981). Malignant schwannoma - clinical characteristics, survival, and response to therapy. <i>Cancer</i> , 47(10): 2503-9.
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. The International Commission on Radiological Protection.
92839	Taiwo O, Galusha D, Tessier-Sherman B, et al (2014). Acoustic neuroma: potential risk factors and audiometric surveillance in the aluminium industry. <i>Occup Environ Med</i> , 71(9): 624-8.
58636	Takebayashi T, Akiba S, Kikuchi Y, et al (2006). Mobile phone use and acoustic neuroma risk in Japan. <i>Occup Environ Med</i> , 63: 802-7.
58848	Tarone RE, Inskip PD, Stang A, et al (2005). [Comments] Mobile phone use and acoustic neuromas. <i>Epidemiology</i> , 16(3): 414-7; Authors' reply 417-8.
80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. ICRP.
92701	The INTERPHONE Study Group (2011). Acoustic neuroma risk in relation to mobile telephone use: Results of the INTERPHONE international case-control study. <i>Cancer Epidemiol</i> , 35(5): 453-64.
1857	Tos M, Thomsen J (1991). Management of acoustic neuromas: a review. <i>Acta Otolaryngol (Stockholm)</i> , 111(4): 616-32.

24923	Trichopoulos D, Adami H-O (2001). [Comment] Cellular telephones and brain tumors. <i>NEJM</i> , 344(2): 133-4.
92841	Turner MC, Krewski D, Armstrong BK, et al (2013). Allergy and brain tumors in the INTERPHONE study: pooled results from Australia, Canada, France, Israel, and New Zealand. <i>Cancer Causes Control</i> , 24: 949-60.
91383	Uddin N, Iqbal M, Memon MA, et al (2014). Vestibular schwannoma: an unusual post radiotherapy response. <i>J Coll Physicians Surg Pak</i> , 3: S278-80.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1.
21788	United Nations Scientific Committee on the Effects of Atomic Radiation (2000). Sources and effects of ionizing radiation. UNSCEAR 2000 Report to the General Assembly, with Scientific Annexes, Vol 2 - Effects. United Nations. New York.
59388	United Nations Specific Committee on the Effects of Atomic Radiation (2000). Sources and Effects of Ionizing Radiation. UNSCEAR 2000 Report to the General Assembly, with Scientific Annexes, Volume 2: Effects Annex 1: 336-8. United Nations, New York.
63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
80743	US Defence Threat Reduction Agency (2010). Standard method: ID01-Doses to organs from intake of radioactive materials. DTRA/NTPR-Standard Operating Procedures Manual.
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
1858	Walton J Sir (1985). Intracranial Tumour. <i>Brain's Diseases of the Nervous System</i> , 9th Edition, 2: 122-72. Oxford University Press, Oxford.
75916	Wiedmann M, Brunborg C, Lindemann K, et al (2013). Body mass index and the risk of meningioma, glioma and schwannoma in a large prospective cohort study (The HUNT Study). <i>Br J Cancer</i> , 109: 289-94.
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28: 161-8.
43536	Yamada M, Wong FL, Fujiwara S, et al (2004). Noncancer disease incidence in atomic bomb survivors, 1958-1998. <i>Radiat Res</i> , 161(6): 622-32.
45778	Yonehara S, Brenner AV, Kishikawa M, et al (2004). Clinical and epidemiologic characteristics of first primary tumors of the central nervous system and related organs among atomic bomb survivors in Hiroshima and Nagasaki, 1958-1995. <i>Cancer</i> , 101: 1644-54.
59182	Zadeh G, Buckle C, Shannon P, et al (2007). Radiation induced peripheral nerve tumors: case series and review of the literature. <i>J Neurooncol</i> , 83: 205-123.