



GOUT

RMA ID Number	Reference List for RMA017-3 as at April 2019
11210	Abbott RD, Brand FN, Kannel WB, et al (1988). Gout and coronary heart disease: the Framingham study. <i>Journal Clinical Epidemiology</i> , 41(3): 237-42.
54235	Abdelrahman M, Rafi A, Ghacha R, et al (2002). Hyperuricemia and gout in renal transplant recipients. <i>Renal Failure</i> , 24(3): 361-7.
11149	Abel T (1980). Hyperuricemia and gout in secondary polycythemia due to chronic obstructive pulmonary disease. <i>The Journal of Rheumatology</i> , 7(1): 114-6.
88070	Abhishek A, Valdes AM, Jenkins W, et al (2017). Triggers of acute attacks of gout, does age of gout onset matter? A primary care based cross-sectional study. <i>PLoS One</i> , 12(10): e0186096.
86607	Abrams B (2010). Gout as an early warning of concomitant sleep apnea. <i>Journal of Clinical Rheumatology</i> , 16(6): 305.
16342	Agudelo CA, Wise CM (1998). Crystal-associated arthritis. <i>Clinics in Geriatric Medicine</i> , 14(3): 495-513.
88497	Alici T, Imren Ym, Erdil M, et al (2013). Gouty arthritis at interphalangeal joint of foot after sildenafil use: A case report. <i>Int J Surg Case Rep</i> , 4(1): 11-4.
11248	Al-Jarallah KF, Shehab DK, Buchanan WW (1992). Rheumatic complications of alcohol abuse. <i>Seminars in Arthritis and Rheumatism</i> , 22(3): 162-71.
11209	Altman RD (1980). Musculoskeletal manifestations of Paget's disease of bone. <i>Arthritis and Rheumatism</i> , 23(10): 1121-7.
55601	Aluoch JR (1989). Renal and electrolyte profile in steady state sickle cell disease: observations in patients with sickle cell disease in the Netherlands. <i>Trop Geogr Med</i> , 41: 128-32.
11357	Amodio MI, Bengualid V, Lowy FD (1990). Development of acute gout secondary to pyrazinamide in a patient without a prior history of gout. <i>DICP. The Annals of Pharmacotherapy</i> , 24: 1115-6.
88457	Andres M, Sivera F, Falzon L, et al (2014). Dietary supplements for chronic gout (Review). <i>Cochrane Database of Systematic Reviews</i> , 2014(10): CD010156.
88456	Angelopoulos TJ, Lowndes J, Sinnett S, et al (2015). Fructose containing sugars do not raise blood pressure or uric acid at normal levels of human consumption. <i>J Clin Hypertens</i> , 17(2): 87-94.
11376	Anonymous (1997). Information from RBH requested by Kym. <i>Drugdex Extracts</i> .
55383	Anonymous (2000). I heard that taking a little aspirin every day to help prevent heart disease may increase my risk of getting gout. Is this true? <i>Mayo Clinic Womens Healthsource</i> , 4(12): 8.

55272	Anonymous (2001). Definition of lymphoproliferative disorders. Retrieved 11 December 2009, from http://www.medterms.com/script/main/art.asp?articlekey=7859
55276	Anonymous (2007). Pro-Cid. Prescribing information. Retrieved 1 February 2010, from https://www.mimsonline.com.au/Search/FullPI.aspx?ModuleName=Product%20Info&searchKeyword=pro-cid&PreviousPage=~/Search/QuickSearch.aspx&SearchType=&ID=53880001_2
55274	Anonymous (2008). Uricosuric agents for gout. Retrieved 11 December 2009, from http://www.webmd.com/a-to-a-guides/uricosuric-agents-for-gout
55275	Anonymous (2009). Allopurinol Sandoz. Prescribing information. Retrieved 1 February 2010, from https://www.mimsonline.com.au/Search/FullPI.aspx?ModuleName=Product%20Info&searchKeyword=allopurinol&PreviousPage=~/Search/QuickSearch.aspx&SearchType=&ID=40320001_2
55273	Anonymous (2009). Myeloproliferative disorders. Retrieved 11 December 2009, from http://www.merck.com/mmhe/sec14/ch178/ch178a.html
54696	Anonymous (2009). Recommended serves and serving sizes. Retrieved 3 November 2009, from http://www.health.gov.au/internet/abhi/publishing.nsf/Content/Portion+and+serving+si
55277	Anonymous (2010). Healthy eating. Recommended daily servings. Retrieved 1 February 2010, from http://www.health.gov.au/internet/healthyactive/publishing.nsf/content/recommended-
54243	Arthritis Australia (2009). Gout. Arthritis Information Sheet. Retrieved 21 September 2009, from http://www.arthritisaustralia.com.au/images/stories/documents/info_sheets/english/colour/Gout.pdf
86898	Ask the doctors (2006). I've had four angiograms leading to the placement of stents. Each time I returned from the hospital, I suffered gout in my left or right foot. Could the dye used in the procedures be the cause? My doctor says some people are allergic to the dye. <i>Heart Advisor</i> , 9(12): 8.
86611	Assadi F (2013). Managing new-onset gout in pediatric renal transplant recipients: when, how, to what extent. <i>Journal of Nephrology</i> , 26: 624-8.
86487	Aune D, Norat T, Vatten LJ (2014). Body mass index and the risk of gout: a systematic review and dose-response meta-analysis of prospective studies. <i>Eur J Nutr</i> , 53: 1591-601.
11137	Baethge BA (1993). Urate oxydase for gouty arthritis in cardiac transplant recipients. <i>Journal of Rheumatology</i> , 20(12): 2171.
11010	Baethge BA, Work J, Landreneau MD, et al (1993). Tophaceous gout in patients with renal transplants treated with cyclosporine A. <i>The Journal of Rheumatology</i> , 20: 718-20.
55605	Bahebeck J, Atangana R, Techa A, et al (2004). Relative rates and features of musculoskeletal complications in adult sicklers. <i>Acta Orthop Belg</i> , 70: 107-11.
88258	Baker JF, Synnott KA (2010). Gout revealed on arthroscopy after minor trauma. <i>Arthritis Rheum</i> , 62(7): 2126.
11127	Ball GV, Sorensen LB (1968). Pathogenesis of hyperuricemia in saturnine gout. <i>NEJM</i> , 280(22): 1199-202.
11145	Ballou SP, Khan MA, Kushner I, et al (1977). Secondary gout in hemoglobinopathies: report of two cases and review of the literature. <i>American Journal of Hematology</i> , 2: 397-402.
75955	Bardin T, Richette P (2014). Definition of hyperuricemia and gouty conditions. <i>Curr Opin Rheumatol</i> , 26(2): 186-91.

11391	Barlow KA (1968). Hyperlipidemia in primary gout. <i>Metabolism</i> , 17: 289-99.
88375	Batt C, Phipps-Green AJ, Black MA, et al (2014). Sugar-sweetened beverage consumption: a risk factor for prevalent gout with SLC2A9 genotypespecific effects on serum urate and risk of gout. <i>Ann Rheum Dis</i> , 73: 2101-6.
11136	Batuman V (1993). Lead nephropathy, gout, and hypertension. <i>The American Journal of the Medical Sciences</i> , 305(4): 241-7.
87938	Becker MA (2018). Clinical manifestations and diagnosis of gout. Retrieved 27 July 2018, from https://www.uptodate.com/contents/clinical-manifestations-and-diagnosis-of-gout/print?search=gout&source=search_result&selectedTitle=2~150&usage_type=default&display_rank=2
11157	Behringer D, Craswell P, Mohl C, et al (1986). Urinary lead excretion in uremic patients. <i>Nephron</i> , 42: 323-9.
11085	Ben Hmida M, Hachicha J, Bahloul Z, et al (1995). Cyclosporine-induced Hyperuricemia and gout in renal transplants. <i>Transplantation Proceedings</i> , 27(5): 2722-4.
88167	Berger JS, Weinik MM (2009). Acute gouty arthropathy mimicking infection after total knee arthroplasty. <i>PM & R</i> , 1(3): 284-6.
88035	Bhole V, de Vera M, Rahman MM, et al (2010). Epidemiology of gout in women: fifty-two-year follow up of a prospective cohort. <i>Arthritis Rheum</i> , 62(4): 1069-76.
54650	Bierer DWS, Quebbemann AJ (1982). Effect of l-dopa on renal handling of uric acid. <i>J Pharmacol Exp Ther</i> , 223(1): 55-9.
88584	Bonaca MP, Bhatt DL, Cohen M, et al (2015). Long-term use of ticagrelor in patients with prior myocardial infarction. <i>New Eng J Med</i> , 372(19): 1791-1800.
88982	Bottiglieri S, Tierson N, Patel R, et al (2013). Gemcitabine-induced gouty arthritis attacks. <i>J Oncol Pharm Pract</i> , 19(3): 284-8.
11133	Brand FN, McGee DL, Kannel WB, et al (1985). Hyperuricemia as a risk factor of coronary heart disease: the Framingham study. <i>American Journal of Epidemiology</i> , 121(1): 11-8.
11398	Brauer GW, Prior IA (1978). A prospective study of gout in New Zealand Maoris. <i>Annals of the Rheumatic Diseases</i> , 37: 466-72.
11147	Brauer GW, Prior IA (1978). A prospective study of gout in New Zealand Maoris. <i>Annals of the Rheumatic Diseases</i> , 37: 466-72.
17278	Braun WE, Richmond BJ, Protiva DA, et al (1999). The incidence and management of osteoporosis, gout, and avascular necrosis in recipients of renal allografts functioning more than 20 years (Level 5A) treated with prednisone and azathioprine. <i>Transplant Proc</i> , 31(1-2): 1366-9.
11119	Bray GA (1985). Complications of obesity. <i>Annals of Internal Medicine</i> , 103(6 pt 2): 1052-62.
86489	Bray GA (2013). Energy and fructose from beverages sweetened with sugar or high-fructose corn syrup pose a health risk for some people. <i>Adv Nutr</i> , 4: 220-5.
88120	Bruderer S, Bodmer M, Jick SS, et al (2014). Use of diuretics and risk of incident gout. <i>Arthritis & Rheumatism</i> , 66(1): 185-96.
11396	Bryant JM, Yu TF, Berger L, et al (1962). Hyperuricemia induced by the administration of chlorthalidone and other sulfonamide diuretics. <i>American Journal of Medicine</i> , 33: 408-20.
11109	Burack DA, Griffith BP, Thompson ME, et al (1992). Hyperuricemia and gout among heart transplant recipients receiving cyclosporine. <i>The American Journal of Medicine</i> , 92(2): 141-6.
11156	Caldwell DS, McCallum RM (1986). Rheumatologic manifestations of cancer. <i>Medical Clinics of North America</i> , 70(2): 385-417.

17621	Callahan CM, Tierney WM (1995). Health services use and mortality among older primary care patients with alcoholism. <i>The American Geriatrics Society</i> , 42(12): 1378-83.
88501	Calne DB, Fermaglich J (1976). Gout induced by L-dopa and decarboxylase inhibitors. <i>Postgraduate Medical Journal</i> , 52: 232-3.
17797	Campbell SM (1988). Gout: how presentation, diagnosis, and treatment differ in the elderly. <i>Geriatrics</i> , 43(11): 71-7.
11130	Campion EW, Glynn RJ, DeLabry LO (1987). Asymptomatic hyperuricemia. Risks and consequences in the normative aging study. <i>The American Journal of Medicine</i> , 82: 421-6.
54261	Caspi D, Lubart E, Graff E, et al (2000). The effect of mini-dose aspirin on renal function and uric acid handling in elderly patients. <i>Arthritis & Rheumatism</i> , 43(1): 103-8.
11154	Cawley MI (1983). Complications of Paget's disease of bone. <i>Gerontology</i> , 29: 276-87.
88046	Cea Soriano LC, Rothenbacher D, Choi HK, et al (2011). Contemporary epidemiology of gout in the UK general population. <i>Arthritis Res Ther</i> , 13: R39.
88169	Chadwick CM, Saxby TS (2011). Gout associated with fracture of the fifth metatarsal shaft: a case report. <i>Foot Ankle Int</i> , 32(8): 826-9.
88373	Chang WC (2011). Dietary intake and the risk of hyperuricemia, gout and chronic kidney disease in elderly Taiwanese men. <i>Aging Male</i> , 14(3): 195-202.
88376	Cheatham CL, Vazquez-Vidal I, Medlin A, et al (2016). Blueberry consumption affects serum uric acid concentrations in older adults in a sex-specific manner. <i>Antioxidants</i> , 5(43): antiox5040043.
88165	Checa A (2010). Asymptomatic gout in a male with meniscus injury. <i>J Clin Rheumatol</i> , 16(8): 399.
52714	Chen LX, Schumacher HR (2008). Gout. An evidence-based review. <i>JCR</i> , 14(5S): S55-S62.
54237	Chen S-Y, Chen C-L, Shen M-L (2007). Manifestations of metabolic syndrome associated with male gout in different age strata. <i>Clin Rheum</i> , 26: 1453-7.
88498	Chen WL, Chen HI, Loh CH (2009). [Comment] Acute gouty arthritis after taking sildenafil: an old disease with a new etiology. <i>J Rheumatol</i> , 36(1): 210-1.
54647	Choi HK (2009). Complexities of gout: comorbidities cause or effect? Retrieved 30 October 2009, from http://cme.medscape.com/viewarticle/707343
88395	Choi HK (2010). A prescription for lifestyle change in patients with hyperuricemia and gout. <i>Curr Opin Rheumatol</i> , 22(2): 165-72.
54229	Choi HK, Atkinson K, Karlson EW, et al (2004). Purine-rich foods, dairy and protein intake, and the risk of gout in men. <i>N Engl J Med</i> , 350(11): 1093-103.
54230	Choi HK, Atkinson K, Karlson EW, et al (2005). Obesity, weight change, hypertension, diuretic use, and risk of gout in men. <i>Arch Intern Med</i> , 165: 742-8.
45945	Choi HK, Atkinson K, Karison EW, et al (2004). Alcohol intake and risk of incident gout in men: a prospective study. <i>The Lancet</i> , 363: 1277-81.
88557	Choi HK, Cea Soriano L, Zhang Y, et al (2012). Antihypertensive drugs and risk of incident gout among patients with hypertension: population based case-control study. <i>BMJ</i> , 344: d8190.
54226	Choi HK, Curhan G (2004). Beer, liquor, and wine consumption and serum uric acid level: The Third National Health and Nutrition Examination Survey. <i>Arthritis & Rheumatism</i> , 51(6): 1023-9.

88396	Choi HK, Curhan G (2007). Coffee, tea, and caffeine consumption and serum uric acid level: the third national health and nutrition examination survey. <i>Arthritis Rheum</i> , 57(5): 816-21.
47248	Choi HK, Curhan G (2008). Soft drinks, fructose consumption, and the risk of gout in men: prospective cohort study. <i>BMJ</i> , 336(7639): 309-12.
88378	Choi HK, Curhan G (2010). Coffee consumption and risk of incident gout in women: the Nurses' Health Study. <i>Am J Clin Nutr</i> , 92: 922-7.
54631	Choi HK, De Vera MA, Krishnan E (2008). Gout and the risk of type 2 diabetes among men with a high cardiovascular risk profile. <i>Rheumatology</i> , 47: 1567-70.
54638	Choi HK, Ford ES, Li C, et al (2007). Prevalence of the metabolic syndrome in patients with gout: the Third National Health and Nutrition Examination Survey. <i>Arthritis & Rheumatism</i> , 57(1): 109-15.
88377	Choi HK, Gao X, Curhan G (2009). Vitamin C intake and the risk of gout in men - A prospective study. <i>Arch Intern Med</i> , 169(5): 502-7.
54227	Choi HK, Liu S, Curhan G (2005). Intake of purine-rich foods, protein, and dairy products and relationship to serum levels of uric acid. <i>Arthritis & Rheumatism</i> , 52(1): 283-9.
54238	Choi HK, Mount DB, Reginato AM (2005). Pathogenesis of gout. <i>Ann Intern Med</i> , 143: 499-516.
54635	Choi HK, Willett W, Curhan G (2007). Coffee consumption and risk of incident gout in men. <i>Arthritis & Rheumatism</i> , 56(6): 2049-55.
88394	Choi HK, Willett W, Curhan G (2010). Fructose-rich beverages and risk of gout in women. <i>JAMA</i> , 304(20): 2270-8.
88288	Choi HY, Lee CH, Lee JH, et al (2015). Seasonality of gout in Korea: A multicenter study. <i>JKMS</i> , 30: 240-4.
54640	Choi JWJ, Ford ES, Gao X, et al (2008). Sugar-sweetened soft drinks, diet soft drinks, and serum uric acid level: the Third National Health and Nutrition Examination Survey. <i>Arthritis & Rheumatism</i> , 59(1): 109-16.
88502	Choi WJ, Ford ES, Curhan G, et al (2012). The independent association of serum retinol and B-carotene levels with hyperuricemia - A national population study. <i>Arthritis Care & Research</i> , 64(3): 389-96.
15949	Chou CT, Chao PM (1999). Lipid abnormalities in Taiwan Aborigines with gout. <i>Metabolism</i> , 48(1): 131-3.
17162	Chou CT, Lai JS (1998). The epidemiology of hyperuricaemia and gout in Taiwan Aboriginies. <i>Br J Rheumatol</i> , 37: 258-62.
88379	Chuang SY, Lee SC, Hsieh YT, et al (2011). Trends in hyperuricemia and gout prevalence: Nutrition and Health Survey in Taiwan from 1993-1996 to 2005-2008. <i>Asia Pac J Clin Nutr</i> , 20(2): 301-8.
88266	Chun J, Thordarson DB (2004). Nonunion of 5th metatarsal tuberosity fracture (dancer's fracture) associated with gout. <i>Am J Orthop (Belle Mead NJ)</i> , 33(1): 37-9.
54242	Ciccittini F (2009). Rheumatic disease - gout. <i>Il Globo</i> . Retrieved 21 September 2009, from http://italianmedia.com.au/w3/index.php?option=com_content&view=article&catid=50%3Apreventive-medicine&id=395%3Arheumatic-disease-gout&Itemid=41&lang=it
54225	Clive DM (2000). Renal transplant-associated hyperuricemia and gout. <i>J Am Soc Nephrol</i> , 11: 974-9.
87949	Coddington CC, Albrecht RC, Cefalo RC (1979). Gouty nephropathy and pregnancy. <i>Am J Obstet Gynecol</i> , 133(1): 107-8.
15907	Cohen MR (1994). Proximal gout following renal transplantation. <i>Arthritis Rheum</i> , 37(11): 1709-10.
11011	Cohen MR (1994). Proximal gout following renal transplantation. <i>Arthritis & Rheumatism</i> , 37(11): 1709-710.
85595	Conway R, Carey JJ, Coughlan RJ (2011). A case of occupational gout. <i>Ir Med J</i> , 104(10): 316-7.

11086	Craig MH, Poole G, Hauser CJ (1995). Postsurgical gout. <i>American Surgeon</i> , 61(1): 56-9.
11392	Craswell PW, Price J, Boyle PD, et al (1984). Chronic renal failure with gout: a marker of chronic lead poisoning. <i>Kidney International</i> , 26(3): 319-23.
54252	Creighton S, Miller R, Edwards S, et al (2005). Is ritonavir boosting associated with gout? <i>Int J STD AIDS</i> , 16: 362-4.
11440	Crouse JR (1996). New developments in the use of niacin for treatment of hyperlipidemia: new considerations in the use of an old drug. <i>Coronary Artery Disease</i> , 7(4): 321-6.
11332	Currie WJC (1979). Prevalence and incidence of the diagnosis of gout in Great Britain. <i>Annals of the Rheumatic Diseases</i> , 38: 101-6.
17172	Czachor JS (1997). Coexistent gout and mycobacterium avium-intracellulare arthritis in a renal transplant recipient. <i>Kidney Blood press Res</i> , 20(1): 62-3.
88389	Dalbeth N, Ames R, Gamble GD, et al (2012). Effects of skim milk powder enriched with glycomacropeptide and G600 milk fat extract on frequency of gout flares: a proof-of-concept randomised controlled trial. <i>Ann Rheum Dis</i> , 71(6): 929-34.
86490	Dalbeth N, Merriman TR, Stamp LK (2016). Gout. <i>Lancet</i> , 388: 2039-52.
86491	Dalvi SR, Pillinger MH (2013). Saturnine gout, redux: a review. <i>American Journal of Medicine</i> , 126(450): e1-8.
11150	Darlington LG, Slack J, Scott JT (1982). Family study of lipid and purine levels in gout patients. <i>Annals of the Rheumatic Diseases</i> , 41: 253-6.
11020	Darmawan J, Lutalo SK (1995). Gout and hyperuricaemia. <i>Bailliere's Clinical Rheumatology</i> , 9(1): 83-94.
17127	De Bari C, Lapadula G, Cantatore FP (1998). Coexisting psoriatic arthritis, gout, and chondrocalcinosis. <i>Scand J Rheumatol</i> , 27: 306-9.
11250	Delaney V, Sumrani N, Daskalakis P, et al (1992). Hyperuricemia and gout in renal allograft recipients. <i>Transplantation Proceedings</i> , 24(5): 1773-4.
11107	Denman AM, Szur L, Ansell BM (1964). Joint complaints in Polycythaemia vera. <i>Annals of the Rheumatic Diseases</i> , 23: 139-44.
54717	Department of Health and Ageing (2009). The Australian Standard Drink. Retrieved 30 September 2009, from http://www.alcohol.gov.au/internet/alcohol/publishing.nsf/Content/standard
88506	Derus CL, Levinson DJ, Bowman B, et al (1987). Altered fractional excretion of uric acid during total parenteral nutrition. <i>J Rheumatol</i> , 14(5): 978-81.
86492	Desai N, Rahman M (2016). Nephrology update: End-stage renal disease and renal replacement therapy. <i>FP Essent</i> , 444: 23-9.
86493	Desideri G, Castaldo G, Lombardi A, et al (2014). Is it time to revise the normal range of serum uric acid levels? <i>Eur Rev Med Pharmacol Sci</i> , 18(9): 1295-306.
54228	Dessein PH, Shipton EA, Stanwix AE, et al (2000). Beneficial effects of weight loss associated with moderate calorie/carbohydrate restriction, and increased proportional intake of protein and unsaturated fat on serum urate and lipoprotein levels in gout: a pilot study. <i>Ann Rheum Dis</i> , 59: 539-43.
54240	Diep JT, Kerr LD, Barton C, et al (2008). Musculoskeletal manifestations in liver transplantation recipients. <i>J Clin Rheumatol</i> , 14(5): 257-60.
17791	Dieppe PA (1991). Investigation and management of gout in the young and the elderly. <i>Annals of the Rheumatic Diseases</i> , 50: 263-6.
86494	Doghramji PP, Wortmann RL (2012). Hyperuricemia and gout: new concepts in diagnosis and management. <i>Postgrad Med</i> , 124: 98-109.

17792	Doherty M, Dieppe P (1986). Crystal deposition disease in the elderly. <i>Clinics in Rheumatic Diseases</i> , 12(1): 97-116.
86830	Donegan CF, Berman P, Doherty M (1993). Rapid development of a tophus following ipsilateral hemiparesis. <i>Annals of the Rheumatic Diseases</i> , 52: 308-9.
55269	Drenick EJ (1965). Hyperuricemia, acute gout, renal insufficiency and urate nephrolithiasis due to starvation. <i>Arthritis & Rheumatism</i> , 8(5): 988-97.
54250	Eastmond CJ, Garton M, Robins S, et al (1995). The effects of alcoholic beverages on urate metabolism in gout sufferers. <i>Br J Rheumatol</i> , 34: 756-9.
52713	Eggebeen AT (2007). Gout: An update. <i>Am Fam Physician</i> , 76: 801-8.
88287	Elliot AJ, Cross KW, Fleming DM (2009). Seasonality and trends in the incidence and prevalence of gout in England and Wales 1994-2007. <i>Ann Rheum Dis</i> , 68(11): 1728-33.
11211	Emmerson BT (1965). The renal excretion of urate in chronic lead nephropathy. <i>Australasian Annals of Medicine</i> , 14: 295-303.
17627	Emmerson BT (1996). The management of gout. <i>NEJM</i> , 334(7): 445-51.
15908	Erickson AR, Enzenauer RJ, Nordstrom DM, et al (1994). The prevalence of hypothyroidism in gout. <i>The American Journal of Medicine</i> , 97: 231234.
54231	Eustice C, Eustice R (2008). Gout risk factors. Retrieved 23 April 2009, from http://arthritis.about.com/od/gout/p/riskfactors.htm
11126	Evans JG, Prior IA (1968). Relation of serum uric acid to body bulk, haemoglobin, and alcohol intake in two South Pacific Polynesian populations. <i>Annals of the Rheumatic Diseases</i> , 27: 319-25.
87045	Expert Health Panel for Per - and Poly-Fluoroalkyl Substances (PFAS) (2018). Kidney function effects and PFAS exposure. PFAS Expert Health Panel - Report to the Minister, Chapter 6.4: 134-147.
54643	Facchini FS (2003). Near-iron deficiency-induced remission of gouty arthritis. <i>Rheumatology</i> , 42: 1550-5.
88017	Faller J, Fox IH (1982). Ethanol-induced hyperuricemia: evidence for increased urate production by activation of adenine nucleotide turnover. <i>N Engl J Med</i> , 307(26): 1598-602.
88069	Faller J, Fox IH (1984). Ethanol induced alterations of uric acid metabolism. <i>Adv Exp Med Biol</i> , 165(Pt A): 457-62. [Abstract]
17628	Fam AG (1998). Gout in the elderly. Clinical presentation and treatment. <i>Drugs & Ageing</i> , 13(3): 229-43.
54236	Fam AG (2002). Gout, diet, and the insulin resistance syndrome. <i>J Rheumatol</i> , 29(7): 1350-5.
17638	Fam AG, Assaad D (1997). Intradermal urate tophi. <i>The Journal of Rheumatology</i> , 24(6): 1126-31.
17794	Fam AG, Stein J, Rubenstein J (1996). Gouty arthritis in nodal osteoarthritis. <i>The Journal of Rheumatology</i> , 23: 684-9.
88487	Fazio S, Guyton JR, Lin J (2010). Long-term efficacy and safety of ezetimibe/simvastatin coadministered with extended-release niacin in hyperlipidaemic patients with diabetes or metabolic syndrome. <i>Diabetes, Obesity & Metabolism</i> , 12(11): 983-93.
11306	Fessel WJ, Barr GD (1977). Uric acid, lean body weight, and creatinine interactions: results from regression analysis of 78 variables. <i>Seminars in Arthritis and Rheumatism</i> , 7(2): 115-21.
11388	Fessel WJ, Siegelau AB, Johnson ES (1973). Correlates and consequences of asymptomatic hyperuricemia. <i>Arch Intern Med</i> , 132: 44-54.
52907	Finger S, Hagemann IS (2008). Benjamin Franklin's risk factors for gout and stones: From genes and diet to possible lead poisoning. <i>Proceedings of the American Philosophical Society</i> , 152(2): 189-206.

86514	Fisher MC, Pillinger MH, Keenan RT (2014). Inpatient gout: a review. <i>Curr Rheumatol Rep</i> , 16: 458.
55265	Friedman JE, Dallal RM, Lord JL (2008). Gouty attacks occur frequently in postoperative gastric bypass patients. <i>Surgery for Obesity and Related Diseases</i> , 4: 11-5.
88001	Gaffo AL, Roseman JM, Jacobs DR, et al (2010). Serum urate and its relationship with alcoholic beverage intake in men and women: findings from the Coronary Artery Risk Development in Young Adults (CARDIA) cohort. <i>Ann Rheum Dis</i> , 69(11): 1965-70.
88380	Gao X, Curhan G, Forman JP, et al (2008). Vitamin C intake and serum uric acid concentration in men. <i>J Rheumatol</i> , 35(9): 1853-8.
54646	Gao X, Qi L, Qiao N, et al (2007). Intake of added sugar and sugar-sweetened drink and serum uric acid concentration in US men and women. <i>Hypertension</i> , 50: 306-12.
11139	Garcia CO, Kutzbach AG, Espinoza LR (1997). Characteristics of gouty arthritis in the Guatemalan population. <i>Clinical Rheumatology</i> , 16(1): 45-50.
88076	Garcia Rodriguez LA, Cea Soriano L, Choi HK, et al (2010). Impact of diabetes against the future risk of developing gout. <i>Ann Rheum Dis</i> , 69(12): 2090-4.
86981	Garcia-Mendez S, Beas-Ixlahuac E, Hernandez-Cuevas C, et al (2012). Female gout: age and duration of the disease determine clinical presentation. <i>J Clin Rheumatol</i> , 18(5): 242-5.
55395	Gelber AC, Lanzkron S, Maynard J, et al (2009). Population-based association of sickle cell disease with gout. <i>Arthritis & Rheumatism</i> , 60(Suppl 10): 1374. [Abstract]
11135	Gershon SL, Fox IH (1974). Pharmacologic effects of nicotine acid on human purine metabolism. <i>J Lab Clin Med</i> , 84(2): 179-86.
54233	Gerster JC, Dudler M, Halkic N, et al (2004). Gout in liver transplant patients receiving tacrolimus. <i>Ann Rheum Dis</i> , 63: 894-5.
11377	Gibbons LW, Gonzalez V, Gordon N, et al (1995). The prevalence of side effects with regular and sustained-release nicotine acid. <i>American Journal of Medicine</i> , 99(4): 378-85.
17641	Gibson T, Grahame R (1974). Gout and hyperlipidaemia. <i>Annals of the Rheumatic Diseases</i> , 33: 298-303.
17642	Gibson T, Kilbourn K, Horner I, et al (1979). Mechanism and treatment of hypertriglyceridaemia in gout. <i>Annals of the Rheumatic Diseases</i> , 38: 31-5.
17624	Gibson T, Rodgers AV, Simmonds HA, et al (1984). Beer drinking and its effect on uric acid. <i>British Journal of Rheumatology</i> , 23: 203-9.
11161	Gibson T, Rodgers AV, Simmonds HA, et al (1983). A controlled study of diet in patients with gout. <i>Annals of the Rheumatic Diseases</i> , 42: 123-7.
11121	Gibson T, Waterworth R, Hatfield P, et al (1984). Hyperuricaemia, gout and kidney function in New Zealand Maori men. <i>British Journal of Rheumatology</i> , 23: 276-82.
86495	Gibson TJ (2013). Hypertension, its treatment, hyperuricaemia and gout. <i>Curr Opin Rheumatol</i> , 25: 217-22.
11390	Gibson TJ, Grahame R (1974). Gout, hypertriglyceridaemia, and alcohol consumption. <i>Ann Rheum Dis</i> , 3: 109-10.
11358	Girling DJ (1982). Adverse effects of antituberculosis drugs. <i>Drugs</i> , 23: 56-74.
11399	Glynn RJ, Campion EW, Silbert JE (1983). Trends in serum uric acid levels. <i>Arthritis and Rheumatism</i> , 26(1): 87-93.
89287	Gonzalvo JD (2010). Gout and Hyperuricemia. Tisdale JE, Miller DA, (Eds). <i>Drug Induced Diseases: Prevention, Detection, and Management</i> , 2nd Edition, Chapter 52: 1005-15. American Society of Health-System Pharmacists.

11123	Gores PF, Fryd DS, Sutherland DER, et al (1988). Hyperuricemia after renal transplantation. <i>The American Journal of Surgery</i> , 156: 397-400.
11112	Gores PF, Fryd DS, Sutherland DER, et al (1988). Hyperuricemia after renal transplantation. <i>The American Journal of Surgery</i> , 156(5): 397-400.
88358	Graf SW, Whittle SL, Wechalekar MD, et al (2015). Australian and New Zealand recommendations for the diagnosis and management of gout: integrating systematic literature review and expert opinion in the 3e Initiative. <i>Int J Rheum Dis</i> , 18: 341-51.
12426	Grahame R (1972). The endocrines and arthritis. <i>Rheumatology and Physical Medicine</i> , 11: 325-33.
11141	Grahame R, Scott JT (1970). Clinical survey of 354 patients with gout. <i>Annals of the Rheumatic Diseases</i> , 29: 461-8.
86496	Grassi W, De Angelis R (2012). Clinical features of gout. <i>Reumatismo</i> , 63(4): 238-45.
17199	Gregoline PE, Peshoff ML, Trepal MJ (1997). Gout and hypothyroidism. <i>Journal of the American Podiatric Medical Association</i> , 87(8): 394-6.
17132	Grodzicki T, Palmer A, Bulpitt CJ (1997). Incidence of diabetes and gout in hypertensive patients during 8 years of follow-up. <i>Journal of Human Hypertension</i> , 11(9): 583-5.
17126	Guma M, Bayes B, Bonet J, et al (1999). Gout and secondary amyloid. <i>Clin Rheumatol</i> , 18: 54-5.
17796	Gurwitz JH, Kalish SC, Bohn RL, et al (1997). Thiazide diuretics and the initiation of anti-gout therapy. <i>Journal of Clinical Epidemiology</i> , 50(8): 953-9.
88170	Habib G, Badarny S, Khreish M, et al (2014). The impact of Ramadan fast on patients with gout. <i>J Clin Rheumatol</i> , 20(7): 353-6.
52712	Hak AE, Choi HK (2008). Lifestyle and gout. <i>Curr Opin Rheumatol</i> , 20: 179-86.
54223	Hak AE, Choi HK (2008). Menopause, postmenopausal hormone use and serum uric acid levels in US women - The Third National Health and Nutrition Examination Survey. <i>Arthritis Res Ther</i> , 10(5): R116.
54651	Hak AE, Curhan G, Grodstein FD, et al (2009). Menopause, postmenopausal hormone use and risk of incident gout. <i>Ann Rheum Dis</i> , [Epub ahead of print].
55266	Halabe A, Sperling O (1994). Uric acid nephrolithiasis. <i>Miner Electrolyte Metab</i> , 20: 424-31.
11131	Hall AP, Barry PE, Dawber TR, et al (1967). Epidemiology of gout and hyperuricemia. <i>American Journal of Medicine</i> , 42: 27-37.
11308	Halla JT, Ball GV (1982). Saturnine gout: a review of 42 patients. <i>Seminars in Arthritis and Rheumatism</i> , 11(3): 307-14.
86497	Hamel C, Stevens A, Singh K, et al (2014). Do sugar-sweetened beverages cause adverse health outcomes in adults? A systematic review protocol. <i>Systematic Reviews</i> , 3: 108.
88119	Handler J (2010). Managing hypertensive patients with gout who take thiazide. <i>J Clin Hypertens</i> , 12(9): 731-5.
89324	Hanly JG, Skedgel C, Sketris I, et al (2009). Gout in the elderly - a population health study. <i>J Rheumatol</i> , 36: 822-30.
11018	Harris CM, Llyod DC, Lewis J (1995). The prevalence and prophylaxis of gout in England. <i>Journal of Clinical Epidemiology</i> , 48(9): 1153-8.
15856	Harris MD, Siegel LB, Alloway JA (1999). Gout and hyperuricemia. <i>American Family Physician</i> , 59(4): 925-34.
11140	Hayem G, Delahousse M, Meyer O, et al (1996). Female premenopausal tophaceous gout induced by longterm diuretic abuse. <i>Journal of Rheumatology</i> , 23: 2166-7.
11323	Healey LA (1975). Port wine and the gout. <i>Arthritis and Rheumatism</i> , 18(6): 659-62.

45981	Hennigan S, Terkeltaub R (2006). Last call for alcohol in gout? <i>Curr Rheumatol Rep</i> , 9(3): 229-30.
86822	Henriques CC, Lourenco F, Lopez B (2012). Multiple arthritis: three in one. <i>BMJ Case Reports</i> , 2012: doi:10.1136/bcr.11.2011.5151.
54634	Hernandez-Cuevas CB, Hernandez Roque L, Huerta-Sil G, et al (2009). First acute gout attacks commonly precede features of the metabolic syndrome. <i>J Clin Rheumatol</i> , 15(2): 65-7.
11138	Hochberg MC, Thomas J, Thomas DJ, et al (1995). Racial differences in the incidence of gout. <i>Arthritis & Rheumatism</i> , 38(5): 628-32.
54642	Hoepfer MM, Hohlfeld JM, Fabel H (1999). Hyperuricaemia in patients with right or left heart failure. <i>Eur Respir J</i> , 13: 682-5.
11333	Hollingworth P, Scott JT, Burry HC (1983). Nonarticular gout: hyperuricemia and tophus formation without gouty arthritis. <i>Arthritis and Rheumatism</i> , 26(1): 98-101.
88546	Honda H, Gindin RA (1972). Gout while receiving levodopa for Parkinsonism. <i>JAMA</i> , 219(1): 55-7.
52908	Hoskison KT, Wortmann RL (2007). Management of gout in older adults - Barriers to optimal control. <i>Drugs Aging</i> , 24(1): 21-36.
11213	Hosoya T, Ichida K, Tabe A, et al (1993). A study of uric acid metabolism and gouty arthritis in patients with polycystic kidney. <i>Japanese Journal of Nephrology</i> , 35(1): 43-8.
86498	Hsiao SJ, Vaynrub M, Furer V, et al (2010). Polyarticular gout attacks following cerebrovascular accidents: is hemiparesis in fact protective? 2 cases and a review of the literature. <i>JCR</i> , 16: 293-4.
88381	Huang HY, Appel LJ, Choi MJ, et al (2005). The effects of vitamin C supplementation on serum concentrations of uric acid. <i>Arthritis & Rheumatism</i> , 52(6): 1843-7.
86499	Hueskes BA, Roovers EA, Mantel-Teeuwisse AK, et al (2012). Use of diuretics and the risk of gouty arthritis: a systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 41(6): 879-89.
86604	Hueskes BA, Willems FF, Leen AC, et al (2012). A case-control study of determinants for the occurrence of gouty arthritis in heart failure patients. <i>European Journal of Heart Failure</i> , 14(8): 916-21.
52719	Hunter DJ, York M, Chaisson CE, et al (2006). Recent diuretic use and the risk of recurrent gout attacks: The online case-crossover gout study. <i>J Rheumatol</i> , 33: 1341-5.
11208	Ifudu O, Tan CC, Dulin AL, et al (1994). Gouty arthritis in end-stage renal disease: clinical course and rarity of new cases. <i>American Journal of Kidney Diseases</i> , 23(3): 347-51.
11128	Isomaki H, Essen Rv, Ruutsalo HM (1977). Gout, particularly diuretics-induced, is on the increase in Finland. <i>Scandinavian Journal of Rheumatology</i> , 6: 213-6.
17635	Jacobelli S, Arteaga A, Bidegain F (1986). Cholesterol distribution among lipoprotein fractions in patients with gout and normal controls. <i>The Journal of Rheumatology</i> , 13(4): 774-7.
11108	Jamieson C, Smith SE (1992). Salt trial. <i>The Lancet</i> , 339(8789): 377.
17799	Jan Ter Borg E, Rasker JJ (1987). Gout in the elderly, a separate entity? <i>Annals of the Rheumatic Diseases</i> , 46: 72-6.
11338	Jenner PJ, Ellard GA, Allan WGL, et al (1981). Serum uric acid concentrations and arthralgia among patients treated with pyrazinamide-containing regimens in Hong Kong and Singapore. <i>Tubercle</i> , 62(3): 175-9.
17636	Jiao S, Kameda K, Matsuzawa Y, et al (1986). Hyperlipoproteinaemia in primary gout: hyperlipoproteinaemic phenotype and influence of alcohol intake and obesity in Japan. <i>Annals of the Rheumatic Diseases</i> , 45: 308-13.

11404	Jiao S, kameda K, Matsuzawa Y, et al (1986). Hyperlipoproteinaemia in primary gout: hyperlipoproteinaemic phenotype and influence of alcohol intake and obesity in Japan. <i>Annals of the Rheumatic Diseases</i> , 45: 308-13.
86827	Jin M, Yang F, Yang I, et al (2012). Uric acid, hyperuricemia and vascular diseases. <i>Front Biosci</i> , 17: 656-69.
15910	Johnson RJ, Kivlighn SD, Kim Y-G, et al (1999). Reappraisal of the pathogenesis and consequences of hyperuricemia in hypertension, cardiovascular disease, and renal disease. <i>American Journal of Kidney Diseases</i> , 33(2): 225-34.
54649	Johnson S (1999). Effect of gradual accumulation of iron, molybdenum and sulfur, slow depletion of zinc and copper, ethanol or fructose ingestion and phlebotomy in gout. <i>Medical Hypotheses</i> , 53(5): 407-12.
11334	Jorgensen J (1983). Pellagra probably due to pyrazinamide: development during combined chemotherapy of tuberculosis. <i>International Journal of Dermatology</i> , 22(1): 44-5.
88763	Juraschek SP, Appel LJ, Miller ER (2017). Metoprolol increases uric acid and risk of gout in African Americans with chronic kidney disease attributed to hypertension. <i>Am J Hypertens</i> , 30(9): 871-5.
88075	Ka T, Moriwaki Y, Takahashi S, et al (2005). Effects of long-term beer ingestion on plasma concentrations and urinary excretion of purine bases. <i>Horm Metab Res</i> , 37: 641-5.
11111	Kahl LE, Thompson Me, Griffith BP (1989). Gout in the heart transplant recipient: physiologic puzzle and therapeutic challenge. <i>The American Journal of Medicine</i> , 87(3): 289-94.
89253	Kamble RT, Guo S, Ramos CA, et al (2011). Acute gout at engraftment following hematopoietic transplantation. <i>Am J Hematol</i> , 86(11): 961-2.
54641	Kanbay M, Akcay A, Huddam B, et al (2005). Influence of cyclosporine and tacrolimus on serum uric acid levels in stable kidney transplant recipients. <i>Transplant Proc</i> , 37: 3119-20.
55270	Kang EH, Lee EY, Lee YJ, et al (2008). Clinical features and risk factors of postsurgical gout. <i>Ann Rheum Dis</i> , 67(9): 1271-5.
86500	Karis E, Crittenden DB, Pillinger MH (2014). Hyperuricemia, gout, and related comorbidities: cause and effect on a two-way street. <i>Southern Med J</i> , 107(4): 235-41.
88280	Karmacharya P, Pathak R, Aryal MR, et al (2016). Seasonal variation in acute gouty arthritis: data from Nationwide Inpatient Sample. <i>Clin Rheumatol</i> , 35(2): 523-5.
55607	Kashif M, Qureshi A (2009). Tophaceous gout with congenital dyserythropoietic anemia. <i>Blood</i> , 114(19): 3982.
11305	Kato H, Duff IF, Russell WJ, et al (1971). Rheumatoid arthritis and gout in Hiroshima and Nagasaki, Japan: a prevalence and incidence study. <i>Journal of Chronic Diseases</i> , 23(9): 659-79.
86501	Kedar E, Simkin PA (2012). A perspective on diet and gout. <i>Advances in Chronic Kidney Disease</i> , 19: 392-7.
17630	Kelley WN, Palella TD (1990). Gout and the other disorders of purine metabolism. <i>Harrison's Principles of Internal Medicine</i> , 12th Edition, Root Part 12: 1834-43. Eds Wilson Braunwald, Isselbacher Petersdorf, Martin Fauci.
11415	Kerndt PR, Naughton JL, Driscoll CE, et al (1982). Fasting: the history, pathophysiology and complications. <i>Western Journal of Medicine</i> , 137(5): 379-99.
11148	Khanna BK (1980). Acute gouty arthritis following ethambutol therapy. <i>British Journal of Diseases of the Chest</i> , 74(4): 409-10.
11327	Khanna BK, Gupta VP (1984). Ethambutol-induced hyperuricaemia. <i>Tubercle</i> , 65: 195-9. Retrieved 23 October 1997, from 195-199

88356	Khanna D, FitzGerald JD, Khanna PP, et al (2012). 2012 American College of Rheumatology Guidelines for Management of Gout Part 1: Systematic non-pharmacologic and pharmacologic therapeutic approaches to hyperuricemia. <i>Arthritis Care Res (Hoboken)</i> , 64(10): 1431-46.
88357	Khanna D, Khanna PP, FitzGerald JD, et al (2012). 2012 American College of Rheumatology Guidelines for Management of Gout Part II: Therapy and anti-inflammatory prophylaxis of acute gouty arthritis. <i>Arthritis Care Res (Hoboken)</i> , 64(10): 1447-61.
11014	Klemp P, Stansfield SA, Castle B, et al (1997). Gout is on the increase in New Zealand. <i>Annals of the Rheumatic Diseases</i> , 56: 22-6.
11143	Klinenberg JR (1969). Saturnine gout-a moonshine malady. <i>NEJM</i> , 280(22): 1238-9.
88496	Knorr JP, Chewaproug D, Neeli S, et al (2015). Severe interferon/ribavirin-induced hyperuricemia and urate nephropathy requiring rasburicase and hemodialysis in a liver transplant recipient. <i>Exp Clin Transplant</i> , 13(6): 596-9.
54234	Koga M, Saito H, Mukai M, et al (2009). Factors contributing to increased serum urate in postmenopausal Japanese females. <i>Climacteric</i> , 12(2): 146-52.
17782	Koh WH, Sea A, Chai P (1998). Clinical presentation and disease associations of gout: a hospital-based study of 100 patients in Singapore. <i>Annals of the Academy of Medicine, Singapore</i> , 27(1): 7-10.
17789	Koh WH, Seah A, Chai P (1998). Clinical presentation and disease associations of gout: a hospital-based study of 100 patients in Singapore. <i>Ann Acad Med Singapore</i> , 27(1): 7-10.
55267	Kohkhar N (1980). Hyperuricemia and gout in secondary polycythemia due to chronic obstructive pulmonary disease. <i>J Rheumatol</i> , 7(1): 114-6.
86554	Kolasinski SL (2014). Food, drink, and herbs: alternative therapies and gout. <i>Curr Rheumatol Rep</i> , 16(409): s11926.
54262	Kramer HM, Curhan G (2002). The association between gout and nephrolithiasis: The National Health and Nutrition Examination Survey III, 1988-1994. <i>Am J Kidney Dis</i> , 40(1): 37-42.
15946	Kraus A, Flores-Suarez LF (1995). Acute gout associated with omeprazole. <i>The Lancet</i> , 345: 461-2.
86612	Krishnan E (2012). Reduced glomerular function and prevalence of Gout: NHANES 2009-10. <i>PLoS One</i> , 7(11): e50046.
88024	Krishnan E, Lingala B, Bhalla V (2012). Low-level lead exposure and the prevalence of gout: an observational study. <i>Ann Intern Med</i> , 157(4): 233-41.
55606	Kumar V, Gruber B (2003). Tophaceous gout in a patients with thalassemia. <i>J Clin Rheumatol</i> , 9(6): 380-4.
86502	Kuo CF, Grainge MJ, Zhang W, et al (2015). Global epidemiology of gout: prevalence, incidence and risk factors. <i>Nature Reviews Rheumatology</i> , 11(11): 649-62.
87928	Kuo C-F, Grainge MJ, Mallen C, et al (2016). Comorbidities in patients with gout prior to and following diagnosis: case-control study. <i>Ann Rheum Dis</i> , 75: 210-7.
54254	Kutzing MK, Firestein BL (2008). Altered uric acid levels and disease states. <i>J Pharmacol Exp Ther</i> , 324(1): 1-7.
11330	Lally EV, Ho G, Kaplan SR (1986). The clinical spectrum of gouty arthritis in women. <i>Archives of Internal Medicine</i> , 146: 2221-5.
17790	Lally EV, Zimmermann B, Ho G Jr, et al (1989). Urate-mediated inflammation in nodal osteoarthritis: clinical and roentgenographic correlations. <i>Arthritis & Rheumatism</i> , 32(1): 86-90.
88164	Lane MA, Taylor TH (2014). Swelling and pain 2 weeks after a dog bite. <i>Cleve Clin J Med</i> , 81(7): 411-6.

17626	Laversuch CJ, Bruckner FE (1995). Development of a 'Charcot-like joint' in tophaceous gout. <i>Journal of the Royal Society of Medicine</i> , 88: 713-5.
52711	Lee SJ, Terkeltaub RA, Kavanaugh A (2006). Recent developments in diet and gout. <i>Curr Opin Rheumatol</i> , 18: 193-8.
55602	Leff RD, Aldo-Benson MA, Spitz Fife R (1983). Tophaceous gout in a patient with sickle cell-thalassemia: case report and review of the literature. <i>Arthritis & Rheumatism</i> , 26(7): 928--9.
86821	LeFlore I, Antoine G (1991). Dupuytren's contracture and gouty tophi in a black patient. <i>J Natl Med Assoc</i> , 83: 78-80.
78060	Lei M, Zhang L, Lei J, et al (2015). Overview of emerging contaminants and associated human health effects. <i>Biomed Res Int</i> , 2015: 404796.
6677	Levinson DJ, Becker MA (1993). Clinical gout and the pathogenesis of hyperuricemia. <i>Arthritis and allied conditions. A Textbook of Rheumatology</i> , 12th Edition, Vol 2, 105: 1773-1805. Pub Lea & Febiger, London.
54644	Li EK (2004). Gout: a review of its aetiology and treatment. <i>Hong Kong Med J</i> , 10(4): 261-70.
55603	Lieberman UA, Samuel R, Halabe A, et al (1982). Juvenile metabolic gout caused by chronic compensated hemolytic syndrome. <i>Arthritis & Rheumatism</i> , 25(10): 1264-6.
52706	Liberopoulos EN (2004). [Comment] Alcohol intake, serum uric acid concentrations, and risk of gout. <i>The Lancet</i> , 364: 246-7. Comment on ID: 45945.
11124	Lin HY, Rocher LL, McQuillan MA, et al (1989). Cyclosporine-induced hyperuricemia and gout. <i>NEJM</i> , 321(5): 287-92.
11375	Lin JL, Huang PT (1994). Body lead stores and urate excretion in men with chronic renal disease. <i>Journal of Rheumatology</i> , 21: 705-9.
54264	Lin JL, Tan DT, Ho HH, et al (2002). Environmental lead exposure and urate excretion in the general population. <i>Am J Med</i> , 113: 563-8.
52718	Lin KC, Lin HY, Chou P (2000). The interaction between uric acid level and other risk factors on the development of gout among asymptomatic hyperuricemic men in a prospective study. <i>J Rheumatol</i> , 27: 1501-5.
54633	Lindenfeld J, Page RL II, Zolty R, et al (2005). Drug therapy in the heart transplant recipient. Part III: common medical problems. <i>Circulation</i> , 111: 113-7.
86503	Lippi G, Mattiuzzi C, Cervellin G (2015). Meat consumption and gout: Friend, foe or neither? <i>Rheumatology International</i> , 35: 1443-4.
87706	Liu M, Li JH, Li B, et al (2009). Coexisting gout, erythrodermic psoriasis and psoriatic arthritis. <i>Eur J Dermatol</i> , 19: 184-5.
86608	Lobato LC, Coutinho JC, Frota MZ, et al (2017). Chronic tophaceous gout in patients with psoriasis. <i>Anais Brasileiros de Dermatologia</i> , 92: 104-6.
54265	Loghman-Adham M (1997). Renal effects of environmental and occupational lead exposure. <i>Environ Health Perspect</i> , 105(9): 928-39.
54639	Louthrenoo W, Kasitanon N, Wichainun R, et al (2002). Effect of minidose aspirin on renal function and renal uric acid handling in health young adults. <i>J Clin Rheumatol</i> , 8: 299-304.
52720	Luk AJ, Simkin PA (2005). Epidemiology of hyperuricemia and gout. <i>Am J Manag Care</i> , 11: S435-S442.
11104	Lutalo SK, Mabonga N (1992). A clinical assessment of the consequences of alcohol consumption in "communal" drinkers in the Zimbabwean Midlands. <i>Central African Journal of Medicine</i> , 38(9): 380-4.
11212	Lutalo SKK (1993). Gout: an experience from Zimbabwe. <i>Central African Journal of Medicine</i> , 39(3): 60-2.
52716	Lyu LC, Hsu CY, Yeh CY, et al (2003). A case-control study of the association of diet and obesity with gout in Taiwan. <i>Am J Clin Nutr</i> , 78: 690-701.

11159	MacFarlane DG, Dieppe PA (1985). Diuretic-induced gout in elderly women. <i>British Journal of Rheumatology</i> , 24: 155-7.
86504	MacFarlane LA, Kim SC (2014). Gout: a review of nonmodifiable and modifiable risk factors. <i>Rheum Dis Clin North Am</i> , 40: 581-604.
11129	MacLachlan MJ, Rodnan GP (1967). Effects of food, fast and alcohol on serum uric acid and acute attacks of gout. <i>American Journal of Medicine</i> , 42: 38-57.
11414	MacLachlan MJ, Rodnan GP (1967). Effects of food, fast and alcohol on serum uric acid and acute attacks of gout. <i>American Journal of Medicine</i> , 42: 38-57.
54239	Mandell BF (2008). Clinical manifestations of hyperuricemia and gout. <i>Cleveland Clinic Journal of Medicine</i> , 75(Suppl 5): S5-S8.
11420	Maroko PR, McDevitt JT, Fox MJ, et al (1989). Antihypertensive effectiveness of very low doses of hydrochlorothiazide: results of the PHICOG trial. <i>Clinical Therapeutics</i> , 11(1): 94-119.
88289	Martillo MA, Nazzal L, Crittenden DB (2014). The crystallization of monosodium urate. <i>Curr Rheumatol Rep</i> , 16(2): 400.
11152	Martinez-Lavin M, Amigo MC, Castillejos G, et al (1984). Coexistent gout and hypertrophic oosteoarthropathy in patients with cyanotic heart disease. <i>The Journal of Rheumatology</i> , 11(6): 832-4.
17707	Matsubara K, Matsuzawa Y, Jiao S, et al (1989). Relationship between hypertriglyceridemia and uric acid production in primary gout. <i>Metabolism</i> , 38(7): 698-701.
89319	McAdams-DeMarco MA, Maynard JW, Baer AN, et al (2013). A urate gene-by-diuretic interaction and gout risk in participants with hypertension: results from the ARIC study. <i>Ann Rheum Dis</i> , 72(5): 701-6.
87929	McAdams-DeMarco MA, Maynard JW, Coresh J, et al (2012). Anemia and the onset of gout in a population based cohort of adults: Atherosclerosis risk in communities study. <i>Arthritis Res Ther</i> , 14: R193.
88048	McAdams-DeMarco MA, Maynard JW, Baer AN, et al (2012). Hypertension and the risk of incident gout in a population-based study: the atherosclerosis risk in communities cohort. <i>J Clin Hypertens</i> , 14: 675-9.
15909	McMillen MA, Cunningham ME, Schoen R, et al (1994). Gout in patients with systemic lupus erythematosus. <i>Br J Rheumatol</i> , 33(6): 595-96.
17131	Mehlhoff DL, Stein DS (1996). Gout secondary to ritonavir and didanosine. <i>Aids</i> , 10(14): 1744.
15944	Meier CR, Jick H (1997). Omeprazole, other antiulcer drugs and newly diagnosed gout. <i>Br J Clin Pharmacol</i> , 44: 175-8.
87930	Merola JF, Wu S, Han J, et al (2015). Psoriasis, psoriati arthritis, and risk of gout in U.S. men and women. <i>Ann Rheum Dis</i> , 74(8): 1495-1500.
86505	Merriman TR, Dalbeth N, Johnson RJ (2014). Sugar-sweetened beverages, urate, gout and genetic interaction. <i>Pacific Health Dialog</i> , 20(1): 31-8.
86506	Messina M, Messina VL, Chan P (2011). Soyfoods, hyperuricemia and gout: A review of the epidemiologic and clinical data. <i>Asia Pac J Clin Nutr</i> , 20(3): 347-58.
87937	Metyas S, Rouman H, Arkfeld DG (2010). Pregnancy in a patient with gouty arthritis secondary to pseudo-Bartter syndrome. <i>J Clin Rheumatol</i> , 16(5): 219-20.
17896	Meyers OL, Monteagudo FS (1986). A comparison of gout in men and women: a 10-year experience. <i>South African Medical Journal</i> , 70: 721-3.
11356	Meyers OL, Montegudo FSE (1985). Gout in females: an analysis of 92 patients. <i>Clinical and Experimental Rheumatology</i> , 3: 105-9.
17795	Michet CJ Jr, Evans JM, Fleming KC, et al (1995). Common rheumatologic diseases in elderly patients. <i>Mayo Clin Proc</i> , 70: 1205-14.

17634	Mielants H, Veys EM, DeBussere A, et al (1975). Avascular necrosis and its relation to lipid and purine metabolism. <i>The Journal of Rheumatology</i> , 2(4): 430-6.
11017	Mijiyawa M (1995). Gout in patients attending the rheumatology unit of Lome Hospital. <i>British Journal of Rheumatology</i> , 34(9): 843-6.
54232	Mikuls TR, Farrar JT, Bilker WB, et al (2005). Gout epidemiology: results from the UK General Practice Research Database, 1990-1999. <i>Ann Rheum Dis</i> , 64: 267-72.
52710	Mikuls TR, Saag KG (2006). New insights into gout epidemiology. <i>Curr Opin Rheumatol</i> , 18: 199-203.
55253	Miller AV, Ranatunga SKM, Francis ML (2009). Gout. Retrieved 25 January 2010, from http://emedicine.medscape.com/article/329958
88499	Miller PD, Schwartz EN, Chen P, et al (2007). Teriparatide in postmenopausal women with osteoporosis and mild or moderate renal impairment. <i>Osteoporosis Int</i> , 18(1): 59-68.
86606	Mirraakhimov EA, Mirraakhimov EM (2013). Obstructive sleep apnoea, gout and cardiovascular risk: a worth studying association. <i>Medical Hypotheses</i> , 81(4): 749.
88458	Moi JH, Sriranganathan MK, Edwards CJ, et al (2013). Lifestyle interventions for chronic gout (Review). <i>Cochrane Database of Systematic Reviews</i> , 2013(5): CD010039.
15911	Mooraki A, Bastani B (1998). Reversible renal insufficiency, hyperuricemia and gouty arthritis in a case of hypothyroidism. <i>Clinical Nephrology</i> , 49(1): 59-61.
88286	Moore GE, Anderson AL (1995). Runner with gout and an aortic valve nodule. <i>Med Sci Sports Exerc</i> , 27(5): 626-8.
86610	Morasiewicz P, Koprowski P, Dragan S (2014). Coexisting psoriasis, psoriatic arthritis, gout and Dupuytren's contracture. <i>Ortopedia Traumatologia Rehabilitacja</i> , 16: 441-7.
88019	Moriwaki Y, Ka T, Takahashi S, et al (2006). Effect of beer ingestion on the plasma concentrations and urinary excretion of purine bases: one-month study. <i>Nucleosides, Nucleotides, and Nucleic Acids</i> , 25(9-11): 1083-5.
86507	Mount DB (2013). The kidney in hyperuricemia and gout. <i>Curr Opin Nephrol Hypertens</i> , 22(2): 216-23.
88505	Moyer RA, John DS (2003). Acute gout precipitated by total parental nutrition. <i>J Rheumatol</i> , 30(4): 849-50.
11416	Naito HK, MacKenzie AH (1979). Secondary hypertriglyceridemia and hyperlipoproteinemia in patients with primary asymptomatic gout. <i>Clinical Chemistry</i> , 25(3): 371-5.
17625	Naito HK, Mackenzie AH (1979). Secondary hypertriglyceridemia and hyperlipoproteinemia in patients with primary asymptomatic gout. <i>Clinical Chemistry</i> , 25(3): 371-5.
88006	Nakamura K, Sakurai M, Miura K, et al (2012). Alcohol intake and the risk of hyperuricaemia: a 6-year prospective study in Japanese men. <i>Nutr Metab Cardiovasc Dis</i> , 22(11): 989-96.
17711	Nakanishi N, Suzuki K, Kawashimo H, et al (1999). Serum uric acid: correlation with biological, clinical and behavioral factors in Japanese men. <i>Journal of Epidemiology</i> , 9(2): 99-106.
17788	Nakanishi N, Suzuki K, Kawashimo H, et al (1999). Serum uric acid: correlation with biological, clinical and behavioral factors in Japanese men. <i>Journal of Epidemiology</i> , 9: 99-106.
54255	Nakanishi N, Tatara K, Nakamura K, et al (1999). Risk factors for the incidence of hyperuricaemia: a 6-year longitudinal study of middle-aged Japanese men. <i>Int J Epidemiol</i> , 28: 888-93.

54256	Nakanishi N, Yoshida H, Nakamura K, et al (2001). Predictors for development of hyperuricemia: an 8-year longitudinal study in middle-aged Japanese men. <i>Metabolism</i> , 50(6): 621-6.
11336	Narang RK, Agarwal MC, Raina AK, et al (1983). Hyperuricaemia induced by ethambutol. <i>British Journal of Diseases of the Chest</i> , 77: 404-6.
89160	National Institute on Alcohol Abuse and Alcoholism (2018). What is a standard drink? Retrieved 20 September 2018, from https://www.niaaa.nih.gov/alcohol-health/overview-alcohol-consumption/what-standard-drink
88267	Neogi T, Chen C, Niu J, et al (2014). Relation of temperature and humidity to the risk of recurrent gout attacks. <i>Am J Epidemiol</i> , 180(4): 372-7.
88011	Neogi T, Chen C, Niu J, et al (2014). Alcohol quantity and type on risk of recurrent gout attacks: an internet-based case-crossover study. <i>Am J Med</i> , 127(4): 311-8.
88259	Neogi T, Jansen TL, Dalbeth N, et al (2015). 2015 Gout classification criteria: An American College of rheumatology/European league against rheumatism collaborative initiative. <i>Arthritis & Rheumatology</i> , 67(10): 2557-68.
88168	Nguyen C, Ea HK, Palazzo E, et al (2010). Tophaceous gout: an unusual cause of multiple fractures. <i>Scand J Rheumatol</i> , 39(1): 93-6.
54241	Niamane R, El Hassani S, Bezza A, et al (2002). Lead-related gout. A case report. <i>Joint Bone Spine</i> , 69: 409-11.
11122	Nicholls A, Scott JT (1972). Effect of weight-loss on plasma and urinary levels of uric acid. <i>The Lancet</i> , Dec 9: 1223-4.
17709	Nishida Y, Akaoka I, Nishizawa T, et al (1975). Hyperlipidaemia in gout. <i>Clinica Chimica Acta</i> , 62(1): 103-6.
11110	Noordjij TC, Leunissen KML, Van Hoof JP (1991). Renal handling of urate and the incidence of gouty arthritis during cyclosporine and diuretic use. <i>Transplantation</i> , 52(1): 64-7.
11380	Nuki G (1997). Disorders of purine and pyrimidine metabolism. <i>Oxford Textbook of Medicine</i> , 1376-81.
54258	Numata T, Miyatake N, Wada J, et al (2008). Comparison of serum uric acid levels between Japanese with and without metabolic syndrome. <i>Diabetes Research and Clinical Practice</i> , 80: e1-e5.
57458	O'Toole BI, Catts SV, Outram S, et al (2009). The physical and mental health of Australian Vietnam veterans 3 decades after the war and its relation to military service, combat, and post-traumatic stress disorder. <i>Am J Epidemiol</i> , Epub ahead of print.
88374	Ozturk MA, Kaya A, Senel S, et al (2013). Demographic and clinical features of gout patients in Turkey: a multicenter study. <i>Rheumatol Int</i> , 33(4): 847-52.
54715	Pagana KD, Pagana TJ (2006). <i>Mosby's Manual of Diagnostic and Laboratory Tests</i> , 3rd Edition, Mosby Elsevier, St Louis.
11120	Paik CH, Alavi I, Dunea G, et al (1970). Thalassaemia and gouty arthritis. <i>JAMA</i> , 213(2): 296-7.
88696	Paladine WJ (1972). [Comment] Gout and levodopa. <i>N Engl J Med</i> , 286(7): 376.
88122	Palmer BF (2011). Metabolic complications associated with use of diuretics. <i>Semin Nephrol</i> , 31(6): 542-52.
88279	Park KY, Kim HJ, Ahn HS, et al (2017). Association between acute gouty arthritis and meteorological factors: An ecological study using a systematic review and meta-analysis. <i>Semin Arthritis Rheum</i> , 47(3): 369-75.

86508	Pascual E, Addadi L, Andres M, et al (2015). Mechanisms of crystal formation in gout-a structural approach. <i>Nature Reviews Rheumatology</i> , 1: 725-30.
11132	Paulus HE, Coutts A, Calabro JJ, et al (1970). Clinical significance of hyperuricemia in routinely screened hospitalized men. <i>JAMA</i> , 211(2): 277-81.
55264	Pavithran K, Thomas M (2001). Chronic myeloid leukemia presenting as gout. <i>Clin Rheumatol</i> , 20: 288-9.
54645	Pearson NL (2006). Hyperuricemia and gout. Some medications can 'precipitate' gout. <i>Canadian Pharmacists Journal</i> , 139(4): 62-5.
11158	Peitzman SJ, Bodison W, Ellis I (1985). Moonshine drinking among hypertensive veterans in Philadelphia. <i>Archives of Internal Medicine</i> , 145: 632-4.
17783	Pell S, D'Alonzo CA (1968). The prevalence of chronic disease among problem drinkers. <i>Arch Envir Hlth</i> , 16: 679-84.
11215	Perazella MA (1996). Lead and the kidney: nephropathy, hypertension, and gout. <i>Connecticut Medicine</i> , 60(9): 521-6.
86509	Perez-Ruiz F, Urionaguena I, Carmona-Ortells L (2016). Epidemiology and health-related services. <i>Curr Opin Rheumatol</i> , 28: 104-9.
55604	Perifanis V, Sfikas G, Tziomalos K, et al (2005). Hereditary spherocytosis uncovered in adulthood due to concomitant lead poisoning. <i>Ann Hematol</i> , 84: 131-2.
11214	Perloff JK (1993). Systemic complications of cyanosis in adults with congenital heart disease. <i>Cardiology Clinics</i> , 11(4): 689-99.
55396	Perrotta S, Gallagher PG, Mohandas N (2008). Hereditary spherocytosis. <i>Lancet</i> , 372: 1411-26.
88382	Pham NM, Yoshida D, Morita M, et al (2010). The relation of coffee consumption of serum uric acid in Japanese men and women aged 49-76 years. <i>Journal of Nutrition and Metabolism</i> , 2010: Article 930757.
54251	Pilmore HL, Faire B, Dittmer I (2001). Tacrolimus for treatment of gout in renal transplantation: two case reports and review of the literature. <i>Transplantation</i> , 72(10): 1703-5.
52703	Pittman JR, Bross MH (1999). Diagnosis and management of gout. <i>Am Fam Physician</i> , 59(7): 1799-806.
17798	Platt PN, Dick WC (1985). Diuretic-induced gout: the beginnings of an epidemic? <i>The Practitioner</i> , 229: 281-4.
11329	Platt PN, Dick WC (1985). Diuretic-induced gout: the beginnings of an epidemic? <i>The Practitioner</i> , 229: 281-4.
11247	Poor G, Mituszova M (1989). Saturnine gout. <i>Bailliere's Clinical Rheumatology</i> , 3(1): 51-61.
11134	Postlethwaite AE, Bartel AG, Kelley WN (1972). Hyperuricemia due to ethambutol. <i>NEJM</i> , 286(14): 761-3.
11105	Prior IAM, Welby TJ, Ostbye T, et al (1987). Migration and gout: the Tokelau Island migrant study. <i>British Medical Journal</i> , 295: 457-61.
11022	Pritzker KP (1994). Gout and the gullible. <i>Journal of Rheumatology</i> , 21(12): 2175-6.
88494	Pui K, Waddell C, Dalbeth N (2008). [Comment] Early onset of hyperuricaemia and gout following treatment for female to male gender reassignment. <i>Rheumatology</i> , 47(12): 1840-1.
17793	Puig JG, Mateos FA (1994). Purine metabolism in women with primary gout. <i>The American Journal of Medicine</i> , 97: 332-8.
86510	Radu L, Groppa L, Vudu L (2016). Musculoskeletal impairment in primary hypothyroidism. <i>Rev Med Chir Soc Med Nat Iasi</i> , 120(2): 244-51.
88467	Raivio KO, Becker MA, Meyer LJ, et al (1975). Stimulation of human purine synthesis de novo by fructose infusion. <i>Metabolism</i> , 24(7): 861-9.

86897	Rakieh C, Conaghan PG (2011). Diagnosis and treatment of gout in primary care. <i>Practitioner</i> , 255(1746): 17-20.
17784	Ralston SH, Capell H, Sturrock RD (1988). Alcohol and response to treatment. <i>Br Med J</i> , 296: 1641-2.
11379	Reginato AJ, Hoffman GS (1998). Arthritis due to deposition of calcium crystals. <i>Harrison's Principles of Internal Medicine</i> , 14th Edition, Chapter 323: 1941-3.
17170	Reiter S, Engelleiter R, Proske H, et al (1998). Severe debilitating polyarticular gout and terminal renal failure in allopurinol 'non-responder'. <i>Adv Exp Med Biol</i> , 431: 51-5.
11331	Report of Medical Research Council Working Party on Mild to Moderate Hypertension (1981). Adverse reactions to bendrofluazide and propranolol for the treatment of mild hypertension. <i>The Lancet</i> , ii: 539-43.
54263	Reyes AJ (2003). Cardiovascular drugs and serum uric acid. <i>Cardiovascular Drugs and Therapy</i> , 17: 397-414.
11207	Reynolds PP, Knapp MJ, Baraf HSB, et al (1983). Moonshine and lead. Relationship to the pathogenesis of hyperuricemia in gout. <i>Arthritis and Rheumatism</i> , 26(9): 1057-64.
86511	Rho YH, Zhu Y, Choi KH (2011). The epidemiology of uric acid and fructose. <i>Seminars in Nephrology</i> , 31(5): 410-9.
11009	Rigby AS, Wood PH (1994). Serum uric acid levels and gout: what does this herald for the population? <i>Clinical and Experimental Rheumatology</i> , 12(4): 395-400.
11335	Rimm AA, Wepner LH, Van Yserloo B, et al (1975). Relationship of obesity and disease in 73,532 weight-conscious women. <i>Public Health Reports</i> , 90: 44-51.
86512	Robinson PC, Taylor WJ, Merriman TR (2012). Systematic review of the prevalence of gout and hyperuricaemia in Australia. <i>Internal Medicine Journal</i> , 42: 997-1007.
86513	Roddy E, Choi HK (2014). Epidemiology of gout. <i>Rheum Dis Clin N Am</i> , 40: 155-75.
52709	Roddy E, Zhang W, Doherty M (2007). The changing epidemiology of gout. <i>Nature Clin Pract</i> , 3(8): 443-9.
70125	Roddy E, Zhang W, Doherty M (2007). Are joints affected by gout also affected by osteoarthritis? <i>Annals of the Rheumatic Diseases</i> , 66(10): 1374-7.
54247	Ross S (2009). Pyrazinamide. Chapter 5. <i>Australian Medicines Handbook</i> . Retrieved 21 September 2009, from http://proxy7.use.hcn.com.au/view.php?page=chapter5/monographpyrazinamide.html#pyrazinamide
54245	Rossi S (2009). Chlorthalidone. Chapter 6. <i>Australian Medicines Handbook</i> . Retrieved 21 September 2009, from http://proxy7.use.hcn.com.au/view.php?page=chapter6/monographchlorthalidone.html#chlorthalidone
54246	Rossi S (2009). Ethacrynic acid. Chapter 6. <i>Australian Medicines Handbook</i> . Retrieved 21 September 2009, from http://proxy7.use.hcn.com.au/view.php?page=chapter6/monographethacrynic-acid.html#ethacrynic-acid
54222	Rossi S (2009). Ethambutol. Chapter 5. Retrieved 21 September 2009, from http://proxy7.use.hcn.com.au/view.php?page=chapter5/monographethambutol.html#ethambutol
54248	Rossi S (2009). Frusemide. Chapter 6. <i>Australian Medicines Handbook</i> . Retrieved 21 September 2009, from http://proxy7.use.hcn.com.au/view.php?page=chapter6/monographfrusemide.html#frusemide

54249	Rossi S (2009). Thiazide and related diuretics. Chapter 6. Australian Medicines Handbook. Retrieved 21 September 2009, from http://proxy7.use.hcn.com.au/view.php?page=chapter6/class2diuretics-thiazide.html#diuretics-thiazide
11304	Roubenoff R, Klag MJ, Mead LA, et al (1991). Incidence and risk factors for gout in white men. <i>JAMA</i> , 266(21): 3004-7.
88260	Roughley MJ, Belcher J, Mallen CD, et al (2015). Gout and risk of chronic kidney disease and nephrolithiasis: meta-analysis of observational studies. <i>Arthritis Res Ther</i> , 19(9): s13075.
17640	Rovensky J, Mikulecky M, Masarova R (1999). Gout and pseudogout chronobiology. <i>The Journal of Rheumatology</i> , 26(6): 1426-7.
11142	Runcie J, Thomson TJ (1969). Total fasting, hyperuricaemia and gout. <i>Postgraduate Medical Journal</i> , 45: 251-3.
55944	Rush RM Jr (2008). Gout and the postoperative bariatric surgery patient. <i>Surg Obes Relat Dis</i> , 4(1): 14-5.
86520	Rymal E, Rizzolo D (2014). Gout: a comprehensive review. <i>JAAPA</i> , 27(9): 26-31.
88390	Ryu KA, Kang HH, Kim SY, et al (2014). Comparison of nutrient intake and diet quality between hyperuricemia subjects and controls in Korea. <i>Clin Nutr Res</i> , 3(1): 56-63.
52906	Saag KG, Choi H (2006). Epidemiology, risk factors, and lifestyle modifications for gout. <i>Arthritis Research & Therapy</i> , 8(Suppl 1): S2.
11125	Saker BM, Tofler OB, Burvill MJ, et al (1967). Alcohol consumption and gout. <i>The Medical Journal of Australia</i> , 1: 1213-6.
86488	Salem BC, Slim R, Fathallah N, et al (2017). Drug-induced hyperuricaemia and gout. <i>Rheumatology</i> , 56(5): 679-88.
11337	Sarma GR, Acharyulu GS, Kannapiran M, et al (1983). Role of rifampicin in arthralgia induced by pyrazinamide. <i>Tubercle</i> , 64: 93-100.
81072	Sattui SE, Singh JA, Gaffo AL (2014). Comorbidities in patients with crystal diseases and hyperuricemia. <i>Rheum Dis Clin N Am</i> , 40(2): 251-78.
11325	Schaberg T, Rebhan K, Lode H (1996). Risk factors for side-effects of isoniazid in patients hospitalized for pulmonary tuberculosis. <i>European Respiratory Journal</i> , 9: 2026-30.
11206	Schaffalitzky De Muckadell OB, Gyntelberg F (1976). Occurrence of gout in Copenhagen males aged 40-59. <i>International Journal of Epidemiology</i> , 5(2): 153-8.
11155	Schettler G (1983). Atherosclerosis during periods of food deprivation following World Wars I and II. <i>Preventive Medicine</i> , 12: 75-83.
88333	Schlesinger N, Gowin KM, Baker DG, et al (1998). Acute gouty arthritis is seasonal. <i>J Rheumatol</i> , 25(2): 342-4.
88397	Schlesinger N, Schlesinger M (2013). [Comment] Previously reported prior studies of cherry juice concentrate for gout flare prophylaxis: comment on the article by Zhang et al. <i>Arthritis Rheum</i> , 65(4): 1135-6. Comment on ID: 88383.
89248	Schlesinger N, Schlesinger M (2012). Previously reported prior studies of cherry juice concentrate for gout flare prophylaxis. <i>J Arthritis</i> , 1: 101.
91042	Schlesinger N, Schlesinger M (2012). Pilot studies of cherry juice concentrate for gout flare prophylaxis. <i>J Arthritis</i> , 1: 1.
55268	Schmahl FW, Metzler B (1991). The health risks of occupational stress in Islamic industrial workers during the Ramadan fasting period. <i>Polish J Occup Med Environ Health</i> , 4(3): 219-28.
11016	Schumacher HR (1996). Crystal-induced arthritis: an overview. <i>The American Journal of Medicine</i> , 100(Suppl 2A): 46S-52S.
89322	Schumacher HR (2008). The pathogenesis of gout. <i>Cleve Clin J Med</i> , 75(Suppl 5): S2-4.

86521	Schwab P, Lipton S, Kerr GS (2010). Rheumatologic sequelae and challenges in organ transplantation. <i>Best Pract Res Clin Rheumatol</i> , 24: 329-40.
11393	Scott JT (1977). Obesity and hyperuricemia. <i>Clinics in Rheumatic Diseases</i> , 3: 25-35.
11249	Scott JT (1991). Drug-induced gout. <i>Bailliere's Clinical Rheumatology</i> , 5(1): 39-60.
11015	Scott JT (1996). Gout: the last 50 years. <i>Journal of the Royal Society of Medicine</i> , 89: 634-7.
11144	Scott JT, Higgins CS (1992). Diuretic induced gout: a multifactorial condition. <i>Annals of the Rheumatic Diseases</i> , 51: 259-61.
17785	Scott JT, McCallum FM, Holloway VP (1964). Starvation, ketosis and uric acid secretion. <i>Clin Science</i> , 27: 209-21.
11468	Seidell JC, Bakx KC, Deurenberg P, et al (1986). Overweight and chronic illness-a retrospective cohort study, with a follow-up of 6-17 years, in men and women of initially 20-50 years of age. <i>Journal of Chronic Diseases</i> , 39: 585-93.
11146	Self Th, Fountain FF, Taylor WJ, et al (1977). Acute gouty arthritis associated with the use of ethambutol. <i>Chest</i> , 71: 561-2.
52717	Shadick NA, Kim R, Weiss S, et al (2000). Effect of low level lead exposure on hyperuricemia and gout among middle aged and elderly men: The normative Aging Study. <i>J Rheumatol</i> , 27(7): 1708-12.
86522	Shah A, Keenan RT (2010). Gout, hyperuricemia, and the risk of cardiovascular disease: cause and effect? <i>Curr Rheumatol Rep</i> , 12: 118-24.
17629	Shapero C, Fox IM (1999). <i>Pasteurella multocida</i> and gout in the first metatarsophalangeal joint. <i>Journal of the American Podiatric Medical Association</i> , 89(6): 318-20.
11160	Sharpe CR (1984). A case-control study of alcohol consumption and drinking behaviour in patients with acute gout. <i>Canadian Medical Association Journal</i> , 131: 563-7.
86524	Shields GE, Beard SM (2015). A systematic review of the economic and humanistic burden of gout. <i>PharmacoEconomics</i> , 33: 1029-47.
86548	Shiozawa A, Szabo SM, Bolzani A, et al (2017). Serum uric acid and the risk of incident and recurrent gout: A systematic review. <i>Journal of Rheumatology</i> , 44: 388-96.
54259	Shiraishi H, Une H (2009). The effect of the interaction between obesity and drinking on hyperuricemia in Japanese male office workers. <i>J Epidemiol</i> , 19(1): 12-6.
54260	Shulten P, Thomas J, Miller M, et al (2009). The role of diet in the management of gout: a comparison of knowledge and attitudes to current evidence. <i>J Hum Nutr Diet</i> , 22: 3-11.
17623	Simmonds HA, McBride MB, Hatfield PJ, et al (1994). Polynesian women are also at risk for hyperuricaemia and gout of genetic defect in renal urate handling. <i>British Journal of Rheumatology</i> , 33: 932-7.
17643	Simmons LA, Williams PF, Turtle JR (1975). Type V hyperlipoproteinaemia re-visited: findings in a Sydney population. <i>Australia New Zealand Journal of Medicine</i> , 5: 210-9.
86525	Singh JA, Reddy SG, Kundukulam J (2011). Risk factors for gout and prevention: a systematic review of the literature. <i>Current Opinion in Rheumatology</i> , 23: 192-202.
86526	Singh S, Watt KD (2012). Long-term medical management of the liver transplant recipient: what the primary care physician needs to know. <i>Mayo Clin Proc</i> , 87: 779-90.

86530	Sivera F, Andres M, Carmona L, et al (2014). Multinational evidence-based recommendations for the diagnosis and management of gout: integrating systematic literature review and expert opinion of a broad panel of rheumatologists in the 3e initiative. <i>Ann Rheum Dis</i> , 73: 328-35.
55271	Sjostrom L, Lindroos A-K, Peltonen M, et al (2004). Lifestyle, diabetes, and cardiovascular risk factors 10 years after bariatric surgery. <i>NEJM</i> , 351(26): 2683-93.
52708	Snaith M (2004). Gout and alcohol. <i>Rheumatol</i> , 43: 1208-9.
89320	So A, Thorens B (2010). Uric acid transport and disease. <i>J Clin Invest</i> , 120(6): 1791-9.
17128	Spitzer T, McFee S, Poliquin C, et al (1998). Acute gouty arthritis following recombinant human granulocyte colony-stimulating factor therapy in an allogeneic blood stem cell donor. <i>Bone Marrow Transplantation</i> , 21(9): 966-7.
89321	Stamp L, Ha L, Searle M, et al (2006). Gout in renal transplant recipients. <i>Nephrology</i> , 11: 367-71.
54636	Stamp L, Searle M, O'Donnell J, et al (2005). Gout in solid organ transplantation. A challenging clinical problem. <i>Drugs</i> , 65(18): 2593-611.
86549	Stamp LK, Chapman PT (2012). Gout and organ transplantation. <i>Curr Rheumatol Rep</i> , 14: 165-72.
88398	Stamp LK, O'Connell JL, Frampton C, et al (2013). Clinically insignificant effect of supplemental vitamin C on serum urate in patients with gout: a pilot randomized controlled trial. <i>Arthritis Rheum</i> , 6: 1636-42.
11021	Star VL, Hochberg MC (1993). Prevention and management of gout. <i>Drugs</i> , 45(2): 212-22.
17129	Stavrou C, Pierides A, Zouvani I, et al (1998). Medullary cystic kidney disease with hyperuricemia and gout in a large Cypriot family: no allelism with nephronophthisis Type 1. <i>American journal of Medical Genetics</i> , 77: 149-54.
11324	Steele MA, Des Prez RM (1988). The role of pyrazinamide in tuberculosis chemotherapy. <i>Chest</i> , 94(4): 845-50.
88050	Steenland K, Tinker S, Shankar A, et al (2010). Association of perfluorooctanoic acid (PFOA) and perfluorooctane sulfonate (PFOS) with uric acid among adults with elevated community exposure to PFOA. <i>Environmental Health Perspectives</i> , 118(2): 229-33.
11439	Sturge RA, Scott JT, Kennedy AC, et al (1977). Serum acid in England and Scotland. <i>Annals of the Rheumatic Diseases</i> , 36: 420-7.
54224	Sugie T, Imatou T, Miyazaki M, et al (2005). The effect of alcoholic beverage type on hyperuricemia in Japanese male office workers. <i>J Epidemiol</i> , 15(2): 41-7.
88391	Sun SZ, Flickinger BD, Williamson-Hughes PS, et al (2010). Lack of association between dietary fructose and hyperuricemia risk in adults. <i>Nutr Metab</i> , 7(16).
54632	Suppiah R, Dissanayake A, Dalbeth N (2008). High prevalence of gout in patients with type 2 diabetes: male sex, renal impairment, and diuretic use are major risk factors. <i>N Z Med J</i> , 121(1283): 43-50.
17622	Takahachi S, Yamamoto T, Moriwaki Y, et al (1994). Impaired lipoprotein metabolism in patients with primary gout - influence of alcohol intake and body weight. <i>British Journal of Rheumatology</i> , 33: 731-4.
88166	Tanabe K, Amoh Y, Katsuoka K, et al (2010). [Comment] Intractable leg ulcer associated with gouty tophi: treatment with allogeneic culture dermal substitute. <i>J Dermatol</i> , 37(11): 998-9.
11084	Terkeltaub RA (1993). Gout and mechanisms of crystal-induced inflammation. <i>Current Opinion in Rheumatology</i> , 5(4): 510-6.
11019	Terkeltaub RA (1995). Gout: questions that still need to be answered. <i>Annals of the Rheumatic Diseases</i> , 54(2): 79-81.

52910	The New Zealand Medical Journal (2006). Alcohol excess may be overemphasised in gout treated in secondary care. <i>The New Zealand Medical Journal</i> , 119(1243): 1-2.
15945	Thomas E, Leroux JL, Serre I, et al (1995). Tophaceous gout of the patella with primary hyperparathyroidism. <i>Clinical & Experimental Rheumatology</i> , 13: 263-5.
86550	Thottam GE, Krasnokutsky S, Pillinger MH (2017). Gout and metabolic syndrome: a tangled web. <i>Current Rheumatology Reports</i> , 19: 60.
17712	Tikly M, Bellingan A, Lincoln D, et al (1998). Risk factors for gout: a hospital-based study in urban Black South Africans. <i>Rev Rhum Engl Ed</i> , 65(4): 225-31.
15912	Toda K, Goriki K, Ochiai M, et al (1997). Gout due to xanthine derivatives. <i>Br J Rheumatol</i> , 36(10): 1131-32.
11151	Tofler OB, Woodings TL (1981). A 13 year follow-up of social drinkers. <i>The Medical Journal of Australia</i> , 2: 479-81.
86528	Torralba KD, De Jesus E, Rachabattula S (2012). The interplay between diet, urate transporters and the risk for gout and hyperuricemia: current and future directions. <i>Int J Rheum Dis</i> , 15: 499-506.
86529	Towiwat P, Li ZG (2015). The association of vitamin C, alcohol, coffee, tea, milk and yogurt with uric acid and gout. <i>Int J Rheum Dis</i> , 18: 495-501.
54637	Tsouli SG, Liberopoulos EN, Mikhailidis DP, et al (2006). Elevated serum uric acid levels in metabolic syndrome: an active component or an innocent bystander? <i>Metab Clin Exp</i> , 55: 1293-301.
17171	Tsutsumi Z, Yamamoto T, Takahashi S, et al (1998). Atherogenic risk factors in patients with gout. <i>Adv Exp Med Biol</i> , 431: 69-72.
88604	Ueno S, Hamada T, Taniguchi S, et al (2016). Effect of antihypertensive drugs on uric acid metabolism in patients with hypertension: Cross-sectional cohort study. <i>Drug Res</i> , 66(12): 628-32.
86535	Umesh S, Ajit NE, Shobha V, et al (2014). Musculoskeletal disorders in sickle cell anaemia - unusual associations. <i>JAPI</i> , 62(1): 52-3.
17639	Vamvakas S, Teschner M, Bahner U, et al (1998). Alcohol abuse: potential role in electrolyte disturbances and kidney diseases. <i>Clinical Nephrology</i> , 49(4): 205-13.
86555	van Veen TR, Haeri S (2015). Gout in pregnancy: a case report and review of the literature. <i>Gynecol Obstet Invest</i> , 79: 217-21.
17637	Vandenberg MK, Moxley G, Breitbart SA, et al (1994). Gout attacks in chronic alcoholics occur at lower serum urate levels than in nonalcoholics. <i>The Journal of Rheumatology</i> , 21(4): 700-4.
15854	Vandenberg MK, Moxley G, Breitbart SA, et al (1994). Gout attacks in chronic alcoholics occur at lower serum urate levels than in nonalcoholics. <i>The Journal of Rheumatology</i> , 21(4): 700-4.
54253	Vanhooteghem O, Andre J, Pochet JM, et al (1998). Occurrence of gouty tophi following acitretin therapy. <i>Clin Exp Dermatol</i> , 23: 274-6.
88261	Vargas-Santos AB, Taylor WJ, Neogi T (2016). Gout classification criteria: Update and implications. <i>Curr Rheumatol Rep</i> , 18(7): 46.
89286	Varsamis P, Larsen RN, Dunstan DW, et al (2007). The sugar content of soft drinks in Australia, Europe and the United States. Retrieved 18 October 2018, from https://www.mja.com.au/system/files/issues/206_10/10.5694mja16.01316.pdf
11303	Vecchio PC, Emmerson BT (1992). Gout due to renal disease. <i>British Journal of Rheumatology</i> , 31: 63-5.
88388	Villegas R, Xiang YB, Elasy T, et al (2012). Purine-rich foods, protein intake, and the prevalence of hyperuricemia: The Shanghai Men's Health Study. <i>Nutr Metab Cardiovasc Dis</i> , 22(5): 409-16.

17708	Waller PC, Ramsey LE (1989). Predicting acute gout in diuretic-treated hypertensive patients. <i>Journal of Human Hypertension</i> , 3(6): 457-61.
88393	Wang DD, Sievenpiper JL, de Souza RJ, et al (2012). The effects of fructose intake on serum acid vary among controlled dietary trials. <i>J Nutr</i> , 142(5): 916-23.
87936	Wang JK, Chen JH, Muo CH, et al (2016). Subsequent risk of gout for women with hypertensive disorders in pregnancy: a retrospective cohort study. <i>J Hypertens</i> , 34(5): 914-9.
88008	Wang M, Jiang X, Wu W, et al (2013). A meta-analysis of alcohol consumption and the risk of gout. <i>Clin Rheumatol</i> , 32(11): 1641-8.
86832	Wang W, Xu D, Want B, et al (2015). Increased risk of cancer in relation to gout: A review of three prospective cohort studies with 50,358 subjects. <i>Mediators of Inflammation</i> , 2015: Article ID 680853.
17130	Warren KJ, Kazi WS, Nassar NN (1998). Gout in a patient with Reiter's Syndrome. <i>Cutis</i> , 61(2): 85-6.
52707	Weaver AL (2006). Case 3: Acute gout - risk factors and inappropriate therapy. <i>Am J Med</i> , 119(11A): S9-S12.
52715	Weaver AL (2008). Epidemiology of gout. <i>Cleveland Clinic Journal of Medicine</i> , 75(Suppl 5): S9-S12.
11309	Wedeen R (1983). Lead and the gouty kidney. <i>American Journal of Kidney Diseases</i> , 2(5): 559-63.
11274	Weinberger A (1995). Gout, uric acid metabolism, and crystal-induced inflammation. <i>Current Opinion in Rheumatology</i> , 7(4): 359-63.
11389	Weiner IM, Tinker JP (1972). Pharmacology of pyrazinamide: metabolic and renal function studies related to the mechanism of drug-induced urate retention. <i>The Journal of Pharmacology and Experimental Therapeutics</i> , 180(2): 411-4.
11251	West C, Carpenter BJ, Hakala TR (1987). The incidence of gout in renal transplant recipients. <i>American Journal of Kidney Diseases</i> , 10(5): 369-71.
86532	Wijnands JM, Viechtbauer W, Thevissen K, et al (2015). Determinants of the prevalence of gout in the general population: a systematic review and meta-regression. <i>European Journal of Epidemiology</i> , 30: 19-33.
54244	Wikipedia (2009). Gout. Retrieved 21 September 2009, from http://en.wikipedia.org/wiki/Gout
52704	Williams PT (2008). Effects of diet, physical activity and performance, and body weight on incident gout in ostensibly healthy, vigorously active men. <i>Am J Clin Nutr</i> , 87: 1480-7.
88123	Wilson L, Nair KV, Saseen JJ (2014). Comparison of new-onset gout in adults prescribed chlorthalidone vs hydrochlorothiazide for hypertension. <i>J Clin Hypertens</i> , 16(12): 864-8.
54648	Wingrove CS, Walton C, Stevenson JC (1998). The effect of menopause on serum uric acid levels in non-obese healthy women. <i>Metabolism</i> , 47(4): 435-8.
15947	Wong DMT, Chalmers IM (1994). Coexistent acute gouty arthritis and ankylosing spondylitis. A rare occurrence. <i>The Journal of Rheumatology</i> , 21(4): 773-4.
11328	Wordsworth BP, Mowat AG (1985). Rapid development of gouty tophi after diuretic therapy. <i>The Journal of Rheumatology</i> , 12(2): 376-7.
11378	Wortmann RL (1998). Gout and other disorders of purine metabolism. <i>Harrison's Principles of Internal Medicine</i> , 14th Edition, Chapter 344: 2158-65.
11153	Wright LF, Saylor RP, Cecere FA (1984). Occult lead intoxication in patients with gout and kidney disease. <i>Journal of Rheumatology</i> , 11: 517-20.

88334	Yamamoto T, Moriwaki Y, Ka T, et al (2004). Effect of sauna bathing and beer ingestion on plasma concentrations of purine bases. <i>Metabolism</i> , 53(6): 772-6.
88023	Yamamoto T, Moriwaki Y, Takahashi S, et al (2002). Effect of beer on the plasma concentrations of uridine and purine bases. <i>Metabolism</i> , 51(10): 1317-23.
54716	Yu AS, Brenner BM (2008). Tubulointerstitial diseases of the kidney. McGraw Hill's Access Medicine. Chapter 279. Retrieved 30 September 2009, from http://proxy14.use.hcn.com.au/content.aspx?aid=2874673
54257	Yu KH, See LC, Huang YC, et al (2008). Dietary factors associated with hyperuricemia in adults. <i>Semin Arthritis Rheum</i> , 37: 243-50.
11307	Yu T (1983). Lead nephropathy and gout. <i>American Journal of Kidney Diseases</i> , 2(5): 555-8.
11394	Yu TF (1965). Secondary gout associated with myeloproliferative diseases. <i>Arthritis and Rheumatism</i> , 8(5 pt 1): 765-71.
11106	Yu TF, Gutman AB (1959). Study of the paradoxical effects of salicylate in low, intermediate and high dosage on the renal mechanisms for excretion of urate in man. <i>Journal of Clinical Investigations</i> , 38: 1298-315.
11413	Yu TF, Weinreb N, Wittman R, et al (1976). Secondary gout associated with chronic myeloproliferative disorders. <i>Seminars in Arthritis and Rheumatism</i> , 5(3): 247-56.
52909	Zaka R, Williams CJ (2006). New developments in the epidemiology and genetics of gout. <i>Current Rheumatology Reports</i> , 8: 215-23.
52705	Zeng QY (2004). [Comment] Drinking alcohol and gout. <i>The Lancet</i> , 363: 1251-2. Comment on ID: 45945.
88392	Zgaga L, Theodoratou E, Kyle J, et al (2012). The association of dietary intake of purine-rich vegetables, sugar-sweetened beverages and dairy with plasma urate, in a cross-sectional study. <i>PLoS One</i> , 7(6): e38123.
88500	Zhang N, Zhang Z, Yang Y, et al (2015). Ticagrelor-related gout: An underestimated side effect. <i>Int J Cardiol</i> , 192: 11-3.
45946	Zhang W, Doherty M, Bardin T, et al (2006). EULAR evidence based recommendations for gout. Part II: Management. Report of a task force of the EULAR Standing Committee for International Clinical Studies including therapeutics (ESCISIT). <i>Ann Rheum Dis</i> , 65: 1312-24.
88383	Zhang Y, Neogi T, Chen C, et al (2012). Cherry consumption and the risk of recurrent gout attacks. <i>Arthritis Rheum</i> , 64(12): 4004-11.
88503	Zhang Y, Neogi T, Chen C, et al (2014). Low-dose aspirin use and recurrent gout attacks. <i>Ann Rheum Dis</i> , 73(2): 385-90.
45982	Zhang Y, Woods R, Chaisson CE, et al (2006). Alcohol consumption as a trigger of recurrent gout attacks. <i>Am J Med</i> , 119(9): e13-8.
86533	Zhang Y, Yang T, Zeng C, et al (2016). Is coffee consumption associated with a lower risk of hyperuricaemia or gout? A systematic review and meta-analysis. <i>BMJ Open</i> , 6: e009809.
86575	Zheng M, Ma JW (2016). Research progress in the genetics of hyperuricaemia and gout. <i>Hereditas</i> , 38: 300-13. [Abstract]
86534	Zheng ZF, Shi HL, Xing Y, et al (2015). Thoracic cord compression due to ligamentum flavum gouty tophus: a case report and literature review. <i>Spinal Cord</i> , 53: 881-6.
11326	Zierski M, Bek E (1980). Side-effect of drug regimens used in short-course chemotherapy for pulmonary tuberculosis. A controlled clinical study. <i>Tubercle</i> , 64: 41-9.
15906	Zonana-Nacach A, Alarcon GS, Daniel WW (1996). Rheumatoid arthritis preceding the onset of polyarticular tophaceous gout. <i>Annals of the Rheumatic Diseases</i> , 55: 489-90.