



ROSS RIVER VIRUS INFECTION

RMA ID Number	Reference List for RMA287-2 as at October 2019
---------------	--

11025	Aaskov JG, Mataika JU, Lawrence GW, et al (1981). An epidemic of Ross River virus infection in Fiji, 1979. <i>Am J Trop Med Hyg</i> , 30(5): 1053-9.
10855	Aaskov JG, Nair K, Lawrence GW, et al (1981). Evidence for transplacental transmission of Ross River virus in humans. <i>Med J Aust</i> , 2(1): 20-1.
10845	Anonymous (1994). [Comment] Ross River virus infection. <i>Wkly Epidemiol Rec (WHO)</i> , 69(13): 98-9.
10840	Anonymous (1997). Communicable diseases surveillance. <i>Commun Dis Intell</i> , 21(8): 107-15.
10999	Anonymous (1997). Communicable diseases surveillance. Ross river virus infection reports increasing. <i>Commun Dis Intell</i> , 21(3): 34-9.
57409	Anonymous (2008). Ross River virus disease. Retrieved 16 July 2010, from http://www.health.vic.gov.au/ideas/bluebookcrossriver
92661	Aubry M, Kama M, Vanhomwegen J, et al (2019). Ross River virus antibody prevalence, Fiji Islands, 2013-2015. <i>Emerg Infect Dis</i> , 25(4): 827-30.
91256	Aubry M, Teissier A, Huart M, et al (2017). Ross River virus seroprevalence, French Polynesia, 2014-2015. <i>Emerg Infect Dis</i> , 23(10): 1751-3.
56166	Barber B, Denholm JT, Spelman D (2009). Ross River virus. <i>Aust Fam Physician</i> , 30(8): 586-9.
10856	Bennett NM, Cunningham AL, Fraser JR, et al (1980). Epidemic polyarthritis acquired in Fiji. <i>Med J Aust</i> , 1: 316-17.
10853	Bennett PH (1983). Ross River virus infection - an acute polyarthritis caused by arbovirus. <i>J Rheumatol Suppl</i> , 10: 34-6.
56167	Bi P, Hiller JE, Cameron AS, et al (2009). Climate variability and Ross River virus infections in Riverland, South Australia, 1992-2004. <i>Epidemiol Infect</i> , 137: 1486-93.
60225	Cui YC, Wu Q, The SW, et al (2018). Bone breaking infections - A focus on bacterial and mosquito-borne viral infections. <i>Microb Pathog</i> , 122: 130-6.
92514	Dhama K, Kapoor S, Pawaiya RV, et al (2014). Ross River virus (RRV) infection in horses and humans: A review. <i>Pak J Biol Sci</i> , 17(6): 768-79.
56808	Faddy HM, Tran TV, Hoad VC, et al (2018). Ross River virus in Australian blood donors: possible implications for blood transfusion safety. <i>Transfusion</i> , 58(2): 485-92.
10852	Fauran P, Donaldson M, Harper J, et al (1984). Characterization of Ross River viruses isolated from patients with polyarthritis in New Caledonia and Wallis and Futuna Islands. <i>Am J Trop Med Hyg</i> , 33(6): 1228-31.
56164	Feeney KT, Murray KJ, Whittle AJ, et al (2004). Reactive arthritis and vasculitis in a child due to Ross River virus infection. <i>MJA</i> , 181(11/12): 710.

56183	Frances SP, Cooper RD, Rowcliffe KL, et al (2004). Occurrence of Ross River virus and Barmah Forest virus in mosquitoes at Shoalwater Bay Military Training Area, Queensland, Australia. <i>J Med Entomol</i> , 41(1): 115-20.
10851	Fraser JR (1986). Epidemic polyarthritis and Ross River virus disease. <i>Clin Rheum Dis</i> , 12(2): 369-88.
10857	Fraser JR, Cunningham AL (1980). Incubation time of epidemic polyarthritis. <i>Med J Aust</i> , 1(11): 550-1.
56161	Gatton ML, Kay BH, Ryan PA (2005). Environmental predictors of Ross River virus disease outbreaks in Queensland, Australia. <i>Am J Trop Med Hyg</i> , 72(6): 792-9.
56160	Gatton ML, Kelly-Hope LA, Kay BH, et al (2004). Spatial-temporal analysis of Ross River virus disease patterns in Queensland, Australia. <i>Am J Trop Med Hyg</i> , 71(5): 629-35.
56165	Harley D, Bossingham D, Purdie DM, et al (2002). Ross River virus disease in tropical Queensland: evolution of rheumatic manifestations in an inception cohort followed for six months. <i>MJA</i> , 177: 352-5.
56177	Harley D, Ritchie S, Bain C, et al (2005). Risks for Ross River virus disease in tropical Australia. <i>Int J Epidemiol</i> , 34: 548-55.
31914	Harley D, Sleigh A, Ritchie S (2001). Ross river virus transmission, infection, and disease: a cross-disciplinary review. <i>Clin Microbiol Rev</i> , 14(4): 909-32.
10842	Harley DO, Weinstein P (1996). The Southern oscillation index and Ross River virus outbreak. <i>MJA</i> , 165: 531-2.
10841	Hills S (1996). Ross River virus and Barmah Forest virus infection: Commonly asked questions. <i>Aust Fam Physician</i> , 25(12): 1822-4.
92668	Hoad VC, Speers DJ, Keller AJ, et al (2015). First reported case of transfusion-transmitted Ross River virus infection. <i>Med J Aust</i> , 202(5): 267-70.
56159	Hu W, Nicholls N, Lindsay M, et al (2004). Development of a predictive model for Ross River virus disease in Brisbane, Australia. <i>Am J Trop Med Hyg</i> , 71(2): 129-37.
56175	Hu W, Tong S, Mengersen K, et al (2006). Mosquito species (diptera: culicidae) and the transmission of Ross River virus in Brisbane, Australia. <i>J Med Entomol</i> , 43(2): 375-81.
56163	Hu W, Tong S, Mengersen K, et al (2007). Exploratory spatial analysis of social and environmental factors associated with the incidence of Ross River virus in Brisbane, Australia. <i>Am J Trop Med Hyg</i> , 76(5): 814-9.
56170	Jacups SP, Whelan PI, Currie BJ (2008). Ross River virus and Barmah Forest virus infections: a review of history, ecology, and predictive models, with implications for tropical northern Australia. <i>Vector-Borne Zoonotic Dis</i> , 8(2): 283-97.
56172	Jacups SP, Whelan PI, Markey PG, et al (2008). Predictive indicators for Ross River virus infection in the Darwin area of tropical northern Australia, using long-term mosquito trapping data. <i>Trop Med Int Health</i> , 13(7): 943-52.
56162	Kay BH, Boyd AM, Ryan PA, et al (2007). Mosquito feeding patterns and natural infection of vertebrates with Ross River and Barmah Forest viruses in Brisbane, Australia. <i>Am J Trop Med Hyg</i> , 76(3): 417-23.
56181	Kelly-Hope LA, Purdie DM, Kay BH (2004). Ross River virus disease in Australia, 1886-1998, with analysis of risk factors associated with outbreaks. <i>J Med Entomol</i> , 41(2): 133-50.
56178	Klapsing P, MacLean JD, Glaze S, et al (2005). Ross River virus disease, reemergence, Fiji, 2003-2004. <i>Emerg Infect Dis</i> , 11(4): 613-5.
92669	Knope KE, Muller M, Kurucz N, et al (2016). Arboviral diseases and malaria in Australia, 2013-14: Annual report of the National Arbovirus and Malaria Advisory Committee. <i>Commun Dis Intell Q Rep</i> , 40(3): E400-36.

92670	Koolhof IS, Carver S (2017). Epidemic host community contribution to mosquito-borne disease transmission: Ross River virus. <i>Epidemiol Infect</i> , 145(4): 656-6.
92671	Lau C, Aubry M, Musso D, et al (2017). New evidence for endemic circulation of Ross River virus in the Pacific Islands and the potential for emergence. <i>Int J Infect Dis</i> , 57: 73-6.
56374	Lidbury BA, Rulli NE, Suhrbier A, et al (2008). Macrophage-derived proinflammatory factors contribute to the development of arthritis and myositis after infection with an arthrogenic alphavirus. <i>J Infect Dis</i> , 197(11): 1585-93.
10846	Lindsay MD, Broom AK, Wright AE, et al (1993). Ross River virus isolations from mosquitoes in arid regions of Western Australia: Implication of vertical transmission as a means of persistence of the virus. <i>Am J Trop Med Hyg</i> , 49(6): 686-96.
92672	Liu X, Tharmarajah K, Taylor A (2017). Ross River virus disease clinical presentation, pathogenesis and current therapeutic strategies. <i>Microbes Infect</i> , 19(11): 496-504.
92673	Mackenzie JS, Lindsay MD, Smith DW, et al (2017). The ecology and epidemiology of Ross River and Murray Valley encephalitis viruses in Western Australia: examples of One Health in action. <i>Trans R Soc Trop Med Hyg</i> , 111(6): 248-54.
10844	Mackenzie JS, Smith DW (1996). Mosquito-borne viruses and epidemic polyarthritis. <i>Med J Aust</i> , 164: 90-3.
92674	Ng V, Dear K, Harley D, et al (2014). Analysis and prediction of Ross River virus transmission in New South Wales, Australia. <i>Vector Borne Zoonotic Dis</i> , 14(6): 422-38 + supplementary data.
57408	Peters CJ (2010). Infections caused by arthropod- and rodent-borne viruses. Retrieved 16 July 2010, from http://proxy14use.hcn.com.au/popup.aspx?aID=2895917&print=yes_chapter
92675	Richard MJ (2019). Ross River virus infection. Retrieved 27 September 2019, from https://www.uptodate.com/contents/ross-river-virus-infection
56179	Robertson GJ, Doggett S, Seeman O, et al (2004). Ross River virus and its vectors in Sorell Municipal area, south-eastern Tasmania, January to March 2002. <i>Commun Dis Intell</i> , 28(2): 261-6.
10854	Rosen L, Gubler DJ, Bennet PH (1981). Epidemic polyarthritis (Ross River) virus infection in the Cook Islands. <i>Am J Trop Med Hyg</i> , 30(6): 1294-302.
56173	Rulli NE, Melton J, Wilmes A, et al (2007). The molecular and cellular aspects of arthritis due to alphavirus infections. Lesson learned from Ross River virus. <i>Ann N Y Acad Sci</i> , 1102: 96-108.
56184	Ryan PA, Alsemgeest D, Gatton ML, et al (2006). Ross River virus disease clusters and spatial relationship with mosquito biting exposure in Redland Shire, Southern Queensland, Australia. <i>J Med Entomol</i> , 43(5): 1042-59.
10849	Scrimgeour EM, Aaskov JG, Matz LR (1987). Ross River virus arthritis in Papua New Guinea. <i>Trans R Soc Trop Med Hyg</i> , 81(5): 833-4.
10850	Scrimgeour EM, Matz LR, Aaskov (1987). A study of arthritis in Papua New Guinea. <i>Aust N Z J Med</i> , 17: 51-4.
92676	Seed CR, Hoad VC, Faddy HM, et al (2016). Re-evaluating the residual risk of transfusion-transmitted Ross River virus infection. <i>Vox Sanguinis</i> , 110: 317-23.
10839	Selden SM, Cameron AS (1996). Changing epidemiology of Ross River virus disease in South Australia. <i>Med J Aust</i> , 165: 313-7.
92677	Selvey LA, Donnelly JA, Lindsay MD, et al (2014). Ross River virus infection surveillance in the greater Perth metropolitan area - has there been an increase in cases in the winter months? <i>Commun Dis Intell Q Rep</i> , 38(2): E114-22.

92678	Shocket MS, Ryan SJ, Mordecai EA (2018). Temperature explains broad patterns of Ross River virus transmission. <i>eLife</i> , 7: e37762.
92679	Stephenson EB, Peel AJ, Reid SA, et al (2018). The non-human reservoirs of Ross River virus: a systematic review of the evidence. <i>Parasit Vectors</i> , 11(1): 188.
56180	Suhrbier A, Linn ML (2004). Clinical and pathologic aspects of arthritis due to Ross River virus and other alphaviruses. <i>Curr Opin Rheumatol</i> , 16: 374-9.
92680	Tall JA, Gatton MI, Tong S (2014). Ross River virus disease activity associated with naturally occurring nontidal flood events in Australia: A systematic review. <i>J Med Entomol</i> , 51(6): 1097-108.
11026	Tesh RB, Gajdusek DC, Garruto RM, et al (1975). The distribution and prevalence of group A arbovirus neutralizing antibodies among human populations in Southeast Asia and the Pacific Islands. <i>Am J Trop Med Hyg</i> , 24(4): 664-75.
10858	Thomson KD, Austin FJ, Maguire T, et al (1979). Epidemic polyarthritis in Fiji and New Zealand. <i>N Z Med J</i> , 90: 30-1.
56169	Tong S, Dale P, Nicholls N, et al (2008). Climate variability, social and environmental factors, and Ross River virus transmission: research development and future research needs. <i>Environ Health Perspect</i> , 116(12): 1591-7.
56186	Tong S, Hu W (2001). Climate variation and incidence of Ross River virus in Cairns, Australia: a time-series analysis. <i>Environ Health Perspect</i> , 109(12): 1271-3.
56182	Tong S, Hu W, McMichael AJ (2004). Climate variability and Ross River virus transmission in Townsville region, Australia, 1985-1996. <i>Trop Med Int Health</i> , 9(2): 298-304.
56176	Tong S, Hu W, Nicholls N, et al (2005). Climatic, high tide and vector variables and the transmission of Ross River virus. <i>Int Med J</i> , 35: 677-80.
56212	Vollmer-Conna U, Piraino BF, Cameron B, et al (2008). Cytokine polymorphisms have a synergistic effect on severity of the acute sickness response to infection. <i>Clin Infect Dis</i> , 47: 1418-25.
92681	Walsh MG, Webb C (2018). Hydrological features and the ecological niches of mammalian hosts delineate elevated risk for Ross River virus epidemics in anthropogenic landscapes in Australia. <i>Parasit Vectors</i> , 11(1): 192.
56171	Webb CE, Doggett SL, Ritchie SA, et al (2008). Vector competence of three Australian mosquitoes, <i>veerrallina carmentis</i> , <i>veerrallina lineata</i> , and <i>mansonia septempunctata</i> (diptera: culicidae), for Ross River virus. <i>J Med Entomol</i> , 45(4): 737-40.
56185	Weinstein P (1997). An ecological approach to public health intervention: Ross River virus in Australia. <i>Environ Health Perspect</i> , 105(4): 364-6.
10848	Weinstein P, Cameron AS (1991). A houseboat outbreak of epidemic polyarthritis. <i>Med J Aust</i> , 155: 721-2.
10843	Weinstein P, Weinstein SR, Rowe RJ (1995). Transfusions: how many cases of Ross River virus infection do we cause? <i>Med J Aust</i> , 163: 276.
92682	Westhorpe C (2014). Ross River virus. <i>Geodate</i> , 27: 4.
56168	Williams CR, Fricker SR, Kokkinn MJ (2009). Environmental and entomological factors determining Ross River virus activity in the River Murray Valley of South Australia. <i>Aust N Z J Public Health</i> , 33(3): 284-8.
10950	Wolstenholme J (1992). Ross river virus: an Australian export? <i>Med J Aust</i> , 156(8): 515-6.
10847	Wolstenholme J (1993). Ross River virus disease - the first recorded outbreak? <i>Aust N Z J Med</i> , 23: 417-18.
57303	Woodruff RE, Guest CS, Garner MG, et al (2002). Predicting Ross River virus epidemics from regional weather data. <i>Epidemiology</i> , 13(4): 384-93.

56174	Woodruff RE, Guest CS, Garner MG, et al (2006). Early warning of Ross River virus epidemics. Combining surveillance data on climate and mosquitoes. <i>Epidemiology</i> , 17(5): 569-75.
92683	Yu W, Mengersen K, Dale P, et al (2014). Epidemiologic patterns of Ross River virus disease in Queensland, Australia, 2001-2011. <i>Am J Trop Med Hyg</i> , 91(1): 109-18.