



ACHILLES TENDINOPATHY

RMA ID Number	Reference List for RMA247-4 as at October 2024
---------------	--

115976	Abate M, Salini V (2019). Mid-portion Achilles tendinopathy in runners with metabolic disorders. <i>Eur J Orthop Surg Traumatol</i> , 29(3): 697-703.
115971	Abate M, Salini V, Schiavone C (2016). Achilles tendinopathy in elderly subjects with type II diabetes: the role of sport activities. <i>Aging Clin Exp Res</i> , 28(2): 355-8.
116114	Abate M, Salini V, Schiavone C, et al (2017). Clinical benefits and drawbacks of local corticosteroids injections in tendinopathies. <i>Expert Opin Drug Saf</i> , 16(3): 341-9.
75098	Abate M, Schiavone C, Salini V, et al (2013). Occurrence of tendon pathologies in metabolic disorders. <i>Rheumatology</i> , 52(4): 599-608.
116014	Abdelghani KB, Rouached L, Fazaa A, et al (2020). Efficacy of local injection therapy for heel pain in rheumatic inflammatory diseases: A systematic review. <i>Z Rheumatol</i> , 79(10): 1033-9.
118404	Ackermann PW, Phisitkul P, Pearce CJ (2018). Achilles tendinopathy - pathophysiology: state of the art. <i>J ISAKOS</i> , 3(5): 304-14.
962	Adams JC (1986). The leg, ankle and foot. <i>Outline of Orthopaedics</i> , 10th Edition, Chapter 10: 422-50. Churchill Livingstone, Edinburgh.
118430	Afolabi BI, Idowu BM, Onigbinde SO (2021). Achilles tendon degeneration on ultrasound in type 2 diabetic patients. <i>J Ultrason</i> , 20(83): e291-9.
994	Agarwal S, Owen R (1990). Tendinitis and tendon ruptures in successful renal transplant recipients. <i>Clin Orthop Relat Res</i> , 252: 270-5.
45260	Agosta J, Holzer K (2006). Foot pain. <i>Brukner & Khan's Clinical Sports Medicine</i> , 3rd Edition Chapter 35: 646-7. McGraw Hill.
118458	Ahn HS, Kim HJ, Kang TU, et al (2021). Dyslipidemia Is associated with increased risk of Achilles tendon disorders in underweight individuals to a greater extent than obese individuals: a nationwide, population-based, longitudinal cohort study. <i>Orthop J Sports Med</i> , 9(10): 23259671211042599.
118397	Ahn HS, Kim HJ, Suh JS, et al (2023). The association of body mass index and waist circumference with the risk of Achilles tendon problems: a nationwide population-based longitudinal cohort study. <i>Clin Orthop Surg</i> , 15(3): 488-98.
118433	Albright JA, Lou M, Rebello E, et al (2023). Testosterone replacement therapy is associated with increased odds of Achilles tendon injury and subsequent surgery: a matched retrospective analysis. <i>J Foot Ankle Res</i> , 16(1): 76.
115970	Alessio-Mazzola M, Russo A, Capello AG, et al (2021). Endoscopic calcaneoplasty for the treatment of Haglund's deformity provides better clinical functional outcomes, lower complication rate, and shorter recovery time compared to open procedures: a systematic review. <i>Knee Surg Sports Traumatol Arthrosc</i> , 29(8): 2462-84.

39447	Alfredson H (2003). Chronic midportion Achilles tendinopathy: an update on research and treatment. <i>Clin Sports Med</i> , 22: 727-41.
44155	Alfredson H (2007). Pain in the Achilles region. <i>Bruckner & Khan's Clinical Sports Medicine</i> , 3rd Edition, Chapter 28. McGraw Hill.
45259	Alfredson H, Cook J (2006). Pain in the Achilles region. <i>Bruckner & Khan's Clinical Sports Medicine</i> , 3rd Edition, Chapter 32: 590-611. McGraw Hill.
116017	Alfredson H, Spang C (2018). Clinical presentation and surgical management of chronic Achilles tendon disorders - A retrospective observation on a set of consecutive patients being operated by the same orthopedic surgeon. <i>Foot Ankle Surg</i> , 24(6): 490-4.
38873	Almekinders LC, Weinhold PS, Maffulli N (2003). Compression etiology in tendinopathy. <i>Clin Sports Med</i> , 22: 703-10.
116006	Alqahtani A, Sabha M, Abdelfattah T, et al (2017). Tendonitis and tendon rupture after treatment with rituximab: a case series. <i>Am J Ther</i> , 24(5): e592-5.
115978	Alves C, Mendes D, Marques FB (2019). Fluoroquinolones and the risk of tendon injury: a systematic review and meta-analysis. <i>Eur J Clin Pharmacol</i> , 75(10): 1431-43.
75068	Ames PR, Longo UG, Denaro V, et al (2008). Achilles tendon problems: not just an orthopaedic issue. <i>Disabil Rehabil</i> , 30(20-22): 1646-50.
970	Anderson DM, Keith J, Novak PD (Lexicographers) (1994). Tendines - tenont(o). <i>Dorland's Illustrated Medical Dictionary</i> , 28th Edition, 1667. WB Saunders, Philadelphia.
964	Apley AG, Solomon L (1993). Overuse injuries. <i>Apley's System of Orthopaedics and Fractures</i> , 7th Edition, Chapter 28: 718-21. Butterworth Heinemann, Oxford.
963	Apley AG, Solomon L (1993). The ankle and foot. <i>Apley's System of Orthopaedics and Fractures</i> , 7th Edition, Chapter 21: 491-4. Butterworth Heinemann, Oxford.
43988	Astrom M, Rausing A (1995). Chronic Achilles tendinopathy. A survey of surgical and histopathologic findings. <i>Clin Orthop Relat Res</i> , Jul(316): 151-64. [Abstract]
110663	Australian Medicines Handbook (2023). Corticosteroids. Retrieved 21 March 2023, from https://amhonline.amh.net.au/chapters/immunomodulators-antineoplastics/immunosuppressants/corticosteroids
114723	Australian Medicines Handbook (2023). Isotretinoin. Retrieved 13 November 2023, from https://amhonline.amh.net.au
112030	Australian Medicines Handbook (2023). Quinolones. Retrieved 29 May 2023, from https://amhonline.amh.net.au
118628	Australian Medicines Handbook (2024). Amlodipine. Retrieved 3 June 2024, from https://amhonline.amh.net.au/chapters/cardiovascular-drugs/antihypertensives/calcium-channel-blockers/amlodipine
118561	Australian Medicines Handbook (2024). Aripiprazole. Retrieved 3 June 2024, from https://amhonline.amh.net.au/chapters/psychotropic-drugs/antipsychotics/aripiprazole
14672	Australian Medicines Handbook (2024). Aromatase inhibitors. Retrieved 26 February 2024, from https://amhonline.amh.net.au/chapters/immunomodulators-antineoplastics/hormonal-antineoplastic-drugs/aromatase-inhibitors
118629	Australian Medicines Handbook (2024). Lopinavir with ritonavir. Retrieved 3 June 2024, from https://amhonline.amh.net.au/chapters/anti-infectives/antiretrovirals/hiv-protease-inhibitors/lopinavir-ritonavir

117986	Australian Medicines Handbook (2024). Rituximab. Retrieved 13 February 2024, from https://amhonline.amh.net.au/chapters/immunomodulators-antineoplastics/non-cytotoxic-antineoplastics/antineoplastic-antibodies/rituximab
118630	Australian Medicines Handbook (2024). Sitagliptin. Retrieved 3 June 2024, from https://amhonline.amh.net.au/chapters/endocrine-drugs/drugs-diabetes/dipeptidyl-peptidase-4-inhibitors/sitagliptin
118631	Australian Medicines Handbook (2024). Statins. Retrieved 3 June 2024, from https://amhonline.amh.net.au/chapters/cardiovascular-drugs/drugs-dyslipidaemia/statins
118633	Australian Medicines Handbook (2024). Testosterone (men). Retrieved 3 June 2024, from https://amhonline.amh.net.au/chapters/endocrine-drugs/drugs-other-endocrine-disorders/androgens/testosterone
44363	Bailey RR, Kirk JA, Peddie BA (1983). [Comment] Norfloxacin-induced rheumatic disease. <i>NZ Med J</i> , 96: 590.
118399	Baraka EA, Hassan WA (2016). Musculoskeletal ultrasonographic evaluation of lower limb enthesopathy in ankylosing spondylitis and Behcet's disease: Relation to clinical status and disease activity. <i>Egypt Rheumatol Rehabil</i> , 43: 108-16.
118387	Baraliakos X, Sewerin P, de Miguel E, et al (2022). Magnetic resonance imaging characteristics in patients with spondyloarthritis and clinical diagnosis of heel enthesitis: post hoc analysis from the phase 3 ACHILLES trial. <i>Arthritis Res Ther</i> , 24(1): 111.
75099	Barge-Caballero E, Crespo-Leiro MG, Paniagua-Martin MJ, et al (2008). Quinolone-related Achilles tendinopathy in heart transplant patients: incidence and risk factors. <i>J Heart Lung Transplant</i> , 27(1): 46-51.
75069	Basic-Jukic N, Juric I, Racki S, et al (2009). Spontaneous tendon ruptures in patients with end-stage renal disease. <i>Kidney Blood Press Res</i> , 32(1): 32-6.
43991	Bates BT, Osternig LR, Mason B, et al (1979). Foot orthotic devices to modify selected aspects of lower extremity mechanics. <i>Am J Sports Med</i> , 7(6): 338-42.
75243	Batista F, Nery C, Pinzur M, et al (2008). Achilles tendinopathy in diabetes mellitus. <i>Foot Ankle Int</i> , 29(5): 498-501.
9932	Baxter DE (1994). The heel in sport. <i>Clin Sports Med</i> , 13(4): 683-93.
77839	Beri A, Dwamena FC, Dwamena BA (2009). Association between statin therapy and tendon rupture: a case-control study. <i>J Cardiovasc Pharmacol</i> , 53(5): 401-4.
77827	Beri A, Khattri S (2008). [Comment] Tendon rupture and statin therapy: is there a link? Comment on the article by Marie et al. <i>Arthritis Rheum</i> , 59(8): 1202.
965	Berkebile DE (1991). Chronic achilles tendonitis. <i>S D J Med</i> , 44(11): 311-2.
38785	Bishop GW, Fallon KE (1999). Musculoskeletal injuries in a six-day track race: ultramarathoner's ankle. <i>Clin J Sport Med</i> , 9(4): 216-20.
38957	Biundo JJ Jr, Mipro RC Jr, Fahey P (1997). Sports-related and other soft-tissue injuries, tendinitis, bursitis, and occupation-related syndromes. <i>Curr Opin Rheumatol</i> , 9(2): 151-4.
94891	Bolon B (2017). Mini-review: Toxic tendinopathy. <i>Toxicol Pathol</i> , 45(7): 834-7.
88276	Bonanno DR, Murley GS, Munteanu SE, et al (2018). Effectiveness of foot orthoses for the prevention of lower limb overuse injuries in naval recruits: a randomised controlled trial. <i>Br J Sports Med</i> , 52(5): 298-302.
115969	Boone SL, Uzor R, Walter E, et al (2021). Safety and efficacy of image-guided retrocalcaneal bursa corticosteroid injection for the treatment of retrocalcaneal bursitis. <i>Skeletal Radiol</i> , 50(12): 2471-82.

991	Bovens AM, Janssen GM, Vermeer HG, et al (1989). Occurrence of running injuries in adults following a supervised training program. <i>Int J Sports Med</i> , 10: S186-90.
118632	Brand D (2024). Achilles intratendinous gouty tophus. Retrieved 3 June 2024, from Australian Medicines Handbook (2024). Testosterone. Retrieved 21st March 2024 from https://amhonline.amh.net.au/chapters/endocrine-drugs/drugs-other-endocrine-disorders/androgens/testosterone
40450	Brigham & Women's Hospital (2006). Standard of Care: Achilles tendinopathy. Retrieved 11 September 2006, from http://www.brighamandwomens.org/RehabilitationServices/Physical%20Therapy%20Standards%20of%20Care%20and%20Protocols/Achilles%20Tendinopathy.pdf
117513	Buda R, Di Caprio F, Bedetti L, et al (2013). Foot overuse diseases in rock climbing: an epidemiologic study. <i>J Am Podiatr Med Assoc</i> , 103(2): 113-20.
41289	Bulstrode C, Buckwalter J, Carr A, et al (2002). <i>Oxford Textbook of Orthopedics and Trauma, Vol 2</i> . Oxford University Press Inc, New York.
44001	Burkhardt O, Kohnlein T, Pap T, et al (2004). Recurrent tendonitis after treatment with two different fluoroquinolones. <i>Scand J Infect Dis</i> , 36(4): 315-316. [Abstract]
116109	Caglar E, Oz II, Guneyli S, et al (2019). Virtual touch IQ elastography in evaluation of Achilles tendon in patients with chronic renal failure. <i>J Med Ultrason</i> (2001), 46(1): 45-9.
966	Cailliet R (1983). Painful conditions of the Heel. <i>Foot and Ankle Pain</i> , 2nd Edition, Chapter 9: 139-46. FA Davis Company, Philadelphia.
113784	Callahan LR (2023). Overview of running injuries of the lower extremity. Retrieved 19 September 2023, from https://www.uptodate.com/contents/overview-of-running-injuries-of-the-lower-extremity
40448	Chbinou N, Frenette J (2004). Insulin-dependent diabetes impairs the inflammatory response and delays angiogenesis following Achilles tendon injury. <i>Am J Physiol Regul Integr Comp Physiol</i> , 286(5): R952-7.
44423	Chechick A, Amit Y, Israeli A, et al (1982). Recurrent rupture of the achilles tendon induced by corticosteroid injection. <i>Br J Sports Med</i> , 16(2): 89-90.
118431	Chen W, Cloosterman KL, Bierma-Zeinstra SM, et al (2024). Epidemiology of insertional and midportion Achilles tendinopathy in runners: A prospective cohort study. <i>J Sport Health Sci</i> , 13(2): 256-63.
38746	Chhajed PN, Plit ML, Hopkins PM, et al (2002). Achilles tendon disease in lung transplant recipients: association with ciprofloxacin. <i>Eur Respir J</i> , 19: 469-71.
74861	Chhana A, Callon KE, Dray M, et al (2014). Interactions between tenocytes and monosodium urate monohydrate crystals: implications for tendon involvement in gout. <i>Ann Rheum Dis</i> , 73: 1737-41.
75071	Claessen FM, de Vos RJ, Reijman M, et al (2014). Predictors of primary Achilles tendon ruptures. <i>Sports Med</i> , 44(9): 1241-59.
967	Clain MR, Baxter DE (1992). Achilles tendinitis. <i>Foot Ankle</i> , 13(8): 482-7.
43989	Clancy WG, Neidhart D, Brand RL (1976). Achilles tendonitis in runners: a report of five cases. <i>Am J Sports Med</i> , 4(2): 46-57. [Abstract]
968	Clement DB, Taunton JE, Smart GW (1984). Achilles tendinitis and peritendinitis: etiology and treatment. <i>Am J Sports Med</i> , 12: 179-84.
9934	Clement DB, Taunton JE, Smart GW, et al (1981). A survey of overuse running injuries. <i>Phys Sportsmed</i> , 9(5): 47-58.
94899	Cohen PR (2018). Cephalexin-associated Achilles tendonitis: case report and review of drug-induced tendinopathy. <i>Cureus</i> , 10(12): e3783.

38866	Cook JL, Khan KM, Maffulli N, et al (2000). Overuse tendinosis, not tendinitis part 2: applying the new approach to patellar tendinopathy. <i>Phys Sportsmed</i> , 28(6): 31-46.
118392	Covei-Banicioiu S, Ciurea PL, Parvanescu CD, et al (2016). Ultrasonography role in evaluation of Achilles tendon enthesis in reactive arthritis patients. <i>Curr Health Sci J</i> , 42(3): 263-8.
997	Crowder SW, Jaffey LH (1995). Sarcoidosis presenting as Achilles tendinitis. <i>J R Soc Med</i> , 88(6): 335-6.
115864	Cunha JS, Reginato AM (2023). Bilateral Achilles tendinopathy and rupture with fluoroquinolone use. <i>J Clin Rheumatol</i> , 29(7): e135-6.
44002	DaCruz DJ, Geeson M, Allen MJ, et al (1988). Achilles paratendonitis: an evaluation of steroid injection. <i>Br J Sports Med</i> , 22(2): 64-65. [Abstract]
109539	Dalbeth N, Kalluru R, Aati O, et al (2013). Tendon involvement in the feet of patients with gout: a dual-energy CT study. <i>Ann Rheum Dis</i> , 72(9): 1545-8.
86490	Dalbeth N, Merriman TR, Stamp LK (2016). Gout. <i>Lancet</i> , 388: 2039-52.
115968	Debus F, Eberhard HJ, Olivieri M, et al (2019). MRI in patients with Haglund's deformity and its influence on therapy. <i>Arch Orthop Trauma Surg</i> , 139(7): 903-6.
969	Department of Veterans' Affairs (1994). Guide to the assessment of rates of veterans' pensions, 4th Edition, 138. Australian Government Publishing Service, Canberra.
94908	Deren ME, Klinge SA, Mukand NH, et al (2016). Tendinopathy and tendon rupture associated with statins. <i>JBJs Rev</i> , 4(5).
118373	Desai N, Baker JF, Bucci J, et al (2023). Ultrasound evaluation of the Achilles enthesis in inflammatory and non-inflammatory processes: a systematic review and meta-analysis. <i>Clin Exp Rheumatol</i> , 41(1): 24-31.
116064	Desai SS, Wong TT, Crockatt WK, et al (2023). The 'Bauer bump:' ice hockey skates as a common cause of Haglund syndrome. <i>Phys Sportsmed</i> , 51(5): 414-9.
110402	Di Caprio F, Buda R, Mosca M, et al (2010). Foot and lower limb diseases in runners: assessment of risk factors. <i>J Sports Sci Med</i> , 9(4): 587-96.
118380	Di Matteo A, Filippucci E, Cipolletta E, et al (2018). Enthesial involvement in patients with systemic lupus erythematosus: an ultrasound study. <i>Rheumatology (Oxford)</i> , 57(10): 1822-9.
44365	Donck JB, Segaert MF, Vanrenterghem YF (1994). Fluoroquinolones and Achilles tendinopathy in renal transplant recipients. <i>Transplantation</i> , 58(6): 736-7.
75070	Downling GJ, Murley GS, Munteanu S, et al (2014). Dynamic foot function as a risk factor for lower limb overuse injury: a systematic review. <i>J Foot Ankle Res</i> , 7(53).
107872	Ebstein E, Coustet B, Masson-Behar V, et al (2018). Enthesopathy in rheumatoid arthritis and spondyloarthritis: An ultrasound study. <i>Joint Bone Spine</i> , 85(5): 577-81.
108081	Eliasson P, Dietrich-Zagonel F, Lundin AC, et al (2019). Statin treatment increases the clinical risk of tendinopathy through matrix metalloproteinase release - a cohort study design combined with an experimental study. <i>Sci Rep</i> , 9(1): 17958.
118400	Emerah A, Mostafa S, Kotb L, et al (2024). The burden of enthesial involvement in systemic lupus erythematosus: a comparative ultrasonographic study. <i>Clin Rheumatol</i> , 43(1): 219-26.
118446	Erdem LO, Altinyazar C, Erdem CZ, et al (2009). MR imaging features of foot involvement in patients with Behcet's disease. <i>Med J Izmir Hosp</i> , 15(1-4): 21-7.

118682	European Medicines Handbook (2019). Annex I. Scientific conclusions and grounds for the variation to the terms of the Marketing Authorisation(s). Retrieved 5 June 2024, from chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://www.ema.europa.eu/en/documents/psusa/letrozole-cmdh-scientific-conclusions-and-grounds-variation-amendments-product-information-and-implementation-timetable-psusa00001842201810_en.pdf
43995	Fahlstrom M, Lorentzon R, Alfredson H (2002). Painful conditions in the achilles tendon region in elite badminton players. <i>Am J Sports Med</i> , 30(1): 51-4. [Abstract]
39545	Fallon KE (1996). Musculoskeletal injuries in the ultramarathon: the 1990 Westfield Sydney to Melbourne run. <i>Br J Sports Med</i> , 30(4): 319-23.
118385	Felbo SK, Ostergaard M, Sorensen IJ, et al (2022). Ultrasound of the heel improves diagnosis-tender entheses in the heel region rarely corresponds to inflammatory enthesitis in patients with peripheral spondyloarthritis. <i>J Clin Med</i> , 11(9): 2325.
118635	Fields KB, Atkinson B (2024). Hindfoot pain in adults: Evaluation and diagnosis of common causes. Retrieved 3 June 2024, from https://www.uptodate.com/contents/hindfoot-pain-in-adults-evaluation-and-diagnosis-of-common-causes
118448	Fiorenza A, Bonitta G, Gerratana E, et al (2020). Assessment of entheses in patients with psoriatic arthritis and fibromyalgia using clinical examination and ultrasound. <i>Clin Exp Rheumatol</i> , 38 Suppl 123(1): 31-9.
118371	Florit D, Pedret C, Casals M, et al (2019). Incidence of tendinopathy in team sports in a multidisciplinary sports club over 8 seasons. <i>J Sports Sci Med</i> , 18(4): 780-8.
39945	Fornaciari G, Salvarani C, Beltrami M, et al (2001). Musculoskeletal manifestations in inflammatory bowel disease. <i>Can J Gastroenterol</i> , 15(6): 399-403.
992	Fowler A, Philip J (1945). Abnormality of the calcaneus as a cause of painful heel: its diagnosis and operative treatment. <i>Br J Surg</i> , 32: 494-8.
118377	Francis P, Whatman C, Sheerin K, et al (2019). The proportion of lower limb running injuries by gender, anatomical location and specific pathology: a systematic review. <i>J Sports Sci Med</i> , 18(1): 21-31.
118457	Gaida JE, Alfredson L, Kiss ZS, et al (2009). Dyslipidemia in Achilles tendinopathy is characteristic of insulin resistance. <i>Med Sci Sports Exerc</i> , 41(6): 1194-7.
72211	Gaida JE, Ashe MC, Bass SL, et al (2009). Is adiposity an under-recognized risk factor for tendinopathy? A systematic review. <i>Arthritis Rheum</i> , 61(6): 840-9.
60381	Garau G, Rittweger J, Mallarias P, et al (2008). Traumatic patellar tendinopathy. <i>Disabil Rehabil</i> , 30(20-22): 1616-20.
972	Gerster G, Vischer TL, Bennani A, et al (1977). The painful heel. Comparative study in rheumatoid arthritis, ankylosing spondylitis, Reiter's syndrome and generalised osteoarthritis. <i>Ann Rheum Dis</i> , 36: 343-8.
971	Gerster JC (1980). Plantar fasciitis and Achilles tendinitis among 150 cases of seronegative spondyloarthritis. <i>Rheumatol Rehabil</i> , 19: 218-22.
995	Gerster JC (1995). Achilles tendinitis as a severe clinical feature of diffuse idiopathic skeletal hyperostosis. <i>J Rheumatol</i> , 22(6): 1212-4.
74857	Gerster JC, Landry M, Rappoport G, et al (1996). Enthesopathy and tendinopathy in gout: computed tomographic assessment. <i>Ann Rheum Dis</i> , 55(12): 921-3.
115955	Giai Via A, Oliva F, Padulo J, et al (2022). Insertional calcific tendinopathy of the Achilles tendon and dysmetabolic diseases: An epidemiological survey. <i>Clin J Sport Med</i> , 32(1): e68-73.

115956	Giha HA, Sater MS, Alamin OA (2022). Diabetes mellitus tendinomyopathy: epidemiology, clinical features, diagnosis and management of an overlooked diabetic complication. <i>Acta Diabetol</i> , 59(7): 871-83.
44005	Gill SS, Gelbke MK, Mattson SL, et al (2004). Fluoroscopically guided low-volume peritendinous corticosteroid injection for Achilles tendinopathy. A safety study. <i>J Bone Joint Surg Am</i> , 86(4): 802-6.
973	Gilliland BC (1994). Relapsing polychondritis and miscellaneous arthritides. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 299: 17.
74858	Gladman DD (2015). Clinical manifestations and diagnosis of psoriatic arthritis. Retrieved 29 April 2015, from http://www.uptodate.com/contents/clinical-manifestations-and-diagnosis-of-psoriatic-arthritis
115994	Godoy-Santos AL, Bruschini H, Cury J, et al (2018). Fluoroquinolones and the risk of Achilles tendon disorders: update on a neglected complication. <i>Urology</i> , 113: 20-5.
118454	Gomez E, Stuart D, Chernev I (2015). Retrocalcaneal septic bursitis as a complication of a delayed-healing heel wound. <i>JMM Case Rep</i> , 2(2): jmmcr.0.000031.
115973	Gutierrez M, Pineda C, Salaffi F, et al (2016). Is ankle involvement underestimated in rheumatoid arthritis? Results of a multicenter ultrasound study. <i>Clin Rheumatol</i> , 35(11): 2669-78.
993	Haines JF (1983). Bilateral rupture of the Achilles tendon in patients on steroid therapy. <i>Ann Rheum Dis</i> , 42(6): 652-4.
118675	Health Canada (2023). Summary safety review - third generation aromatase inhibitors (anastrozole, exemestane, letrozole) - assessing the potential risk of tendon disorder. Retrieved 5 June 2024, from https://dhpp.hpfb-dgpsa.ca/review-documents/resource/SSR00289
996	Heneghan MA, Pavlov H (1984). The Haglund painful heel syndrome: experimental investigation of cause and therapeutic implications. <i>Clin Orthop Relat Res</i> , 187: 228-34.
118374	Hijlkema A, Roozenboom C, Mensink M, et al (2022). The impact of nutrition on tendon health and tendinopathy: a systematic review. <i>J Int Soc Sports Nutr</i> , 19(1): 474-504.
118451	Ho KY, Liang JN (2019). Calcium pyrophosphate deposition disease in the Achilles tendon. <i>J Belg Soc Radiol</i> , 103(1): 79.
75100	Holmes GB, Lin J (2006). Etiologic factors associated with symptomatic Achilles tendinopathy. <i>Foot Ankle Int</i> , 27(11): 952-9.
118398	Humbyrd CJ, Bae S, Kucirka LM, et al (2018). Incidence, risk factors, and treatment of Achilles tendon rupture in patients with end-stage renal disease. <i>Foot Ankle Int</i> , 39(7): 821-8.
1331	James SL, Bates BT, Ostering LR (1978). Injuries to runners. <i>Am J Sports Med</i> , 6(2): 40-50.
115975	Janssen I, van der Worp H, Hensing S, et al (2018). Investigating Achilles and patellar tendinopathy prevalence in elite athletics. <i>Res Sports Med</i> , 26(1): 1-12.
84841	Jarrot PA, Leone H, Brochot P, et al (2015). Achilles tendinitis in systemic lupus erythematosus: search for an associated inflammatory disease. <i>Lupus</i> , 24(12): 1318-20.
28519	Jarvinen M (1993). Lower leg overuse injuries in athletes. <i>Knee Surg Sports Traumatol Arthrosc</i> , 1(2): 126-30.
75064	Jarvinen TA, Kannus P, Maffulli N, et al (2005). Achilles tendon disorders: etiology and epidemiology. <i>Foot Ankle Clin</i> , 10(2): 255-66.
116004	Javanbakht A, Ajluni V (2017). Dose-dependent Achilles tendinopathy in a patient on aripiprazole. <i>J Clin Psychopharmacol</i> , 37(6): 747-8.

115979	Jimenez Martin F, Alonso Valdazo MD, Diaz Pena G, et al (2017). Haglund's syndrome. Two case reports. <i>Reumatol Clin</i> , 13(1): 37-8 [Article in Spanish].
73738	Joachim MR, Kliethermes SA, Heiderscheid BC (2024). Preinjury knee and ankle mechanics during running are reduced among collegiate runners who develop achilles tendinopathy. <i>Med Sci Sports Exerc</i> , 56(1): 128-33.
118393	Johansson K, Lempainen L, Sarimo J, et al (2016). Different distributions of operative diagnoses for Achilles tendon overuse injuries in Italian and Finnish athletes. <i>Muscles Ligaments Tendons J</i> , 6(1): 111-5.
118434	Jones KE, McLauchlan CA (1995). Unusual presentation of tuberculosis to the accident and emergency department. <i>J Accid Emerg Med</i> , 12(2): 149-50.
39446	Kader D, Saxena A, Movin T, et al (2002). Achilles tendinopathy: some aspects of basic science and clinical management. <i>Br J Sports Med</i> , 36: 239-49.
116300	Kang S, Thordarson DB, Charlton TP (2012). Insertional Achilles tendinitis and Haglund's deformity. <i>Foot Ankle Int</i> , 33(6): 487-91.
118402	Kearney RS, Parsons N, Metcalfe D, et al (2015). Injection therapies for Achilles tendinopathy. <i>Cochrane Database Syst Rev</i> , 2015(5): CD010960.
38875	Khan K, Cook J (2003). The painful nonruptured tendon: clinical aspects. <i>Clin Sports Med</i> , 22: 711-25.
38865	Khan KM, Cook JL, Kannus P, et al (2002). Time to abandon the "tendinitis" myth. <i>BMJ</i> , 324(7338): 626-7.
38867	Khan KM, Cook JL, Taunton JE, et al (2000). Overuse tendinosis, not tendinitis part 1: a new paradigm for a difficult clinical problem. <i>Phys Sportsmed</i> , 28(5): 38-48.
38870	Khan KM, Cook, JL, Maffulli N, et al (2000). Where is the pain coming from in tendinopathy? It may be biochemical, not only structural, in origin. <i>Br J Sports Med</i> , 34(2): 81-3.
75072	Kim GK (2010). The risk of fluoroquinolone-induced tendinopathy and tendon rupture: what does the clinician need to know? <i>J Clin Aesthet Dermatol</i> , 3(4): 49-54.
75075	Kirchgesner T, Larbi A, Omoumi P, et al (2014). Drug-induced tendinopathy: from physiology to clinical applications. <i>Joint Bone Spine</i> , 81(6): 485-92.
989	Klemp P, Halland AM, Majoos FL, et al (1993). Musculoskeletal manifestations in hyperlipidaemia: a controlled study. <i>Ann Rheum Dis</i> , 52: 44-8.
974	Klenerman L, Nissen KI (1991). Common causes of pain. <i>The Foot and its Disorders</i> , 3rd Edition, Chapter 6: 93-5. Blackwell Scientific, Publications Melbourne.
115993	Knapik JJ, Pope R (2020). Achilles tendinopathy: pathophysiology, epidemiology, diagnosis, treatment, prevention, and screening. <i>J Spec Oper Med</i> , 20(1): 125-40.
118379	Koumou GC, Pam KP, Arrayhani M, et al (2021). [Achilles tendinopathy in a hemodialysis patient complicated by rupture of the Achilles tendon due to self-medication with ciprofloxacin: about a case]. <i>Pan Afr Med J</i> , 38: 312 [Article in French].
116113	Krill MK, Hoffman J, Yang J, et al (2018). Previous foot injuries associated with a greater likelihood of Achilles tendon ruptures in professional American football players. <i>Phys Sportsmed</i> , 46(3): 342-8.
9931	Krissoff WB, Ferris WD (1979). Runners' injuries. <i>Phys Sportsmed</i> , 7(12): 53-64.

43990	Krist MH, Lehto MU, Jozsa L, et al (1988). Chronic achilles paratenonitis. An immunohistologic study of fibronectin and fibrinogen. <i>Am J Sports Med</i> , 16(6): 616-23. [Abstract]
118368	Kural Rahatli F, Turnaoglu H, Haberal KM, et al (2021). Acoustic radiation force impulse elastography findings of Achilles tendons in patients on chronic hemodialysis and in renal transplant patients. <i>Exp Clin Transplant</i> , 19(6): 534-8.
117370	Kutkiene S, Petrulioniene I, Laucevicius A, et al (2019). Achilles tendon ultrasonography - A useful screening tool for cardiovascular risk estimation in patients with severe hypercholesterolemia. <i>Atheroscler Suppl</i> , 36: 6-11.
43992	Kvist M (1991). Achilles tendon injuries in athletes. <i>Ann Chir Gynaecol</i> , 80(2): 188-201. [Abstract]
43993	Kvist M (1994). Achilles tendon injuries in athletes. <i>Sports Med</i> , 18(3): 173-201.
998	Kvist M, Jozsa L, Jarvinen MJ, et al (1987). Chronic Achilles paratenonitis in athletes: a histological and histochemical study. <i>Pathology</i> , 19(1): 1-11.
118427	Kwak D, Moon SJ, Park JW, et al (2023). Effects of statin treatment on the development of tendinopathy: a nationwide population-based cohort study. <i>Orthop J Sports Med</i> , 11(7): 23259671231167851.
115865	Lagas IF, Fokkema T, Verhaar JA, et al (2020). Incidence of Achilles tendinopathy and associated risk factors in recreational runners: A large prospective cohort study. <i>J Sci Med Sport</i> , 23(5): 448-52.
115996	Lang TR, Cook J, Rio E, et al (2017). What tendon pathology is seen on imaging in people who have taken fluoroquinolones? A systematic review. <i>Fundam Clin Pharmacol</i> , 31(1): 4-16.
118676	Langford CA (2024). Periarticular disorders of the extremities. Chapter 368. Retrieved 5 June 2024, from https://accessmedicine.mhmedical.com/content.aspx?sectionid=192286311&bookid=2129&jumpsectionid=192286311
115980	Lause GE, Egbert RA, Ryan PM (2023). Insertional Achilles tendinopathy: occupational outcomes in the military. <i>Foot Ankle Spec</i> , 16(4): 342-8.
31935	Le Huec JC, Schaefferbeke T, Chauveaux D, et al (1995). Epicondylitis after treatment with fluoroquinolone antibiotics. <i>J Bone Joint Surg Br</i> , 77(2): 293-5.
975	Leach RE, Dilorio E, Harney RA (1983). Pathologic hindfoot conditions in the athlete. <i>Clin Orthop Relat Res</i> , (177): 116-21.
1329	Leach RE, James S, Wasilewski S (1981). Achilles tendinitis. <i>Am J Sports Med</i> , 9(2): 93-8.
118436	Lee YK, Lee M (2018). Treatment of infected Achilles tendinitis and overlying soft tissue defect using an anterolateral thigh free flap in an elderly patient: A case report. <i>Medicine (Baltimore)</i> , 97(35): e11995.
976	Lemm M, Blake RL, Colson JP, et al (1992). Achilles peritendinitis. A literature review with case report. <i>J Am Podiatr Med Assoc</i> , 82(9): 482-90.
118396	Lemme NJ, Li NY, DeFroda SF, et al (2018). Epidemiology of Achilles tendon ruptures in the United States: athletic and nonathletic injuries from 2012 to 2016. <i>Orthop J Sports Med</i> , 6(11): 2325967118808238.
118429	Levine JS, Burakoff R (2011). Extraintestinal manifestations of inflammatory bowel disease. <i>Gastroenterol Hepatol (N Y)</i> , 7(4): 235-41.
74859	Lewis T, Cook J (2014). Fluoroquinolones and tendinopathy: A guide for athletes and sports clinicians and a systematic review of the literature. <i>J Athl Train</i> , 49(3): 422-7.
115997	Longo UG, Ronga M, Maffulli N (2018). Achilles tendinopathy. <i>Sports Med Arthrosc Rev</i> , 26(1): 16-30.

75073	Lorimer AV, Hume PA (2014). Achilles tendon injury risk factors associated with running. <i>Sports Med</i> , 44(10): 1459-72.
977	Lotem M, Robson MD, Rosenfield JB (1974). Spontaneous rupture of the quadriceps tendon in patients on chronic haemodialysis. <i>Ann Rheum Dis</i> , 33: 428-9.
118389	Lughi M (2020). Haglund's syndrome: endoscopic or open treatment? <i>Acta Biomed</i> , 91(4-S): 167-71.
107870	Lui PP (2017). Tendinopathy in diabetes mellitus patients-Epidemiology, pathogenesis, and management. <i>Scand J Med Sci Sports</i> , 27(8): 776-87.
9574	Lui TH, Chan KB (2014). Achilles tendon infection due to <i>Mycobacterium chelonae</i> . <i>J Foot Ankle Surg</i> , 53(3): 350-2.
75065	Luscombe KL, Sharma P, Maffulli N (2003). Achilles tendinopathy. <i>Trauma</i> , 5: 215-25.
38864	Maffulli N, Sharma P, Luscombe KL (2004). Achilles tendinopathy: aetiology and management. <i>JR Soc Med</i> , 97: 472-76.
31882	Maffulli N, Wong J, Almekinders LC (2003). Types and epidemiology of tendinopathy. <i>Clin Sports Med</i> , 22(4): 675-92.
75101	Magnan B, Bondi M, Pierantoni S, et al (2014). The pathogenesis of Achilles tendinopathy: a systematic review. <i>Foot Ankle Surg</i> , 20(3): 154-9.
117422	Mahieu NN, Witvrouw E, Stevens V, et al (2006). Intrinsic risk factors for the development of achilles tendon overuse injury: a prospective study. <i>Am J Sports Med</i> , 34(2): 226-35.
75076	Martens HA, Schroder CP, van der Eerden PJ, et al (2007). Severe disabling tendinopathy caused by anastrozole. <i>Rheumatology (Oxford)</i> , 46(10): 1619-21.
115957	Mathew AJ, Glintborg B, Krogh NS, et al (2022). Enthesitis in patients with psoriatic arthritis and axial spondyloarthritis - data from the Danish nationwide DANBIO registry. <i>Semin Arthritis Rheum</i> , 52: 151948.
978	Mathon G, Gagne C, Brun D, et al (1985). Articular manifestations of familial hypercholesterolaemia. <i>Ann Rheum Dis</i> , 44: 599-602.
118677	Maughan KL, Boggess BR (2023). Achilles tendinopathy and tendon rupture. Retrieved 5 June 2024, from https://www.uptodate.com/contents/achilles-tendinopathy-and-tendon-rupture
43987	McCrory JL, Martin DF, Lowery RB, et al (1999). Etiologic factors associated with achilles tendonitis in runners. <i>Med Sci Sports Exerc</i> , 31(10): 1374-81. [Abstract]
118405	Medicines Adverse Reactions Committee (2023). Third generation aromatase inhibitors and tendon disorders. Retrieved 6 June 2024, from https://www.medsafe.govt.nz/committees/marc/reports/196-3.2.3-Aromatase.pdf
118362	Medina Pabon MA, Naqvi U (2023). Achilles tendinopathy. Retrieved 19 January 2024, from https://pubmed.ncbi.nlm.nih.gov/30844176/
38786	Melhus A (2005). Fluoroquinolones and tendon disorders. <i>Expert Opin Drug Saf</i> , 4(2): 299-309.
999	Messier SP, Pittala KA (1988). Etiologic factors associated with selected running injuries. <i>Med Sci Sports Exerc</i> , 20(5): 501-5.
115094	Micromedex (2023). Isotretinoin. Retrieved 18 September 2023, from https://www.micromedexsolutions.com/
118634	Micromedex (2024). Amlodipine: adverse effects. Retrieved 3 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118672	Micromedex (2024). Anastrozole: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118636	Micromedex (2024). Ciprofloxacin: adverse effects. Retrieved 3 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian

118673	Micromedex (2024). Exemestane: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118678	Micromedex (2024). Fluvastatin sodium: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118674	Micromedex (2024). Letrozole: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118683	Micromedex (2024). Levofloxacin: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118684	Micromedex (2024). Lopinavir/Ritonavir: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118685	Micromedex (2024). Moxifloxacin: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118668	Micromedex (2024). Nandrolone decanoate: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118667	Micromedex (2024). Nandrolone: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118686	Micromedex (2024). Norfloxacin: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118687	Micromedex (2024). Ofloxacin: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118669	Micromedex (2024). Oxandrolone: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118670	Micromedex (2024). Oxymetholone: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118679	Micromedex (2024). Pravastatin sodium: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118688	Micromedex (2024). Rituximab: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118680	Micromedex (2024). Rosuvastatin calcium: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118681	Micromedex (2024). Simvastatin: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118689	Micromedex (2024). Sitagliptin: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118671	Micromedex (2024). Stanozolol: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
118690	Micromedex (2024). Testosterone: adverse effects. Retrieved 5 June 2024, from https://www.micromedexsolutions.com/micromedex2/librarian
38784	Milgrom C, Finestone A, Zin D, et al (2003). Cold weather training: a risk factor for Achilles paratendinitis among recruits. <i>Foot Ankle Int</i> , 24(5): 398-401.
118382	Modi S, Turner D, Hennessy K (2021). Non-pharmacological interventions and corticosteroid injections for the management of the Achilles tendon in inflammatory arthritis: a systematic review. <i>J Foot Ankle Res</i> , 14(1): 48.
115866	Moniri NH, Momary KM, McMahan T, et al (2018). [Comment] Statin-associated Achilles tendon rupture and reproducible bilateral tendinopathy on repeated exposure. <i>Mayo Clin Proc</i> , 93(10): 1531-2.
75077	Mor A, Pillinger MH, Wortmann RL, et al (2008). Drug-Induced Arthritic and Connective Tissue Disorders. <i>Semin Arthritis Rheum</i> , 38(3): 249-64.

95006	Morales DR, Slattery J, Pacurariu A, et al (2019). Relative and absolute risk of tendon rupture with fluoroquinolone and concomitant fluoroquinolone/corticosteroid therapy: population-based nested case-control study. <i>Clin Drug Investig</i> , 39(2): 205-13.
75078	Morales L, Pans S, Paridaens R, et al (2007). Debilitating musculoskeletal pain and stiffness with letrozole and exemestane: associated tenosynovial changes on magnetic resonance imaging. <i>Breast Cancer Res Treat</i> , 104: 87-91.
979	Morein G, Goldschmidt Z, Pauker M, et al (1977). Spontaneous tendon ruptures in patients treated by chronic hemodialysis. <i>Clin Orthop Relat Res</i> , 124: 209-13.
118443	Mou L, Wu F (2021). Simultaneous homozygous mutations in SLC12A3 and CLCNKB in an inbred Chinese pedigree. <i>Genes (Basel)</i> , 12(3): 369.
43999	Movin T, Gad A, Guntner P, et al (1997). Pathology of the Achilles tendon in association with ciprofloxacin treatment. <i>Foot Ankle Int</i> , 18(5): 297-9. [Abstract]
118395	Mulvad B, Nielsen RO, Lind M, et al (2018). Diagnoses and time to recovery among injured recreational runners in the RUN CLEVER trial. <i>PLoS One</i> , 13(10): e0204742.
980	Murison MS, Eardley I, Slapak M (1989). Tendinitis--a common complication after renal transplantation. <i>Transplantation</i> , 48(4): 587-9.
981	Murphy KJ, McPhee J (1965). Tears of major tendons in chronic acidosis with elastosis. <i>J Bone Joint Surg</i> , 47A: 1253-8.
116122	Murugan A, Kanakaraju K, R M S, et al (2022). Achilles tendon softness and thickness in patients with hypercholesterolemia. <i>Cureus</i> , 14(8): e28340.
115958	Nadon V, Molto A, Etcheto A, et al (2019). Clinical peripheral enthesitis in the DESIR prospective longitudinal axial spondyloarthritis cohort. <i>Clin Exp Rheumatol</i> , 37(4): 561-5.
75074	Newnham DM, Douglas JG, Legge JS, et al (1991). Achilles tendon rupture: an underrated complication of corticosteroid treatment. <i>Thorax</i> , 46: 853-4.
982	Nichols AW (1989). Achilles tendinitis in running athletes. <i>J Am Board Fam Pract</i> , 2(3): 196-203.
38872	Nirschl RP, Ashman ES (2003). Elbow tendinopathy: tennis elbow. <i>Clin Sports Med</i> , 22: 813-36.
116115	Noback PC, Jang ES, Cuellar DO, et al (2017). Risk factors for achilles tendon rupture: A matched case control study. <i>Injury</i> , 48(10): 2342-7.
116111	Nyssonen T, Lantto I, Luthje P, et al (2018). Drug treatments associated with Achilles tendon rupture. A case-control study involving 1118 Achilles tendon ruptures. <i>Scand J Med Sci Sports</i> , 28(12): 2625-9.
115995	Ogbonmwan I, Kumar BD, Paton B (2018). New lower-limb gait biomechanical characteristics in individuals with Achilles tendinopathy: A systematic review update. <i>Gait Posture</i> , 62: 146-56.
118435	Ogut T, Gokce A, Kesmezacar H, et al (2007). Isolated tuberculous tenosynovitis of the Achilles tendon: a report of two cases. <i>Acta Orthop Traumatol Turc</i> , 41(4): 314-20.
118369	Otter S, Payne C, Jones AM, et al (2020). Differences in Achilles tendon stiffness in people with gout: a pilot study. <i>BMC Musculoskelet Disord</i> , 21(1): 658.
75300	Owens BD, Wolf JM, Seelig AD, et al (2013). Risk factors for lower extremity tendinopathies in military personnel. <i>Orthop J Sports Med</i> , 1(1): 2325967113492707.
118366	Owoeye OB, Palacios-Derflinger L, Pasanen K, et al (2021). The burden and risk factors of patellar and Achilles tendinopathy in youth basketball: a cohort study. <i>Int J Environ Res Public Health</i> , 18(18): 9480.

117035	Ozcakar L, Onat AM, Ureten K, et al (2006). Sonographic evaluation of the tendons in familial Mediterranean fever and Behcet's disease. <i>Joint Bone Spine</i> , 73(5): 514-7.
84860	Ozdemir G, Deveci A, Andic K, et al (2017). Bilateral olecranon tophaceous gout bursitis. <i>Case Rep Med</i> , 2017: 3514796.
44003	Paavola M, Kannus P, Jarvinen TA, et al (2002). Treatment of tendon disorders. Is there a role for corticosteroid injection? <i>Foot Ankle Clin</i> , 7(3): 501-513. [Abstract]
38869	Paavola M, Kannus P, Jarvinen TA, et al (2002). Achilles tendinopathy. <i>J Bone Joint Surg Am</i> , 84(11): 2062-76.
116010	Partridge L, Rajbhandari S (2017). Achilles tendon in diabetes. <i>Curr Diabetes Rev</i> , 13(4): 424-7.
118442	Patience A, Steultjens MP, Hendry GJ (2021). Ultrasound features of Achilles enthesitis in psoriatic arthritis: a systematic review. <i>Rheumatol Adv Pract</i> , 5(Suppl 2): ii19-34.
38956	Pinals RS (1997). Nonarticular rheumatism, sports-related injuries, and related conditions. <i>Curr Opin Rheumatol</i> , 9(2): 133-4.
983	Plattner P, Mann R (1993). Disorders of tendons. <i>Surgery of the Foot and Ankle</i> , 6th Edition, Volume 2 Chapter 19: 805-17. Mosby, St Louis.
984	Plattner PF (1989). Tendon problems of the foot and ankle. The spectrum from peritendinitis to rupture. <i>Postgrad Med</i> , 86(3): 155-70.
116008	Polachek A, Li S, Chandran V, et al (2017). Clinical enthesitis in a prospective longitudinal psoriatic arthritis cohort: incidence, prevalence, characteristics, and outcome. <i>Arthritis Care Res (Hoboken)</i> , 69(11): 1685-91.
116013	Poutoglidou F, Drummond I, Patel A, et al (2023). Clinical outcomes and complications of the Zadek calcaneal osteotomy in Insertional Achilles Tendinopathy: A systematic review and meta-analysis. <i>Foot Ankle Surg</i> , 29(4): 298-305.
118370	Rabin A, Kozol Z, Finestone AS (2014). Limited ankle dorsiflexion increases the risk for mid-portion Achilles tendinopathy in infantry recruits: a prospective cohort study. <i>J Foot Ankle Res</i> , 7(1): 48.
116015	Rahman KH, Arifeen KN, Mahmud CI, et al (2021). A study on outcome of surgical treatment of chronic retrocalcaneal bursitis. <i>Mymensingh Med J</i> , 30(4): 903-6.
38848	Renstrom P, Johnson RJ (1985). Overuse injuries in sports. A review. <i>Sports Med</i> , 2(5): 316-33.
985	Renton P (1991). Radiology of the foot. <i>The Foot and its Disorders</i> , 3rd Edition, Chapter 13A: 259, 278-84. Blackwell Scientific Publications, Melbourne.
986	Resnick D, Feingold ML, Curd J, et al (1977). Calcaneal abnormalities in articular disorders. Rheumatoid arthritis, ankylosing spondylitis, psoriatic arthritis, and Reiter syndrome. <i>Radiology</i> , 125(2): 355-66.
43998	Ribard P, Audisio F, Kahn MF, et al (1992). Seven Achilles tendinitis including 3 complicated by rupture during fluoroquinolone therapy. <i>J Rheumatol</i> , 19(9): 1479-81.
40544	Robinson JM, Cook JL, Purdam C, et al (2006). The Visa-A Questionnaire: a valid and reliable index of the clinical severity of Achilles tendinopathy. Retrieved 12 October 2006, from http://www.clinicalsportsmedicine.com/articles/FINALINPRESSVERSION.pdf#search=%22the%20visa-a%20questionnaire%3A%20%22
43994	Rolf C, Movin T (1997). Etiology, histopathology, and outcome of surgery in achillodynia. <i>Foot Ankle Int</i> , 18(9): 565-9.
115974	Sag S, Sag MS, Tekeoglu I, et al (2018). Presence of enthesopathy in patients with primary Sjogren's syndrome: ultrasonographic study of a local cohort. <i>J Med Ultrason</i> (2001), 45(1): 121-7.

38856	Samuel S, Boopalan PR, Alexander M, et al (2011). Tuberculosis of and around the ankle. <i>J Foot Ankle Surg</i> , 50(4): 466-72.
9933	Saxena A (1994). Achilles peritendinosis: an unusual case due to frostbite in an elite athlete. <i>J Foot Ankle Surg</i> , 33(1): 87-90.
115867	Sanguino RA, Cheng J, Wyss JF (2022). Tropical Achilles tendinopathy: sea urchin spine injury. <i>J Am Podiatr Med Assoc</i> , 112(4): 21-007.
1330	Schepesis AA, Leach RE (1987). Surgical management of Achilles tendinitis. <i>Am J Sports Med</i> , 15(4): 308-15.
74860	Schmidt MJ, Adams SL (2014). Tendinopathy and bursitis. <i>Rosen's Emergency Medicine: Concepts and Clinical Practice</i> , Chapter 117: 1518-25. Elsevier Saunders, Philadelphia.
38868	Scott A, Khan KM, Roberts CR, et al (2004). What do we mean by the term "inflammation"? A contemporary basic science update for sports medicine. <i>Br J sports Med</i> , 38: 372-80.
75079	Seewoodhar J, Wolman R (2010). Multiple, spontaneous tendon ruptures with associated spondylolisthesis and osteoarthritis: a case series. <i>WLMJ</i> , 2(1): 41-5.
110961	Serban O, Fodor D, Papp I, et al (2019). Reasons for discordances between ultrasonography and magnetic resonance imaging in the evaluation of the ankle, hindfoot and heel of the patients with rheumatoid arthritis. <i>Med Ultrason</i> , 21(4): 405-13.
118449	Serban O, Papp I, Bocsa CD, et al (2020). Do ankle, hindfoot, and heel ultrasound findings predict the symptomatology and quality of life in rheumatoid arthritis patients? <i>J Ultrason</i> , 20(81): e70-82.
77825	Shin JI, Lee JS (2009). [Comment] Tendinopathy and statin use: the role of matrix metalloproteinases or eicosanoids? Comment on the letter by Beri and Khattri and the article by Marie et al. <i>Arthritis Rheum</i> , 61(2): 286-7; Author reply: 287-8.
39239	Shinohara YT, Tasker SA, Wallace MR, et al (1997). [Comment] What is the risk of Achilles tendon rupture with ciprofloxacin? <i>J Rheumatol</i> , 24(1): 238-9.
118452	Shota M, Toshiya T, Tomoya I (2023). Septic retrocalcaneal bursitis in a young soccer player treated with hindfoot endoscopic bursectomy: a case report. <i>J Surg Case Rep</i> , 2023(4): rjad169.
44004	Shrier I, Matheson GO, Kohl HW (1996). Achilles tendonitis: are corticosteroid injections useful or harmful? <i>Clin J Sport Med</i> , 6(4): 245-250.
75080	Singer O, Cigler T, Moore AB, et al (2012). Defining the aromatase inhibitor musculoskeletal syndrome: a prospective study. <i>Arthritis Care Res (Hoboken)</i> , 64(12): 1910-8.
116001	Singh A, Calafi A, Diefenbach C, et al (2017). Noninsertional tendinopathy of the Achilles. <i>Foot Ankle Clin</i> , 22(4): 745-60.
14500	Singh D (2015). Cholesterol level in non-insertional Achilles tendonopathy. <i>Foot (Edinb)</i> , 25(4): 228-31.
43997	Skovgaard D, Feldt-Rasmussen BF, Nimb L, et al (1996). [Bilateral Achilles tendon rupture in individuals with renal transplantation]. <i>Ugeskr Laeger</i> , 159(1): 57-8 [Article in Danish]. [Abstract]
1000	Smart GW, Taunton JE, Clement DB (1980). Achilles tendon disorders in runners - a review. <i>Med Sci Sports Exerc</i> , 20(4): 231-43.
40447	Speed CA (2001). Fortnightly review: Corticosteroid injections in tendon lesions. <i>BMJ</i> , 323(7309): 382-6.
116110	Spoendlin J, Layton JB, Mundkur M, et al (2016). The risk of Achilles or biceps tendon rupture in new statin users: A propensity score-matched sequential cohort study. <i>Drug Saf</i> , 39(12): 1229-37.
118403	Spoendlin J, Meier C, Jick SS, et al (2015). Oral and inhaled glucocorticoid use and risk of Achilles or biceps tendon rupture: a population-based case-control study. <i>Ann Med</i> , 47(6): 492-8.

116112	Spoendlin J, Meier C, Jick SS, et al (2016). Achilles or biceps tendon rupture in women and men with type 2 diabetes: A population-based case-control study. <i>J Diabetes Complications</i> , 30(5): 903-9.
115972	Srivastava P, Aggarwal A (2016). Ultrasound-guided retro-calcaneal bursa corticosteroid injection for refractory Achilles tendinitis in patients with seronegative spondyloarthritis: efficacy and follow-up study. <i>Rheumatol Int</i> , 36(6): 875-80.
118394	Steinberg N, Funk S, Zeev A, et al (2023). Achilles tendon and patellar tendon structure in combat soldiers following prevention exercises. <i>Mil Med</i> , 188(3-4): 678-88.
987	Stephens MM (1994). Haglund's deformity and retrocalcaneal bursitis. <i>Orthop Clin North Am</i> , 25(1): 41-6.
118391	Suzuki T, Hidaka Y, Seri Y (2018). Retrocalcaneal bursitis precedes or accompanies Achilles tendon enthesitis in the early phase of rheumatoid arthritis. <i>Clin Med Insights Arthritis Musculoskelet Disord</i> , 11: 1179544118781094.
75066	Tanaka M, Shimizu H (2008). Concurrent occurrence of Achilles tendon rupture and medial malleolar fracture of the ankle joint: a case report. <i>IJOS</i> , 15(1): 53461271.
118441	Tang Y, Cheng S, Yang Y, et al (2020). Ultrasound assessment in psoriatic arthritis (PsA) and psoriasis vulgaris (non-PsA): which sites are most commonly involved and what features are more important in PsA? <i>Quant Imaging Med Surg</i> , 10(1): 86-95.
118363	Tarantino D, Mottola R, Resta G, et al (2023). Achilles tendinopathy pathogenesis and management: a narrative review. <i>Int J Environ Res Public Health</i> , 20(17): 6681.
990	Temple S (1983). Sports injuries: hazards of jogging and marathon running. <i>Br J Hosp Med</i> , 29(3): 237-9.
118364	Teng ZL, Cao SX, Ma X, et al (2022). Epidemiological characteristics of patients operated for Achilles tendon rupture in Shanghai. <i>Orthop Surg</i> , 14(8): 1649-55.
43996	ter Borg EJ, Nadorp JH, Elbers JR (1996). Ileal pouch arthritis: a case report. <i>Eur J Gastroenterol Hepatol</i> , 8(10): 957-9. [Abstract]
118401	Tharwat S, Saleh M, Elrefaey R, et al (2023). Clinical and ultrasonographic characteristics of the Achilles tendon in hemodialysis patients. <i>Medicina (Kaunas)</i> , 59(12): 2181.
118372	Tom S, Zhong Y, Cook R, et al (2019). Development of a preliminary ultrasonographic enthesitis score in psoriatic arthritis - GRAPPA Ultrasound Working Group. <i>J Rheumatol</i> , 46(4): 384-90.
118428	Tran PT, Antonelli PJ, Winterstein AG (2023). Quinolone ear drops and Achilles tendon rupture. <i>Clin Infect Dis</i> , 76(3): e1360-8.
75103	Tsourvakas S, Alexandropoulos C, Gouvalas K, et al (2005). Spontaneous major tendon ruptures in patients on chronic hemodialysis. <i>Eur J Orthop Surg Traumatol</i> , 15(2): 109-12.
75067	Tudisco C, Bisicchia S (2012). Reconstruction of neglected traumatic Achilles tendon rupture in a young girl. <i>J Orthop Traumatol</i> , 13(3): 163-6.
116009	Ursini F, Arturi F, D'Angelo S, et al (2017). High prevalence of Achilles tendon enthesopathic changes in patients with type 2 diabetes without peripheral neuropathy. <i>J Am Podiatr Med Assoc</i> , 107(2): 99-105.
38863	Van Der Linden PD, Van de Lei J, Nab HW, et al (1999). Achilles tendinitis associated with fluoroquinolones. <i>Br J Clin Pharmacol</i> , 48: 433-7.
38862	van der Linden PD, van Puijenbroek EP, Feenstra J, et al (2001). Tendon disorders attributed to fluoroquinolones: a study on 42 spontaneous reports in the period 1988 to 1998. <i>Arthritis Rheum</i> , 45(3): 235-9.

118378	van der Vlist AC, Breda SJ, Oei EH, et al (2019). Clinical risk factors for Achilles tendinopathy: a systematic review. <i>Br J Sports Med</i> , 53(21): 1352-61.
31430	Varshney MK, Trikha V, Gupta V (2007). Isolated tuberculosis of Achilles tendon. <i>Joint Bone Spine</i> , 74(1): 103-6.
116175	Vaulerin J, d'Arripe-Longueville F, Emile M, et al (2016). Physical exercise and burnout facets predict injuries in a population-based sample of French career firefighters. <i>Appl Ergon</i> , 54: 131-5.
118445	Ventura-Rios L, Cazenave T, Hernandez-Diaz C, et al (2022). Enteseal involvement in spondyloarthritis (SpA) and gout: an ultrasound comparative study. <i>Front Med (Lausanne)</i> , 9: 871760.
118367	von Rickenbach KJ, Borgstrom H, Tenforde A, et al (2021). Achilles tendinopathy: evaluation, rehabilitation, and prevention. <i>Curr Sports Med Rep</i> , 20(6): 327-34.
118461	Wang B, Zhang Q, Lin L, et al (2018). Association of Achilles tendon thickness and LDL-cholesterol levels in patients with hypercholesterolemia. <i>Lipids Health Dis</i> , 17(1): 131.
988	Welsh RP, Clodman J (1980). Clinical survey of Achilles tendonitis in athletes. <i>Can Med Assoc J</i> , 122(2): 193-5.
118390	Wervers K, Vis M, Rasappu N, et al (2018). Modification of a sonographic enthesitis score to differentiate between psoriatic arthritis and young healthy volunteers. <i>Scand J Rheumatol</i> , 47(4): 291-4.
116470	Wezenbeek E, Willems T, Mahieu N, et al (2018). The role of the vascular and structural response to activity in the development of Achilles tendinopathy: a prospective study. <i>Am J Sports Med</i> , 46(4): 947-54.
118432	Wilton LV, Pearce GL, Mann RD (1996). A comparison of ciprofloxacin, norfloxacin, ofloxacin, azithromycin and cefixime examined by observational cohort studies. <i>Br J Clin Pharmacol</i> , 41(4): 277-84.
117709	Wnuk A, Mizia E, Rutowicz B, et al (2017). Is there a relationship between functional at foot and prevalence of non-insertional achilles tendinopathy in joggers? - a pilot study. <i>Folia Med Cracov</i> , 57(3): 77-86.
118388	Wnuk-Scardaccione A, Mizia E, Zawajska K, et al (2021). Surface shape of the calcaneal tuberosity and the occurrence of retrocalcaneal bursitis among runners. <i>Int J Environ Res Public Health</i> , 18(6): 2860.
75104	Wong A, Docking S, Cook J, et al (2014). Is type 1 diabetes mellitus associated with lower limb tendon pathology? A systematic review. <i>Br J Sports Med</i> , 48: A72.
38842	Woods C, Hawkins RD, Maltby S, et al (2004). The Football Association Medical Research Programme: an audit of injuries in professional football--analysis of hamstring injuries. <i>Br J Sports Med</i> , 38(1): 36-41.
38747	Woods C, Hawkins R, Hulse M, et al (2002). The Football Association Medical Research Programme: an audit of injuries in professional football-analysis of preseason injuries. <i>Br J Sports Med</i> , 36(6): 436-41.
75062	Woon CY, Phoon ES, Lee JY, et al (2010). Hazards of steroid injection: Suppurative extensor tendon rupture. <i>Indian J Plast Surg</i> , 43(1): 97-100.
118456	Woyton MM, Kluzek S, Wedatilake T, et al (2018). Partial mid-portion Achilles tear resulting in substantial improvement in pain and function in an amateur long-distance runner. <i>BMJ Case Rep</i> , 2018: bcr2018225823.
115977	Xergia SA, Tsarbou C, Liveris NI, et al (2023). Risk factors for Achilles tendon rupture: an updated systematic review. <i>Phys Sportsmed</i> , 51(6): 506-16.
118383	Xie H, Zhou G, Luo H, et al (2023). Ultrasound assessment of enteseal sites and anterior chest wall in ankylosing spondylitis: a cross-sectional study. <i>J Ultrasound Med</i> , 42(11): 2535-45.
115868	Xu G, Lin J, Liang J, et al (2021). Enteseal involvement of the lower extremities in gout: an ultrasonographic descriptive observational study. <i>Clin Rheumatol</i> , 40(11): 4649-57.

38855	Yang CH, Shie SS, Yu KH, et al (2008). Achilles tendinitis in <i>Vibrio vulnificus</i> sepsis: a rare presentation. <i>Scand J Rheumatol</i> , 37(3): 230-2.
118462	Yang Y, Lu H, Qu J (2018). Tendon pathology in hypercholesterolaemia patients: Epidemiology, pathogenesis and management. <i>J Orthop Translat</i> , 16: 14-22.
118459	Yang YP, Tao LY, Gao JN, et al (2020). Elevated lipid levels in patients with achilles tendon ruptures: a retrospective matching study. <i>Ann Transl Med</i> , 8(5): 217.
118381	Yasui Y, Tonogai I, Rosenbaum AJ, et al (2017). The risk of Achilles tendon rupture in the patients with Achilles tendinopathy: Healthcare database analysis in the United States. <i>Biomed Res Int</i> , 2017: 7021862.
44000	Yu C, Giuffre B (2005). Achilles tendinopathy after treatment with fluoroquinolone. <i>Australas Radiol</i> , 49(5): 407-10. [Abstract]
75063	Yu D (2014). Patient information: Ankylosing spondylitis and other spondyloarthritis (beyond the basics). Retrieved 20 May 2015, from http://www.uptodate.com/contents/ankylosing-spondylitis-and-other-spondyloarthritis-beyond-the-basics
38874	Yuan J, Wang MX, Murrell GA (2003). Cell death and tendinopathy. <i>Clin Sports Med</i> , 22(4): 693-701.
118384	Yuen WL, Tan PT, Kon KK (2022). Surgical treatment of Haglund's deformity: a systematic review and meta-analysis. <i>Cureus</i> , 14(7): e27500.
118447	Zardi EM, Pipita ME, Giorgi C, et al (2019). Strain ultrasound elastography in the Achilles tendon of ankylosing spondylitis patients treated with anti-TNF-alpha: a preliminary study. <i>In Vivo</i> , 33(5): 1635-40.
118455	Zatreh M (2022). Is Rituximab therapy associated with Achilles tendinopathy? <i>J Orthop Sports Med</i> , 4(3): 203-4.
116011	Zenda T, Araki I, Nakamiya O, et al (2016). Achilles tendinitis as a rare extraintestinal manifestation of ulcerative colitis. <i>Clin J Gastroenterol</i> , 9(3): 129-33.
118444	Zhong H, Wang M, Zhang H, et al (2023). Gout of feet and ankles in different stages: The potentiality of a new semiquantitative DECT scoring system in monitoring urate deposition. <i>Medicine (Baltimore)</i> , 102(3): e32722.
118386	Zhou S, Luo W, Wang S, et al (2023). 12 cases of Haglund's syndrome detected through MRI. <i>Curr Med Imaging</i> , 19(9): 1079-83.