



MALIGNANT NEOPLASM OF THE RENAL PELVIS AND URETER

RMA ID Number	Reference List for RMA267-4 as at October 2019
---------------	--

91795	Abt D, Schmid HP (2017). [Comment] Re: Clinicopathological features and prognostic value of incidental prostatic adenocarcinoma in radical cystoprostatectomy specimens: A systematic review and meta-analysis of 13 140 patients. <i>Eur Urol</i> , 72(1): 154-5. Comment on ID: 91793.
80967	Administrative Appeals Tribunal of Australia (2015). Mahoney and Repatriation Commission [2015] AATA 379 (29 May 2015). Retrieved 15 March 2017, from http://www.austlii.edu.au/au/cases/cth/AATA/2015/379.html
56678	Agency for Toxic Substances and Disease Registry (1992). Toxicological Profile for Nitrophenols: 2-Nitrophenol, 4-Nitrophenol. U.S Department of Health and Human Services.
44977	Alexander BH, Olsen GW, Burris JM, et al (2003). Mortality of employees of a perfluorooctanesulphonyl fluoride manufacturing facility. <i>Occup Environ Med</i> , 60: 722-9.
91113	Alexander BH, Olsen GW (2007). Bladder cancer in perfluorooctanesulfonyl fluoride manufacturing workers. <i>Ann Epidemiol</i> , 17: 471-8.
58895	Allende DS, Desai M, Hansel DE (2010). Primary lymphoepithelioma-like carcinoma of the ureter. <i>Ann Diagn Pathol</i> , 14: 209-14.
57516	Almgard LE, Freedman D, Ljungqvist A (1973). Carcinoma of the ureter. With special reference to malignancy grading and prognosis. <i>Scand J Urol Nephrol</i> , 7: 165-7.
59629	Amin MB (2009). Histological variants of urothelial carcinoma: diagnostic, therapeutic and prognostic implications. <i>Mod Pathol</i> , 22: S96-118.
57403	Anderson EM, Murphy R, Rennie AT, et al (2007). Multidetector computed tomography urography (MDCTU) for diagnosing urothelial malignancy. <i>Clin Radiol</i> , 62: 324-32.
90500	Antoni S, Soerjomataram I, Moore S, et al (2014). The ban on phenacetin is associated with changes in the incidence trends of upper-urinary tract cancers in Australia. <i>Aust N Z J Public Health</i> , 38(5): 455-8.
80745	ARPANSA (2012). Radiation protection: Beta particles. Retrieved 8 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/beta.cfm
91895	ATSDR (2012). Toxicological Profile for Cadmium, US Department of Health & Human Service, Atlanta.
80718	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: alpha particles. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/alpha.cfm

80721	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation basics - Ionising and non ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/ion_nonion.cfm
80723	Australian Radiation Protection and Nuclear Safety Agency (2015). Radiation protection: Units of ionising radiation measurement. Retrieved 6 February 2017, from http://www.arpansa.gov.au/RadiationProtection/Basics/units/cfm
80724	Australian Radiation Protection and Nuclear Safety Agency (2015). Ionising radiation and health - Factsheet. Retrieved 6 February 2017, from http://arpansa.gov.au/RadiationProtection/Factsheet/is_ionising.cfm
80725	Australian Radiation Protection and Nuclear Safety Agency (2012). Radiation protection: Health effects of ionising radiation. Retrieved 6 February 2017, from http://www.arpansa.gov.au/radiationprotection/basics/health_ion.cfm
80744	Australian Radiation Protection and Nuclear Safety Agency (2002). Estimations of atomic radiation exposure in Australian service personnel in South West Japan 1946-52. Report to the Commonwealth Department of Veterans' Affairs. ARPANSA.
80726	Azizova TV, Grigoryeva ES, Haylock RG, et al (2015). Ischaemic heart disease incidence and mortality in an extended cohort of Mayak workers first employed in 1948-1982. <i>Br J Radiol</i> , 88(1054): 20150169.
59630	Baan R, Grosse Y, Straif K, et al (2009). A review of human carcinogens - part F: chemical and related occupations. <i>Lancet Oncol</i> , 10: 1143-4.
57622	Bach PH (1991). A molecular basis for target-cell toxicity and upper urothelial carcinoma in analgesic abusers and patients with Balkan endemic nephropathy. <i>IARC Sci Publ</i> , 115: 215-27.
58273	Bachand A, Mundt KA, Mundt DJ, et al (2010). Meta-analyses of occupational exposure as a painter and lung and bladder cancer morbidity and mortality 1950-2008. <i>Crit Rev Toxicol</i> , 40(2): 101-25.
57993	Banerji JS, Korula A, Panicker JB (2008). Multicentric small cell neuroendocrine neoplasm of the renal pelvis and ureter with concomitant focal high-grade urothelial carcinoma of the ureter: a case report. <i>Indian J Urol</i> , 24(4): 571-4.
7458	Bates MN, Smith AH, Cantor KP (1995). Case-control study of bladder cancer and arsenic in drinking water. <i>Am J Epidemiol</i> , 141(6): 523-30.
7459	Bates MN, Smith AH, Hopenhayn-Rich C (1992). Arsenic ingestion and internal cancers: A review. <i>Am J Epidemiol</i> , 135(5): 462-76.
57677	Behzatoglu K, Amin BM (2010). [Comments] Osteoclast-rich undifferentiated carcinoma of the urinary bladder: is it really an entity? <i>Adv Anat Pathol</i> , 17(4): 288-9. Comments on ID: 57676.
57714	Belicza M, Demirovic A, Tomic K, et al (2008). Comparison of occurrence of upper urinary tract carcinomas in the region with endemic villages and non-endemic nephropathy region in Croatia. <i>Coll Antropol</i> , 32(4): 1203-7.
91883	Bermejo J, Sundquist J, Hemminki K (2009). Bladder cancer in cancer patients: population-based estimates from a large Swedish study. <i>Br J Cancer</i> , 101: 1091-99.
57690	Bhandari A, Alassi O, Rogers C (2010). Squamous cell carcinoma of the renal pelvis. <i>J Urol</i> , 183: 2023-4.
7423	Blacklock AR, Geddes JR, Black JW (1983). Mucinous and squamous metaplasia of the renal pelvis. <i>J Urol</i> , 130(3): 544-5.
57402	Blaszuk H, Wang L, Dietmaier W, et al (2002). Upper tract urothelial carcinoma: a clinicopathologic study including microsatellite instability analysis. <i>Mod Pathol</i> , 15(8): 790-7.
56052	Boers D, Portengen L, Bueno-de-Mesquita H, et al (2010). Cause-specific mortality of Dutch chlorophenoxy herbicide manufacturing workers. <i>Occup Environ Med</i> , 67(1): 24-31.

15057	Boffetta P, Jourenkova N, Gustavsson P (1997). Cancer risk from occupational and environmental exposure to polycyclic aromatic hydrocarbons. <i>Cancer Causes Control</i> , 8: 444-72.
50297	Boffetta P, McLaughlin JK, La Vecchia C, et al (2008). [Comment] False-positive results in cancer epidemiology: a plea for epistemological modesty. <i>J Natl Cancer Inst</i> , 100: 988-95.
30760	Boice JD, Engholm G, Kleinerman RA, et al (1988). Radiation dose and second cancer risk in patients treated for cancer of the cervix. <i>Radiation Res</i> , 116: 3-55.
59631	Bosetti C, Boffetta P, La Vecchia C (2007). Occupational exposures to polycyclic aromatic hydrocarbons, and respiratory and urinary tract cancers: a quantitative review to 2005. <i>Ann Oncol</i> , 18: 431-46.
43412	Bosetti C, Pira E, La Vecchia C (2005). Bladder cancer risk in painters: a review of the epidemiological evidence, 1989-2004. <i>Cancer Causes Control</i> , 16: 997-1008.
57450	Bostrom PJ, Soloway MS (2007). [Comment] Upper urinary tract cancer - challenges for the urologist. <i>J Urol</i> , 178: 12-3. Comment on ID: 57449.
520	Brenner DW, Schellhammer PF (1986). Upper tract urothelial malignancy after cyclophosphamide therapy. A case report and literature review. <i>J Urol</i> , 137: 1226-7.
57406	Brock KE, Gridley G, Brown LM, et al (2006). Dietary factors and cancers of the renal pelvis and ureter. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(5): 1051-3.
57401	Brown GA, Matin SF, Busby JE, et al (2007). Ability of clinical grade to predict final pathologic stage in upper urinary tract transitional cell carcinoma: implications for therapy. <i>J Urol</i> , 70: 252-6.
59632	Browne RF, Meehan CP, Colville J, et al (2005). Transitional cell carcinoma of the upper urinary tract: spectrum of imaging findings. <i>RadioGraphics</i> , 25: 1609-27.
57689	Bunnell JE, Tatu CA, Bushon RN, et al (2006). Possible linkages between lignite aquifers, pathogenic microbes, and renal pelvic cancer in northwestern Louisiana, USA. <i>Environ Geochem Health</i> , 28: 577-87.
70417	Burns C, Bodner K, Swaen G, et al (2011). Cancer incidence of 2,4-D production workers. <i>Int J Environ Res</i> , 8: 3579-90.
57400	Busby JE, Brown GA, Tamboli P, et al (2006). Upper urinary tract tumors with nontransitional histology: a single-center experience. <i>J Urol</i> , 67: 518-23.
57405	Calderwood AH, Huo D, Rubin DT (2008). Association between colorectal cancer and urologic cancers. <i>Arch Intern Med</i> , 168(9): 1003-9.
91885	Cantiello F, Cicione A, Salonia A, et al (2015). Association between metabolic syndrome, obesity, diabetes mellitus and oncological outcomes of bladder cancer: a systematic review. <i>Int J Urol</i> , 22: 22-32.
59633	Cantor KP, Lubin JH (2007). Arsenic, internal cancers, and issues in inference from studies of low level exposures in human populations. <i>Toxicol Appl Pharmacol</i> , 222(3): 252-7.
91823	Cao J, Zhao X, Zhong Z, et al (2016). Prognostic value of pre-operative renal insufficiency in urothelial carcinoma: a systematic review and meta-analysis. <i>Scientific Reports</i> , 6: 35214.
43945	Cardis E, Vrijheid M, Blettner M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiation Res</i> , 167(4): 396-416.
80746	Carter M, Robotham R, Wise K, et al (2006). Dosimetry. Australian participants in British nuclear tests in Australia, Vol 1. Commonwealth of Australia.
57399	Catto JW, Yates DR, Rehman I, et al (2007). Behavior of urothelial carcinoma with respect to anatomical location. <i>J Urol</i> , 177: 1715-20.

57398	Cauberg EC, Salomons MA, Kummerlin IP, et al (2009). Trends in epidemiology and treatment of upper urinary tract tumours in the Netherlands 1995-2005: an analysis of PALGA, the Dutch national histopathology registry. <i>BJU Int</i> , 105: 922-7.
80747	Centers for Disease Control and Prevention (2015). Radioisotope Brief: Uranium. Retrieved 8 February 2017, from https://emergency.cdc.gov/radiation/isotopes/uranium.asp
92449	Centers for Disease Control and Prevention (CDC) (2019). Leading cancer cases and deaths, male and female, 2016. Retrieved 25 September 2019, from https://gis.cdc.gov/Cancer/USCS/DataViz.html
57397	Chahal R, Taylor K, Eardley I, et al (2005). Patients at high risk for upper tract urothelial cancer: evaluation of hydronephrosis using high resolution magnetic resonance urography. <i>J Urol</i> , 174: 478-82.
91093	Chen CH, Dickman KG, Moriya M, et al (2012). Aristolochic acid-associated urothelial cancer in Taiwan. <i>PNAS</i> , 109(21): 8241-6.
521	Chen CJ, Chen CW, Wu MM, et al (1992). Cancer potential in liver, lung, bladder and kidney due to ingested inorganic arsenic in drinking water. <i>Br J Cancer</i> , 66: 888-92.
59003	Chen CL, Chiou HY, Hsu LI, et al (2010). Arsenic in drinking water and risk of urinary tract cancer: a follow-up study from northeastern Taiwan. <i>Cancer Epidemiol Biomarkers Prev</i> , 19(1): 101-10.
57468	Chen CY, Liao YM, Tsai WM, et al (2007). Upper urinary tract urothelial carcinoma in Eastern Taiwan: high proportion among all urothelial carcinomas and correlation with chronic kidney disease. <i>J Formos Med Assoc</i> , 106(12): 992-8.
91087	Chen JS, Lu CL, Huang LC, et al (2016). Chronic kidney disease is associated with upper tract urothelial carcinoma. <i>Medicine</i> , 95(14): e3255.
58918	Chen KS, Chuang CK, Wu CH, et al (2003). Upper urinary tract tumor in a duplicated collecting system: report of three cases and review of the literature. <i>Chang Gung Med J</i> , 26: 377-82.
42719	Chen KS, Lai MK, Huang CC, et al (1995). Urologic cancers in uremic patients. <i>Am J Kidney Dis</i> , 25(5): 694-700.
57469	Chen WJ, Kuo JY, Chen KK, et al (2005). Primary urothelial carcinoma of the ureter: 11-year experience in Taipei Veterans General Hospital. <i>J Chin Med Assoc</i> , 68(11): 522-30.
42372	Chen YU, Ahsan H (2004). Cancer burden from arsenic in drinking water in Bangladesh. <i>Am J Public Health</i> , 94(5): 741-4.
91104	Cheungpasitporn W, Thongprayoon C, O'Corragain OA, et al (2015). The risk of kidney cancer in patients with kidney stones: a systematic review and meta-analysis. <i>QJM</i> , 108(3): 205-12.
57646	Chiang HS, Hong CL, Guo HR, et al (1988). Comparative study on the high prevalence of bladder cancer in the blackfoot disease endemic area in Taiwan. <i>J Formos Med Assoc</i> , 87: 1074-80.
57396	Chiang YJ, Chu SH, Liu KL, et al (2006). Silent urothelial cancer detected by sonography after renal transplantation. <i>Transplant Proc</i> , 38: 2084-5.
57688	Chiang YJ, Chu SH, Liu KL, et al (2006). Silent urothelial cancer detected by sonography after renal transplantation. <i>Transplant Proc</i> , 38: 2084-5.
90638	Chiang YJ, Yang PS, Wang HH, et al (2012). Urothelial cancer after renal transplantation: an update. <i>Transplant Proc</i> , 44(3): 744-5.
90634	Chien CS, Luo HL, Ling CS, et al (2016). Upper urinary tract urothelial carcinoma behaviors in patients with end-stage renal disease after kidney transplantation in Taiwan. <i>Int Urol Nephrol</i> , 48(8): 1261-5.
57633	Chih CM, Huang CT, Chi CH, et al (2010). CA125-producing clear cell adenocarcinoma arising from the upper ureter and renal pelvis. <i>J Chin Med Assoc</i> , 73(1): 40-3.

42370	Chiou HY, Chiou ST, Hsu YH, et al (2001). Incidence of transitional cell carcinoma and arsenic in drinking water: a follow-up study of 8,102 residents in an arseniasis-endemic area in northeastern Taiwan. <i>Am J Epidemiol</i> , 153(5): 411-8.
16332	Chiou HY, Hsueh YM, Liaw KF, et al (1995). Incidence of internal cancers and ingested inorganic arsenic: a seven-year follow-up study in Taiwan. <i>Cancer Res</i> , 55(6): 1296-300.
57480	Chiu KC, Lin MC, Liang YC, et al (2008). Renal carcinosarcoma: case report and review of literature. <i>Renal Failure</i> , 30: 1034-9.
522	Choi J, Hulbert JC (1995). Primary transitional cell carcinoma arising at the site of previous dismembered pyeloplasty. <i>J Urol</i> , 154: 1856-7.
57687	Choi YS, Ryu KH, Kwon GY, et al (2006). Ureteral cancer associated with dermatomyositis. <i>Int J Urol</i> , 13: 442-4.
57395	Chou EC, Lin AT, Chen KK, et al (2006). Superficial transitional cell carcinoma of the ureteral orifice: higher risk of developing subsequent upper urinary tract tumors. <i>Int J Urol</i> , 13: 682-5.
57624	Chou YH, Huang CH (1999). Unusual clinical presentation of upper urothelial carcinoma in Taiwan. <i>Cancer</i> , 85: 1342-4.
58894	Chow WH, Dong LM, Devesa SS (2010). Epidemiology and risk factors for kidney cancer. <i>Nat Rev Urol</i> , 7(5): 245-57.
57393	Chow WH, Lindblad P, Gridley G, et al (1997). Risk of urinary tract cancers following kidney of ureter stones. <i>J Natl Cancer Inst</i> , 89(19): 1453-7.
523	Christensen P, Madsen MR, Jensen OM (1983). Latency of thorotrast-induced renal tumours. <i>Scand J Urol Nephrol</i> , 17: 127-30.
59754	Chuang HC, Chuang CK, Ng KF (2008). Simultaneous development of renal cell carcinoma and multifocal urothelial carcinoma. <i>Chang Gung Med J</i> , 31: 515-9.
91739	Chuang SC, Gallo V, Michaud D, et al (2011). Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European prospective investigation into cancer and nutrition. <i>Cancer Causes Control</i> , 22(3): 487-94.
90986	Chuang YW, Yu MC, Huang ST, et al (2017). Spironolactone and the risk of urinary tract cancer in patients with hypertension: a nationwide population based retrospective case-control study. <i>J Hypertens</i> , 35(1): 170-7.
91550	Chung CJ, Chang CH, Liou SH, et al (2017). Relationships among DNA hypomethylation, Cd, and Pb exposure and risk of cigarette smoking-related urothelial carcinoma. <i>Toxicol Appl Pharmacol</i> , 316: 107-13.
59753	Chung YG, Kang SC, Yoon SM, et al (2007). Leiomyosarcoma arising from the blind end of a bifid renal pelvis. <i>Yonsei Med J</i> , 48(3): 557-60.
89536	Coggon D, Ntani G, Harris EC, et al (2015). Soft tissue sarcoma, non-Hodgkin lymphoma and chronic lymphocytic leukaemia in workers exposed to phenoxy herbicides: Extended follow-up of a UK cohort. <i>Occup Environ Med</i> , 72(6): 435-41.
42530	Cohen SM, Shirai T, Steineck G (2000). Epidemiology and etiology of premalignant and malignant urothelial changes. <i>Scand J Urol Nephrol Suppl</i> , 205: 105-15.
57392	Colin P, Koenig P, Ouzzane A, et al (2009). Environmental factors involved in carcinogenesis of urothelial cell carcinomas of the upper urinary tract. <i>BJU Int</i> , 104: 1436-40.
83235	Collins JJ, Bodner KM, Aylward LL, et al (2016). Mortality risk among workers with exposure to dioxins. <i>Occup Med</i> , 66(9): 706-12.
55675	Consonni D, Pesatori AC, Zocchetti C, et al (2008). Mortality in a population exposed to dioxin after the Seveso, Italy accident in 1976: 25 years of follow-up. <i>Am J Epidemiol</i> , 167(7): 847-58.

52243	Cooper GS, Jones S (2008). Pentachlorophenol and cancer risk: focusing the lens on specific chlorophenols and contaminants. <i>Environ Health Perspect</i> , 116(8): 1001-8.
57479	Corgna E, Betti M, Gatta G, et al (2007). Renal cancer. <i>Crit Rev Oncol Hematol</i> , 64: 247-62.
524	Cosyns JP, Jadoul M, Squifflet JP, et al (1994). Chinese herbs nephropathy: a clue to Balkan endemic nephropathy? <i>Kidney Int</i> , 45: 1680-8.
525	Cosyns JP, Jadoul M, Squifflet JP, et al (1994). Urothelial malignancy in nephropathy due to Chinese herbs. <i>Lancet</i> , 344: 188-9.
12255	Crane PJ, Barnard DI, Horsley KD, et al (1997). Mortality of national service Vietnam veterans. A report of the 1996 retrospective cohort study of Australian Vietnam veterans, Commonwealth Department of Veterans' Affairs.
91667	Cui Y, Liang L, Zhong Q, et al (2017). The association of cancer risks with pentachlorophenol exposure: Focusing on community population in the areas along certain section of Yangtze River in China. <i>Environmental Pollution</i> , 224: 729-38.
90410	Cumberbatch MG, Rota M, Catto JW, et al (2016). The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. <i>European Urology</i> , 70(3): 458-66.
7457	Cuzik J, Sasieni P, Evans S (1992). Ingested arsenic, keratoses, and bladder cancer. <i>Am J Epidemiol</i> , 136(4): 417-21.
91825	Daneshmand S (2018). Epidemiology and risk factors of urothelial (transitional cell) carcinoma of the bladder. Retrieved 14 January 2019, from https://www.uptodate.com/contents/epidemiology-and-risk-factors-of-urothelial-transitional-cell-carcinoma-of-the-bladder
57686	Darko A, Das K, Bhalla RS, et al (2006). Carcinosarcoma of the ureter: report of a case with unusual histology and review of the literature. <i>Int J Urol</i> , 13: 1528-31.
57478	David KA, Mallin K, Milowsky MI, et al (2009). Surveillance of urothelial carcinoma. Stage and grade migration, 1993-2005 and survival trends, 1993-2000. <i>Cancer</i> , 115: 1435-47.
90633	de Jongh HJ, van Duijnhoven EM, Ruland A, et al (2017). Female urothelial cell carcinoma in a failed kidney graft of a male recipient. <i>Neth J Med</i> , 75(8): 354-6.
91103	Desai FS, Nongthombam J, Singh LS (2015). Retrospective evaluation of risk factors and immunohistochemical findings for pre-neoplastic and neoplastic lesions of upper urinary tract in patients with chronic nephrolithiasis. <i>Asian Pac J Cancer Prev</i> , 16(18): 8293-8.
91035	Douglas D (2018). Firefighter chemical review - ARP 1701 - A report prepared for the Commonwealth of Australia. Douglas Consulting Australia.
92842	Douglas D, Douglas K (2019). Firefighter chemical review - extension to review additional chemical substances - ARP1701. A report prepared for the Commonwealth of Australia.
59542	Dryson E, t'Mannetje A, Walls C, et al (2008). Case-control study of high risk occupations for bladder cancer in New Zealand. <i>Int J Cancer</i> , 122: 1340-6.
7421	Duckett JW, Gazak JM (1983). Complications of ureterosigmoidostomy. <i>Urol Clin North Am</i> , 10(3): 473-81.
526	Dyson M [Editor] (1995). Urinary System. <i>Gray's Anatomy</i> , 38th Edition, Chapter 13: 1827-8. Churchill Livingstone.
74224	Engels EA, Pfeiffer RM, Fraumeni JF (2011). Spectrum of cancer risk among U.S. solid organ transplant recipients: The transplant cancer match study. <i>JAMA</i> , 306(17): 1891-1901.

7456	Enterline PE, Day R, Marsh GM (1995). Cancers related to exposure to arsenic at a copper smelter. <i>Occup Environ Med</i> , 52: 28-32.
57404	Ericson KM, Isinger AP, Isfoss BL, et al (2005). Low frequency of defective mismatch repair in a population-based series of upper urothelial carcinoma. <i>BMC Cancer</i> , 5: 23.
92451	European Association of Urology (EAU) (2019). Upper urinary tract urothelial cell carcinoma: Epidemiology, aetiology and pathology. Retrieved 25 September 2019, from https://uroweb.org/guideline/upper-urinary-tract-urothelial-cell-carcinoma/#3
91090	Eylert MF, Hounscome L, Verne J, et al (2013). Prognosis is deteriorating for upper tract urothelial cancer: data for England 1985-2010. <i>BJU Int</i> , 112(2): E107-13.
91793	Fahmy O, Khairul-Asri M, Schubert T, et al (2017). Clinicopathological features and prognostic value of incidental prostatic adenocarcinoma in radical cystoprostatectomy specimens: A systematic review and meta-analysis of 13,140 patients. <i>J Urol</i> , 197(2): 385-90.
91105	Fang D, Zhang L, Li X, et al (2014). Risk factors and treatment outcomes of new contralateral upper urinary urothelial carcinoma after nephroureterectomy: the experiences of a large Chinese center. <i>J Cancer Res Clin Oncol</i> , 140(3): 477-85.
61532	Fareghi M, Mohammadi A, Madaen K (2009). Primary mucinous cystadenocarcinoma of renal pelvis: a case report. <i>Cases J</i> , 2: 9395.
90739	Faurschou M, Mellekjaer L, Voss A, et al (2015). Prolonged risk of specific malignancies following cyclophosphamide therapy among patients with granulomatosis with polyangiitis. <i>Rheumatology</i> , 54(8): 1345-50.
91041	Fear N, Stevelink S, Dyball D (2017). Occupational health research studies review examining the occupational health of firefighters, Phase 2 - Completed for DVA (Australia). King's Centre for Military Health Research, King's College London.
90987	Fernandez Ots A, Browne L, Sin Chin Y, et al (2016). The risk of second malignancies after 125I prostate brachytherapy as monotherapy in a single Australian institution. <i>Brachytherapy</i> , 15(6): 752-9.
92843	Ferreccio C, Smith A, Duran V, et al (2013). Case-control study of arsenic in drinking water and kidney cancer in uniquely exposed Northern Chile. <i>Am J Epidemiol</i> , 178(5): 813-8.
91796	Fiorentino A, Errico A, Scarcia M (2019). [Comment] Re: Marco Moschini, Emanuele Zaffuto, Pierre I. Karakiewicz, et al. External beam radiotherapy increases the risk of bladder cancer when compared with radical prostatectomy in patients affected by prostate cancer: A population-based analysis. <i>Eur Urol</i> 2019; 75:319-28. <i>Eur Urol</i> , 75(4): e93-4; Authors' reply: e95. Comment on ID: 91779.
13024	Fraiser LH, Kanekal S, Kehrer JP (1991). Cyclophosphamide toxicity. Characterising and avoiding the problem. <i>Drugs</i> , 42(5): 781-95.
7409	Frankum BS, Savdie E (1996). HIV and renal disease. <i>Medical. Med J Aust</i> , 164(8): 483.
57477	Friis S, Nielsen GL, Mellekjer L, et al (2002). Cancer risk in persons receiving prescriptions for paracetamol: a Danish cohort study. <i>Int J Cancer</i> , 97: 96-101.
92844	Fujimoto H, Nakanishi H, Miki T, et al (2014). Oncological outcomes of renal pelvic and ureteral cancer patients registered in 2005: the first large population report from the Cancer Registration Committee of the Japanese Urological Association. <i>Int J Urol</i> , 21: 527-34.
91819	Fujimoto M, Kanou M, Hosomi K, et al (2017). Angiotensin receptor blockers and the risk of cancer: data mining of a spontaneous reporting database and a claims database. <i>Int J Clin Pharmacol Ther</i> , 55(4): 295-303.

91083	Gakis G, Black PC, Bochner BH, et al (2017). Systematic review on the fate of the remnant urothelium after radical cystectomy. <i>Eur Urol</i> , 71(4): 545-57.
527	Garnick MB (1996). Bladder, Renal, and Testicular Cancer. Dale DC and Federman DD (Eds). <i>Scientific American Medicine</i> , Chapter 12, Section IXB: 4. Scientific American Inc. New York.
528	Garnick MB, Brenner BM (1994). Tumours of the urinary tract. <i>Harrison's Principles of Internal Medicine</i> , 13th Edition, Chapter 247: 1336-9.
59538	Geller F, Urfer W, Golka K (2008). Bladder cancer and occupational exposures in north Rhine-Westphalia, Germany. <i>J Toxicol Environ Health</i> , 71: 856-8.
80728	Gilbert ES, Sokolnikov ME, Preston DL, et al (2013). Lung cancer risks from plutonium: an updated analysis of data from the Mayak worker cohort. <i>Radiat Res</i> , 179(3): 332-42.
88805	Glass D, Sim M, Pircher S, et al (2015). Defence firefighters' health study. Monash Centre for Occupational and Environmental Health. Monash University.
57483	Goel A, Singh D, Goel A (2008). [Comment] Transitional cell cancer of ureter misdiagnosed as pelviureteric junction obstruction: pitfalls of standard diagnostic tools. <i>Indian J Cancer</i> , 45(4): 184-5.
59540	Golka K, Heitmann P, Giesleler F, et al (2008). Elevated bladder cancer risk due to colorants - a statewide case-control study in north Rhine-Westphalia, Germany. <i>J Toxicol Environ Health</i> , 71: 851-5.
90502	Grant EJ, Ozasa K, Preston DL, et al (2012). Effects of radiation and lifestyle factors on risks of urothelial carcinoma in the life span study of atomic bomb survivors. <i>Rad Res</i> , 177: 86-98.
529	Griffiths D (1992). Urinary outflow tract. McGee JO'D, Isaacson PG, Wright NA (Eds). <i>Oxford Textbook of Pathology</i> , Vol 2 Chapter 19.13.4: 1515-7, 1520, 1524-31. Oxford University Press.
57625	Grignon DJ (2009). The current classification of urothelial neoplasms. <i>Mod Pathol</i> , 22: S60-9.
57720	Grollman AP, Shibutani S, Moriya M, et al (2007). Aristolochic acid and the etiology of endemic (Balkan) nephropathy. <i>PNAS</i> , 104(29): 12129-34.
55015	Grosse Y, Baan R, Straif K, et al (2009). A review of human carcinogens - part A: pharmaceuticals. <i>Lancet Oncol</i> , 10: 13-4.
91723	Guan X, Qi L, Liu L (2017). [Comment] Re: Roman Sosnowski, Paolo Verze, Cosimo De Nunzio, and Mark A. Bjurlin's letter to the editor re: Marcus G. Cumberbatch, Matteo Rota, James W.F. Catto, Carlo La Vecchia. The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. <i>Eur Urol</i> 2016; 70:458-66: Smoking cessation and urology: A new domain for prevention and treatment. <i>Eur Urol</i> , 71(5): e152-3. Comment on ID: 90410.
59323	Guha N, Steenland NK, Merletti F, et al (2010). Bladder cancer risk in painters: a meta-analysis. <i>Occup Environ Med</i> , 67: 568-73.
72440	Guidotti TL (2014). Health risks and occupation as a firefighter. <i>Medical Advisory Services</i> . Department of Veterans' Affairs, Commonwealth of Australia.
80729	Gun R, Parsons J, Ryan P, et al (2006). Australian Participants in British Nuclear Tests in Australia, Vol 2: Mortality and Cancer Incidence. Department of Veterans' Affairs, Canberra.
16266	Guo HR, Chiang HS, Hu H, et al (1997). Arsenic in drinking water and incidence of urinary cancers. <i>Epidemiol</i> , 8(5): 545-50.
7454	Guo HR, Lu FJ (1994). [Comments] Re: Arsenic ingestion and internal cancers: A review. <i>Am J Epidemiol</i> , 139(12): 1233-4.

90385	Guo RQ, Hong P, Xiong GY (2018). Impact of ureteroscopy before radical nephroureterectomy for upper tract urothelial carcinomas on oncological outcomes: a meta-analysis. <i>BJU Int</i> , 121(2): 184-93.
91881	Gupta G, Kuppachi S, Kalil R, et al (2018). Treatment for presumed BK polyomavirus nephropathy and risk of urinary tract cancers among kidney transplant recipients in the United States. <i>Am J Transplant</i> , 18: 245-52.
57476	Gupta R, Paner GP, Amin MB (2008). Neoplasms of the upper urinary tract. A review with focus on urothelial carcinoma of the pelvicalyceal system and aspects related to its diagnosis and reporting. <i>Adv Anat Pathol</i> , 15: 127-39.
57685	Hager M, Mikuz G, Haufe H, et al (2008). Association between atherosclerosis and urothelial tumors of the renal pelvis. <i>World J Urol</i> , 26: 375-9.
91115	Hagiwara M, Kikuchi E, Tanaka N, et al (2013). Impact of smoking status on bladder tumor recurrence after radical nephroureterectomy for upper tract urothelial carcinoma. <i>J Urol</i> , 189(6): 2062-8.
91830	Hahn N (2019). Cancer of the bladder and urinary tract. <i>Harrison's Internal Medicine</i> , 20th Edition, Chapter 82. McGraw Hill.
91099	Han Y, Shou D, Wen L, et al (2016). Interplay between chronic kidney disease (CKD) and upper tract urothelial carcinomas (UUC): foe or friend? <i>Oncotarget</i> , 7(33): 53951-8.
58892	Han YY, Weissfeld JL, Davis DL, et al (2009). Arsenic levels in ground water and cancer incidence in Idaho: an ecologic study. <i>Int Arc Occup Environ Health</i> , 82: 843-9.
57684	Hanafusa T, Takayama H, Nahahara A, et al (2010). Urothelial carcinoma in an ectopic ureter. <i>Urology</i> , 75: 69-70.
53807	Hansen ES, Lander F, Lauritsen JM (2007). Time trends in cancer risk and pesticide exposure, a long-term follow-up of Danish gardeners. <i>Scand J Work Environ Health</i> , 33(6): 465-9.
57683	Haritopoulos K, Stravodimos K, Baniyas C, et al (2004). Transitional cell carcinoma of ureteral stump after radical nephrectomy in a patient with a history of bladder carcinoma. <i>Int Urol Nephrol</i> , 36: 337-8.
42056	Harrison JD, Muirhead CR (2003). Quantitative comparisons of cancer induction in humans by internally deposited radionuclides and external radiation. <i>Int J Radiat Biol</i> , 79(1): 1-13.
48085	Harrison's Principles of Internal Medicine (2006). Bladder and renal cell carcinomas. Chapter 90. Retrieved 4 September 2007, from http://www.accessmedicine.com/content.aspx?aid=2893104
57475	Hartmann A, Dietmaier W, Hofstadter F, et al (2003). Urothelial carcinoma of the upper urinary tract: inverted growth pattern is predictive of microsatellite instability. <i>Hum Pathol</i> , 34(3): 222-7.
530	Hashimoto M, Akaza H, Shibamoto K, et al (1988). Triple urogenital cancer in a patient with a history of heavy smoking who had been exposed to the Hiroshima atomic bomb explosion. <i>Jpn J Clin Oncol</i> , 18: 65-8.
57474	Herawi M, Parwan AV, Edlow D, et al (2005). Glomus tumor of renal pelvis: a case report and review of the literature. <i>Hum Pathol</i> , 36: 299-302.
57473	Ho CL, Tzai TS, Chen JC, et al (2008). The molecular signature for urothelial carcinoma of the upper urinary tract. <i>J Urol</i> , 179: 1155-9.
57682	Hodges A, Talley L, Gokden N (2006). Human papillomavirus DNA and P16INK4A are not detected in renal tumors with immunohistochemistry and signal-amplified in situ hybridization in paraffin-embedded tissue. <i>Appl Immunohistochem Mol Morphol</i> , 14: 432-5.
57719	Holmang S, Amsler-Nordin S, Carlson K, et al (2008). Completeness and correctness of registration of renal pelvic and ureteral cancer in the Swedish Cancer Registry. <i>Scand J Urol Nephrol</i> , 42: 12-7.

57481	Holmang S, Amsler-Nordin S, Carlson K, et al (2008). Completeness and correctness of registration of renal pelvic and ureteral cancer in the Swedish Cancer Registry. <i>Scand J Urol Nephrol</i> , 42: 12-7.
90744	Holmang S, Holmberg E, Johansson SL (2013). A population-based study of tumours of the renal pelvis and ureter: Incidence, aetiology and histopathological findings. <i>Scand J Urol</i> , 47(6): 491-6.
57451	Holmang S, Johansson SL (2004). Synchronous bilateral ureteral and renal pelvic carcinomas. Incidence, etiology, treatment, and outcome. <i>Cancer</i> , 101: 741-7.
57471	Holmang S, Johansson SL (2006). Bilateral metachronous ureteral and renal pelvic carcinomas: incidence, clinical presentation, histopathology, treatment and outcome. <i>J Urol</i> , 175: 69-73.
57472	Holmang S, Johansson SL (2005). Urothelial carcinoma of the upper urinary tract: comparison between the WHO/ISUP 1998 Consensus Classification and WHO 1999 Classification System. <i>Urology</i> , 66: 274-8.
57454	Holmang S, Lele SM, Johansson SL (2007). Squamous cell carcinoma of the renal pelvis and ureter: incidence, symptoms, treatment and outcome. <i>J Urol</i> , 178: 51-6.
57449	Holmang S, Thomsen J, Johansson SL (2006). Micropapillary carcinoma of the renal pelvis and ureter. <i>J Urol</i> , 175: 463-7.
91089	Hou HJ, Xiao J, Tian Y (2013). Contralateral nephroureterectomy for renal transplant recipients with unilateral upper urinary tract transitional cell carcinoma: A report of 12 cases. <i>Transplant Proc</i> , 45(6): 2203-6.
7420	Howat AJ, Scott E, Mackie DB, et al (1983). Adenosquamous carcinoma of the renal pelvis. <i>Am J Clin Pathol</i> , 79(6): 731-3.
91101	Hsiao PJ, Hsieh PF, Chang CH, et al (2016). Higher risk of urothelial carcinoma in the upper urinary tract than in the urinary bladder in hemodialysis patients. <i>Ren Fail</i> , 38(5): 663-70.
72597	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
91704	Hu J, Ugnat AM, et al (2005). Active and passive smoking and risk of renal cell carcinoma in Canada. <i>Eur J Cancer</i> , 41(5): 770-8.
57452	Huang PC, Huang CY, Huang SW, et al (2006). High incidence of and risk factors for metachronous bilateral upper tract urothelial carcinoma in Taiwan. <i>Int J Urol</i> , 13: 864-9.
58995	Huang YK, Huang YL, Hsueh YM, et al (2008). Arsenic exposure, urinary arsenic speciation, and the incidence of urothelial carcinoma: a twelve-year follow-up study. <i>Cancer Causes Control</i> , 19: 829-39.
91095	Huguet J (2012). [Transitional cell carcinoma of the upper urinary tract after cystectomy] [Article in Spanish]. <i>Arch Esp Urol</i> , 65(2): 227-36. [Abstract]
91777	Humphrey PA (2012). Histological variants of prostatic carcinoma and their significance. <i>Histopathology</i> , 60(1): 59-74.
59000	Hung PH, Shen CH, Chiu YL, et al (2009). The aggressiveness of urinary tract urothelial carcinoma increases with the severity of chronic kidney disease. <i>BJU Int</i> , 104: 1471-4.
80730	Hunter N, Kuznetsova IS, Labutina EV, et al (2013). Solid cancer incidence other than lung, liver and bone in Mayak workers: 1948-2004. <i>BJC</i> , 109(7): 1989-96.
32051	IARC (2004). Tobacco smoke and involuntary smoking. IARC monographs on the evaluation of carcinogenic risks to humans, Vol 83. IARC Press, Lyon.
91946	IARC Working Group (2018). Drinking coffee, mate and very hot beverages. Drinking Coffee. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 116: 36-426. World Health Organization.

65162	IARC Working Group (2009). Part E: Personal Habits & Indoor Combustions. Chapter: Second-Hand Tobacco Smoke. IARC Monographs, 100E: 215-65. World Health Organization International Agency for Research on Cancer. Lyon France.
65163	IARC Working Group (2009). Part E: Personal Habits & Indoor Combustions. Chapter: Smokeless Tobacco. IARC Monographs, 100E: 267-321. World Health Organization International Agency for Research on Cancer. Lyon France.
60195	IARC Working Group (2010). Painting, Firefighting, and Shiftwork. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Volume 98. World Health Organization, International Agency for Research on Cancer, Lyon France.
60701	IARC Working Group (2010). Some non-heterocyclic polycyclic aromatic hydrocarbons and some related exposures. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 92. World Health Organization, International Agency for Research on Cancer, Lyon France.
91944	IARC Working Group (2018). DDT, lindane and 2,4-D. 2,4-dichlorophenoxyacetic acid. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 113: 373-498. World Health Organization.
91931	IARC Working Group (2013). Malaria and some polyomaviruses (SV40, BK, JC, and Merkel cell viruses). Introduction to polyomaviruses. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 104: 121-350. World Health Organization.
91932	IARC Working Group (2014). Trichloroethylene, tetrachloroethylene, and some chlorinated agents. Trichloroethylene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 103: 35-218. World Health Organization.
91952	IARC Working Group (2019). Pentachlorophenol and some related compounds. 2,4,6-Trichlorophenol. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 117: 141-68. World Health Organization.
92850	IARC Working Group (2012). A Review of Human Carcinogens. Part F: Chemical Agents and Related Occupations. 2,3,7,8- tetrachlorodibenzo-para-dioxin, 2,3,4,7,8-pentachlorodibenzofuran, and 3,3',4,4',5-pentachlorobiphenyl. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100 F: 339-378. World Health Organization.
91903	IARC Working Group (2012). A review of human carcinogens. Part A. Pharmaceuticals. Phenacetin. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100 A: 379-400. World Health Organization.
60722	IARC Working Group (2002). Some traditional herbal medicines, some mycotoxins, naphthalene and styrene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 82: 117-8. World Health Organization, International Agency for Research on Cancer, Lyon France.
91951	IARC Working Group (2019). Pentachlorophenol and some related compounds. Pentachlorophenol. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 117: 33-140. World Health Organization.
91902	IARC Working Group (2012). A review of human carcinogens. Part A: Pharmaceuticals. Plants containing aristolochic acid. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100 A: 349-64. World Health Organization.
91950	IARC Working Group (2018). Welding, molybdenum trioxide, indium tin oxide. Welding. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 118: 36-266. World Health Organization.
91908	IARC Working Group (2012). A review of human carcinogens. Part E. Personal habits and indoor combustions. Tobacco smoking. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100 E: 43-214. World Health Organization.

73749	IARC Working Group (2012). Metals, arsenic, dusts and fibres. IARC Monogr Carcinog risks Humans, Vol 100C: 219-309. IARC Press, Lyon.
71192	IARC Working Group (2012). Radiation. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100D. World Health Organization International Agency for Research on Cancer. Lyon France.
69411	IARC Working Group (2012). Arsenic, metals, fibres, and dusts. Cadmium and cadmium compounds. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 100 Part C: 121-46. World Health Organization, International Agency for Research on Cancer, Lyon France.
59636	Inman BA, Tran VT, Fradet Y, et al (2009). Carcinoma of the upper urinary tract. Predictors of survival and competing causes of mortality. <i>Cancer</i> , 115: 2853-62.
59637	Institute of Medicine (2008). Bladder cancer. Veterans and Agent Orange: Update 2008: 332-45. National Academies Press - Washington, DC.
80754	International Atomic Energy Agency (undated). Glossary. Retrieved 9 February 2017, from https://www.iaea.org/ns/tutorials/regcontrol/intro/glossaryd.htm
80727	International Commission on Radiation Units and Measures (2011). 3. Radiation exposure from internally deposited radionuclides. <i>Journal of the ICRU, Report 86, 11(2): 33-8.</i>
57453	Isbarn H, Jeldres C, Shariat SF, et al (2009). Location of the primary tumor is not an independent predictor of cancer specific mortality in patients with upper urinary tract urothelial carcinoma. <i>J Urol</i> , 182: 2177-81.
59006	Izquierdo L, Mengual L, Gazquez C, et al (2010). Molecular characterization of upper urinary tract tumours. <i>BJU Int</i> , 106(6): 868-72.
91096	Jakes A, Jani P, Menon M, et al (2016). Renal squamous cell carcinoma of a native kidney after renal transplant: A case report. <i>Transplant Proc</i> , 48(1): 259-61.
57455	Jankovic Velickovic L, Hattori T, Dolicanin Z, et al (2009). Upper urothelial carcinoma in Balkan endemic nephropathy and non-endemic regions: a comparative study of pathological features. <i>Pathol Res Pract</i> , 205: 89-96.
57482	Jankovic Velickovic L, Hattori T, Dolicanin Z, et al (2009). Molecular markers in upper urothelial carcinoma associated to Balkan endemic nephropathy. Aristolochic acid as the major risk factor of the worldwide disease. <i>ScientificWorldJournal</i> , 9: 1360-73.
532	Jensen OM, Knudsen JB, Tomasson H, et al (1989). The Copenhagen case-control study of renal pelvis and ureter cancer: role of analgesics. <i>Int J Cancer</i> , 44: 965-8.
531	Jensen OM, Knudsen JB, McLaughlin JK, et al (1988). The Copenhagen case-control study of renal pelvis and ureter cancer: role of smoking and occupational exposures. <i>Int J Cancer</i> , 41: 557-61.
57470	Jewett MA (2006). Upper tract urothelial carcinoma. <i>J Urol</i> , 175: 12-3.
91803	Jhee JH, et al (2019). Secondhand-smoke exposure associated with CKD. <i>Clin J Am Soc Nephrol</i> , 14(4): 515-22.
7418	Joshi K, Jain K, Mathur S, et al (1980). Mucinous adenocarcinoma of the renal pelvis. <i>Postgrad Med J</i> , 56(656): 442-4.
91889	Joung JY, Lim J, Oh CM, et al (2015). Risk of second primary cancer among prostate cancer patients in Korea: a population-based cohort study. <i>PLoS One</i> , 10(10): e0140693.
57627	Jung HU, Frimodt-Moller PC, Osther PJ, et al (2006). Pharmacological effect on pyeloureteric dynamics with a clinical perspective: a review of the literature. <i>Urol Res</i> , 34: 341-50.
58999	Kakizoe T (2006). Development and progression of urothelial carcinoma. <i>Cancer Sci</i> , 97(9): 821-8.
90418	Kanaan N, Hassoun Z, Raggi C, et al (2016). Long-term outcome of kidney recipients transplanted for aristolochic acid nephropathy. <i>Transplantation</i> , 100(2): 416-21.

7404	Kandemir O, Tatlısen A, Kontas O, et al (1995). Sarcomatoid squamous cell carcinoma of the right renal pelvis with liver metastasis: case report. <i>J Urol</i> , 153(6): 1895-6.
60202	Kang CH, Chen CH, Chiang PH (2010). Primary urothelial carcinoma of the upper urinary tract in dialysis patients with 5-year follow-up. <i>Jpn J Clin Oncol</i> , 40(3): 241-6.
42407	Kao YL, Ou YC, Yang CR, et al (2003). Transitional cell carcinoma in renal transplant recipients. <i>World J Surg</i> , 27(8): 912-6.
57713	Katz R, Gofrit ON, Golijanin D, et al (2005). Urothelial cancer of the renal pelvis in percutaneous nephrolithotomy patients. <i>Urol Int</i> , 75: 17-20.
57520	Kaufman DS, McDougal WS, Harisinghani MG, et al (2009). Case 30-2009: a 77-year-old man with recurrent transitional-cell carcinoma of the ureter. <i>NEJM</i> , 361: 1292-9.
57513	Kaur G, Naik VR, Rahman MN (2004). Mucinous adenocarcinoma of the renal pelvis associated with lithiasis and chronic gout. <i>Singapore Med J</i> , 45(3): 125-6.
91781	Kellen E, Zeegers M, Dirx M, et al (2017). Occurrence of both bladder and prostate cancer in five cancer registries in Belgium, The Netherlands and the United Kingdom. <i>Eur J Cancer</i> , 43(11): 1694-700.
91805	Kellen E, Zeegers M, Joniau S, et al (2007). Examining the co-occurrence of bladder and prostate cancer: a worthwhile investigation? <i>Fut Oncol</i> , 3(5): 515-9.
91806	Kellen E, Zeegers MP, Joniau S, et al (2007). Examining the co-occurrence of bladder and prostate cancer: a worthwhile investigation? <i>Future Oncol</i> , 3(5): 515-9.
91599	Kenan DJ, Mieczkowski PA, Burger-Calderon R, et al (2015). The oncogenic potential of BK-polyomavirus is linked to viral integration into the human genome. <i>J Pathol</i> , 237: 379-89.
91701	Khan F, Mahmalji W, Sriprasad S, et al (2012). Prostate cancer with metastases to the kidney: a rare manifestation of a common disease. <i>BMJ Case Reports</i> , 2012: 008388.
58893	Kho VK, Chan PH (2010). Primary small cell carcinoma of the upper urinary tract. <i>J Chin Med Assoc</i> , 73(3): 173-6.
91112	Kim HS, Jeong CW, Kwak C, et al (2017). Association between demographic factors and prognosis in urothelial carcinoma of the upper urinary tract: a systematic review and meta-analysis. <i>Oncotarget</i> , 8(5): 7464-76.
57517	Kim TS, Seong DH, Ro JY (2001). Small cell carcinoma of the ureter with squamous cell and transitional cell carcinomatous components associated with ureteral stone. <i>J Korean Med Sci</i> , 16: 796-800.
91702	Kinoshita Y, Singh A, Rovito PM, et al (2004). Double primary cancers of the prostate and bladder: A literature review. <i>Clinical Prostate Cancer</i> , 3(2): 83-6.
42531	Kirkali Z, Tuzel E (2003). Transitional cell carcinoma of the ureter and renal pelvis. <i>Crit Rev Oncol Hematol</i> , 47: 155-69.
58920	Kirkpantur A, Baydar DE, Altun B, et al (2009). Concomitant amyloidosis, renal papillary carcinoma and ipsilateral pelvicalyceal urothelial carcinoma in a patient with familial Mediterranean fever. <i>Amyloid</i> , 16(1): 54-9.
7625	Kobayashi S, Ohmori M, Akaeda T, et al (1983). Primary adenocarcinoma of the renal pelvis. <i>Acta Pathologica Japonica</i> , 33(3): 589-97.
59635	Kobayashi Y, Saika T, Manabe D, et al (2010). Prognostic factors influencing survival after nephroureterectomy for transitional cell carcinoma of the upper urinary tract. <i>Acta Med Okayama</i> , 64(1): 27-31.
59543	Kobrosly RW, Meliker JR, Nriagu JO (2009). Automobile industry occupations and bladder cancer: a population-based case-control study in southeastern Michigan, USA. <i>Occup Environ Med</i> , 66: 650-6.

533	Koh E, Kondoh N, Kaihara H, et al (1989). Ureteral tumor with multiple Bowen's disease forty-two years after exposure to arsenic. <i>Eur Urol</i> , 16: 398-400.
57645	Kondo T, Nakazawa H, Ito F, et al (2007). Primary site and incidence of lymph node metastases in urothelial carcinoma of upper urinary tract. <i>Urology</i> , 69: 265-9.
57518	Korkes F, Silveira TS, Castro MG, et al (2006). Carcinoma of the renal pelvis and ureter. <i>Int Braz J Urol</i> , 32(6): 648-55.
58891	Kose F, Bal N, Ozyilkan O (2009). Squamous cell carcinoma of the renal pelvis. <i>Med Oncol</i> , 26: 103-4.
57681	Kuroda N, Katto K, Tamura M, et al (2009). Ureteral small cell carcinoma. <i>Med Mol Morphol</i> , 42: 55-7.
57716	Kuroda N, Shimasaki N, Miyazaki E, et al (2006). The distribution of myofibroblasts and CD34-positive stromal cells in normal renal pelvis and ureter and their cancers. <i>Histol Histopathol</i> , 21: 1303-7.
80731	Kuznetsova IS, Labutina EV, Hunter N (2016). Radiation risks of leukemia, lymphoma and multiple myeloma incidence in the Mayak cohort: 1948-2004. <i>PLoS One</i> , 11(9): e0162710.
80732	Labutina EV, Kuznetsova IS, Hunter N, et al (2013). Radiation risk of malignant neoplasm in organs of main deposition for plutonium in the cohort of Mayak workers with regards to histological types. <i>Health Phys</i> , 105(2): 165-76.
91778	Lai P, Luo M, Hu G, et al (2017). Primary Urothelial Carcinoma of the Prostate with Glandular Differentiation: A Case Report. <i>Urol Int</i> , 98(3): 370-2.
57644	Langner C, Hutterer G, Chromecki T, et al (2006). pT classification, grade, and vascular invasion as prognostic indicators in urothelial carcinoma of the upper urinary tract. <i>Mod Pathol</i> , 19: 272-9.
59004	Lawson M, Vasilaras A, De Vries A, et al (2008). Urological implications of cyclophosphamide and ifosfamide. <i>Scand J Urol Nephrol</i> , 42: 309-17.
81154	Lee C, Kim KP, Bolch WE, et al (2015). NCICT: a computational solution to estimate organ doses for pediatric and adult patients undergoing CT scans. <i>J Radiol Prot</i> , 35: 891-909.
57619	Lee SH, Lin JS, Tzai TS, et al (1996). Prognostic factors of primary transitional cell carcinoma of the upper urinary tract. <i>Eur Urol</i> , 29: 266-71.
57680	Lee TA, Chang HK, Yang S, et al (2006). Ureteral carcinoid tumor. <i>Int J Urol</i> , 13: 824-6.
57643	Lehmann J, Suttmann H, Kovac I, et al (2007). Transitional cell carcinoma of the ureter: prognostic factors influencing progression and survival. <i>Eur Urol</i> , 51: 1281-8.
91110	Leiba A, Kark JD, Afek A, et al (2012). Overweight in adolescence is related to increased risk of future urothelial cancer. <i>Obesity</i> , 20(12): 2445-50.
91780	Levi F, Randimbison L, Rafael B, et al (2015). Second primary cancers in the Vaud and Neuchatel cancer registries. <i>Eur J Cancer</i> , 24(2): 150-4.
534	Levine E (1992). Transitional cell carcinoma of the renal pelvis associated with cyclophosphamide therapy. <i>AJR</i> , 159: 1027-8.
535	Li MK, Cheung WL (1987). Squamous cell carcinoma of the renal pelvis. <i>J Urol</i> , 138(2): 269-71.
58998	Li SH, Huang WT, Kuo CY (2007). Metastatic urothelial carcinoma of upper urinary tract. <i>Am J Hematol</i> , 82: 940-1.
58890	Liao CM, Shen HH, Chen CL, et al (2009). Risk assessment of arsenic-induced internal cancer at long-term low dose exposure. <i>J Hazard Mater</i> , 165: 652-63.
22231	Liaw KL, Linet MS, McLaughlin JK, et al (1997). Possible relation between hypertension and cancers of the renal pelvis and ureter. <i>Int J Cancer</i> , 70: 265-68.

91108	Lien YC, Wang Jym Kee MC, et al (2013). Urinary tuberculosis is associated with the development of urothelial carcinoma but not renal cell carcinoma: a nationwide cohort study in Taiwan. <i>Br J Cancer</i> , 109(11): 2933-40.
91859	Lin CL, Huang WT, Fan WC, et al (2016). Associations between interventions for urolithiasis and urinary tract cancer among patients in Taiwan. <i>Medicine</i> , 95: 49.
91860	Lin MY, Kuo MC, Hung CC, et al (2015). Association of dialysis with the risks of cancers. <i>PLoS One</i> , 10(4): e0122856.
91098	Lin SH, Luo HL, Chen YT, et al (2017). Using hematuria as detection of post-kidney transplantation upper urinary tract urothelial carcinoma is associated with delayed diagnosis of cancer occurrence. <i>Transplant Proc</i> , 49(5): 1061-3.
536	Lindblad P, McLaughlin JK, Mellemegaard A, et al (1993). Risk of kidney cancer among patients using analgesics and diuretics: a population-based cohort study. <i>Int J Cancer</i> , 55: 5-9.
537	Linet MS, Chow WH, McLaughlin JK, et al (1995). Analgesics and cancers of the renal pelvis and ureter. <i>Int J Cancer</i> , 62: 15-18.
58989	Little MP (2001). Cancer after exposure to radiation in the course of treatment for benign and malignant disease. <i>Lancet Oncol</i> , 2: 212-20.
55323	Little MP, Hall P, Charles MW (2007). Are cancer risks associated with exposures to ionising radiation from internal emitters greater than those in the Japanese A-bomb survivors? <i>Radiat Environ Biophys</i> , 46: 299-310.
57715	Liu CH, Huang JD, Huang SW, et al (2008). Androgen receptor gene polymorphism may affect the risk of urothelial carcinoma. <i>J Biomed Sci</i> , 15: 261-9.
91720	Liu W, Zhao X, Zhong Z (2016). [Comment] Re: Marcus G. Cumberbatch, Matteo Rota, James W.F. Catto, Carlo La Vecchia. The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. <i>Eur Urol</i> 2016; 70:458-66. <i>Eur Urol</i> , 70(4): e104-5; Authors' reply: e106-7. Comment on ID: 90410.
57621	Liwnicz BH, Lepow H, Schutte H, et al (1975). Mucinous adenocarcinoma of the renal pelvis: discussion of possible pathogenesis. <i>J Urol</i> , 114: 306-10.
42480	Lord GM, Cook T, Arlt VM, et al (2001). Urothelial malignant disease and Chinese herbal nephropathy. <i>Lancet</i> , 358: 1515-6.
58917	Lord GM, Hollstein M, Arlt VM, et al (2004). DNA adducts and p53 mutations in a patient with aristolochic acid-associated nephropathy. <i>Am J Kidney Dis</i> , 43(4): e11-7.
79864	Lundin JI, Alexander BH, Olsen GW, et al (2009). Ammonium perfluorooctanoate production and occupational mortality. <i>Epidemiol</i> , 20: 921-8.
90732	Luo HL, Chen YT, Cheng YT, et al (2017). [Comment] Re: Thomas Seisen, Benoit Peyronnet, Jose Luis Dominguez-Escrig, et al. Oncologic outcomes of kidney-sparing surgery versus radical nephroureterectomy for upper tract urothelial carcinoma: A systematic review by the EAU non-muscle invasive bladder cancer guidelines panel. <i>Eur Urol</i> 2016; 70:1052-68: Preoperative bladder cancer history and chronic kidney disease are associated with occult renal pelvis cancer in preoperative solitary ureteral cancer. <i>Eur Urol</i> , 71(4): e109-10.
91820	Luo HL, Chen YT, Huang SC, et al (2017). Human polyomavirus is associated with earlier onset of upper urinary tract urothelial carcinoma in patients after kidney transplantation. <i>Transplant Proc</i> , 49(5): 1064-7.
57679	Lv C, Chen N, Zhu X, et al (2008). Primary leiomyosarcoma of the ureter. <i>Asian J Surg</i> , 31(4): 191-4.

57641	Maddineni SB, Clarke NW, Sutherland DE, et al (2008). Aetiology, diagnosis and management of urothelial tumour of the renal pelvis and ureter. <i>BJU Int</i> , 102: 1302-6.
58991	Magnuson BA, Burdock GA, Doull J, et al (2007). Aspartame: a safety evaluation based on current use levels, regulations, and toxicological and epidemiological studies. <i>Crit Rev Toxicol</i> , 37: 629-727.
91085	Marchioni M, Primiceri G, Cindolo L, et al (2017). Impact of diagnostic ureteroscopy on intravesical recurrence in patients undergoing radical nephroureterectomy for upper tract urothelial cancer: a systematic review and meta-analysis. <i>BJU Int</i> , 120(3): 313-9.
59750	Markovic N, Ignjatovic I, Cukuranovic R, et al (2005). Decreasing incidence of urothelial cancer in a Balkan endemic nephropathy region in Serbia. A surgery based study from 1969 to 1998. <i>Pathol Biol (Paris)</i> , 53: 26-9.
57678	Martin SM, Gonzalez JR, Lagarto EG, et al (2007). Primary small cell carcinoma of the ureter. <i>Int J Urol</i> , 14: 771-3.
91867	Maruzeni S, Nishijo M, Nakamura K, et al (2014). Mortality and causes of deaths of inhabitants with renal dysfunction induced by cadmium exposure of the polluted Jinzu River basin, Toyama, Japan; a 26-year follow-up. <i>Environmental Health</i> , 13(1): 18.
545	Mazzucchelli L, Studer UE, Kraft R (1995). Small-cell undifferentiated carcinoma of the renal pelvis 26 years after subdiaphragmatic irradiation for non-Hodgkin's lymphoma. <i>Br J Urol</i> , 76(3): 403-4.
91086	Mbeutcha A, Roupret M, Kamat AM, et al (2017). Prognostic factors and predictive tools for upper tract urothelial carcinoma: a systematic review. <i>World J Urol</i> , 35: 337-53.
546	McCredie M (1992). Epidemiology of kidney cancer in Australia. <i>MJA</i> , 157: 508-10.
562	McCredie M (1994). Bladder and kidney cancers. <i>Cancer Surveys</i> , 19: 343-68.
550	McCredie M, Stewart JH, Carter JJ, et al (1986). Phenacetin and papillary necrosis: independent risk factors for renal pelvic cancer. <i>Kidney Int</i> , 30: 81-4.
570	McCredie M, Stewart JH (1992). Risk factors for kidney cancer in New South Wales, Australia. II. Urologic disease, hypertension, obesity, and hormonal factors. <i>Cancer Causes Control</i> , 3: 323-31.
549	McCredie M, Stewart JH, Day NE (1993). Different roles for phenacetin and paracetamol in cancer of the kidney and renal pelvis. <i>Int J Cancer</i> , 53: 245-9.
569	McCredie M, Stewart JH (1992). Risk factors for Kidney Cancer in New South Wales-I. Cigarette smoking. <i>Eur J Cancer</i> , 28A(12): 2050-4.
547	McCredie M, Stewart JH (1988). Does paracetamol cause urothelial cancer or renal papillary necrosis? <i>Nephron</i> , 49(4): 296-300.
548	McCredie M, Stewart JH (1993). Risk factors for kidney cancer in New South Wales. IV. Occupation. <i>Br J Ind Med</i> , 50: 349-54.
92849	McDaid J, Farkash E, Steele D, et al (2013). Transitional cell carcinoma arising within a pediatric donor renal transplant in association with BK nephropathy. <i>Transplantation</i> , 95(5): e24.
59001	McDougal WS, Cramer SF, Miller R (1981). Invasive carcinoma of the renal pelvis following cyclophosphamide therapy for nonmalignant disease. <i>Cancer</i> , 48: 691-5.
572	McLaughlin JK (1993). Renal cell carcinoma and exposure to gasoline: a review. <i>Environ Health Perspect</i> , 101(Suppl 6): 111-4.
571	McLaughlin JK, Blot WJ, Mandel JS, et al (1983). Etiology of cancer of the renal pelvis. <i>JNCI</i> , 71: 287-91.
573	McLaughlin JK, Malmer HS, Stone BJ, et al (1987). Occupational risks for renal cancer in Sweden. <i>Br J Ind Med</i> , 44: 119-23.

574	McLaughlin JK, Silverman DT, Hsing AW, et al (1992). Cigarette smoking and cancers of the renal pelvis and ureter. <i>Cancer Research</i> , 52: 254-7.
58880	Mellemgaard A, Carstensen B, Norgaard N, et al (1993). Trends in the incidence of cancer of the kidney, pelvis, ureter and bladder in Denmark 1943-88. <i>Scand J Urol Nephrol</i> , 27: 327-32.
575	Mellemgaard A, Moller H, Jensen OM, et al (1992). Risk of kidney cancer in analgesics users. <i>J Clin Epidemiol</i> , 45(9): 1021-4.
576	Mhiri MN, Rebai T, Turki L, et al (1989). Association between squamous cell carcinoma of the renal pelvis and calculi. <i>Br J Urol</i> , 64(2): 201-2.
42374	Michaud DS, Wright ME, Cantor KP, et al (2004). Arsenic concentrations in prediagnostic toenails and the risk of bladder cancer in a cohort study of male smokers. <i>Am J Epidemiol</i> , 160(9): 853-9.
577	Miller DC, Kropp KA (1992). Transitional cell carcinoma associated with crossed renal ectopia and previous cyclophosphamide therapy. <i>J Urol</i> , 148: 1244-6.
55343	Mills PK, Shah P (2014). Cancer incidence in California farm workers, 1988-2010. <i>Am J Ind Med</i> , 57(7): 737-47.
57620	Minagawa T, Furuhashi M, Hirabayashi N, et al (2004). Renal pelvic urothelial carcinoma in horseshoe kidney. <i>Acta Urol Jpn</i> , 50: 439-42.
57640	Miwa S, Fuse H, Hirano S, et al (2001). Transitional cell carcinoma of the renal pelvis in a long-term hemodialysis patient with autosomal dominant polycystic kidney. <i>Int J Urol</i> , 8: 572-4.
57639	Mizusawa H, Komiyama I, Ueno Y, et al (2004). Squamous cell carcinoma in the renal pelvis of a horseshoe kidney. <i>Int J Urol</i> , 11: 782-4.
58889	Montironi R, Lopez-Beltran A, Scarpelli M, et al (2009). 2004 World Health Organization classification of the noninvasive urothelial neoplasms: inherent problems and clinical reflections. <i>Eur Urol Suppl</i> , 8: 453-7.
42373	Morales KH, Ryan L, Kuo TL, et al (2000). Risk of internal cancers from arsenic in drinking water. <i>Environ Health Perspect</i> , 108(7): 655-61.
91779	Moschini M, Zaffuto E, Karakiewicz P, et al (2019). External beam radiotherapy increases the risk of bladder cancer when compared with radical prostatectomy in patients affected by prostate cancer: a population based analysis. <i>Eur Urol</i> , 75(2): 319-28.
91107	Mostafa MG, Cherry N (2013). Arsenic in drinking water and renal cancers in rural Bangladesh. <i>Occup Environ Med</i> , 70(11): 768-73.
57618	Munakata S, Tahara H, Kohima K, et al (2007). Micropapillary urothelial carcinoma of the renal pelvis: report of a case and review of the literature. <i>Med Sci Monit</i> , 13(4): CS47-52.
22237	Munoz JJ, Ellison LM (2000). Upper tract urothelial neoplasms: incidence and survival during the last 2 decades. <i>J Urol</i> , 164: 1523-25.
57514	Murai T, Mori S, Machino S, et al (1993). Induction of renal pelvic carcinoma by phenacetin in hydronephrosis-bearing rats of SD/cShi strain. <i>Cancer Res</i> , 53: 4218-23.
57519	Murta CB, Antunes AA, Dall'Oglio MF, et al (2008). Analysis of the clinicopathological characteristics of patients with upper urinary tract transitional cell carcinoma. <i>Clinics</i> , 63(2): 223-8.
57638	Nagahara A, Kawagoe M, Matsumoto F, et al (2006). Botryoid Wilms' tumor of the renal pelvis extending into the bladder. <i>Urology</i> , 67(845): e15-7.
92452	Nakada S, Patel S (2018). Placement and management of indwelling ureteral stents. Retrieved 25 September 2019, from https://www.uptodate.com/contents/placement-and-management-of-indwelling-ureteral-stents
7408	Nakajima F, Terahata S, Hatano T, et al (1994). Primary leiomyosarcoma of the ureter. <i>Urol Int</i> , 53(3): 166-8.

91038	National Academies of Sciences, Engineering, and Medicine (2018). Veterans and Agent Orange: Update 11. Washington, D.C. National Academy Press.
80742	National Council on Radiation Protection & Measurements (2009). Radiation dose reconstruction: principles and practices. Report No. 163. NCRP.
28736	National Research Centre for Environmental Toxicology (ENTOX) (2002). Examination of the Potential Exposure of Royal Australian Navy (RAN) Personnel to Polychlorinated Dibenzodioxins and Polychlorinated Dibenzofurans via Drinking Water, Executive Summary. Queensland Health Scientific Services (QHSS).
57636	Ng KF, Chuang CK, Chang PL, et al (2006). Absence of Epstein-Barr virus infection in squamous cell carcinoma of upper urinary tract and urinary bladder. <i>Urology</i> , 68: 775-7.
57676	Nigwekar P, Amin MB (2008). The many faces of urothelial carcinoma. An update with an emphasis on recently described variants. <i>Adv Anat Pathol</i> , 15: 218-33.
57658	Nikolic J, Djokic M, Ignjatovic I, et al (2006). Upper urothelial tumors in emigrants from Balkan endemic nephropathy areas in Serbia. <i>Urol Int</i> , 77: 240-4.
91862	Nishijo M, Nakagawa H, Suwazono Y, et al (2018). Cancer mortality in residents of the cadmium polluted Jinzu River basin in Toyama Japan. <i>Toxics</i> , 6(23): 10.3390.
578	Nogales FF, Andujar M, Beltran A, et al (1994). Adenocarcinoma of the renal pelvis. <i>Urol Int</i> , 52: 172-5.
42379	Nortier JL, Martinez MC, Schmeiser HH, et al (2000). Urothelial carcinoma associated with the use of a Chinese herb (<i>Aristolochia fangchi</i>). <i>N Engl J Med</i> , 342(23): 1686-92.
57657	Novara G, De Marco V, Dalpiaz O, et al (2009). Independent predictors of contralateral metachronous upper urinary tract transitional cell carcinoma after nephroureterectomy: multi-institutional dataset from three European centers. <i>Int J Urol</i> , 16: 187-91.
57656	O'Daly BJ, O'Brien MF, Dowling CM, et al (2007). Squamous cell carcinoma of the renal pelvis after curative retroperitoneal radiotherapy for seminoma. <i>Urology</i> , 70(812): e3-6.
90637	Oikawa M, Hatakeyama S, Fujita T, et al (2014). BK virus-associated urothelial carcinoma of a ureter graft in a renal transplant recipient: a case report. <i>Transplant Proc</i> , 46(2): 616-9.
57637	Olgac S, Mazumdar M, Dalbagni G, et al (2004). Urological oncology: renal, ureteral and retroperitoneal tumors. <i>Am J Surg Pathol</i> , 28: 1545-52.
91092	Olivier M, Hollstein M, Schmeiser HH, et al (2012). Upper urinary tract urothelial cancers: where it is A:T. <i>Nat Rev Cancer</i> , 12(8): 503-4.
91102	Olsburgh J, Zakri RH, Horsfield C (2016). TCC in transplant ureter - when and when not to preserve the transplant kidney. <i>Am J Transplant</i> , 16(2): 704-11.
57642	Oosterlinck W (2007). Ureteral tumour: a specific upper urinary tract transitional cell carcinoma. <i>Eur Urol</i> , 51: 1164-5.
42965	Ou JH, Pan CC, Lin JS, et al (2000). Transitional cell carcinoma in dialysis patients. <i>Eur Urol</i> , 37(1): 90-4.
579	Oyen RH, Gielen JL, Van Poppel HP, et al (1988). Renal thorium deposition associated with transitional cell carcinoma: radiologic demonstration in two patients. <i>Radiology</i> , 169: 705-7.
70194	Ozasa K, Shumizu Y, Suyama A, et al (2012). Studies of the mortality of atomic bomb survivors, Report 14, 1950-2003: An overview of cancer and noncancer diseases. <i>Radiat Res</i> , 177(3): 229-43.

59634	Ozsahin M, Ugurluer G, Zouhair A (2009). Management of transitional-cell carcinoma of the renal pelvis and ureter. <i>Swiss Med Wkly</i> , 139(25-26): 353-6.
92847	Pal P, Smith R, Allen S, et al (2017). Schistosomiasis - a disobedient ureter, a disobedient diagnosis. <i>J Endourol Case Rep</i> , 3: 114-8.
90898	Papadimitriou JC, Randhawa P, Rinaldo CH, et al (2016). BK polyomavirus infection and renourinary tumorigenesis. <i>Am J Transplant</i> , 16(2): 398-406; Erratum, 17: 308.
59005	Papatsoris AG, Chrisofos M, Skolarikos A, et al (2008). Upper urinary tract transitional cell carcinoma. A 10-year experience. <i>Tumori</i> , 94: 75-8.
80756	Paquet F, Etherington G, Bailey MR, et al (2015). Annals of the ICRP - Publication 130. Occupational intakes of radionuclides: Part 1. The International Commission on Radiological Protection.
58919	Park JY, Rim JH, Choe YB, et al (2002). Arsenic keratosis and pigmentation accompanied by multiple Bowen's disease and genitourinary cancer in a psoriasis patient. <i>J Dermatol</i> , 29: 446-51.
57515	Perez-Montiel D, Hes O, Michal M, et a; (2006). Micropapillary urothelial carcinoma of the upper urinary tract. Clinicopathologic study of five cases. <i>Am J Clin Pathol</i> , 126: 86-92.
57635	Perez-Montiel D, Wakely PE, Hes O, et al (2006). High-grade urothelial carcinoma of the renal pelvis: clinicopathologic study of 108 cases with emphasis on unusual morphologic variants. <i>Mod Pathol</i> , 19: 494-503.
89349	Petersen K, Pedersen JE, Bonde JP, et al (2018). Long-term follow-up for cancer incidence in a cohort of Danish firefighters. <i>Occup Environ Med</i> , 75(4): 263-9.
42202	Pfohl-Leszkowicz A, Petkova-Bocharova T, Chernozemsky IN, et al (2002). Balkan endemic nephropathy and associated urinary tract tumours: a review on aetiological causes and the potential role of mycotoxins. <i>Food Addit Contam</i> , 19(3): 282-302.
58888	Png KS, Lim EK, Chong KT, et al (2008). Prognostic factors for upper tract transitional cell carcinoma: A retrospective review of 66 patients. <i>Asian J Surg</i> , 31(1): 20-4.
18441	Pohlabeln H, Jockel KH, Bolm-Audorff U (1999). Non-occupational risk factors for cancer of the lower urinary tract in Germany. <i>Eur J Epidemiol</i> , 15(5): 411-9.
7422	Pollack HM, Banner MP, Popky GL (1982). Radiologic evaluation of the ureteral stump. <i>Radiology</i> , 144(2): 225-30.
42376	Pommer W, Bronder E, Klimpel A, et al (1999). Urothelial cancer at different tumour sites: role of smoking and habitual intake of analgesics and laxatives. <i>Nephrol Dial Transplant</i> , 14: 2892-7.
91088	Pottegard A, Hallas J, Jensen BL, et al (2016). Long-term lithium use and risk of renal and upper urinary tract cancers. <i>J Am Soc Nephrol</i> , 27(1): 249-55.
45968	Preston DL, Ron E, Tokuoka S, et al (2007). Solid cancer incidence in atomic bomb survivors: 1958-1998. <i>Radiation Res</i> , 168: 1-64.
35442	Preston DL, Shimizu Y, Pierce DA, et al (2003). Studies of mortality of atomic bomb survivors. Report 13: solid cancer and noncancer disease mortality: 1950-1997. <i>Radiation Res</i> , 160: 381-407.
72258	Pukkala E MJ, Lynge E, Gunnarsdottir HK et al (2009). Occupation and cancer - follow up of 15 million people in five Nordic countries. <i>Acta Oncol</i> , 48: 656-790.
71064	Pukkala E, Martinsen JI, Weiderpass E, et al (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. <i>Occup Environ Med</i> , Epub ahead of print.
91724	Purdue MP, Silverman DT (2016). [Comment] Clearing the air: summarizing the smoking-related relative risks of bladder and kidney cancer. <i>Eur Urol</i> , 70(3): 467-8. Comment on ID: 90410.

57634	Pusztaszeri M, Hauser J, Iselin C, et al (2007). Urothelial carcinoma "nested variant" of renal pelvis and ureter. <i>Urology</i> , 69(778): e15-7.
58630	Raabe OG (2010). Concerning the health effects of internally deposited radionuclides. <i>Health Phys</i> , 98(3): 515-36.
80733	Radiation Effects Research Foundation (2007). Frequently asked questions. Retrieved 6 February 2017, from http://www.rerf.jp/general/qa_e/qa12.html
50657	Ramanakumar AV, Nadon L, Siemiatycki J (2008). Exposures in painting related occupations and risk of selected cancers: results from a case-control study in Montreal. <i>Am J Ind Med</i> , 51(51): 419-27.
580	Ramchandani P, Pollack HM (1995). Tumours of the urothelium. <i>Semin Roentgenol</i> , 30(2): 149-67.
91100	Redrow GP, Matin SF (2016). [Upper tract urothelial carcinoma: epidemiology, high risk populations and detection][Article in Italian]. <i>Minerva Urol Nefrol</i> , 68(4): 350-8. [Abstract]
80739	Repatriation Medical Authority (2010). Atomic radiation - update. SoP Bulletin 145. Aust Govt Department of Veterans' Affairs.
80738	Repatriation Medical Authority (2006). Atomic radiation - SoP Bulletin 106. Aust Govt Department of Veterans' Affairs.
59541	Reulen RC, Kellen E, Buntinx F, et al (2007). Bladder cancer and occupation: a report from the Belgian case-control study on bladder cancer risk. <i>Am J Ind Med</i> , 50: 449-54.
57655	Richardson DB, Hamra G (2010). Ionizing radiation and kidney cancer among Japanese atomic bomb survivors. <i>Radiat Res</i> , 173: 837-42.
92450	Richie JP, Kantoff PW (2019). Malignancies of the renal pelvis and ureter. Retrieved 25 September 2019, from https://www.uptodate.com/contents/malignancies-of-the-renal-pelvis-and-ureter
581	Rilke F, Pilotti S (1995). Histopathological classification and typing of solid tumours. M Peckham, H Pinedo, U Veronesi (Eds). <i>Oxford Textbook of Oncology</i> , Vol 1, Chapter 3.1: 305-6. Oxford University Press, Oxford.
582	Ritchie AW, Oliver PT (1995). Tumours of the kidney (other than nephroblastoma). M Peckham, H Pinedo, U Veronesi [Eds]. <i>Oxford Textbook of Oncology</i> , 2 Chapter 10.5: 1480-6. Oxford University Press, Oxford.
90880	Rogers R, Gohh R, Noska A (2017). Urothelial cell carcinoma after BK polyomavirus infection in kidney transplant recipients: A cohort study of veterans. <i>Transpl Infect Dis</i> , 19(5): e12752.
583	Ross RK, Paganini-Hill A, Landolph J, et al (1989). Analgesics, cigarette smoking and other risk factors for cancer of the renal pelvis and ureter. <i>Cancer Research</i> , 49: 1045-8.
92848	Roupret M, Babjuk M, Burger, et al (2018). European association of urology guidelines for upper urinary tract urothelial carcinoma. Retrieved 22 May 2019, from https://uroweb.org/wp-content/uploads/Rouprêt-M-et-al.-Eur-Urol-2018-731111.-European-Association-of-Urology-Guidelines-on-Upper-Urinary-Tract-Urothelial-Carcinoma-2017-Update.pdf
91097	Roupret M, Colin P (2013). Urothelial carcinomas of the upper urinary tract are now recognised as a true and distinct entity from bladder cancer and belong fully to the broad spectrum of onco-urologic neoplasms. <i>World J Urol</i> , 31(1): 1-3.
584	Rushton L (1993). A 39-year follow-up of the U.K. oil refinery and distribution centre studies: results for kidney cancer and leukaemia. <i>Environ Health Perspect</i> , 101(Suppl 6): 77-84.
938	Salvatore SP, Myers-Gurevitch PM, Chu S, et al (2016). Polyoma (BK) virus associated urothelial carcinoma originating within a renal allograft five years following resolution of polyoma virus nephropathy. <i>Clinical Nephrology</i> , 85(3): 179-83.

52312	Samanic C, Rusiecki J, Dosemeci M, et al (2006). Cancer incidence among pesticide applicators exposed to dicamba in the agricultural health study. <i>Environ Health Perspect</i> , 114(10): 1521-6.
91084	Samardzic J, Hasukic S (2017). Upper urinary tract urothelial cancer in Croatian and Bosnian endemic nephropathy regions. <i>Med Arch</i> , 71(6): 430-3.
57654	Sanderson KM, Roupert M (2007). Upper urinary tract tumour after radical cystectomy for transitional cell carcinoma of the bladder: an update on the risk factors, surveillance regimens and treatments. <i>BJU Int</i> , 100: 11-6.
7428	Sandhu DP, Cooksey G, O'Reilly K, et al (1991). Squamous cell carcinoma of the renal pelvis associated with urinary diversion and humoral hypercalcaemic malignancy syndrome. <i>J R Coll Surg Edinb</i> , 36(3): 192-4.
7478	Sandhu DP, Cooksey G, O'Reilly K, et al (1992). Squamous cell carcinoma of the renal pelvis associated with urinary diversion and humoral hypercalcaemic malignancy syndrome. <i>J R Coll Surg Edinb</i> , 37: 138.
7477	Sandhu DP, Cooksey G, O'Reilly K, et al (1992). Squamous cell carcinoma of the renal pelvis associated with urinary diversion and humoral hypercalcaemic malignancy syndrome. <i>J R Coll Surg Edinb</i> , 37(37): 207-8.
91802	Santala EE, Kotsar A, Veitonmaki T, et al (2019). Risk of urothelial cancer death among people using antihypertensive drugs-a cohort study from Finland. <i>Scand J Urol</i> , Epub ahead of print.
57717	Santos J, Palacios R, Ruiz J, et al (2002). Unusual malignant tumours in patients with HIV infection. <i>Int J STD AIDS</i> , 13: 674-6.
42777	Satoh S, Tsuchiya N, Habuchi T, et al (2005). Renal cell and transitional cell carcinoma in a Japanese population undergoing maintenance dialysis. <i>J Urol</i> , 174(5): 1749-53.
58886	Sawka AM, Thabane L, Parlea L, et al (2009). Second primary malignancy risk after radioactive iodine treatment for thyroid cancer: a systemic review and meta-analysis. <i>Thyroid</i> , 19(5): 451-7.
59644	Scher HI, Motzer RJ (2011). Bladder cancer. Chapter 90. Retrieved 3 February 2011, from http://accessmedicine.com/content.aspx?aid=2893104
7455	Schlussel RN, Kirschenbaum AM, Levine A, et al (1993). Primary renal carcinoid tumour. <i>Urology</i> , 41(3): 295-7.
58887	Schneider AB, Viana MA, Ron E (2009). [Comment] Weighing shadows: can meta-analysis help define the risk-benefit ratio of RAI treatment for low-risk thyroid cancer patients? <i>Thyroid</i> , 19(5): 435-6. Comment on ID: 58886.
585	Seaman E, Yagoda A, Toole KM (1994). Squamous cell carcinoma of the renal pelvis associated with cystinuria. <i>Anticancer Research</i> , 14: 1361-3.
90392	Seisen T, Granger B, Colin P, et al (2015). A systematic review and meta-analysis of clinicopathologic factors linked to intravesical recurrence after radical nephroureterectomy to treat upper tract urothelial carcinoma. <i>Eur Urol</i> , 67(6): 1122-33.
57623	Shah VB, Amonkar GP, Deshpande JR, et al (2008). Mucinous adenocarcinoma of the renal pelvis with pseudomyxoma peritonei. <i>Ind J Pathol Microbiol</i> , 51(4): 536-7.
59641	Shankar A, Yuan JM, Koh WP, et al (2008). Morbidity and mortality in relation to smoking among women and men of Chinese ethnicity: the Singapore Chinese Health Study. <i>Eur J Cancer</i> , 44(1): 100-9.
586	Shariff S, Subramanian S, Thomas JA (1993). Primary carcinoma of the ureter - A 24-year-study from South India. <i>Ind J Pathol Microbiol</i> , 36(4): 410-9.
587	Shetty SD, Tabacqchali MA (1987). Cyclophosphamide and ureteric carcinoma. <i>Br J Urol</i> , 60(3): 274.

44990	Shilnikova NS, Preston DL, Ron E, et al (2003). Cancer mortality risk among workers at the Mayak nuclear complex. <i>Radiat Res</i> , 159(6): 787-98.
58993	Shinka T, Miyai M, Sawada Y, et al (1995). Factors affecting the occurrence of urothelial tumors in dye workers exposed to aromatic amines. <i>Int J Urol</i> , 2: 243-8.
588	Silpananta P, Illescas FF, Sheldon H (1983). Multiple malignant neoplasms 40 years after angiography with thorotrast. <i>Can Med Assoc J</i> , 128: 289-92.
85860	Silver SR, Pinkerton LE, Fleming DA, et al (2014). Retrospective cohort study of a microelectronics and business machine facility. <i>Am J Ind Med</i> , 57(4): 412-24.
91116	Singla N, Fang D, Su X, et al (2017). A multi-institutional comparison of clinicopathological characteristics and oncologic outcomes of upper tract urothelial carcinoma in China and the United States. <i>J Urol</i> , 197(5): 1208-13.
59751	Slade N, Moll UM, Brdar B, et al (2009). p53 mutations as fingerprints for aristolochic acid - an environmental carcinogen in endemic (Balkan) nephropathy. <i>Mutat Res</i> , 663: 1-6.
16331	Smith AH, Goycolea M, Haque R, et al (1998). Marked increase in bladder and lung cancer mortality in a region of northern Chile due to arsenic in drinking water. <i>Am J Epidemiol</i> , 147(7): 660-9.
589	Smith AH, Hopenhayn-Rich C, Bates MN, et al (1992). Cancer risks from arsenic in drinking water. <i>Environ Health Perspect</i> , 97: 259-67.
60201	Soffritti M, Belpoggi F, Esposti DD, et al (2006). First experimental demonstration of the multipotential carcinogenic effects of aspartame administered in the feed to Sprague-Dawley rats. <i>Environ Health Perspect</i> , 114(3): 379-85.
80734	Sokolnikov M, Preston D, Gilbert E, et al (2015). Radiation effects on mortality from solid cancers other than lung, liver, and bone cancer in the Mayak worker cohort: 1948-2008. <i>PLoS One</i> , 10(2): e0117784.
80735	Sokolnikov M, Preston S, Stram DO (2016). Mortality from solid cancers other than lung, liver, and bone in relation to external dose among plutonium and non-plutonium workers in the Mayak Worker Cohort. <i>Radiat Environ Biophys</i> : Epub ahead of print.
59534	Sokolnikov ME, Gilbert ES, Preston DL, et al (2008). Lung, liver and bone cancer mortality in Mayak workers. <i>Int J Cancer</i> , 123: 905-11.
590	Sorahan T, Lancashire RJ, Sole G (1994). Urothelial cancer and cigarette smoking: findings from a regional case-controlled study. <i>Br J Urol</i> , 74: 753-6.
90625	Soria F, Shariat SF, Lerner SP, et al (2017). Epidemiology, diagnosis, preoperative evaluation and prognostic assessment of upper-tract urothelial carcinoma (UTUC). <i>World J Urol</i> , 35(3): 379-87.
91719	Sosnowski R, Verze P, De Nunzio C, et al (2016). [Comment] Re: Marcus G, Cumberbatch, Matteo Rota, James W.F. Catto, Carlo La Vecchia. The role of tobacco smoke in bladder and kidney carcinogenesis: A comparison of exposures and meta-analysis of incidence and mortality risks. <i>Eur Urol</i> 2016;70: 458-66: Smoking cessation and urology: A new domain for prevention and treatment. <i>Eur Urol</i> , 70(4): e102-3. Comment on ID: 90410.
59642	Stefanovic V (1998). Balkan endemic nephropathy: a need for novel aetiological approaches. <i>Q J Med</i> , 91: 457-63.
58996	Stefanovic V, Radovanovic Z (2008). Balkan endemic nephropathy and associated urothelial cancer. <i>Nat Clin Pract Urol</i> , 5(2): 105-12.
777	Steineck G, Plato N, Norell SE, et al (1990). Urothelial cancer and some industry-related chemicals: an evaluation of the epidemiologic literature. <i>Am J Ind Med</i> , 17(3): 371-91.

42533	Steineck G, Wiholm BE, Gerhardsson De Verdier M (1995). Acetaminophen, some other drugs, some diseases and the risk of transitional cell carcinoma. <i>Acta Oncologica</i> , 34(6): 741-8.
2007	Stensvold I, Jacobsen BK (1994). Coffee and cancer: a prospective study of 43,000 Norwegian men and women. <i>Cancer Causes Control</i> , 5: 401-8.
80753	Stewart FA, Akleyev AV, Hauer-Jensen M, et al on behalf of ICRP (2012). Publication 118: ICRP statement on tissue reactions and early and late effects of radiation in normal tissues and organs - threshold doses for tissue reactions in a radiation protection context. The International Commission on Radiological Protection.
42378	Stewart JH, Buccianti G, Agodoa L, et al (2003). Cancers of the kidney and urinary tract in patients on dialysis for end-stage renal disease: analysis of data from the United States, Europe, and Australia and New Zealand. <i>J Am Soc Nephrol</i> , 14: 197-207.
59643	Stewart SL, Cardinez CJ, Richardson LC, et al (2008). Surveillance for cancers associated with tobacco use - United States, 1999-2004. <i>MMWR</i> , 57(8): 1-33.
52324	Straif K, Baan R, Grosse Y, et al (2007). Carcinogenicity of shift-work, painting, and fire-fighting. <i>Lancet Oncol</i> , 8(12): 1065-6.
42383	Straif K, Baan R, Grosse Y, et al (2005). Carcinogenicity of polycyclic aromatic hydrocarbons. <i>Lancet Oncol</i> , 6(12): 931-2.
91847	Sun LM, Lin CL, Liang JA, et al (2013). Urinary tract infection increases subsequent urinary tract cancer risk: a population-based cohort study. <i>Cancer Sci</i> , 104: 619-23.
42411	Swindle P, Falk M, Rigby R, et al (1998). Transitional cell carcinoma in renal transplant recipients: the influence of compound analgesics. <i>Br J Urol</i> , 81(2): 229-33.
34856	't Mannetje A, McLean D, Cheng S, et al (2005). Mortality in New Zealand workers exposed to phenoxy herbicides and dioxins. <i>Occup Environ Med</i> , 63(1): 34-40.
7531	Tajima Y, Aizawa M (1988). Unusual renal pelvic tumor containing transitional cell carcinoma, adenocarcinoma and sarcomatoid elements (so-called sarcomatoid carcinoma of the renal pelvis): a case report and review of the literature. <i>Acta Pathol Jpn</i> , 38(6): 805-14.
57626	Takahashi T, Kakehi Y, Mitsumori K, et al (2001). Distinct microsatellite alterations in upper urinary tract tumors and subsequent bladder tumors. <i>J Urol</i> , 165: 672-7.
90631	Takaoka E, Miyazaki J, Kimura T, et al (2014). Concurrent urothelial carcinoma in the renal pelvis of an allograft kidney and native recipient bladder: evidence of donor origin. <i>Jpn J Clin Oncol</i> , 44(4): 366-9.
91094	Takayanagi A, Masumori N, Takahashi A, et al (2012). Upper urinary tract recurrence after radical cystectomy for bladder cancer: incidence and risk factors. <i>Int J Urol</i> , 19: 229-33.
42404	Talaska G (2003). Aromatic amines and human urinary bladder cancer: exposure sources and epidemiology. <i>J Environ Sci Health C Environ Carcinog Exotoxicol Rev</i> , C21(1): 29-43.
59638	Tamas EF, Nielsen ME, Schoenberg MP, et al (2007). Lymphoepithelioma-like carcinoma of the urinary tract: a clinicopathological study of 30 pure and mixed cases. <i>Mod Pathol</i> , 20: 828-34.
57632	Tan LB, Chang LL, Cheng KI, et al (2008). Transitional cell carcinomas of the renal pelvis and the ureter: comparative demographic characteristics, pathological grade and stage and 5-year survival in Taiwanese population. <i>BJU Int</i> , 103: 312-6.
90425	Tan P, Xie N, Yang L, et al (2018). Diagnostic ureteroscopy prior to radical nephroureterectomy for upper tract urothelial carcinoma increased the risk of intravesical recurrence. <i>Urol Int</i> , 100(1): 92-9.

57394	Tavani A, Fioretti F, Chow WH, et al (1998). [Comments] Re: risk of urinary tract cancers following kidney or ureter stones. <i>J Natl Cancer Inst</i> , 90(3): 250-1. Comments on ID: 57393.
22399	Tavani A, La Vecchia C (2000). Coffee and cancer: a review of epidemiological studies, 1990-1999. <i>Eur J Cancer Prev</i> , 9: 241-56.
57631	Tavora F, Fajardo DA, Lee TK, et al (2009). Small endoscopic biopsies of the ureter and renal pelvis. Pathologic pitfalls. <i>Am J Surg Pathol</i> , 33(10): 1540-6.
58884	Terada T (2010). Synchronous squamous cell carcinoma of the kidney, squamous cell carcinoma of the ureter, and sarcomatoid carcinoma of the urinary bladder: a case report. <i>Pathol Res Pract</i> , 206: 379-83.
57630	Terai A, Terada N, Ichioka K, et al (2005). Lymphoepithelioma-like carcinoma of the ureter. <i>Urology</i> , 66(1109): e13-5.
80752	The International Commission on Radiological Protection (2007). Publication 103: The 2007 recommendations of the International Commission on Radiological Protection. ICRP.
18507	Thompson DE, Mabuchi K, Ron E, et al (1994). Cancer incidence in atomic bomb survivors. Part 11: solid tumors, 1958-1987. <i>Radiation Res</i> , 137: S17-S67.
5178	Tornqvist S, Norell S, Ahlbom A, et al (1986). Cancer in the electric power industry. <i>Br J Ind Med</i> , 43: 212-3.
58997	Tran W, Serio AM, Raj GV, et al (2008). Longitudinal risk of upper tract recurrence following radical cystectomy for urothelial cancer and the potential implications for long-term surveillance. <i>J Urol</i> , 179: 96-100.
591	Travis LB, Curtis RE, Glimelius G, et al (1995). Bladder and kidney cancer following cyclophosphamide therapy for non-Hodgkin's lymphoma. <i>J Natl Cancer Inst</i> , 87(7): 524-30.
90639	Tsaur I, Karalis A, Juengel E, et al (2011). Transitional cell carcinoma of the native urinary tract after kidney transplantation: Recommendations following a long-term retrospective analysis. <i>Am J Med Sci</i> , 341(6): 478-83.
592	Tuttle TM, Williams GM, Marshall FF (1988). Evidence for cyclophosphamide-induced transitional cell carcinoma in a renal transplant patient. <i>J Urol</i> , 140: 1009-11.
593	Tyagi N, Sharma S, Tyagi SP, et al (1993). A histomorphologic and ultrastructural study of the malignant tumours of the renal pelvis. <i>J Postgrad Med</i> , 39(4): 197-201.
59752	Umbreit EC, Crispen PL, Shimko MS, et al (2010). Multifactorial, site-specific recurrence model after radical cystectomy for urothelial carcinoma. <i>Cancer</i> , 116: 3399-407.
61775	United Nations Committee on the Effects of Atomic Radiation (UNSCEAR) (2006). Effects of ionizing radiation. Report to the General Assembly, Vol 1.
61539	UNSCEAR (2006). Report to the General Assembly, Scientific Annexes A and B. Effects of Ionizing Radiation, Volume 1: 203-4. United Nations Publication.
63163	UNSCEAR (2006). Report Vol. I Effects of ionizing radiation: Epidemiological evaluation of cardiovascular disease and other non-cancer disease following radiation exposure. Annex B. Retrieved 16 January 2012, from http://www.unscear.org/docs/reports/2006/07-82087_Report_Annex_B_Web.pdf
60297	UNSCEAR (2008). Effects of ionizing radiation. UNSCEAR 2006 Report. Scientific Annexes A & B. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1. United Nations Publication.
60200	UNSCEAR (2008). Effects of Ionizing Radiation. UNSCEAR 2006 Report. United Nations Scientific Committee on the Effects of Atomic Radiation, Volume 1: 97-9. United Nations Publication.

80743	US Defence Threat Reduction Agency (2010). Standard method: ID01-Doses to organs from intake of radioactive materials. DTRA/NTPR-Standard Operating Procedures Manual.
91878	US Environment Protection Agency (2012). Toxicological review of tetrachloroethylene (perchloroethylene). Retrieved 19 July 2019, from https://cfpub.epa.gov/ncea/iris/iris_documents/documents/toxreviews/0106tr.pdf
57653	van der Poel HG, Antonini N, van Tinteren H, et al (2005). Upper urinary tract cancer: location is correlated with prognosis. <i>Eur Urol</i> , 48: 438-44.
90433	van Osch FH, Jochems SH van Schooten FJ, et al (2016). Significant role of lifetime cigarette smoking in worsening bladder cancer and upper tract urothelial carcinoma prognosis: A meta-analysis. <i>J Urol</i> , 195(4 Pt 1): 872-9.
90391	van Osch FH, Jochems SH, van Schooten FJ, et al (2016). Quantified relations between exposure to tobacco smoking and bladder cancer risk: a meta-analysis of 89 observational studies. <i>Int J Epidemiol</i> , 45(3): 857-70.
90379	van Osch FH, Jochems SH, Wesselius A, et al (2018). A stratified meta-analysis of the association between exposure to environmental tobacco smoke during childhood and adulthood and urothelial bladder cancer risk. <i>Int J Environ Res Public Health</i> , 15(4): 569.
594	Vanherweghem JL, Tielemans C, Simon J, et al (1995). Chinese herbs nephropathy and renal pelvic carcinoma. <i>Nephrol Dial Transplant</i> , 10: 270-3.
91091	Viard L, Surga N, Collon S, et al (2013). The high rate of de novo graft carcinomas in renal transplant recipients. <i>Am J Nephrol</i> , 37(2): 91-6.
60203	Vikram R, Sandler CM, Ng CS (2009). Imaging and staging of transitional cell carcinoma: part I, lower urinary tract. <i>AJR</i> , 192: 1481-7.
57721	Vikram R, Sandler CM, Ng CS (2009). Imaging and staging of transitional cell carcinoma: part 2, upper urinary tract. <i>AJR</i> , 192: 1488-93.
59544	Vineis P (2010). Bladder cancer risk in painters. <i>Occup Environ Med</i> , 67(8): 505-6.
18529	Vineis P, Pirastu R (1997). Aromatic amines and cancer. <i>Cancer Causes Control</i> , 8(3): 346-55.
57652	Volker HU, Zettl A, Schon G, et al (2008). Molecular genetic findings in two cases of sarcomatoid carcinoma of the ureter: evidence for evolution from a common pluripotent progenitor cell? <i>Virchows Arch</i> , 452: 457-63.
58885	Volkmer BG, Schnoeller T, Kuefer R, et al (2009). Upper urinary tract recurrence after radical cystectomy for bladder cancer - who is at risk? <i>J Urol</i> , 182: 2632-7.
57651	Voznesensky MA, Yamase H, Taylor JA (2009). Malignant peripheral nerve sheath tumor of the renal pelvis. <i>Urol Int</i> , 83: 370-2.
80740	Wadas TJ, Pandya DN, Sai KKS, et al (2014). Molecular targeted a-particle therapy for oncologic applications. <i>AJR Am J Roentgenol</i> , 203(2): 253-60.
91804	Wadhwa P, Mandal AK, Singh SK, et al (2004). Primary transitional cell carcinoma of the prostate presenting as a rectal ulcer. <i>Urol Int</i> , 72(2): 176-7.
42427	Wakai K, Hirose K, Takezaki T, et al (2004). Foods and beverages in relation to urothelial cancer: case-control study in Japan. <i>Int J Urol</i> , 11: 11-9.
595	Wan J, Ohl DA, Weatherbee L (1993). Primary mucinous adenocarcinoma of renal pelvis in solitary pelvic kidney. <i>Urology</i> , 41(3): 292-4.
91794	Wang KL, Liu CJ, Chao TF, et al (2013). Long-term use of angiotensin II receptor blockers and risk of cancer: a population-based cohort analysis. <i>Int J Cardiol</i> , 167(5): 2162-6.
90735	Wang LJ, Nortier JL, Teh BT, et al (2014). Chronic kidney disease and upper tract urothelial carcinomas. <i>Biomed Res Int</i> , 2014: 158918.

58994	Wang LJ, Wong YC, Huang CC (2010). [Comment] Urothelial carcinoma of the native ureter in a kidney transplant recipient. <i>J Urol</i> , 184: 728.
58883	Wang LJ, Wong YC, Ng KF, et al (2010). Tumor characteristics of urothelial carcinoma on multidetector computerized tomography urography. <i>J Urol</i> , 183: 2154-60.
91877	Wang SM, Lai MN, Chen PC, et al (2014). Increased upper and lower tract urothelial carcinoma in patients with end-stage renal disease: a nationwide cohort study in Taiwan during 1997-2008. <i>Biomed Res Int</i> , 2014: 149750.
91835	Wang SM, Lai MN, Wei A, et al (2014). Increased risk of urinary tract cancer in ESRD patients associated with usage of Chinese herbal products suspected of containing aristolochic acid. <i>PLoS One</i> , 9(8): e105218.
91082	Wang X, Wang F, Liang Y, et al (2018). Primary small cell carcinoma after renal transplant: A case report. <i>Medicine</i> , 97(49): e12592.
59539	Weistenhofer W, Blaszkewicz M, Bolt HM, et al (2008). N-acetyltransferase-2 and medical history in bladder cancer cases with a suspected occupational disease (BK 1301) in Germany. <i>J Toxicol Environ Health</i> , 71: 906-10.
59639	Westlake S, Cooper N, Rachet B, et al (2008). Survival from cancers of the kidney and ureter in England and Wales up to 2001. <i>Br J Cancer</i> , 99: S93-5.
60199	WHO (1987). IARC Monographs on Evaluations of Carcinogenicity: an Updating of IARC Monographs, Volumes 1 to 42. IARC Monographs, Supplement 7: 310-2. IARC Press, Lyon.
60187	WHO (1991). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Tobacco, Coffee, Tea, Mate, Methylxanthines and Methylglyoxal. IARC Monographs, Volume 51: 167-74. IARC Press, Lyon.
60188	WHO (1999). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Some Chemicals That Cause Tumours of the Kidney or Urinary Bladder in Rodents and Some Other Substances. IARC Monographs, Volume 73: 401-49. IARC Press, Lyon.
60198	WHO (2000). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Ionizing Radiation, Part I: X-and Gamma (g)-Radiation, and Neutrons. IARC Monographs, Volume 75: 138-233. IARC Press, Lyon.
60189	WHO (2002). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Some Traditional Herbal Medicines, Some Mycotoxins, Naphthalene and Styrene. IARC Monographs, Volume 82: 69-128. IARC Press, Lyon.
60190	WHO (2004). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Some Drinking-water Disinfectants and Contaminants, Including Arsenic. IARC Monographs, Volume 84: 97-156. IARC Press, Lyon.
60193	WHO (2004). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Tobacco Smoke and Involuntary Smoking. IARC Monographs, Volume 83: 1179-87. IARC Press, Lyon.
60191	WHO (2004). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Some Drinking-water Disinfectants and Contaminants, Including Arsenic. IARC Monographs, Volume 84: 223-8. IARC Press, Lyon.
60192	WHO (2004). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Schistosomes, Liver Flukes and helicobacter. IARC Monographs, Volume 61: 88-96. IARC Press, Lyon.
60196	WHO (2010). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Some Non-heterocyclic Polycyclic Aromatic Hydrocarbons and Some Related Exposures. IARC Monographs, Volume 92: 151, 7. IARC Press, Lyon.

60194	WHO (2010). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Chemical Agents and Related Occupations. IARC Monographs, Volume 100F: 1-32. IARC Press, Lyon.
60197	WHO (2010). IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: Some Non-heterocyclic Polycyclic Aromatic Hydrocarbons and Some Related Exposures. IARC Monographs, Volume 92: 754-73. IARC Press, Lyon.
57629	Wihlborg A, Johansen C (2010). Incidences of kidney, pelvis, ureter, and bladder cancer in a nationwide, population-based cancer registry, Denmark, 1944-2003. <i>Urology</i> , 75: 122-7.
57829	Wilhelm TJ, Knoll T, Weisser G, et al (2006). Urothelial carcinoma of the ureter, giant rectal stone and sigmoid carcinoma 55 years after ureterosigmoidostomy. <i>Scand J Urol Nephrol</i> , 40: 172-3.
41295	Wilson E, Horsley K, van der Hoek R (2005). Australian National Service Vietnam Veterans Mortality and Cancer Incidence Study. Department of Veterans Affairs, Canberra.
41296	Wilson EJ, Horsley KW, van der Hoek R (2005). The Third Australian Vietnam Veterans Mortality Study. Department of Veterans Affairs, Canberra.
59640	Wilson RT, Donahue M, Gridley G, et al (2008). Shared occupational risks for transitional cell cancer of the bladder and renal pelvis among men and women in Sweden. <i>Am J Ind Med</i> , 51(2): 83-99.
57512	Wong-You-Cheong JJ, Wagner BJ, David CJ (1998). Transitional cell carcinoma of the urinary tract: radiologic-pathologic correlation. <i>RadioGraphics</i> , 18: 123-42.
92845	Woolcott C, Maskarenic G, Haiman C, et al (2011). Diabetes and urothelial cancer risk: the Multiethnic Cohort study. <i>Cancer Epidemiol</i> , 35(6): 551-4.
28036	Woolcott CG, King WD, Marrett LD (2002). Coffee and tea consumption and cancers of the bladder, colon and rectum. <i>Eur J Cancer Prev</i> , 11(2): 137-45.
40620	World Health Organisation (2004). Some drinking-water disinfectants and contaminants, including arsenic. Summary of data reported and evaluation. IARC Monogr Carcinog risks Humans.
52411	World Health Organisation (2000). Ionizing Radiation, Part 1: X- and Gamma (y)-Radiation, and Neutrons. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 75: 299-304. IARC Press, Lyon.
92846	World Health Organization (2019). Schistosomiasis. Retrieved 12 June 2019, from https://www.who.int/en/news-room/fact-sheets/detail/schistosomiasis
61540	World Health Organization (1987). IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1-42, Supplement 7: 310. IARC Press, Lyon.
61541	World Health Organization (1993). Some naturally occurring substances: food items and constituents, heterocyclic aromatic amines and mycotoxins. IARC Monographs, Vol 56: 489-521. IARC Press, Lyon.
80741	World Nuclear Association (2016). Plutonium. Retrieved 8 February 2017, from http://www.world-nuclear.org/information-library/nuclear-fuel-cycle/fuel-recycling/plutonium.aspx
57650	Wright JL, Hotaling J, Porter MP (2009). Predictors of upper tract urothelial carcinoma after primary bladder cancer: a population based analysis. <i>J Urol</i> , 181: 1035-9.
57671	Wrixon AD (2008). New ICRP recommendations. <i>J Radiol Prot</i> , 28: 161-8.
57649	Wu CY, Hung SY, Su YT, et al (2007). De novo urothelial carcinoma in a pediatric recipient of living donor kidney graft. <i>Pediatr Transplantation</i> , 11: 811-3.

42720	Wu MJ, Lian JD, Yang CR, et al (2004). High cumulative incidence of urinary tract transitional cell carcinoma after kidney transplantation in Taiwan. <i>Am J Kidney Dis</i> , 43: 1091-77.
58882	Xiao GQ, Unger PD (2010). Renal pelvic urothelial carcinoma with divergent morphology. <i>Ann Diagn Pathol</i> , 14: 74-80.
91106	Xiong G, Chen X, Li X, et al (2014). Prevalence and factors associated with baseline chronic kidney disease in China: a 10-year study of 785 upper urinary tract urothelial carcinoma patients. <i>J Formos Med Assoc</i> , 113(8): 521-6.
90635	Yan L, Salama ME, Lanciault C, et al (2016). Polyomavirus large T antigen is prevalent in urothelial carcinoma post-kidney transplant. <i>Human Path</i> , 48: 122-31.
90413	Yang HY, Wang JD, Lo TC, et al (2013). Occupational exposure to herbs containing aristolochic acids increases the risk of urothelial carcinoma in Chinese herbalists. <i>J Urol</i> , 189(1): 48-52.
91111	Yang HY, Wang JD, Lo TC, et al (2011). Increased risks of upper tract urothelial carcinoma in male and female Chinese herbalists. <i>J Formos Med Assoc</i> , 110(3): 161-8.
57628	Yang MH, Chen KK, Yen CC, et al (2002). Unusually high incidence of upper urinary tract urothelial carcinoma in Taiwan. <i>Urology</i> , 59: 681-7.
91841	Yang Y, Zhang F, Skrip L, et al (2015). Lack of an association between angiotensin receptor blocker based therapy and increased risk of cancer: evidence from large observational studies. <i>PLoS One</i> , 10(3): e119775.
57647	Yeh CC, Lin TH, Wu HC, et al (2007). A high association of upper urinary tract transitional cell carcinoma with nonfunctioning kidney caused by stone disease in Taiwan. <i>Urol Int</i> , 79: 19-23.
74579	Yi SW, Hong JS, Ohrr H, et al (2014). Agent Orange exposure and disease prevalence in Korean Vietnam veterans: the Korean veterans health study. <i>Environ Res</i> , 133: 56-65.
90446	Yuan H, Chen X, Liu L, et al (2014). Risk factors for intravesical recurrence after radical nephroureterectomy for upper tract urothelial carcinoma: a meta-analysis. <i>Urol Oncol</i> , 32(7): 989-1002.
58992	Yuan M, Shi BY, Li HZ, et al (2009). De novo urothelial carcinoma in kidney transplantation patients with end-stage aristolochic acid nephropathy in China. <i>Urol Int</i> , 83: 200-5; Erratum 84: 484.
58881	Yuan M, Shi YB, Li ZH, et al (2009). De novo urothelial carcinoma in kidney transplant patients with end-stage aristolochic acid nephropathy in China. <i>Transplant Proc</i> , 41: 1619-23.
91608	Zaitso M, Kawachi I, Takeuchi T, et al (2017). Alcohol consumption and risk of upper-tract urothelial cancer. <i>Cancer Epidemiol</i> , 48: 36-40.
91797	Zaorsky NG, Spratt DE, Blanchard P (2019). [Comment] Re: Marco Moschini, Emanuele Zaffuto, Pierre I. Karakiewicz, et al. External beam radiotherapy increases the risk of bladder cancer when compared with radical prostatectomy in patients affected by prostate cancer: A population-based analysis. <i>Eur Urol</i> 2019; 75:319-28. <i>Eur Urol</i> , 75(4): e96-7; Authors' reply: e98-9. Comment on ID: 91779.
42534	Zeegers MP, Dorant E, Goldbohm RA, et al (2001). Are coffee, tea, and total fluid consumption associated with bladder cancer risk? Results from the Netherlands Cohort Study. <i>Cancer Causes Control</i> , 12: 231-8.
42475	Zeegers MP, Goldbohm RA, van den Brandt PA (2002). A prospective study on active and environmental tobacco smoking and bladder cancer risk (The Netherlands). <i>Cancer Causes Control</i> , 13: 83-90.
42190	Zeegers MP, Kellen E, Buntinx F, et al (2004). The association between smoking, beverage consumption, diet and bladder cancer: a systematic literature review. <i>World J Urol</i> , 21: 392-401.

42961	Zeegers MP, Tan FE, Verhagen AP, et al (1999). Elevated risk of cancer of the urinary tract for alcohol drinkers: a meta-analysis. <i>Cancer Causes Control</i> , 10: 445-51.
42468	Zeegers MP, Tan FE, Goldbohm RA, et al (2001). Are coffee and tea consumption associated with urinary tract cancer risk? A systemic review and meta-analysis. <i>Int J Epidemiol</i> , 30: 353-62.
42421	Zeegers MP, Volovics A, Dorant E, et al (2001). Alcohol consumption and bladder cancer risk: results from the Netherlands cohort study. <i>Am J Epidemiol</i> , 153(1): 38-41.
90494	Zhang A, Shang D, Zhang J, et al (2015). A retrospective review of patients with urothelial cancer in 3,370 recipients after renal transplantation: a single-center experience. <i>World J Urol</i> , 33(5): 713-7.
91109	Zhou L, Cao YL, Li WG, et al (2012). Transitional cell carcinoma associated with aristolochic acid nephropathy: most common cancer in chronic hemodialysis patients in China. <i>Chin Med J (Engl)</i> , 125(24): 4460-5.
59194	Zhou M, Zhu Y, Wang L, et al (2006). Urological malignancy as a complication of renal transplantation: a report of twelve clinical cases. <i>Clin Transplant</i> , 2006: 395-8.
57648	Ziao GQ, Unger PD (2010). Renal pelvic urothelial carcinoma with divergent morphology. <i>Ann Diagn Pathol</i> , 14: 74-80.
57718	Zivcic-Cosic S, Grzetic M, Valencic M, et al (2007). Urothelial cancer in patients with endemic Balkan nephropathy (EN) after renal transplantation. <i>Renal Failure</i> , 29: 861-5.