



BIPOLAR DISORDER

RMA ID Number	Reference List for RMA262-5 as at June 2018
---------------	---

44336	Abouesh A, Stone C, Hobbs WR (2002). Antimicrobial-induced mania (antiomania): a review of spontaneous reports. <i>Journal of Clinical Psychopharmacology</i> , 22(1): 71-81.
80453	Aggarwal R, Baweja R, Saunders EFH, et al (2013). CPAP-induced mania in bipolar disorder: a case report. <i>Bipolar Disord</i> , 15(7): 803-7.
86387	Ahmed S, Venigalla H, Mekala HM, et al (2017). Traumatic brain injury and neuropsychiatric complications. <i>Indian J Psychol Med</i> , 39(2): 114-21.
50132	Ahuja N, Lloyd AJ (2007). [Comment] Antiomania and ciprofloxacin-induced mania. <i>Psychosomatics</i> , 48(4): 363.
5322	Akiskal HS (1994). Dysthymia: clinical and external validity. <i>Acta Psychiatr Scand Suppl</i> , 89(383): 19-23.
83686	Aldinger F, Schulze TG (2017). Environmental factors, life events, and trauma in the course of bipolar disorder. <i>Psychiatry Clin Neurosci</i> , 71(1): 6-17.
5323	Allen JM, Lam RW, Remick RA, Sadovnick AD (1993). Depressive symptoms and family history in seasonal and nonseasonal mood disorders. <i>Am J Psychiatry</i> , 150(3): 443-8.
44435	Alnaes R, Togersen S (1993). Mood disorders: developmental and precipitating events. <i>Can J Psychiatry</i> , 38(3): 217-24.
6064	Ambelas A (1979). Psychologically stressful events in the precipitation of manic episodes. <i>Br J Psychiatry</i> , 135: 15-21.
5324	Ambelas A (1987). Causable mania. <i>Acta Psychiatr Scand</i> , 75: 225-30.
5325	Ambelas A (1987). Life events and mania. <i>Br J Psychiatry</i> , 150: 235-40.
5326	American Psychiatric Association (1994). Diagnostic and Statistical Manual of Mental Disorders (DSM-IV), 4th Edition: 350. American Psychiatric Association, Washington DC.
70783	American Psychiatric Association (2013). Diagnostic and statistical manual of mental disorders. DSM-5, 5th Edition, American Psychiatric Publishing, Inc.
80399	Amerio A, Stubbs B, Odone A, et al (2015). The prevalence and predictors of comorbid bipolar disorder and obsessive-compulsive disorder: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 186: 99-109.
80498	Amet S, Zimner-Rapuch S, Launay-Vacher V, et al (2013). Malaria prophylaxis in patients with renal impairment. <i>Drug Saf</i> , 36: 83-91.
44332	Amsterdam JD, Brunswick DJ (2002). Antidepressant monotherapy for bipolar type II major depression. <i>Bipolar Disorders</i> , 5(6): 388-95.
80446	Anderson G (2012). [Comment] Hemochromatosis and bipolar disorder. <i>Gen Hosp Psychiatry</i> , 34(4): 433-5.
44175	Andrade C (2004). Antidepressant-withdrawal mania: a critical review and synthesis of the literature. <i>J Clin Psychiatry</i> , 65: 987-93.

45916	Angst J, Angst K, Baruffol I, et al (1992). ECT-induced and drug-induced hypomania. <i>Convulsive Therapy</i> , 8(3): 179-85.
80470	Angst J, Gamma A, Rossler W, et al (2011). Childhood adversity and chronicity of mood disorders. <i>Eur Arch Psychiatry Clin Neurosci</i> , 261: 21-7.
80478	Ankers D, Jones SH (2009). Objective assessment of circadian activity and sleep patterns in individuals at behavioral risk of hypomania. <i>J Clin Psychol</i> , 65(10): 1071-86.
45587	Anon (????). Diagnostic criteria for Substance-induced Mood Disorder. Retrieved 5 November 2007, from http://www.psychiatryonline.com/content.aspx?aID=2789&searchStr=mood+disorder%2c+substance-induced#2789
44560	Anon (????). Lithicarb. Prescribing Information. Lithium Carbonate. Retrieved 19 July 2007, from http://www.use.hcn.com.au/portals/shared/subject.`Medicine`/root.html?
45798	Anonymous (1988). [Comment] Hypomania following complex partial seizures. <i>British Journal of Psychiatry</i> , 152: 571-2.
85817	Ansermet N, Chocron O, Herrera F, et al (2015). Severe manic episode associated with tramadol in a patient with recurrent depressive disorder. <i>Journal of Clinical Psychopharmacology</i> , 35(2): 203-4.
80490	Anthony CN, Lau Y-L, Sum J-S, et al (2013). Malaysian child infected with Plasmodium vivax via blood transfusion: a case report. <i>Malaria Journal</i> , 12: 308.
85583	Apfelbaum S, Regalado P, Herman L (2013). Comorbidity between bipolar disorder and cluster B personality disorders as indicator of affective dysregulation and clinical severity. <i>Actas Esp Psiquiatr</i> , 41(5): 269-78.
86457	Arana GW, Pearlman C, Shader RI (1985). Alprazolam-induced mania: Two clinical cases. <i>Am J Psychiatry</i> , 142(3): 368-9.
80504	Arinatiwe E, Gasasira A, Verret W, et al (2012). The association between malnutrition and the incidence of malaria among young HIV-infected and -uninfected Ugandan children: a prospective study. <i>Malaria Journal</i> , 11: 90.
5327	Aronson TA, Shukla S (1987). Life events and relapse in bipolar disorder: the impact of a catastrophic event. <i>Acta Psychiatr Scand</i> , 75(6): 571-6.
80444	Asevedo E, Brietzke E, Chaves AC (2013). First manic episode in a patient with breast cancer. <i>Gen Hosp Psychiatry</i> , 35: 681.e13-14.
80483	Askling HH, Dalm VA (2014). The medically immunocompromised adult traveler and pre-travel counseling: status quo 2014. <i>Travel Medicine and Infectious Disease</i> , 12: 219-28.
44179	Aubry J-M, Simon AE, Bertschy G (2000). Possible induction of mania and hypomania by Olanzapine or Risperidone: a critical review of reported cases. <i>J Clin Psychiatry</i> , 61(9): 649-55.
45281	Bagri S, Reddy G (1998). Delirium with manic symptoms induced by diet pills. <i>J Clin Psychiatry</i> , 59(2): 83.
44611	Baillargeon J, Ducate S, Pulvino J, et al (2003). The association of psychiatric disorders and HIV infection in the correctional setting. <i>Ann Epidemiol</i> , 13(9): 606-12.
85818	Bakhla AK, Goyal N, Nizamie SH (2009). [Comment] Amisulpride-induced mania with interictal psychosis. <i>Progress in Biochemical Pharmacology & Biological Psychiatry</i> , 33(8): 1572-3.
85819	Baldacara L, de Castro Ferrari MC, Monteiro BF, et al (2007). Hypomania induced by atypical antipsychotics among schizophrenic patients: report of three cases. <i>Pharmacopsychiatry</i> , 40(4): 169-70.
80436	Bally N, Zullino D, Aubry J-M (2014). Cannabis use and first manic episode. <i>J Affect Disord</i> , 165: 103-8.
5328	Bamrah JS, Johnson J (1991). Bipolar affective disorder following head injury. <i>Br J Psychiatry</i> , 158: 117-9.
46242	Banerjee A, Jain G, Grover S, et al (2007). [Comment] Mania associated with interferon. <i>J Postgrad Med</i> , 53(2): 150.

50527	Bannink M, Kruit WJH, Van Gool AR, Sleijfer S, et al (2008). Interferon-a in oncology patients: fewer psychiatric side effects than anticipated. <i>Psychosomatics</i> , 49: 56-63.
80496	Bansal D, Gautam P, Dubey ML, et al (2010). Presumptive treatment for malaria is not justified in children receiving cancer chemotherapy. <i>Pediatr Blood Cancer</i> , 55: 1108-10.
45276	Banzato CEM (2004). Classification in psychiatry: the move towards ICD-11 and DSM-V. <i>Curr Opin Psychiatry</i> , 17(6): 497-501.
44456	Barbini B, Bertelli S, Colombo C, et al (1996). Sleep loss, a possible factor in augmenting manic episode. <i>Psychiatry Research</i> , 65: 121-5.
45799	Barczak P, Edmunds E, Betts T (1988). Hypomania following complex partial seizures. A report of three cases. <i>British Journal of Psychiatry</i> , 152: 137-9.
80435	Bauer M, Glenn T, Alda M, et al (2014). Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>J Affect Disord</i> , 167: 104-11.
80403	Bauer M, Glenn T, Alda M, et al (2015). Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 64: 1-8.
44174	Bauer M, Pfennig A (2005). Epidemiology of Bipolar Disorders. <i>Epilepsia</i> , 46(S4): 8-13.
40856	Bauer MS, Altshuler L, Evans DR, et al (2005). Prevalence and distinct correlates of anxiety, substance, and combined comorbidity in a multi-site public sector sample with bipolar disorder. <i>Journal of Affective Disorders</i> , 85: 301-15.
45699	Bauer MS, Kurtz JW, Rubin LB, et al (1994). Mood and behavioral effects of four-week light treatment in winter depressives and controls. <i>J Psychiat Res</i> , 28(2): 135-45.
44437	Bauer MS, Whybrow PC, Winokur A (1990). Rapid cycling bipolar affective disorder. I. Association with grade I hypothyroidism. <i>Arch Gen Psychiatry</i> , 47: 427-32.
44344	Baumbacher G, Hansen MS (1992). Abuse of monoamine oxidase inhibitors. <i>Am J Drug Alcohol Abuse</i> , 18(4): 399-406.
41032	Baune BT, Adrian I, Arolt V, et al (2006). Associations between major depression, bipolar disorders, dysthymia and cardiovascular diseases in the general adult population. <i>Psychother Psychosom</i> , 75: 319-26.
85811	Bavle A, Phatak A (2014). Armodafinil induced mania in schizophrenia. <i>Australian & New Zealand Journal of Psychiatry</i> , 48(4): 381.
44626	Bebbington P, Wilkins S, Jones P, et al (1993). Life events and psychosis. Initial results from the Camberwell Collaborative Psychosis Study. <i>British Journal of Psychiatry</i> , 162: 72-79.
44625	Benazzi F (1991). [Comment] Uraemia and mania. <i>British Journal of Psychiatry</i> , Vol 158 158: 718.
44877	Benazzi F (1992). [Comment] Mania during hemodialysis: causal or casual association? <i>Am J Psychiatry</i> , 149(3): 414.
44291	Benazzi F (2006). Mood patterns and classification in bipolar disorder. <i>Current Opinion in Psychiatry</i> , 19(1): 1-8.
44489	Benjamin J, Zohar J (1992). Sleep deprivation in rapid-cycling bipolar affective disorder: case report. <i>European Neuropsychopharmacology</i> , 2: 463-5.
80481	Bennouna-Greene M, Frank J, Kremer S, et al (2010). [Comment] Manic psychosis and auditory hallucinations following traumatic brain injury in a 13-year-old boy. <i>J Clin Psychiatry</i> , 71(4): 506-7.
85820	Benyamina A, Samalin L (2012). Atypical antipsychotic-induced mania/hypomania: a review of recent case reports and clinical studies. <i>International Journal of Psychiatry in Clinical Practice</i> , 16: 2-7.

80510	Berkley JA, Bejon P, Mwangi T, et al (2009). HIV infection, malnutrition, and invasive bacterial infection among children with severe malaria. <i>Clin Infect Dis</i> , 49(3): 336-43.
44545	Beyer J, Kuchibhatla M, Gersing K, et al (2005). Medical comorbidity in bipolar outpatient clinical population. <i>Neuropsychopharmacology</i> , 30: 401-4.
44404	Beyer JL, Taylor I, Gersing KR, et al (2007). Prevalence of HIV infection in a general psychiatric outpatient population. <i>Psychosomatics</i> , 48(1): 31-7.
50131	Bhalerao S, Talsky A, Hansen K, Kingstone E, et al (2006). [Comment] Ciprofloxacin-induced manic episode. <i>Psychosomatics</i> , 47(6): 539-40.
6061	Bidzinska EJ (1984). Stress factors in affective diseases. <i>Br J Psychiatry</i> , 144: 161-6.
80474	Bilszta JL, Meter D, Buist AE (2010). Bipolar affective disorder in the postnatal period: investigating the role of sleep. <i>Bipolar Disord</i> , 12: 568-78.
86459	Binder RL (1987). Three case reports of behavioral disinhibition with clonazepam. <i>General Hospital Psychiatry</i> , 9: 151-3.
44490	Blanch J, Corbella B, Garcia F, et al (2001). [Comments] Manic syndrome associated with efavirenz overdose. <i>Clin Infect Dis</i> , 33: 270-1.
6821	Blazer DG, Kessler RC, McGonagle KA, Swartz MS (1994). The prevalence and distribution of major depression in a national community sample: The National Comorbidity Survey. <i>American Journal of Psychiatry</i> , 151: 979-86.
80442	Bogaczewicz J, Sobow T, Bogaczewicz A, et al (2014). Exacerbations of bipolar disorder triggered by chloroquine in systemic lupus erythematosus - a case report. <i>Lupus</i> , 23: 188-93.
83709	Bortolato M, Walss-Bass C, Thompson PM, et al (2017). Manic symptom severity correlates with COMT activity in the striatum: A post-mortem study. <i>World J Biol Psychiatry</i> , 18(3): 247-54.
85571	Boschloo L, Spijker AT, Hoencamp E, et al (2014). Predictors of the onset of manic symptoms and a (hypo)manic episode in patients with major depressive disorder. <i>PLoS One</i> , 9(9): e106871.
84577	Bostock EC, Kirkby KC, Garry MI, et al (2015). Comparison of precipitating factors for mania and partial seizures: Indicative of shared pathophysiology? <i>Journal of Affective Disorder</i> , 183: 57-67.
5329	Bouhuys AL, Meesters Y, Jansen JHC, Bloem GM (1994). Relationship between cognitive sensitivity to (symbolic) light in remitted seasonal affective disorder patients and the onset time of a subsequent depressive episode. <i>J Affect Disord</i> , 31(1): 39-48.
45219	Bowers MB Jr (1998). Family history and early psychotogenic response to marijuana. <i>J Clin Psychiatry</i> , 59(4): 198-9.
50522	Boylan LS, Ettlinger AB (2007). [Comment] Psychotropic effects of antiepileptic drugs. <i>Neurology</i> , 69: 1640.
44440	Bracken P (1987). Mania following head injury. <i>British Journal of Psychiatry</i> , 150: 690-2.
45252	Brady KT, Lydiard RB (1992). Bipolar affective disorder and substance abuse. <i>Journal of Clinical Psychopharmacology</i> , 12(1S): 17S-22S.
5330	Brady KT, Sonne SC (1995). The relationship between substance abuse and bipolar disorder. <i>J Clin Psychiatry</i> , 56(Suppl 3): 19-24.
50107	Brandt C, Fueratsch N, Boehme V, Kramme C, et al (2007). Development of psychosis in patients with epilepsy treated with lamotrigine: report of six cases and review of the literature. <i>Epilepsy Behav</i> , 11: 133-9.
50529	Brasic JR (2007). Monitoring people treated with isotretinoin for depression. <i>Psychological Reports</i> , 100: 1312-4.
5331	Brawman-Mintzer O, Lydiard B, Emmanuel N, Payeur R, et al (1993). Psychiatric comorbidity in patients with generalized anxiety. <i>Disorder. Am J Psychiatry</i> , 150: 1216-8.
50518	Bremner JD, McCaffery P (2008). The neurobiology of retinoic acid in affective disorders. <i>Progress in Neuro-Psychopharmacology & Biological Psychiatry</i> , 32: 315-31.

5332	Breslau N, Kilbey M, Andreski P (1993). Vulnerability to psychopathology in nicotine-dependent smokers: an epidemiological study of young adults. <i>Am J Psychiatry</i> , 150: 941-6.
50828	Brieger P, Marneros A, Wolf H-H, Schmoll H-J (2000). [Comment] Manic episode in an ifosfamide-treated patient. <i>Gen Hosp Psychiatry</i> , 22(1): 52-3.
85588	Brietzke E, Moreira CL, Duarte SV, et al (2012). Impact of comorbid migraine on the clinical course of bipolar disorder. <i>Compr Psychiatry</i> , 53(6): 809-12.
44343	Briggs NC, Jefferson JW (1994). [Comment] Abuse of monoamine oxidase inhibitors. <i>Am J Drug Alcohol Abuse</i> , 20(1): 125.
51088	Brockington IF (2000). [Comment] Post-abortion mania. <i>Br J Psychiatry</i> , 176: 92.
44535	Brower KJ (2002). Anabolic steroid abuse and dependence. <i>Current Psychiatry Reports</i> , 4: 377-87.
5333	Brown AS, Susser ES, Lin SP, Neugebauer R, Gorman JM (1995). Increased risk of affective disorders in males after second trimester prenatal exposure to the Dutch hunger winter of 1944-45. <i>Br J Psychiatry</i> , 166(5): 601-6.
44536	Brown ES (2005). Bipolar disorder and substance abuse. <i>Psychiatr Clin N Am</i> , 28: 415-25.
44461	Brown ES, Khan DA, Nejtek VA (1999). The psychiatric side effects of corticosteroids. <i>Ann Allergy Asthma Immunol</i> , 83: 495-504.
45692	Brown ES, Suppes T, Adinoff B, et al (2001). Drug abuse and bipolar disorder: comorbidity or misdiagnosis? <i>Journal of Affective Disorders</i> , 65: 105-15.
45876	Brown ES, Vera E, Frol AB, et al (2007). Effects of chronic prednisone therapy on mood and memory. <i>Journal of Affective Disorders</i> , 99: 279-83.
50129	Brown GR, McBride L, Bauer MS, Williford WO, Cooperative Studies Program 430 Study Team (2005). Impact of childhood abuse on the course of bipolar disorder: A replication study in U.S. veterans. <i>J Affect Disord</i> , 89: 57-67.
83675	Brunoni AR, Moffa AH, Sampaio-Junior B, et al (2017). Treatment-emergent mania/hypomania during antidepressant treatment with transcranial direct current stimulation (tDCS): A systematic review and meta-analysis. <i>Brain Stimul</i> , 10(2): 260-2.
80452	Bucker J, Muralidharan K, Torres IJ, et al (2014). Childhood maltreatment and corpus callosum volume in recently diagnosed patients with bipolar I disorder: Data from the Systematic Treatment Optimization Program for Early Mania (STOP-EM). <i>J Psychiatr Res</i> , 48: 65-72.
44406	Buckley PF (1993). [Comment] Functional psychoses is the concept disintegrating? <i>Psychosomatics</i> , 34(5): 462.
44725	Bunevicius R, Velickiene D, Prange AJ Jr (2005). Mood and anxiety disorders in women with treated hyperthyroidism and ophthalmopathy caused by Graves' disease. <i>Gen Hosp Psychiatry</i> , 27(2): 133-9.
44407	Burstein A (1993). Bipolar and pure mania disorders precipitated by head trauma. [Letter]. <i>Psychosomatics</i> , 34(2): 194-195.
45251	Camacho A, Akiskal HS (2005). Proposal for a bipolar-stimulant spectrum: temperament, diagnostic validation and therapeutic outcomes with mood stabilizers. <i>Journal of Affective Disorders</i> , 85: 217-30.
86388	Camden JR, Spiegel DR (2007). Manic behavior resulting from left frontal closed head injury in an adult with fetal alcohol syndrome. <i>Psychosomatics</i> , 48: 433-5.
50128	Carlson GA, Finch SJ, Fochtman LJ, Ye Q, et al (2007). Antidepressant-associated switches from depression to mania in severe bipolar disorder. <i>Bipolar Disord</i> , 9: 851-9.

84771	Carmassi C, Shear MK, Socci C, et al (2013). Complicated grief and manic comorbidity in the aftermath of the loss of a son. <i>Journal of Psychiatric Practice</i> , 19(5): 419-28.
5334	Carney MWP (1971). Five cases of bromism. <i>Lancet</i> , 3(7723): 523-4.
45588	Carney S, Geddes J (2003). Electroconvulsive therapy. <i>BMJ</i> , 326(7403): 1343-4.
5335	Carpenter D, Clarkin JF, Glick ID, et al (1995). Personality pathology among married adults with bipolar disorder. <i>J Affect Disord</i> , 34: 269-74.
45522	Caran MA, Kohler CG, O'Connor MJ, et al (2003). Mania following temporal lobectomy. <i>Neurology</i> , 61: 770-4.
85623	Carvalho AF, Dimellis D, Gonda X, et al (2014). Rapid cycling in bipolar disorder: a systematic review. <i>J Clin Psychiatry</i> , 75(6): e578-86.
83833	Casella G, Pozzi R, Cigognetti M, et al (2017). Mood disorders and non-celiac gluten sensitivity. <i>Minerva Gastroenterol Dietol</i> , 63(1): 32-7.
5336	Cassano GB, Akiskal HS, Savino M, Soriano A, et al (1993). Single episode of major depressive disorder. First episode of recurrent mood disorder or distinct subtype of late-onset depression? <i>Eur Arch Psychiatry Clin Neurosci</i> , 6: 373-80.
44724	Cassidy F, Ahearn EP, Carroll BJ (2002). Thyroid function in mixed and pure manic episodes. <i>Bipolar Disorders</i> , 4(6): 393-7.
44609	CDC (1992). 1993 revised classification system for HIV infection and expanded surveillance case definition for AIDS among adolescents and adults. Retrieved 23 July 2007, from http://www.cdc.gov/mmwr/preview/mmwrhtml/00018871.htm
76235	Cerimele J, Katon W (2013). Associations between health risk behaviours and symptoms of schizophrenia and bipolar disorder: a systematic review. <i>Gen Hosp Psychiatry</i> , 35(1): 16-22.
83877	Cerimele JM, Bauer AM, Fortney JC, et al (2017). Patients with co-occurring bipolar disorder and posttraumatic stress disorder: a rapid review of the literature. <i>J Clin Psychiatry</i> , 78(5): e506-514.
46237	Cerullo MA, Strakowski SM (2007). The prevalence and significance of substance use disorders in bipolar type I and II disorder. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2(1): 29.
45521	Chakrabarti S, Aga VM, Singh R (1999). Postictal mania following primary generalized seizures. <i>Neurology India</i> , 47(4): 332-3.
45793	Chan PKY, Lam RW, Perry KF (1994). [Comment] Mania precipitated by light therapy for patients with SAD. <i>J Clin Psychiatry</i> , 55(10): 454.
83677	Chang YW, Assari S, Prossin AR, et al (2017). Bipolar disorder moderates associations between linoleic acid and markers of inflammation. <i>J Psychiatr Res</i> , 85: 29-36.
80500	Charchuk R, Houston S, Hawkes MT (2015). Elevated prevalence of malnutrition and malaria among school-aged children and adolescents in war-ravaged South Sudan. <i>Pathogens and Global Health</i> , 109(8): 395-400.
45146	Chaudry HR, Moss HB, Bashir A, et al (1991). Cannabis psychosis following bhang ingestion. <i>British Journal of Addiction</i> , 86(9): 1075-81.
44150	Chemerinski E, Levine SR (2006). Neuropsychiatric disorders following vascular brain injury. <i>The Mount Sinai Journal of Medicine</i> , 73(7): 1006-14.
5337	Chen YW, Dilsaver SC (1995). Comorbidity of panic disorder in bipolar illness: evidence from the Epidemiological Catchment Area Survey. <i>Am J Psychiatry</i> , 152(2): 280-2.
85592	Chien J (2011). Ethosuximide-induced mania in a 10-year-old boy. <i>Epilepsy & Behaviour</i> , 21(4): 483-5.
44268	Cho HJ, Meira-Lima I, Codeiro Q, et al (2005). Population-based and family-based studies on the serotonin transporter gene polymorphisms and bipolar disorder: a systematic review and meta. <i>Molecular Psychiatry</i> , 10(8): 771-81.

80463	Chopra A, Tye SJ, Lee KH, et al (2012). Underlying neurobiology and clinical correlates of mania status-post subthalamic nucleus deep brain stimulation in Parkinson's disease: a review of the literature. <i>J Neuropsychiatry and Clin Neurosci</i> , 24(1): 102-10.
80418	Chou P-H, Ouyang W-C, Lan T-H, et al (2016). Secondary mania due to AIDS and cryptococcal meningitis in a 78-year-old patient. <i>Psychogeriatrics</i> , 16: 135-8.
85821	Chuang WC, Chen CY, Kuo SC, et al (2014). Amisulpride-associated mania in a young adult with schizophrenia and cerebral disease. <i>American Journal of Health-System Pharmacy</i> , 71: 2038-41.
85750	Chung K-H, Li C-Y, Kuo S-Y, et al (2015). Risk of psychiatric disorders in patients with chronic insomnia and sedative-hypnotic prescription: A nationwide population-based follow-up study. <i>Journal of Clinical Sleep Medicine</i> , 11(5): 543-51.
5338	Chung RK, Langeluddecke P, Tennant C (1986). Threatening life events in the onset of schizophrenia schizopreniform psychosis and hypomania. <i>Br J Psychiatry</i> , 148: 680-5.
44442	Clark AF, Davison K (1987). Mania following Head Injury. A report of two cases and a review of the literature. <i>British Journal of Psychiatry</i> , 150: 841-4.
80458	Clarke MC, Tanskanen A, Huttunen MO, et al (2013). Sudden death of father or sibling in early childhood increases risk for psychotic disorder. <i>Schizophr Res</i> , 143: 363-6.
80402	Clemente AS, Diniz BS, Nicolato R, et al (2015). Bipolar disorder prevalence: a systematic review and meta-analysis of the literature. <i>Revista Brasileira de Psiquiatria</i> , 37: 155-61.
44180	Cole JO, Kando JC (1993). Adverse behavioral events reported in patients taking alprazolam and other benzodiazepines. <i>J Clin Psychiatry</i> , 54(S10): 49-61.
44458	Colombo C, Benedetti F, Barbini B, et al (1999). Rate of switch from depression into mania after therapeutic sleep deprivation in bipolar depression. <i>Psychiatry Research</i> , 86: 267-70.
44876	Colombo C, Lucca A, Benedetti F, et al (2000). Total sleep deprivation combined with lithium and light therapy in the treatment of bipolar depression: replication of main effects and interaction. <i>Psychiatry Research</i> , 95: 43-53.
57092	Committee on Gulf War and Health (2010). Update of health effects of serving in the Gulf War. <i>Gulf War and Health</i> , Vol 8. National Academy Press - Washington, DC.
5339	Coryell W, Endicott J, Maser JD, Mueller T, et al (1995). The likelihood of recurrence in bipolar affective disorder: the importance of episode recovery. <i>J Affect Disord</i> , 33(3): 201-6.
85580	Costa Lda S, Alencar AP, Nascimento Neto PJ, et al (2015). Risk factors for suicide in bipolar disorder: A systematic review. <i>J Affect Disord</i> , 170: 237-54.
5340	Cowdry RW, Wehr TA, Zis AP, Goodwin FK (1983). Thyroid abnormalities associated with rapid-cycling bipolar illness. <i>Arch Gen Psychiatry</i> , 40: 414-20.
80507	Crookston BT, Alder SC, Boakye I, et al (2010). Exploring the relationship between chronic undernutrition and asymptomatic malaria in Ghanaian children. <i>Malaria Journal</i> , 9: 39.
85812	Crosby MI, Bradshaw DA, McLay RN (2011). Severe mania complicating treatment of narcolepsy with cataplexy. <i>Journal of Clinical Sleep Medicine</i> , 7(2): 214-6.
44477	Cruess DG, Evans DL, Repetto MJ, et al (2003). Prevalence, diagnosis, and pharmacological treatment of mood disorders in HIV disease. <i>Biol Psychiatry</i> , 54(3): 307-16.

5341	Cui X, Vaillant GE (1996). Antecedents and consequences of negative life events in adulthood: a longitudinal study. <i>Am J Psychiatry</i> , 153(1): 21-6.
86461	Curran HV (1991). Benzodiazepines, memory and mood: a review. <i>Psychopharmacology</i> , 105: 1-8.
80509	Custodio E, Descalzo MA, Villamor E, et al (2009). Nutritional and socio-economic factors associated with Plasmodium falciparum infection in children from Equatorial Guinea: results from a nationally representative survey. <i>Malaria Journal</i> , 8: 225.
85570	Daglas R, Conus P, Cotton SM, et al (2014). The impact of past direct-personal traumatic events on 12-month outcome in first episode psychotic mania: Trauma and early psychotic mania. <i>Aust N Z J Psychiatry</i> , 48(11): 1017-24.
44189	Daly I (1997). Mania. <i>Lancet</i> , 349: 1157-60.
80511	Danquah I, Dietz E, Zanger P, et al (2009). Reduced efficacy of intermittent preventive treatment of malaria in malnourished children. <i>Antimicrob Agents Chemother</i> , 53(5): 1753-9.
5342	Das A, Khanna Rakesh (1993). Organic manic syndrome: causative factors phenomenology and immediate outcome. <i>J Affect Disord</i> , 27: 147-53.
83684	Data-Franco J, Singh A, Popovic D, et al (2017). Beyond the therapeutic shackles of the monoamines: New mechanisms in bipolar disorder biology. <i>Prog Neuropsychopharmacol Biol Psychiatry</i> , 72: 73-86.
85581	Davison KM, Kaplan BJ (2014). Lipophilic statin use and suicidal ideation in a sample of adults with mood disorders. <i>Crisis</i> , 35(4): 278-82.
83678	de Kluiver H, Buizer-Voskamp JE, Dolan CV, et al (2017). Paternal age and psychiatric disorders: A review. <i>Am J Med Genet B Neuropsychiatr Genet</i> , 174(3): 202-13.
83679	Del Grande C, Contini C, Schiavi E, et al (2017). Bipolar disorder with psychotic features and ocular toxoplasmosis: A possible pathogenetic role of the parasite. <i>J Nerv Ment Dis</i> , 205(3): 192-5.
80493	Delacour H, Rapp C, Merens A (2011). What is your guess? A 42-year-old woman with fever after a trip to Africa. <i>Clinical Chemistry</i> , 57(9): 1341-2.
44401	DelBello MP, Soutullo CA, Zimmerman ME, et al (1999). Traumatic brain injury in individuals convicted of sexual offences with and without bipolar disorder. <i>Psychiatry Research</i> , 89: 281-6.
80430	Delle Chiaie R, Minichino A, Salviati M, et al (2015). Bipolar spectrum disorders in patients with cerebellar lesions: a comparison with Parkinson's disease. <i>J Nerv Ment Dis</i> , 203: 725-9.
50078	Desarkar P, Sinha VK (2006). [Comment] Lamotrigine-induced severe manic switch. <i>Aust N Z J Psychiatry</i> , 40(8): 718.
5343	Devanand DP, Sackeim HA, Decina P, Prudic J (1988). The development of mania and organic euphoria during ECT. <i>J Clin Psychiatry</i> , 49(2): 69-71.
80409	Di Florio A, Craddock N, van den Bree M (2014). Alcohol misuse in bipolar disorder. A systematic review and meta-analysis of comorbidity rates. <i>European Psychiatry</i> , 29: 117-24.
50777	Dickerson DL, Schaepper MA, Peterson MD, Ashworth MD (2008). Coricidin HBP abuse: patient characteristics and psychiatric manifestations as recorded in an inpatient psychiatric unit. <i>Journal of Addictive Diseases</i> , 27(1): 25-32.
44331	Douglass AB (2003). Narcolepsy: differential diagnosis or etiology in some cases of bipolar disorder and schizophrenia. <i>CNS Spectrums</i> , 8(2): 120-6.
50523	Draper HM (2008). Depressive disorder associated with mychophenolate mofetil. <i>Pharmacotherapy</i> , 28(1): 136-9.
45558	Dratcu L, Grandison A, McKay G, et al (2007). Clozapine-resistant psychosis, smoking, and caffeine: managing the neglected effects of substances that our patients consume every day. <i>American Journal of Therapeutics</i> , 14: 314-8.

80459	Duffy A (2012). The nature of the association between childhood ADHD and development of bipolar disorder: a review of prospective high-risk studies. <i>Am J Psychiatry</i> , 169: 1247-55.
46239	Duggal HS, Sinha BNP, Nizamie SH (2000). [Comment] Gasoline inhalation dependence and bipolar disorder. <i>Aust N Z J Psychiatry</i> , 34(3): 531-2.
44397	Dunne JW, Leedman PJ, Edis RH (1986). Inobvious stroke: a cause of delirium and dementia. <i>Aust N Z J Med</i> , 16: 771-8.
6748	Eaton WE, Kessler RC, Wittchen HU, Magee WJ (1994). Panic and panic disorder in the United States. <i>Am J Psychiatry</i> , 151: 413-20.
5344	Eberly RE, Engdahl BE (1991). Prevalence of somatic and psychiatric disorders among former prisoners of war. <i>Hosp Community Psychiatry</i> , 42(8): 807-13.
84578	El Kissi Y, Krir MW, Nasr B, et al (2013). Life events in bipolar patients: a comparative study with siblings and healthy controls. <i>Journal of Affective Disorder</i> , 151(1): 378-83.
45250	Ellen SR, Judd FK, Mijch AM, et al (1999). Secondary mania in patients with HIV infection. <i>Australian and New Zealand Journal of Psychiatry</i> , 33(3): 353-60.
44389	Ellicott A, Hammen C, Gitlin M, et al (1990). Life events and the course of bipolar disorder. <i>Am J Psychiatry</i> , 147(9): 1194-8.
44624	El-Mallakh RS, Shrader SA, Widger E (1987). Mania as a manifestation of end-stage renal disease. <i>The Journal of Nervous & Mental Disease</i> , 175(4): 243-5.
80485	Elsharif ME, Malik EM, Imam ME, et al (2012). Malaria incidence among kidney-transplanted recipients in an endemic Malaria area, Sudan. <i>Saudi J Kidney Dis Transplant</i> , 23(5): 1099-103.
85822	Erberk-Ozen N (2008). Manic symptoms probably associated with short-term low-dose quetiapine use. <i>Advances in Therapy</i> , 25(1): 53-8.
80420	Erdogan S, Yilmaz R, Sorgun MH, et al (2015). Mania as a presenting clinical feature of subacute sclerosing panencephalitis. <i>Acta Neurol Belg</i> , 115: 803-5.
80454	Ersoz Alan B, Unal D (2013). Mania after termination of epilepsy treatment: a case report. <i>Afr J Psychiatry</i> , 16: 327.
83681	Etain B, Lajnef M, Bellivier F, et al (2017). Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. <i>J Psychiatr Res</i> , 84: 73-9.
83692	Etain B, Lajnef M, Loftus J, et al (2017). Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. <i>Aust N Z J Med</i> , 51(4): 382-92.
80475	Etain B, Mathieu F, Henry C, et al (2010). Preferential association between childhood emotional abuse and bipolar disorder. <i>J Trauma Stress</i> , 23(3): 376-83.
50521	Ettinger AB (2006). Psychotropic effects of antiepileptic drugs. <i>Neurology</i> , 67: 1916-25.
5345	Evans DL, Byerly MJ, Greer RA (1995). Secondary mania: diagnosis and treatment. <i>J Clin Psychiatry</i> , 56(Suppl 3): 31-7.
5346	Everman DB, Stoudemire A (1994). Bipolar disorder associated with Klinefelter's syndrome and other chromosomal abnormalities. <i>Psychosomatics</i> , 35(1): 35-40.
5347	Ewald H, Mors O, Flint T, Koed K, et al (1995). A possible locus for manic-depressive illness on chromosome 16p13. <i>Psychiatr Genet</i> , 5: 71-81.
80404	Faedda GL, Marangoni C, Serra G, et al (2015). Precursors of bipolar disorders: a systematic literature review of prospective studies. <i>Journal of Clinical Psychiatry</i> , 76(5): 614-24.
80407	Faedda GL, Serra G, Marangoni C, et al (2014). Clinical risk factors for bipolar disorders: a systematic review of prospective studies. <i>J Affect Disord</i> , 168: 314-21.

79324	Farren CK, Hill KP, Weiss RD (2012). Bipolar disorder and alcohol use disorder: a review. <i>Curr Psychiatry Rep</i> , 14(6): 659-66.
5348	Feinman JA, Dunner DL (1996). The effect of alcohol and substance abuse on the course of bipolar affective disorder. <i>J Affect Disord</i> , 37: 43-49.
50974	Fergusson DM, Boden JM, Horwood LJ (2008). Exposure to childhood sexual and physical abuse and adjustment in early adulthood. <i>Child Abuse & Neglect</i> , 32: 607-19.
50972	Fergusson DM, Horwood LJ (2001). The Christchurch Health and Development Study: review of findings on child and adolescent mental health. <i>Aust N Z J Psychiatry</i> , 35: 287-96.
80414	Ferrari AJ, Baxter AJ, Whiteford HA (2011). A systematic review of the global distribution and availability of prevalence data for bipolar disorder. <i>Journal of Affective Disorders</i> , 134: 1-13.
80512	Fillol F, Cournil A, Boulanger D, et al (2009). Influence of wasting and stunting at the onset of the rainy season on subsequent malaria morbidity among rural preschool children in Senegal. <i>Am J Trop Med Hyg</i> , 80(2): 202-8.
5349	Fink M (1994). The mode of action of ECT. <i>Psychopharmacol Bull</i> , 30(3): 309-12.
45585	Fink M, Taylor MA (2007). [Comment] Electroconvulsive therapy. Evidence and Challenges. <i>JAMA</i> , 298(1862): 330-2.
80497	Foca E, Zulli R, Beulli F, et al (2009). P. falciparum malaria recrudescence in a cancer patient. <i>Le Infezioni in Medicina</i> , 17(1): 33-4.
80396	Fornaro M, Orsolini L, Marini S, et al (2016). The prevalence and predictors of bipolar and borderline personality disorders comorbidity: systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 195: 105-18.
83670	Forstner AJ, Hecker J, Hofmann A, et al (2017). Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. <i>PLoS One</i> , 12(2): e0171595.
85813	Fountoulakis KN, Siamouli M, Panagiotidis P, et al (2008). Ultra short manic-like episodes after antidepressant augmentation with modafinil. <i>Progress in Neuro-Psychopharmacology & Biological Psychiatry</i> , 32(3): 891-2.
83830	Fourneret P, Desombre H (2017). The severe chronic irritability concept: A clinical dimension to consider in child and adolescent. <i>L'Encephale</i> , 43: 187-91.
50127	Freeman MP (2007). Bipolar disorder and pregnancy: Risks revealed. <i>Am J Psychiatry</i> , 164(12): 1771-3.
80405	Frias A, Palma C, Farriols N (2015). Comorbidity in pediatric bipolar disorder: prevalence, clinical impact, etiology and treatment. <i>J Affect Disord</i> , 174: 378-89.
44280	Fritze J, Schneider B, Maurer K (1996). Addictive effects, but no synergistic interaction of stressful life-events and genetic loading in affective disorders. <i>J Neural Transm</i> , 103(10): 1221-9.
50109	Frye MA, Grunze H, Suppes T, McElroy SL, et al (2007). A placebo-controlled evaluation of adjunctive modafinil in the treatment of bipolar depression. <i>Am J Psychiatry</i> , 164(8): 1242-9.
44192	Frye MA, Salloum IM (2006). Bipolar disorder and comorbid alcoholism: prevalence rate and treatment considerations. <i>Bipolar Disorders</i> , 8(6): 677-85.
50157	Fuller Torrey E; Leverich GS, et al (2002). [Comments] Early physical and sexual abuse associated with an adverse course of bipolar illness. <i>Biol Psychiatry</i> , 52: 843-5.
50130	Garno JL, Goldberg JF, Ramirez PM, Ritzler BA (2005). Impact of childhood abuse on the clinical course of bipolar disorder. <i>Br J Psychiatry</i> , 186: 121-5.

5350	Gelenberg AL, Kane JM, Keller MB, Lavori P, et al (1989). Comparison of standard and low serum levels of lithium for maintenance treatment of bipolar disorder. <i>NEJM</i> , 321(22): 1489-93.
85815	Geoffrey PA, Auffret M, Deheul S, et al (2014). Baclofen-induced manic symptoms: case report and systematic review. <i>Psychosomatics</i> , 55(4): 326-32.
5351	George MS, Guidotti GA, Rubinow D, Pan B, et al (1994). CSF neuroactive steroids in affective disorders: pregnenolone, progesterone and DBI. <i>Biol Psychiatry</i> , 35: 775-80.
5352	George MS, Ketter TA, Parekh PI, Horwitz B, et al (1995). Brain activity during transient sadness and happiness in healthy women. <i>Am J Psychiatry</i> , 152: 341-51.
84579	Gershon A, Johnson SL, Miller I (2013). Chronic stressors and trauma: prospective influences on the course of bipolar disorder. <i>Psychol Med</i> , 43(12): 2583-92.
80471	Gerson R, Murray E, Price B, et al (2011). Mania following vagus nerve stimulation: a case report and review of the literature. <i>Epilepsy & Behaviour</i> , 20: 138-40.
44334	Ghaemi SN, Hsu DJ, Soldani F, et al (2003). Antidepressants in bipolar disorder: the case for caution. <i>Bipolar Disorders</i> , 5(6): 421-33.
44293	Giberti L, Neri CR (1996). Multiple sclerosis and psychiatric disturbances: clinical aspects and a review of the literature. <i>Italian Journal of Neurological Sciences</i> , 17(3): 189-91.
80479	Gignac A, McGirr A, Lam RW, et al (2015). Recovery and recurrence following a first episode of mania: a systematic review and meta-analysis of prospectively characterized cohorts. <i>J Clin Psychiatry</i> , 76(9): e1161-3.
50626	Gijsman HJ, Geddes JR, Rendell JM, et al (2004). Antidepressants for bipolar depression: a systematic review of randomized, controlled trials. <i>Am J Psychiatry</i> , 161: 1537-47.
45797	Gillig P, Sackellares JC, Greenberg HS (1988). Right hemisphere partial complex seizures: mania, hallucinations, and speech disturbances during ictal events. <i>Epilepsia</i> , 29(1): 26-9.
44330	Gillman K (2005). Drug interactions and fluoxetine: a commentary from a clinician's perspective. <i>Expert Opin. Drug Saf</i> , 4(6): 965-8. Retrieved 9 July 2007, from pp 965-968
50778	Glasner-Edwards S, Mooney LJ, Marinelli-Casey P, et al (2008). Identifying methamphetamine users at risk for major depressive disorder: findings from the methamphetamine treatment project a three-year follow-up. <i>The American Journal of Addictions</i> , 17: 99-102.
5353	Glassman AH (1993). Cigarette smoking: implications for psychiatric illness. <i>Am J Psychiatry</i> , 150: 546-53.
44795	Gnam W, Flint AJ (1993). New onset rapid cycling bipolar disorder in an 87 year old woman. <i>Can J Psychiatry</i> , 38(5): 324-6.
85823	Gnanavel S (2013). Quetiapine-induced manic episode: a paradox for contemplation. <i>BMJ Case Reports</i> , 2013: 1136/bcr.
44328	Goldberg JF, Truman CJ (2003). Antidepressant-induced mania: an overview of current controversies. <i>Bipolar Disorders</i> , 5(6): 407-20.
80465	Goldsmith M, Singh M, Chang K (2011). Antidepressants and psychostimulants in pediatric populations: is there an association with mania? <i>Paediatr Drugs</i> , 13(4): 225-43.
79375	Goldstein BI, Bukstein OG (2010). Comorbid substance use disorders among youth with bipolar disorder: opportunities for early identification and prevention. <i>J Clin Psychiatry</i> , 71(3): 348-58.
50125	Goldstein BI, Levitt AJ (2008). The specific burden of comorbid anxiety disorders and of substance use disorders in bipolar I disorder. <i>Bipolar Disord</i> , 10: 67-78.

85587	Goldstein BI, Liu SM, Schaffer A, et al (2013). Obesity and the three-year longitudinal course of bipolar disorder. <i>Bipolar Disord</i> , 15(3): 284-93.
50514	Gomella LG (2007). Contemporary use of hormonal therapy in prostate cancer: managing complications and addressing quality-of-life issues. <i>BJU Int</i> , 99(Suppl 1): 25-9.
80480	Gonzalez R (2014). The relationship between bipolar disorder and biological rhythms. <i>J Clin Psychiatry</i> , 75(4): e323-31.
80431	Gonzalez-Nieto JA, Costa-Juan E (2015). [Comment] Psychiatric symptoms induced by hydroxychloroquine. <i>Lupus</i> , 24: 339-40.
80472	Goyal N, Bhattacharya A, Goswami K, et al (2010). Rapid cycling associated with menstrual periods in an adolescent: electrophysiological underpinnings for bipolarity. <i>J Neuropsychiatry and Clin Neurosci</i> , 22(4): 451-e.22-4.
45218	Grinspoon L, Bakalar JB (1998). The use of cannabis as a mood stabilizer in bipolar disorder: anecdotal evidence and the need for clinical research. <i>Journal of Psychoactive Drugs</i> , 30(2): 171-7.
5354	Gunderson JG, Elliott GR (1985). The interface between borderline personality disorder and affective disorder. <i>Am J Psychiatry</i> , 142(3): 277-87.
5355	Gutierrez B, Arranz M, Fananas L, Valles V, et al (1995). 5-HT 2A receptor gene and bipolar affective disorder. <i>Lancet</i> , 346: 969.
46240	Hafner H, an der Heiden W, Behrens S, et al (1998). Causes and consequences of the gender differences in age at the onset of schizophrenia. <i>Schizophrenia Bulletin</i> , 24(1): 99-113.
44395	Haggerty JJ Jnr, Evans DL, Golden RN, et al (1990). The presence of antithyroid antibodies in patients with affective and nonaffective psychiatric disorders. <i>Biol Psychiatry</i> , 27: 51-60.
80488	Hai E, Wiwanitkit V (2014). [Comment] Concurrent malaria infection on anticancer therapy. <i>Indian J Cancer</i> , 51(4): 413.
44276	Hajek T, Carrey N, Alda M (2005). Neuroanatomical abnormalities as risk factors for bipolar disorder. <i>Bipolar Disorders</i> , 7(5): 393-403.
44426	Harlow BL, Vitonis AF, Sparen P, et al (2007). Incidence of hospitalization for postpartum psychotic and bipolar episodes in women with and without prior prepregnancy or prenatal psychiatric hospitalizations. <i>Arch Gen Psychiatry</i> , 64: 42-8.
44147	Harrison's Internal Medicine (2007). Bipolar Disorder: Clinical Manifestations. Part 15, Section 5, Chapter 371. Retrieved 19 June 2007, from http://proxy14.use.hcn.com.au/content_aspx?aID=109401&searchStr=bipolar+disorder
80499	Hartopo AB, Wijisaksono DP (2010). A lethal case of plasmodium falciparum infection in a young patient with end-stage renal failure who underwent regular hemodialysis. <i>Inter Med</i> , 49: 1867-70.
50124	Harvey AG (2008). Sleep and circadian rhythms in bipolar disorder: Seeking synchrony, harmony, and regulation. <i>Am J Psychiatry</i> , 165(7): 820-9.
50160	Haugaard JJ (2004). Recognizing and treating uncommon behavioral and emotional disorders in children and adolescents who have been severely maltreated: bipolar disorders. <i>Child Maltreatment</i> , 9(2): 131-8.
86389	Heinrich TW, Junig JT (2004). [Comment] Recurrent mania associated with repeated brain injury. <i>General Hospital Psychiatry</i> , 26: 490-2.
45969	Henquet C, Krabbendam L, de Graaf R, et al (2006). Cannabis use and expression of mania in the general population. <i>Journal of Affective Disorders</i> , 95: 103-10.
80469	Hensch T, Himmerich H, Hergel U (2011). ADHD and bipolar disorder: common causes common cure? <i>J Atten Disord</i> , 15(2): 99-100.
44481	Heron J, Robertson Blackmore E, McGuinness M, et al (2007). No 'latent period' in the onset of bipolar affective puerperal psychosis. <i>Arch Womens Ment Health</i> , 10(2): 79-81.

14516	Hibbard MR, Uysal S, Kepler K et al (1998). Axis 1 psychopathology in individuals with traumatic brain injury. <i>J Head Trauma Rehabil</i> , 13(4): 24-39.
38706	Hillegers MH, Burger H, Wals M, et al (2004). Impact of stressful life events, familial loading and their interaction on the onset of mood disorders: Study in a high-risk cohort of adolescent offspring of parents with bipolar disorder. <i>British Journal of Psychiatry</i> , 185: 97-101.
51217	Hilleret H, Jeunet E, Osiek C, et al (2001). Mania resulting from continuous positive airways pressure in a depressed man with sleep apnea syndrome. <i>Neuropsychobiology</i> , 43: 221-4.
44433	Hlastala SA, Frank E, Kowalski J, et al (2000). Stressful life events, bipolar disorder, and the "kindling model". <i>Journal of Abnormal Psychology</i> , 109(4): 777-86.
45553	Holstege CP, Holstege L (2005). Cocaine-related psychiatric disorders. . Retrieved 31 October 2007, from http://www.emedicine.com/med/topic3116.htm
80449	Horesh N, Apter A, Zalsman G (2011). Timing, quantity and quality of stressful life events in childhood and preceding the first episode of bipolar disorder. <i>J Affect Disord</i> , 134: 434-7.
80473	Hosang GM, Korszun A, Jones L, et al (2010). Adverse life event reporting and worst illness episodes in unipolar and bipolar affective disorders: measuring environmental risk for genetic research. <i>Psycho Med</i> , 40: 1829-37.
85080	Hosang GM, Korszun A, Jones L, et al (2012). Life-event specificity: bipolar disorder compared with unipolar depression. <i>The British Journal of Psychiatry</i> , 201(6): 458-65.
44396	House A, Dennis M, Mogridge L, et al (1991). Mood disorders in the year after first stroke. <i>British Journal of Psychiatry</i> , 158: 83-92.
85824	Hsieh CH, Liou YJ (2010). [Comment] Manic symptoms induced by paliperidone. <i>Journal of Clinical Psychopharmacology</i> , 30: 202-4.
80429	Hsu C-C, Chen S-C, Liu C-J, et al (2014). Rheumatoid arthritis and the risk of bipolar disorder: a nationwide population-based study. <i>PLoS One</i> , 9(9): e107512.
80455	Hu L-Y, Shen C-C, Hu Y-W, et al (2013). Hyperthyroidism and risk for bipolar disorders: a nationwide population-based study. <i>PLoS One</i> , 8(8): e73057.
6608	Hudgens RW, Morrison JR, Barchha RG (1967). Life events and onset of primary affective disorders: a study of 40 hospitalized patients and 40 controls. <i>Arch Gen Psychiatry</i> , 16(2): 134-45.
44393	Hunt N, Bruce-Jones W, Silverstone T (1992). Life events and relapse in bipolar affective disorder. <i>Journal of Affective Disorders</i> , 25: 13-20.
5358	Hunt N, Sayer H, Silverstone T (1992). Season and manic relapse. <i>Acta Psychiatr Scand</i> , 85: 123-6.
5357	Hunt N, Silverstone T (1995). Does puerperal illness distinguish a sub-group of bipolar patients? <i>J Affect Disord</i> , 34: 101-7.
44399	Iga J-I, Taniguchi T, Ohmori T, et al (2005). [Comment] Mood swing from severe depression to mania following acute alteration of thyroid status. <i>General Hospital Psychiatry</i> , 27: 451-6.
71886	Ikin JF, McKenzie DP, Creamer MC et al (2005). War zone stress without direct combat: the Australian naval experience of the Gulf War. <i>Journal of Traumatic Stress</i> , 18(3): 193-204.
32984	Ikin JF, Sim MR, Creamer MC, et al (2004). War-related psychological stressors and risk of psychological disorders in Australian veterans of the 1991 Gulf War. <i>British Journal of Psychiatry</i> , 185: 116-26.
80495	Inoue J, Machado CM, Lima GF, et al (2010). The monitoring of hematopoietic stem cell transplant donors and recipients from endemic areas for malaria. <i>Rev Inst Med Trop Sao Paulo</i> , 52(5): 281-4.

80888	Institute of Medicine (IOM) (2014). Long-term effects of blast exposures. PREPUBLICATION COPY. Gulf War and Health, Vol 9. National Academies Press - Washington, DC.
44391	Irwin R, Ellis PM, Delahunt J (1997). Psychosis following acute alteration of thyroid status. Australian and New Zealand Journal of Psychiatry, 31: 762-4.
6743	Isaac G (1991). Bipolar disorder in prepubertal children in a special educational setting: Is it rare? J Clin Psychiatry, 52(4): 165-8.
85589	Ishitobi M, Shukunami K, Murata T, et al (2011). Hypomanic switching during influenza infection without intracranial infection in an adolescent patient with bipolar disorder. Pediatr Emerg Care, 27(7): 652-3.
80448	Iskandar JW, Griffeth B, Sharma T (2011). Marijuana-induced mania in a healthy adolescent: a case report. Gen Hosp Psych, 33: 640.e3-4.
5359	Isometsa E, Heikkinen M, Henriksson M, Aro H, Lonnqvist J (1995). Recent life events and completed suicide in bipolar affective disorder. A comparison with major depressive suicides. J Affect Disord, 33(2): 99-106.
73105	Jacobson IG, Ryan MA, Hooper TI, et al (2008). Alcohol use and alcohol-related problems before and after military combat deployment. JAMA, 300: 663-75.
83680	Jallow A, Ljunggren G, Wandell P, et al (2017). HIV-infection and psychiatric illnesses - A double edged sword that threatens the vision of a contained epidemic: The Greater Stockholm HIV Cohort Study. J Infect, 74(1): 22-28.
71870	James LM, Van Kampen E, Miller RD et al (2013). Risk and protective factors associated with symptoms of post-traumatic stress, depression and alcohol misuse in OEF/OIF veterans. Military Medicine, 178(2): 159-65.
85579	Janiri D, Sani G, Danese E, et al (2015). Childhood traumatic experiences of patients with bipolar disorder type I and type II. J Affect Disord, 175: 92-7.
85593	Jaworska-Andryszewska P, Rybakowski J (2016). Negative experiences in childhood and the development and course of bipolar disorder. Psychiatr. Pol, 50(5): 989-1000.
50764	Jefferson JW (2005). Lamotrigine in psychiatry: pharmacology and therapeutics. CNS Spectr, 10(3): 224-32.
44482	Johnson SL (2005). Life events in bipolar disorder: towards more specific models. Clin Psychol Rev, 25(8): 1008-27.
83687	Johnson SL, Carver CS, Tharp JA (2017). Suicidality in bipolar disorder: The role of emotion-triggered impulsivity. Suicide & Life-Threatening Behaviour, 47(2): 177-92.
44436	Johnson SL, Miller I (1997). Negative life events and time to recovery from episodes of bipolar disorder. Journal of Abnormal Psychology, 106(3): 449-57.
44543	Johnson SL, Sandrow D, Meyer B, et al (2000). Increases in manic symptoms after life events involving goal attainment. Journal of Abnormal Psychology, 109(4): 721-7.
50123	Jones I, Heron H, Blackmore ER, Craddock N (2008). [Comment] Incidence of hospitalization for postpartum psychotic and bipolar episodes. Arch Gen Psychiatry, 65(3): 356.
44282	Jorge R, Robinson RG (2002). Mood disorders following traumatic brain injury. NeuroRehabilitation, 17(4): 311-24.
44281	Jorge R, Robinson RG (2003). Mood disorders following traumatic brain injury. International Review of Psychiatry, 15(4): 317-27.
44453	Jorge RE, Robinson RG, Starkstein SE, et al (1993). Secondary mania following traumatic brain injury. Am J Psychiatry, 150(6): 916-21.
5360	Joyce PR, Fergusson DM, Woollard G, Abbott RM, et al (1995). Urinary catecholamines and plasma hormones predict mood state in rapid cycling bipolar affective disorder. J Affect Disord, 33: 233-43.
5361	Judd LL, Thatcher Britton K, Braff DL (1994). Mental disorders. Harrison's Principles of Internal Medicine, 13th Edition, Chapter 389: 2400-9. .

83685	Jun-O'Connell AH, Butala A, Morales IB, et al (2017). The prevalence of bipolar disorders and association with quality of life in a cohort of patients with multiple sclerosis. <i>J Neuropsychiatry</i> , 29(1): 45-51.
44451	Kahnna R, Nizamie SH, Das A (1991). [Comment] Electrical trauma, nonictal EEG changes, and mania: a case report. <i>J Clin Psychiatry</i> , 52(6): 280.
44460	Kalayam B, Young RC, Tsuboyama GK (1994). Mood disorders associated with acoustic neuromas. <i>Int'l J. Psychiatry in Medicine</i> , 24(1): 31-43.
45277	Kalix P (1984). [Comment] Amphetamine psychosis due to khat leaves. <i>The Lancet</i> , 1(8367): 46.
50516	Kalogeromitros D, Papageorgiou C, Gregoriou S, et al (2007). [Comment] Depressive symptoms in urticaria patients treated with first- or second-generation histamine 1 receptor antagonists. <i>J Clin Psychopharmacol</i> , 27(4): 404-6.
83673	Kanady JC, Soehner AM, Klein AB, et al (2017). The association between insomnia-related sleep disruptions and cognitive dysfunction during the inter-episode phase of bipolar disorder. <i>J Psychiat Res</i> , 88: 80-8.
45796	Kanemoto K (1995). [Comment] Hypomania after temporal lobectomy: a sequela to the increased excitability of the residual temporal lobe? <i>Journal of Neurology, Neurosurgery, and Psychiatry</i> , 59(4): 448-9.
45794	Kantor DA, et al (1991). [Comment] Manic-like response to phototherapy. <i>Can J Psychiatry</i> , 36(9): 697-8.
50519	Kantrowitz JT, Tampi RR (2008). Risk of psychosis exacerbation by tricyclic antidepressants in unipolar major depressive disorder with psychotic features. <i>Journal of Affective Disorders</i> , 106: 279-84.
85569	Karanovic J, Svikovic S, Pantovic M, et al (2015). Joint effect of ADARB1 gene, HTR2C gene and stressful life events on suicide attempt risk in patients with major psychiatric disorders. <i>World J Biol Psychiatry</i> , 16(4): 261-71.
44285	Kasper S, Wehr TA (1992). The role of sleep and wakefulness in the genesis of depression and mania. <i>L'Encephale</i> , 18: 45-50.
80501	Kateera F, Ingabire CM, Hakizimana E, et al (2015). Malaria, anaemia and under-nutrition: three frequently co-existing conditions among preschool children in Rwanda. <i>Malar J</i> , 14: 440.
50122	Kauer-Sant'Anna M, Tramontina J, Andreazza AC, Cereser K, et al (2007). Traumatic life events in bipolar disorder: impact on BDNF levels and psychopathology. <i>Bipolar Disorders</i> , 9(Suppl 1): 128-35.
50530	Kaymak Y, Kalay M, Ilter N, Taner E (2006). Incidence of depression related to isotretinoin treatment in 100 acne vulgaris patients. <i>Psychological Reports</i> , 99: 897-906.
12622	Keane TM, King LA, King DW, et al (1998). Do war zone stressors predict the development of psychiatric disorders? <i>RMA Conference Papers</i> .
44284	Keating AM, Aoun SL, Dean CE (2005). Ziprasidone-Associated Mania. A Review and Report of 2 Additional Cases. <i>Clin Neuropharmacol</i> , 28(2): 83-6.
5362	Keller MB (1994). Course, outcome and impact on the community. <i>Acta Psychiatr Scand Suppl</i> , 89(383): 24-34.
41609	Keller MB (2006). Prevalence and impact of comorbid anxiety and bipolar disorder. <i>J Clin Psychiatry</i> , 67(Suppl 1): 5-7.
6059	Kendell RE, Chalmers JC, Platz C (1987). Epidemiology of puerperal psychoses. <i>Br J Psychiatry</i> , 150: 662-73.
5363	Kendler KS, Pedersen N, Johnson L, Neale MC, Mathe AA (1993). A pilot Swedish study of affective illness, including hospital- and population-ascertained subsamples. <i>Arch Gen Psychiatry</i> , 50: 699-706.
44290	Kennedy GJ (1997). [Comment] Introduction to: hormone replacement therapy and late-life mania. <i>The American Journal of Geriatric Psychiatry</i> , 5(2): 177-8.

6065	Kennedy S, Thompson R, Stancer HC, Roy A, Persad E (1983). Life events precipitating mania. <i>Br J Psychiatry</i> , 142: 398-403.
50827	Kerdudo C, Orbach D, Sarradet JL, Doz F (2006). Ifosfamide neurotoxicity: an atypical presentation with psychiatric manifestations. <i>Pediatr Blood Cancer</i> , 47: 100-2.
5364	Kershner P, Wang-Chang R (1989). Psychiatric side effects of steroid therapy. <i>Psychosomatics</i> , 30(2): 135-9.
51109	Keshen A, Genuis S, Reardon DC, et al (2003). [Comment] Comment. <i>CMAJ</i> , 169(2): 102-3.
44480	Kessing LV, Agerbo E, Mortensen PB (2004). Major stressful life events and other risk factors for first admission with mania. <i>Bipolar Disorders</i> , 6(2): 122-9.
6746	Kessler RC, Foster CL, Saunders WB, Stang PE (1995). Social consequences of psychiatric disorders, I: Educational attainment. <i>Am J Psychiatry</i> , 152(7): 1026-32.
6750	Kessler RC, Magee WJ (1993). Childhood adversities and adult depression: basic patterns of association in a US national survey. <i>Psychol Med</i> , 23: 679-90.
6747	Kessler RC, McGonagle KA, Nelson CB, Hughes M, et al (1994). Sex and depression in the National Comorbidity Survey. II: Cohort effects. <i>J Affect Disord</i> , 30: 15-26.
6749	Kessler RC, McGonagle KA, Swartz M, Blazer DG, Nelson CB (1993). Sex and depression in the National Comorbidity Survey I: Lifetime prevalence, chronicity and recurrence. <i>J Affect Disord</i> , 29: 85-96.
6745	Kessler RC, Sonnega A, Bromet E, Hughes M, Nelson CB (1995). Posttraumatic stress disorder in the national comorbidity survey. <i>Arch Gen Psychiatry</i> , 52(12): 1048-60.
85753	Ketter TA, Chang KD (2014). Bipolar and related disorders. <i>Textbook of Psychiatry</i> , 6th edition, Chapter 10: 311-52. American Psychiatric Publishing.
85825	Khalil RB, Baddoura C (2012). Quetiapine induced hypomania: a case report and a review of the literature. <i>Current Drug Safety</i> , 7(3): 250-3.
50121	Khan AY, Ludvigson LR, Stewart M, Gorman JM (2007). Menopause manifesting as bipolar symptoms. <i>J Psychiatr Pract</i> , 13(5): 339-42.
44438	Khanna S, Srinath S (1985). Symptomatic mania after minor head injury. <i>Can J Psychiatry</i> , 30(3): 236-7.
44497	Khouzam HR, Bhat VG, Boyer J, et al (1991). [Comment] Rapid cycling in a patient with bipolar mood disorder secondary to Graves' disease. <i>Am J Psychiatry</i> , 148(9): 1272-3.
5367	Kimberly A, Lee AB, Vaillant MD, Torrey WC, Elder GH (1995). A 50-year prospective study of the psychological sequelae of WWII combat. <i>Am J Psychiatry</i> , 152(4): 516-20.
32364	King DW, King LA, Gudanowski DM, et al (1995). Alternative representations of war zone stressors: relationships to posttraumatic stress disorder in male and female Vietnam veterans. <i>Journal of Abnormal Psychology</i> , 104(1): 184-96.
45193	Knight F (1976). Role of cannabis in psychiatric disturbance. <i>Annals of the New York Academy of Sciences</i> , 282: 64-71.
6056	Ko GN, Leckman JF, Heninger GR (1981). Induction of rapid mood cycling during L-Dopa treatment in a bipolar patient. <i>Am J Psychiatry</i> , 138(12): 1624-5.
50525	Kohen I, Kremen N (2007). [Comment] Exacerbation of schizophrenia by varenicline. <i>Am J Psychiatry</i> , 164(8): 1269.
50120	Kohen I, Kremen N (2007). [Comment] Varenicline-induced manic episode in a patient with bipolar disorder. <i>Am J Psychiatry</i> , 164(9): 1269-70.

83693	Kohler O, Sylvia LG, Bowden CL (2017). White blood cell count correlates with mood symptom severity and specific mood symptoms in bipolar disorder. <i>Aust N Z J Med</i> , 51(4): 355-65.
80438	Koksal A, Dirican AC, Altunkaynak Y (2014). First manic episode due to discontinuation of valproic acid in a patient with epilepsy. <i>J Neuropsychiatry and Clin Neurosci</i> , 26(2): e60-1.
50507	Koponen S, Taiminen T, Portin R, et al (2002). Axis I and II psychiatric disorders after traumatic brain injury: a 30-year follow-up study. <i>Am J Psychiatry</i> , 159: 1315-21.
5365	Krauthammer C, Klerman GL (1978). Secondary mania. <i>Arch Gen Psychiatry</i> , 35(11): 1333-9.
75166	Krepula K, Bidzinska-Speichert B, Lenarcik A, et al (2012). Psychiatric disorders related to polycystic ovary syndrome. <i>Endokrynologia Polska</i> , 63(6): 488-91.
50528	Kripke DF (2007). Greater incidence of depression with hypnotic use than with placebo. <i>BMC Psychiatry</i> , 7: 42.
41541	Krishnan KRR (2005). Psychiatric and medical comorbidities of bipolar disorder. <i>Psychosomatic Medicine</i> , 67: 1-8.
5366	Kruger S, Cooke RG, Hasey GM, Jorna T, Persad E (1995). Comorbidity of obsessive compulsive disorder in bipolar disorder. <i>J Affect Disord</i> , 34: 117-20.
45141	Kruszewski SP, Paczynski R (2005). [Comment] Conclusions inconsistent with results with amphetamines and divalproex. <i>Am J Psychiatry</i> , 162(11): 2197.
80398	Kudlow PA, Rosenblat JD, Weissman CR, et al (2015). Prevalence of fibromyalgia and co-morbid bipolar disorder: a systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 188: 134-42.
50781	Kulkarni J (2007). Depression as a side effect of the contraceptive pill. <i>Expert Opin Drug Saf</i> , 6(4): 371-4.
80461	Kuo YL, Tsai HF, Lai MC, et al (2012). Anti-NMDA receptor encephalitis with the initial presentation of psychotic mania. <i>J Clin Neurosci</i> , 19(6): 896-8.
44532	Kupka RW, Nolen WA, Post RM, et al (2002). High rate of autoimmune thyroiditis in Bipolar Disorder: lack of association with lithium exposure. <i>Biol Psychiatry</i> , 51: 305-11.
85582	Kvitland LR, Melle I, Aminoff SR (2016). Cannabis use in first-treatment bipolar I disorder: relations to clinical characteristics. <i>Early Intervention in Psychiatry</i> , 10(1): 36-44.
45795	Labbate LA, Lafer B, Thibault A, et al (1994). Side effects induced by bright light treatment for seasonal affective disorder. <i>J Clin Psychiatry</i> , 55(5): 189-91.
80441	Lagerberg TV, Kvitland LR, Aminoff SR, et al (2014). Indications of a dose-response relationship between cannabis use and age at onset in bipolar disorder. <i>Psychiatry Res</i> , 215: 101-4.
50161	Lahera Forteza G, Gonzalez Aguado F (2007). [Comment] Psychotic mania after introduction of continuous positive airway pressure (CPAP) in the treatment of obstructive sleep apnoea. <i>Actas Esp Psiquiatr</i> , 35(6): 406-7.
50133	Lahti TA, Haukka J, Lonnqvist J, Partonen T (2008). Daylight saving time transitions and hospital treatments due to accidents or manic episodes. <i>BMC Public Health</i> , 8: 74.
45700	Lake CR, Stirba AL, Kinneman RE Jr, et al (1981). Mania associated with LSD ingestion. <i>Am J Psychiatry</i> , 138(11): 1508-9.
45557	Lake CR, Tenglin R, Chernow B, et al (1983). Psychomotor stimulant-induced mania in a genetically predisposed patient: a review of the literature and report of a case. <i>Journal of Clinical Psychopharmacology</i> , 3(2): 97-100.
80413	Lala SV, Sajatovic M (2012). Medical and psychiatric comorbidities among elderly individuals with bipolar disorder: a literature review. <i>J Geriatr Psychiatry Neurol</i> , 25(1): 20-5.

44187	Larson EW, Richelson E (1988). Organic causes of mania. Mayo Clin Proc, 63: 906-12.
45554	Larson M (2006). Amphetamine-related psychiatric disorders. . Retrieved 31 October 2007, from http://www.emedicine.com/med/topic3114.htm
80751	Latalova K, Prasko J, Diveky T, et al (2012). Prodromes, precipitants, and risk factors for relapse in bipolar disorder. Neuro Endocrinol Lett, 33(6): 619-25.
82241	Latalova K, Prasko J, Kamaradova D, et al (2013). Comorbidity bipolar disorder and personality disorders. Neuroendocrinology Letters, 34(1): 1-8.
48402	Laursen T, Munk-Olsen T, Nordentoft M, Bo Mortensen P (2007). A comparison of selected risk factors for unipolar depressive disorder, bipolar affective disorder, schizoaffective disorder, and schizophrenia from a Danish population-based cohort. J Clin Psychiatry, 68(11): 1673-81.
45650	Lee KC, Ray T, Hunkeler EM, et al (2007). Tamoxifen treatment and new-onset depression in breast cancer patients. Psychosomatics, 48(3): 205-10.
85497	Lee YT, Hu LY, Shen CC, et al (2015). Risk of psychiatric disorders following Irritable Bowel Syndrome: A nationwide population-based cohort study. PLoS One, 10: e0133283.
5368	Leibenluft E (1996). Women with bipolar illness: clinical and research issues. Am J Psychiatry, 153(2) pp 163-173.
5369	Leibenluft E, Turner EH, Feldman-Naim S, Schwartz PJ, et al (1995). Light therapy in patients with rapid cycling bipolar disorder: preliminary results. Psychopharmacol Bull, 31(4): 705-10.
80401	Leite RT, de Oliveira Nogueira S, Nascimento JP, et al (2015). The use of cannabis as a predictor of early onset of bipolar disorder and suicide attempts. Neural Plasticity, Article ID 434127.
5370	Lester D (1993). Suicidal behaviour in bipolar and unipolar affective disorders: a meta-analysis. J Affect Disord, 27: 117-21.
45800	Leutmezer F, Podreka I, Asenbaum S, et al (2003). Postictal psychosis in temporal lobe epilepsy. Epilepsia, 44(4): 582-90.
83667	Levenson JC, Soehner A, Rooks B, et al (2017). Longitudinal sleep phenotypes among offspring of bipolar parents and community controls. J Affect Disord, 215: 30-6.
50134	Leverich GS, Altshuler LL, Frye MA, Suppes T, et al (2003). Factors associated with suicide attempts in 648 patients with bipolar disorder in the Stanley Foundation Bipolar Network. J Clin Psychiatry, 64: 506-15.
44434	Leverich GS, McElroy SL, Suppes T, et al (2002). Early physical and sexual abuse associated with an adverse course of bipolar illness. Biol Psychiatry, 51: 288-97.
50515	Levine J, Chengappa KN (2007). [Comment] Exposure to nitrous oxide may be associated with high homocysteine plasma levels and a risk for clinical depression. J Clin Psychopharmacol, 27(2): 238-9.
50119	Levitian RD, Parikh SV, Lesage AD, Hegadoren KM, et al (1998). Major depression in individuals with a history of childhood physical or sexual abuse: Relationship to neurovegetative features, mania, and gender. Am J Psychiatry, 155(12): 1746-52.
44793	Levitte SS (1993). Coexistent hypomania and severe hypothyroidism. Psychosomatics, 34(1): 96-7.
49781	Leweke FM, Koethe D (2008). Cannabis and psychiatric disorders: it is not only addiction. Addict Biol, 13: 264-75.
6720	Lewis DA, Smith RE (1983). Steroid-induced psychiatric syndromes: A report of 14 cases and a review of the literature. J Affective Disorders, 5: 319-32.
80503	Lewnard JA, Berrang-Ford L, Lwasa S, et al (2014). Relative undernourishment and food insecurity associations with plasmodium falciparum among Batwa pygmies in Uganda: evidence from a cross-sectional survey. Am J Trop Med Hyg, 91(1): 39-49.

80451	Li D-J, Li H-J, Lin C-H (2015). [Comment] Electroconvulsive therapy-induced manic episode for patient with bipolar depression: a case report. <i>Journal of ECT</i> , 31(2): e30-1.
50118	Li M-Y, Shen Y-C (2008). [Comment] Manic episode with psychosis following a lower than recommended dosage regimen of disulfiram. <i>Prog Neuropsychopharmacol Biol Psychiatry</i> , 32: 311-2.
80433	Li X-B, Liu J-T, Zhu X-Z, et al (2014). Childhood trauma associates with clinical features of bipolar disorder in a sample of Chinese patients. <i>J Affect Disord</i> , 168: 58-63.
44462	Lim CJ, Leckman JF, Young C, et al (2005). Antidepressant-induced manic conversion: a developmentally informed synthesis of the literature. <i>International Review of Neurobiology</i> , 65: 25-52.
44338	Lim LCC (1996). Mania following left hemisphere injury. <i>Singapore Med J</i> , 37(4): 448-50.
80434	Lin T-C, Lee C T-C, Lai T-J, et al (2014). Association of asthma and bipolar disorder: a nationwide population-based study in Taiwan. <i>J Affect Disord</i> , 168: 30-6.
80492	Linares M, Albizua E, Mendez D, et al (2011). Malaria hidden in a patient with diffuse large-b-cell lymphoma and sickle-cell trait. <i>J Clin Microbiol</i> , 49(12): 4401-4.
5371	Lingjaerde O, Reichborn-Kjennerud T, Haug E (1995). Thyroid function and seasonal affective disorder. <i>J Affect Disord</i> , 33: 39-45.
80426	Liu C-J, Hu L-Y, Yeh C-M, et al (2015). Irritable brain caused by irritable bowel? A nationwide analysis for irritable bowel syndrome and risk of bipolar disorder. <i>PLoS One</i> , 10(3): e0118209.
80411	Liu CS, Carvalho AF, Mansur RB, et al (2013). Obesity and bipolar disorder: synergistic neurotoxic effects? <i>Adv Ther</i> , 30: 987-1006.
85227	Liu X, Agerbo E, Li J, et al (2017). Depression and anxiety in the postpartum period and risk of Bipolar disorder: A Danish nationwide register-based cohort study. <i>J Clin Psychiatry</i> , 78(5): e469-76.
44342	Long TD, Kathol RG (1993). Critical review of data supporting affective disorder caused by nonpsychotropic medication. <i>Annals of Clinical Psychiatry</i> , 5(4): 259-70.
44190	Longhurst JG, Daly I (1997). [Comment] Mania. <i>Lancet</i> , 350: 292.
50517	Lotrich FE, Rabinovitz M, Gironda P, Pollock BG (2007). Depression following pegylated interferon-alpha: characteristics and vulnerability. <i>Journal of Psychosomatic Research</i> , 63: 131-5.
44428	Lovett L, Gill PV (1986). [Comment] Mania following bereavement. <i>British Journal of Psychiatry</i> , 149: 123-4.
6062	Lyketsos CG, Hanson AL, Fishman M, Rosenblatt A, et al (1993). Manic syndrome early and late in the course of HIV. <i>Am J Psychiatry</i> , 150(2): 326-7.
45040	Lynskey MT (2007). [Comment] Life-time cannabis use and late onset mood and anxiety disorders. <i>Addiction</i> , 102(8): 1181-2.
45559	Machado-V, et al (2001). Mania associated with an energy drink: the possible role of caffeine, taurine, and inositol. <i>The Canadian Journal of Psychiatry</i> , 46(5): 454-5.
6744	Magee WJ, Eaton WW, Wittchen HU, McGonagle KA, Kessler RC (1996). Agoraphobia, simple phobia, and social phobia in the national comorbidity survey. <i>Arch Gen Psychiatry</i> , 53: 159-68.
5372	Magnusson A, Axelsson J (1993). The prevalence of seasonal affective disorder is low among descendants of Icelandic emigrants in Canada. <i>Arch Gen Psychiatry</i> , 50(12): 947-51.
51089	Mahe V, Montagnon F, Nartowski J, et al (1999). [Comment] Post-abortion mania. <i>Br J Psychiatry</i> , 175: 389-90.

5373	Maier W, Lichtermann D, Minges J, Hallmayer J, et al (1993). Continuity and discontinuity of affective disorders and schizophrenia. <i>Arch Gen Psychiatry</i> , 50: 871-83.
5374	Maier W, Minges J, Lichtermann D, Heun R (1995). Personality disorders and personality variations in relatives of patients with bipolar affective disorders. <i>J Affect Disord</i> , 53: 173-81.
44402	Malaspina D, Goetz RR, Friedman JH, et al (2001). Traumatic brain injury and schizophrenia in members of schizophrenia and bipolar pedigrees. <i>Am J Psychiatry</i> , 158(3): 440-46.
46312	Malek-Ahmadi P, Hilsabeck RC (2007). Neuropsychiatric complications of interferons: classification, neurochemical bases, and management. <i>Annals of Clinical Psychiatry</i> , 19(2): 113-23.
5375	Malone DA, Dimeff RJ, Lombardo JA, Sample RHB (1995). Psychiatric effects and psychoactive substance use in anabolic-androgenic steroid users. <i>Clin J Sport Med</i> , 5(1): 25-31.
80502	Mangani C, Ashorn P, Maleta K, et al (2014). Lipid-based nutrient supplements do not affect the risk of malaria or respiratory morbidity in 6- to 18-month-old Malawian children in a randomized controlled trial. <i>Journal of Nutrition</i> , 144(11): 1835-42.
80457	Maniglio R (2013). Prevalence of child sexual abuse among adults and youths with bipolar disorder: a systematic review. <i>Clin Psychol Rev</i> , 33: 561-73.
85586	Maniglio R (2013). The impact of child sexual abuse on the course of bipolar disorder: a systematic review. <i>Bipolar Disord</i> , 15(4): 341-58.
5376	Manu RK, Mathew R, Chandrasekaran R, Sivakumar V (1994). A study of life events in mania. <i>J Affect Disord</i> , 32: 157-61.
50158	Marangell LB (2008). Current issues: women and bipolar disorder. <i>Dialogues Clin Neurosci</i> , 10(2): 229-38.
80400	Marangoni C, De Chiara L, Faedda GL (2015). Bipolar disorder and ADHD: comorbidity and diagnostic distinctions. <i>Curr Psychiatry Rep</i> , 17: 67.
80417	Marangoni C, Hernandez M, Faedda GL (2016). The role of environmental exposures as risk factors for bipolar disorder: a systematic review of longitudinal studies. <i>J Affect Disord</i> , 193: 165-74.
50117	Marchand WR, Wirth L, Simon C (2005). Adverse life events and pediatric bipolar disorder in a community mental health setting. <i>Community Mental Health J</i> , 41(1): 67-75.
45691	Maremmani I, Pacini M, Perugi G, et al (2007). Cocaine abuse and the bipolar spectrum in 1090 heroin addicts: Clinical observations and a proposed pathophysiologic model. <i>J Affect Disord</i> , [epub ahead of print].
44251	Maremmani I, Perugi G, Pacini M, et al (2006). Toward a unitary perspective on the bipolar spectrum and substance abuse: Opiate addiction as a paradigm. <i>Journal of Affective Disorders</i> , 93(1-3): 1-12.
44427	Marks MN, Wieck A, Checkley SA, et al (1992). Contribution of psychological and social factors to psychotic and non-psychotic relapse after childbirth in women with previous histories of affective disorder. <i>Journal of Affective Disorders</i> , 29: 253-64.
80462	Marsh WK, Brown AP, Rothschild AJ (2012). Manic episode after total abdominal hysterectomy with bilateral salpingo-oophorectomy: case report. <i>Menopause</i> , 19(4): 476-8.
50116	Marsh WK, Templeton A, Ketter TA, Rasgon NL (2008). Increased frequency of depressive episodes during the menopausal transition in women with bipolar disorder: Preliminary report. <i>J Psychiatry Res</i> , 42: 247-51.
85691	Martinez-Onega JM, Goldstein BI, Gutierrez-Rojas L, et al (2013). Temporal sequencing of nicotine dependence and bipolar disorder in the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). <i>J Psychiatr Res</i> , 47(7): 858-64.

44794	Masand P (1993). [Comment] Coexistent hypomania and severe hypothyroidism. <i>Psychosomatics</i> , 34(4): 374-5.
44341	Masand P, Stern TA (1993). Bupropion and secondary mania. Is there a relationship? <i>Annals of Clinical Psychiatry</i> , 5(4): 271-4.
46509	Masand PS, Pickett P, Murray GB (1995). Hypomania precipitated by psychostimulant use in depressed medically ill patients. <i>Psychosomatics</i> , 36(2): 145-7.
45279	Masand PS, Pickett P, Murray GB (1995). Hypomania precipitated by psychostimulant use in depressed medically ill patients. <i>Psychosomatics</i> , 36(2): 145-7.
50115	Maytal G, Zalta AK, Thompson E, Chow CW, et al (2007). Complicated grief and impaired sleep in patients with bipolar disorder. <i>Bipolar Disorders</i> , 9: 913-7.
44188	McAllister TW (1992). Neuropsychiatric sequelae of head injuries. <i>Psychiatric Clinics of North America</i> , 15(2): 395-413.
44488	McClung CA (2007). Circadian genes, rhythms and the biology of mood disorders. <i>Pharmacology & Therapeutics</i> , 114(2): 222-32.
44178	McDonald WM (2000). Epidemiology, etiology, and treatment of geriatric mania. <i>J Clin Psychiatry</i> , 61(S13): 3-11.
41570	McElroy SL, Altshuler LL, Suppes T, et al (2001). Axis I psychiatric comorbidity and its relationship to historical illness variables in 288 patients with bipolar disorder. <i>Am J Psychiatry</i> , 158: 420-6.
73106	McKenzie D (2010). An holistic view of post-traumatic stress disorder. <i>Journal of Military Health</i> , 18: 24-6.
45583	Meesters Y (1998). [Comment] Rapid mood swings after unmonitored light exposure. <i>Am J Psychiatry</i> , 155(2): 306.
76309	Megna JL, Schwartz TL, Siddiqui UA, et al (2011). Obesity in adults with serious and persistent mental illness: a review of postulated mechanisms and current interventions. <i>Annals of Clin Psychiatry</i> , 23(2): 131-40.
5377	Mellsop GW, Duraiappah V, Priest JA (1995). Psychiatric casualties in the Pacific during WWII: servicemen hospitalized in a Brisbane mental hospital. <i>MJA</i> , 163(4): 619-21.
44534	Merikangas KR, Low NCP (2004). The epidemiology of mood disorders. <i>Current Psychiatry Reports</i> , 4: 411-21.
80437	Meyer U (2014). New serological evidence points toward an infectious route to bipolar disorder. <i>Am J Psychiatry</i> , 171(5): 485-8.
80506	Mfonkeu JB, Gouado I, Kuete HF, et al (2010). Biochemical markers of nutritional status and childhood malaria severity in Cameroon. <i>British Journal of Nutrition</i> , 104: 886-92.
80477	Michael N, Pfleiderer B (2009). Primary onset of bipolar disorder as rapid cycling after cessation of oral contraceptive. <i>The World Journal of Biological Psychiatry</i> , 10(4): 1039-40.
44286	Michalopoulou P, Lykouras L (2006). Manic/hypomanic symptoms induced by atypical antipsychotics: A review of the reported cases. <i>Progress in Neuro-Psychopharmacology & Biological Psychiatry</i> , 30(4): 549-64.
5378	Michels R, Marzuk PM (1993). Progress in psychiatry. <i>NEJM</i> , 329(8-9): 552-60, 628-38.
44483	Mijch AM, Judd FK, Lyketsos CG, et al (1999). Secondary mania in patients with HIV infection: are antiretrovirals protective? <i>J Neuropsychiatry Clin Neurosci</i> , 11(4): 475-80.
6741	Milberger S, Biederman J, Faraone SV, Murphy J, Tsuang MT (1995). Attention Deficit Hyperactivity Disorder and comorbid disorders: Issues of overlapping symptoms. <i>Am J Psychiatry</i> , 152(12): 1793-9.
85826	Millard HY, Wilson BA, Noordsy DL (2015). Low-dose quetiapine induced or worsened mania in the context of possible undertreatment. <i>Journal of the American Board of Family</i> , 28: 154-8.

44283	Miller K (2006). Bipolar disorder: etiology, diagnosis, and management. <i>Journal of the American Academy of Nurse Practitioners</i> , 18(8): 368-73.
44452	Miller LS, Garde IB, Moses JA, et al (1992). Head injury and mood disturbance. <i>J Clin Psychiatry</i> , 53(5): 171-2.
5379	Minden SL, Schiffer RB (1990). Affective disorders in multiple sclerosis. <i>Arch Neurol</i> , 47(1): 98-104.
80419	Mohapatra S, Deo SJK, Rath N (2015). Manic illness associated with right temporo-thalamic arteriovenous malformation: A rare presentation. <i>Aust N Z J Psychiatry</i> , 49(12): 1224-5.
44408	Monji A, Yoshida I, Koga H, et al (1999). [Comment] Brain injury-induced rapid-cycling affective disorder successfully treated with valproate. <i>Psychosomatics</i> , 40(5): 448-9.
45145	Moore THM, Zammit S, Lingford-Hughes A, et al (2007). Cannabis use and risk of psychotic or affective mental health outcomes: a systematic review. <i>The Lancet</i> , 370(9584): 319-28.
44431	Morgan JF, Beckett J, Zolese (2001). Psychogenic mania and bereavement. <i>Psychopathology</i> , 34: 265-7.
22686	Morris P, Raphael B, Bordujenko A (eds.) (1999). Repatriation Medical Authority Consensus Conference Proceedings: Stress and Challenge - Health and Disease, Brisbane February 9-11, 1998. Repatriation Medical Authority, Brisbane.
83668	Morissette DA (2017). Do no harm: a paradigm shift in the unchecked use of antidepressants. <i>CNS Spectr</i> , 22(2): 118-9.
50114	Morstad AE, Kutscher EC, Kennedy WK, Carnahan RM (2008). [Comment] Hypomania with agitation associated with varenicline use in bipolar II disorder. <i>Ann Pharmacother</i> , 42: 288-9.
85094	Mortensen PB, Mors O, Frydenberg M, et al (2003). Head injury as a risk factor for bipolar affective disorder. <i>J Affect Disord</i> , 76(1-3): 79-83.
85220	Mortensen PB, Pedersen CB, Melbye M, et al (2003). Individual and familial risk factors for bipolar affective disorders in Denmark. <i>Arch Gen Psychiatry</i> , 60: 1209-1215.
72426	Mott JM, Graham DP, Teng EJ (2012). Perceived threat during deployment: risk factors and relation to Axis I disorders. <i>Psychological Trauma: Theory, Research Practice and Policy</i> , 4(6): 587-595.
80416	Mula M, Marotta AE, Monaco F (2010). Epilepsy and bipolar disorders. <i>Expert Rev Neurother</i> , 10(1): 13-23.
44329	Mula M, Monaco F (2006). Antiepileptic drug-induced mania in patients with epilepsy: what do we know? <i>Epilepsy & Behavior</i> , 9(2): 265-7.
45523	Mundo E, Cattaneo E, Russo M, et al (2006). Clinical variables related to antidepressant-induced mania in bipolar disorder. <i>Journal of Affective Disorders</i> , 92: 227-30.
50135	Munk-Olsen T, Laursen TM, Pedersen CB, Mors O, Mortensen PB (2007). Family and partner psychopathology and the risk of postpartum mental disorders. <i>J Clin Psychiatry</i> , 68(12): 1947-53.
50510	Munk-Olsen T, Munk Laursen T, Pedersen CB, et al (2006). New parents and mental disorders. A population-based register study. <i>JAMA</i> , 296(21): 2582-9.
6719	Murphy DL, Brodie HKH, Goodwin FK, Bunney WE (1971). Regular induction of hypomania by L-Dopa in "Bipolar" Manic-depressive patients. <i>Nature</i> , 229: 135-6.
44405	Nakimuli-Mpungu E, Musisi S, Mpungu SK, et al (2006). Primary mania versus HIV-related secondary mania in Uganda. <i>Am J Psychiatry</i> , 163(8): 1349-54.
80468	Narayan V, Haddad PM (2010). Antidepressant discontinuation manic states: a critical review of the literature and suggested diagnostic criteria. <i>J Psychopharmacol</i> , 25(3): 306-13.

50113	Neria Y, Olfson M, Gameroff MJ, Wickramaratne P, et al (2008). Trauma exposure and posttraumatic stress disorder among primary care patients with bipolar spectrum disorder. <i>Bipolar Disorders</i> , 10: 503-10.
80513	Neuberger A, Okebe J, Yahav D, et al (2016). Oral iron supplements for children in malaria-endemic areas (review). <i>Cochrane Database of Systematic Reviews</i> , (2): Art No. CD006589.
44448	Nizamie SH, Nizamie A, Borde M, et al (1988). Mania following head injury: case reports and neuropsychological findings. <i>Acta Psychiatr. Scand.</i> , 77(6): 637-9.
50112	Nolen WA, Luckenbaugh DA, Altshuler LL, Suppes T, et al (2004). Correlates of 1-year prospective outcome in bipolar disorder: results from the Stanley Foundation Bipolar Network. <i>Am J Psychiatry</i> , 161: 1447-54.
50973	Noll JG (2008). Sexual abuse of children - unique in its effects on development? <i>Child Abuse & Neglect</i> , 32: 603-5.
80491	Noronha V, Goyal G, Joshi A, et al (2013). Presentation, complications, and impact of concurrent malaria infection on anticancer therapy. <i>Indian J Cancer</i> , 50(3): 254-60.
45801	Nowack WJ, et al (2006). Psychiatric disorders associated with epilepsy. Obtained from: www.emedicine.com .
80487	Nzila A, Okombo J, Becker RP, et al (2010). Anticancer agents against malaria: time to revisit? <i>Trends in Parasitology</i> , 26(3): 125-9.
44608	O'Donoughue R (1994). Definition of HIV infection and AIDS-defining illnesses. Retrieved 23 July 2007, from http://www.health.nsw.gov.au/archive/cib/circulars/1994/cir94-78.pdf
45560	Ogawa N, et al (2003). Secondary mania caused by caffeine. 25: 138-9.
83691	Okkels N, Trabjerg B, Arendt M, et al (2017). Traumatic Stress Disorders and Risk of Subsequent Schizophrenia Spectrum Disorder or Bipolar Disorder: A Nationwide Cohort Study. <i>Schizophr Bull</i> , 43(1): 180-6.
44610	Onishi H, Miyashita A, Kosaka K (2000). A manic episode associated with bereavement in a patient with lung cancer. <i>Support Care Cancer</i> , 8(4): 339-40.
44394	Oomen HAPC, Schipperijn AJM, Drexhage HA (1996). The prevalence of affective disorder and in particular of a rapid cycling of bipolar disorder in patients with abnormal thyroid function tests. <i>Clinical Endocrinology</i> , 45: 215-223.
85093	Orlovska S, Pedersen MS, Benros ME, et al (2014). Head injury as risk factor for psychiatric disorders: a nationwide register-based follow-up study of 113,906 persons with head injury. <i>Am J Psychiatry</i> , 171(4): 463-9.
46313	Oswald P, Souery D, Kasper S, et al (2007). Current issues in bipolar disorder: a critical review. <i>European Neuropsychopharmacology</i> , 17: 687-95.
57458	O'Toole BI, Catts SV, Outram S, et al (2009). The physical and mental health of Australian Vietnam veterans 3 decades after the war and its relation to military service, combat, and post-traumatic stress disorder. <i>Am J Epidemiol</i> : [Epub ahead of print].
44277	Otto MW, Perlman CA, Wernicke R, et al (2004). Posttraumatic stress disorder in patients with bipolar disorder: a review of prevalence, correlates, and treatment strategies. <i>Bipolar Disorders</i> , 6(6): 470-9.
85078	Owen R, Gooding P, Dempsey R, et al (2017). The reciprocal relationship between bipolar disorder and social interaction: A qualitative investigation. <i>Clinical Psychology & Psychotherapy</i> , 24(4): 911-8.
50111	Pacchiarotti I, Mazzarini L, Pellegrini P, Venturelli V, et al (2007). A case of manic episode during treatment with 5-fluorouracil, epirubicin and cyclophosphamide for breast cancer. <i>Gen Hosp Psychiatry</i> , 29: 461-3.
80425	Paksarian D, Eston WW, Mortensen PB, et al (2015). Childhood residential mobility, schizophrenia, and bipolar disorder: a population-based study in Denmark. <i>Schizophr Bull</i> , 41(2): 346-54.

83669	Pallaskorpi S, Suominen K, Ketokivi M, et al (2017). Incidence and predictors of suicide attempts in bipolar I and II disorders: A 5-year follow-up study. <i>Bipolar Disord</i> , 19(1): 13-22.
50511	Papazisis G, Kouvelas D, Mastrogianni A, Karastergiou A (2007). [Comment] Anabolic androgenic steroid abuse and mood disorder: a case report. <i>Int J Neuropsychopharmacology</i> , 10: 291-3.
80443	Park Y-M, Kim YS (2014). Secondary mania in a patient with delayed anoxic encephalopathy after carbon monoxide intoxication caused by a suicide attempt. <i>Gen Hosp Psychiatry</i> , 36: 125.e3-4.
85827	Park YM, Lee SH, Lee HJ, et al (2008). Ziprasidone-associated mania in Korean schizophrenic patient. <i>Journal of Clinical Psychopharmacology</i> , 28(6): 711-3.
80428	Pattanayak RD, Pattanayak S (2014). Chronic manic episode associated with hypothyroidism due to Hashimoto's disease: a case report. <i>J Neuropsychiatry and Clin Neurosci</i> , 26(4): e27.
50531	Patten SB (2008). Still no evidence that benzodiazepines cause depression. <i>Int J Psychiatry Clin Pract</i> , 12(1): 85-8.
44398	Patten SB, Williams JVA, Esposito E, et al (2006). Self-reported thyroid disease and mental disorder prevalence in the general population. <i>General Hospital Psychiatry</i> , 28: 503-8.
85585	Pawlak J, Dmitrzak-Weglacz M, Skibinska M, et al (2013). Suicide attempts and clinical risk factors in patients with bipolar and unipolar affective disorders. <i>Gen Hosp Psychiatry</i> , 35(4): 427-32.
80427	Pearlson GD (2015). Etiologic, phenomenologic, and endophenotypic overlap of schizophrenia and bipolar disorder. <i>Annu Rev Clin Psychol</i> , 11: 251-81.
6060	Peet M (1994). Induction of mania with selective serotonin re-uptake inhibitors and tricyclic antidepressants. <i>Br J Psychiatry</i> , 164: 549-50.
5380	Peet M, Peters S (1995). Drug-induced mania. <i>Drug Saf</i> , 12(2): 146-53.
45681	Peles E, Schreiber S, Naumovsky Y, et al (2007). Depression in methadone maintenance treatment patients: rate and risk factors. <i>Journal of Affective Disorders</i> , 99: 213-20.
6063	Perkins DO, Stern RA, Golden RN, Murphy C, et al (1994). Mood disorders in HIV infection: prevalence and risk factors in a nonepicenter of the AIDS epidemic. <i>Am J Psychiatry</i> , 151(2): 233-6.
44487	Perlman CA, Johnson SL, Mellman TA (2006). The prospective impact of sleep duration on depression and mania. <i>Bipolar Disorders</i> , 8(3): 271-4.
5381	Peselow ED, Sanfilipo MP, Fieve RR (1995). Relationship between hypomania and personality disorders before and after successful treatment. <i>Am J Psychiatry</i> , 152(2): 232-8.
83666	Pfennig A, Leopold K, Ritter P, et al (2017). Longitudinal changes in the antecedent and early manifest course of bipolar disorder - A narrative review of prospective studies. <i>Aust N Z J Med</i> , 51(5): 509-23.
45388	Phelan MC (1989). [Comment] Beclomethasone mania. <i>British Journal of Psychiatry</i> , 155: 871-2.
85576	Pigeon WR, Bishop TM, Krueger KM (2017). Insomnia as a precipitating factor in new onset mental illness: a systematic review of recent findings. <i>Curr Psychiatry Rep</i> , 19(8): 44.
50110	Plante DT, Frye MA (2008). Treatment-emergent hypomania or mania with modafinil. <i>Am J Psychiatry</i> , 165(1): 134-5.
46241	Pope HG Jr, Katz DL (1994). Psychiatric and medical effects of anabolic-androgenic steroid use: a controlled study of 160 athletes. <i>Arch Gen Psychiatry</i> , 51(5): 375-82.
45367	Pope HG Jr, Kouri EM, Hudson JI (2000). Effects of supraphysiologic doses of testosterone on mood and aggression in normal men. A randomized controlled trial. <i>Arch Gen Psychiatry</i> , 57: 133-40.

44184	Pope HG, Katz DL (1988). Affective and psychotic symptoms associated with anabolic steroid use. <i>Am J Psychiatry</i> , 145(4): 487-90.
44445	Pope HG, McElroy SL, Satlin A, et al (1988). Head injury, bipolar disorder, and response to valproate. <i>Comprehensive Psychiatry</i> , 29(1): 34-8.
50524	Popkin MK (2008). Exacerbation of recurrent depression as a result of treatment with varenicline. <i>Am J Psychiatry</i> , 165(6): 774.
44533	Post RM, Kramlinger KG, Joffe RT, et al (1997). Rapid cycling bipolar affective disorder: lack of relation to hypothyroidism. <i>Psychiatry Research</i> , 72: 1-7.
44339	Post RM, Leverich GS (2006). The role of psychosocial stress in the onset and progression of bipolar disorder and its comorbidities: the need for earlier and alternative modes of therapeutic intervention. <i>Development and Psychopathology</i> , 18(4): 1181-211.
50159	Post RM, Leverich GS, Zing G, Weiss SR (2001). Developmental vulnerabilities to the onset and course of bipolar disorder. <i>Dev Psychopathol</i> , 13: 581-98.
45877	Postolache TT, Oren DA (2005). Circadian phase shifting, alerting, and antidepressant effects of bright light treatment. <i>Clin Sports Med</i> , 24: 381-413.
44173	Potash JB (2006). Carving chaos: genetics and the classification of mood and psychotic syndromes. <i>Harv Rev Psychiatry</i> , 14: 47-63.
80466	Praharaj SK (2011). [Comment] Repetitive transcranial magnetic stimulation or venlafaxine-induced mania? <i>J Neuropsychiatry and Clin Neurosci</i> , 23(2): e17.
5382	Price LH, Heninger GR (1994). Lithium in the treatment of mood disorders. <i>NEJM</i> , 331(9): 591-8.
80445	Proudfoot J, Whitton A, Parker G, et al (2012). Triggers of mania and depression in young adults with bipolar disorder. <i>J Affect Disord</i> , 143: 196-202.
70555	Provencher MD, Guimond AJ, Hawke LD (2012). Comorbid anxiety in bipolar spectrum disorders: a neglected research and treatment issue? <i>J Affect Disord</i> , 137(1-3): 161-4.
85816	Pushpal D, Shamshul HN (2006). Tiagabine withdrawal-emergent mania. <i>Australian & New Zealand Journal of Psychiatry</i> , 40(8): 719.
50520	Quarantini LC, Bressan RA, Galvao A, et al (2007). Incidence of psychiatric side effects during pegylated interferon-a retreatment in nonresponder hepatitis C virus-infected patients. <i>Liver International</i> , 27(8): 1098-102.
85830	Raghunath A (2012). Repeated activation of mania by atypical antipsychotics in a patient. <i>BMJ Case Reports</i> , 2012: 007388.
45561	Raimo EB, Schuckit MA (1998). Alcohol dependence and mood disorders. <i>Addictive Behaviors</i> , 23(6): 933-46.
46243	Raison CL, Demetashvili M, Capuron L, et al (2005). Neuropsychiatric adverse effects of Interferon-a: recognition and management. <i>CNS Drugs</i> , 19(2): 105-23.
45280	Raison CL, Klein HM (1997). [Comment] Psychotic mania associated with fenfluramine and phentermine use. <i>Am J Psychiatry</i> , 154(5): 711.
44430	Ranga K, Krishnan R, Swartz MS, et al (1984). Funeral mania in recurrent bipolar affective disorders: reports of three cases. <i>Journal of Clinical Psychiatry</i> , 45(7): 310-11.
47063	Reardon DC, Cougle JR, Rue VM, Shuping MW, et al (2003). Psychiatric admissions of low-income women following abortion and childbirth. <i>CMAJ</i> , 168(10): 1253-6.
85079	Rege S, Hodgkinson SJ (2014). Anti-neuronal antibodies associated with a first episode of mania. <i>Australian & New Zealand Journal of Psychiatry</i> , 48(8): 775-7.

28528	Regenold WT, Thapar RK, Marano C, Gavirneni S, Kondapavuluru PV (2002). Increased prevalence of type 2 diabetes mellitus among psychiatric inpatients with bipolar I affective & schizoaffective disorders independent of psychotropic drug use. <i>Journal of Affective Disorders</i> , 70(1): 19-26.
28529	Regenold, WT, Thapar RK, Marano C, Gavirneni S, Kondapavuluru PV (2003). [Comment] Corrigendum to "Increased prevalence of type 2 diabetes mellitus among psychiatric inpatients with bipolar I affective & schizoaffective disorders independent of psychotropic drug use. <i>Journal of Affective Disorders</i> , 73(3): 301-2.
5383	Regier DA, Farmer ME, Rae DS, Locke BZ, et al (1990). Comorbidity of mental disorders with alcohol and other drug abuse. <i>JAMA</i> , 264(19): 2511-8.
83690	Reich M, Girard E, Le Rhun E (2017). Breast leptomeningeal metastasis recurrence presenting as a manic episode. <i>Palliat Support Care</i> , 15(2): 272-5.
44340	Reilly KM, Chan L, Mehta NJ, et al (1996). Systemic toxicity from ocular homatropine. <i>Academic Emergency Medicine</i> , 3(9): 868-71.
45278	Reiss AL, O'Donnell DJ (1984). Carbamazepine-induced mania in two children: case report. <i>J Clin Psychiatry</i> , 45(6): 272-4.
50136	Reus VI (2008). Mental disorders. Mood disorders. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 386: 2715-20. .
44486	Riemann D, Voderholzer U, Berger M (2002). Sleep and sleep-wake manipulations in bipolar depression. <i>Neuropsychobiology</i> , 45(Supp1): 7-12.
5384	Riess H, Schwartz CE, Klerman GL (1987). Manic syndrome following head injury: another form of secondary mania. <i>J Clin Psychiatry</i> , 48(1): 29-30.
80423	Ritter PS, Hofler M, Wittchen H-U, et al (2015). Disturbed sleep as risk factor for the subsequent onset of bipolar disorder - data from a 10-year prospective-longitudinal study among adolescents and young adults. <i>Journal of Psychiatric Research</i> , 68: 76-82.
80415	Ritter PS, Marx C, Bauer M, et al (2011). The role of disturbed sleep in the early recognition of bipolar disorder: a systematic review. <i>Bipolar Disord</i> , 13: 227-37.
85777	Robbins L (2008). The bipolar spectrum in migraine, cluster and chronic tension headache. <i>European Neurological Review</i> , 3(1): 123-4.
85119	Robbins MS (2013). The psychiatric comorbidities of cluster headache. <i>Current Pain and Headache Reports</i> , 17(2): 313.
44446	Robinson RG, Boston JD, Starkstein SE, et al (1988). Comparison of mania and depression after brain injury: Casual factors. <i>Am J Psychiatry</i> , 145(2): 172-8.
80508	Rogerson SJ, Wijesinghe RS, Meshnick SR (2010). Host immunity as a determinant of treatment outcome in <i>Plasmodium falciparum</i> malaria. <i>Lancet Infect Dis</i> , 10: 51-9.
80484	Rosen J (2013). Travel medicine and the solid-organ transplant recipient. <i>Infect Dis Clin North Am</i> , 27(2): 429-57.
44183	Rosenbaum JF (1989). Summary. <i>J Clin Psychiatry</i> , 50(S12): 45-7.
5385	Rosenthal NE, Sack DA, Gillin JC, Lewy AJ, et al (1984). Seasonal affective disorder. <i>Arch Gen Psychiatry</i> , 41: 72-80.
5386	Rundell JR, Wise MG (1989). Causes of organic mood disorder. <i>J Neuropsychiatry</i> , 1(4): 398-400.
44177	Rush AJ (2003). [Comment] Bipolar Disorder: origin, recognition, and treatment. <i>J Clin Psychiatry</i> , 64(S6): 28.
44176	Rush AJ (2003). Toward an understanding of Bipolar Disorder and its origin. <i>J Clin Psychiatry</i> , 64(S6): 4-8.
5387	Ryback RS, Schwab RS (1971). Manic response to levodopa therapy. <i>NEJM</i> , 285(14): 788-9.

41608	Sajatovic M, Kales HC (2006). Diagnosis and management of bipolar disorder with comorbid anxiety in the elderly. <i>J Clin Psychiatry</i> , 67(Suppl 1): 21-27.
83672	Salloum NC, Walker MC, Gangwani S, et al (2017). Emergence of mania in two middle-aged patients with a history of unipolar treatment-refractory depression receiving vagus nerve stimulation. <i>Bipolar Disord</i> , 19(1): 60-4.
80422	Sami M, Khan H, Nilforooshan R (2015). Late onset mania as an organic syndrome: a review of case reports in the literature. <i>J Affect Disord</i> , 188: 226-31.
50782	Sangwaiya A, Chan J, Ash S (2007). [Comment] Depression and hepatitis C. <i>Br J Hosp Med</i> , 68(12): 682.
44492	Santos AB, Ballenger JC (1992). [Comment] Tricyclic antidepressant triggers mania in patient with organic affective. <i>J Clin Psychiatry</i> , 53(10): 377-8.
80464	Santos CO, Caeiro L, Ferro JM, et al (2011). Mania and stroke: a systematic review. <i>Cerebrovasc Dis</i> , 32: 11-21.
50077	Savas H, Selek S, Bulbul F, Kaya MC, Savas E (2006). [Comment] Successful treatment with lamotrigine in bipolar depression: a study from Turkey. <i>Aust N Z J Psychiatry</i> , 40(5): 498-500.
5388	Savino M, Perugi G, Simonini E, Soriano A, et al (1993). Affective comorbidity in panic disorder: is there a bipolar connection? <i>J Affect Disord</i> , 28: 155-63.
44544	Sayal K, Ford T, Pipe R (2000). Case study: bipolar disorder after head injury. <i>J. Am. Acad. Child Adolesc. Psychiatry</i> , 39(4): 525-8.
50779	Schafer A, Wittchen H-U, Seufert J, Kraus MR (2007). Methodological approaches in the assessment of interferon-alfa-induced depression in patients with chronic hepatitis C - a critical review. <i>Int J Methods Psychiatr Res</i> , 16(4): 186-201.
44181	Schatzberg, Ballenger, Shader, et al (1993). Adverse behavioural events reported in patients taking Alprazolam and other Benzodiazepines. <i>J Clin Psychiatry</i> , 54(S10): 62-3.
45140	Scheffer RE, Kowatch RA, Carmody T, et al (2005). [Comment] Randomized, placebo-controlled trial of mixed amphetamine salts for symptoms of comorbid ADHD in pediatric bipolar disorder after mood stabilization with divalproex sodium. <i>Am J Psychiatry</i> , 162(1): 58-64.
45142	Scheffer RE, Kowatch RA, Carmody T, et al (2005). [Comment] Randomized, placebo-controlled trial of mixed amphetamine salts for symptoms of comorbid ADHD in pediatric bipolar disorder after mood stabilization with divalproex sodium. <i>Am J Psychiatry</i> , 162(11): 2197-8.
5389	Schiffer RB, Weitkamp LR, Wineman NM, Guttormsen S (1988). Multiple sclerosis and affective disorder. <i>Arch Neurol</i> , 45: 1345-8.
83665	Schillinger D (2017). The living donor: A tale of money, mania and clinical mastery. <i>JAMA</i> , 317(15): 1531-2.
5390	Schmider J, Lammers CH, Gotthardt U, Dettling M, et al (1995). Combined dexamethasone/corticotropin-releasing hormone test in acute and remitted manic patients in acute depression and in normal controls. <i>Biol Psychiatry</i> , 38: 797-802.
50526	Schuckit MA, Smith TL, Danko GP, Pierson J, et al (2007). A comparison of factors associated with substance-induced versus independent depressions. <i>J Stud Alcohol Drugs</i> , 68: 805-12.
45584	Scott AIF (2006). Electroconvulsive therapy. <i>Psychiatry</i> , 5(6): 208-11.
44149	Scott J, McNeill Y, Cavanagh J, et al (2006). Exposure to obstetric complications and subsequent development of bipolar disorder. <i>British Journal of Psychiatry</i> , 189: 3-11.
45586	Scottish ECT Audit Network (2005). Guide: What Are The Risks? Retrieved 5 November 2007, from http://www.sean.org.uk/Guide/WhatAreTheRisks

5391	Segal Major HA (1954). Initial psychiatric findings of recently repatriated prisoners of war. <i>Am J Psychiatry</i> , 111(5): 358-63.
5392	Seibyl JP, Krystal JH, Charney DS (1990). Question the experts. <i>J Clin Psychopharmacol</i> , 10(1): 78.
50079	Selek S, Savas HA (2007). [Comment] Lamotrigine-induced manic switches have already been reported. <i>Aust N Z J Psychiatry</i> , 41(2): 193-5.
50108	Selek S, Savas HA; Brandt C (2007). [Comments] Psychosis, delirium, or manic switch due to lamotrigine? <i>Epilepsy Behav</i> , 11: 476-7.
80447	Serata D, Del Casale A, Rapinesi C, et al (2012). Hemochromatosis-induced bipolar disorder: a case report. <i>Gen Hosp Psychiatry</i> , 34: 101.e1-3.
44288	Serby M (2001). [Comment] Manic reactions to ECT. <i>Am J Geriatr Psychiatry</i> , 9(2): 180.
44236	Shah MD, Balderson K (2003). [Comment] A manic episode associated with efavirenz therapy for HIV infection. <i>AIDS</i> , 17(11): 1713-4.
85578	Shapiro J, Mindra S, Timmins V, et al (2017). Controlled study of obesity among adolescents with bipolar disorder. <i>J Child Adolesc Psychopharmacol</i> , 27(1): 95-100.
44459	Sharafkhaneh A, Giray N, Richardson P, et al (2005). Association of psychiatric disorders and sleep apnea in a large cohort. <i>Sleep</i> , 28(11): 1405-11.
80456	Shariat SV, Hosseiniard Z, Taban M, et al (2013). Mania precipitated by opioid withdrawal: a retrospective study. <i>Am J Addict</i> , 22: 338-43.
80489	Sharma P, Varma N (2013). Pancytopenia following vivax malaria in a CLL patient. <i>Blood</i> , 122(18): 3098.
80476	Sharma V, Khan M (2010). Identification of bipolar disorder in women with postpartum depression. <i>Bipolar Disord</i> , 12: 335-40.
50076	Sharma V, Khan M, Corpse C, Sharma P (2008). Missed bipolarity and psychiatric comorbidity in women with postpartum depression. <i>Bipolar Disord</i> , 10: 742-7.
44474	Sharma V, Mazmanian D (2003). Sleep loss and postpartum psychosis. <i>Bipolar Disorders</i> , 5(2): 98-105.
44627	Sharma V, Smith A, Khan M (2004). The relationship between duration of labour, time of delivery and puerperal psychosis. <i>Journal of Affective Disorders</i> , 83: 215-20.
44172	Sherazi R, McKeon P, McDonough M, et al (2006). What's new? The clinical epidemiology of Bipolar I Disorder. <i>Harv Rev Psychiatry</i> , 14: 273-84.
44337	Shih RA, Belmonte PL, Zandi PP (2004). A review of the evidence from family, twin and adoption studies for a genetic contribution to adult psychiatric disorders. <i>International Review of Psychiatry</i> , 16(4): 260-83.
44491	Shoptaw S, Peck J, Reback CJ, et al (2003). Psychiatric and substance dependence comorbidities, sexually transmitted diseases, and risk behaviors among methamphetamine-dependent gay and bisexual men seeking outpatient drug abuse treatment. <i>Journal of Psychoactive Drugs</i> , 35(S1): 161-8.
44439	Shukla S, Cook BL, Mukherjee S, et al (1987). Mania following head trauma. <i>Am J Psychiatry</i> , 144(1): 93-6.
50829	Silver JM, Kramer R, Greenwald S, et al (2001). The association between head injuries and psychiatric disorders: findings from the New Haven NIMH Epidemiologic Catchment Area Study. <i>Brain Injury</i> , 15(11): 935-45.
45690	Silverstone P, Silverstone T (2004). A review of acute treatments for bipolar depression. <i>International Clinical Psychopharmacology</i> , 19(3): 113-24.
45282	Silverstone PH, Pukhovsky A, Rotzinger S (1998). Lithium does not attenuate the effects of D-amphetamine in healthy volunteers. <i>Psychiatry Research</i> , 79: 219-26.
46508	Silverstone PH, Pukhovsky A, Rotzinger S (1998). Lithium does not attenuate the effects of D-amphetamine in healthy volunteers. <i>Psychiatry Research</i> , 79: 219-26.

5393	Silverstone T, Romans S, Hunt N, McPherson H (1995). Is there a seasonal pattern of relapse in bipolar affective disorder? A dual northern and southern hemisphere cohort study. <i>Br J Psychiatry</i> , 167: 58-60.
31718	Sim M, Abramson M, Forbes A, et al (2003). Psychological Health. Australian Gulf War Veterans' Health Study, Vol 2 Chapter 11: 268-71. Commonwealth of Australia.
44432	Simon NM, Pollack MH, Fischmann D, et al (2005). Complicated grief and its correlates in patients with bipolar disorder. <i>J Clin Psychiatry</i> , 66(9): 1105-10.
5394	Simpson SG, Folstein SE, Meyers DA, McMahon FJ, et al (1993). Bipolar II: the most common bipolar phenotype? <i>Am J Psychiatry</i> , 150: 901-3.
44429	Singh I, Jawed SH, Wilson S (1988). Mania following bereavement in a mentally handicapped man. <i>British Journal of Psychiatry</i> , 152: 866-7.
44400	Sit D (2004). Women and bipolar disorder across the life span. <i>JAMWA</i> , 59(2): 91-100.
45970	Skosnik PD (2007). [Comment] Cannabis use increases risk of developing symptoms of mania. <i>Evid Based Ment Health</i> , 10: 61.
86570	Skuban T, Flohrer J, Klosterkotter J, et al (2011). Psychiatric side effects of deep brain stimulation in Parkinson's disease. <i>Fortschr Neurol Psychiatr</i> , 79(12): 703-10. [Abstract]
80750	Slyepchenko A, Brunoni AR, McIntyre RS, et al (2016). The adverse effects of smoking on health outcomes in bipolar disorder: a review and synthesis of biological mechanisms. <i>Current Molecular Medicine</i> , 16: 187-205.
50780	Sockalingam S, Shammi C, Stergiopoulos V (2007). Managing the neuropsychiatric complications of hepatitis C treatment. <i>Br J Hosp Med</i> , 68(10): 520-5.
85831	Sodre LA, Bucker J, Zortea K, et al (2010). [Comment] Mania switch induced by amantadine in bipolar disorder: report of three cases. <i>Revista Brasileira de Psiquiatria</i> , 32(4): 467-9.
5395	Sokolski KN, Cummings JL, Abrams BI, DeMet EM, et al (1994). Effects of substance abuse on hallucination rates and treatment responses in chronic psychiatric patients. <i>J Clin Psychiatry</i> , 55(9): 380-7.
45760	Sonne SC, Brady KT (1999). Substance abuse and bipolar comorbidity. <i>The Psychiatric Clinics of North America</i> , 22(3): 609-27.
6057	Sonne SC, Brady KT, Morton WA (1994). Substance abuse and bipolar affective disorder. <i>J Nerv Ment Disease</i> , 182(6): 349-352.
5396	Spratt DI, Pont A, Miller MB, McDougall IR, et al (1982). Hyperthyroxinemia in patients with acute psychiatric disorders. <i>Am J Med</i> , 73: 41-8.
85584	Sprouse A, Curtis L, Bartlik B (2013). Organic solvent-induced bipolar disorder: a case report. <i>Adv Mind Body Med</i> , 27(3): 19-23.
84766	Stahl SM, Morissette DA, Faedda G, et al (2017). Guidelines for the recognition and management of mixed depression. <i>CNS Spectr</i> , 22(2): 203-19.
44191	Starkstein SE, Boston JD, Robinson RG (1988). Mechanisms of mania after brain injury. 12 case reports and review of the literature. <i>The Journal of Nervous and Mental Disease</i> , 176(2): 87-100.
44450	Starkstein SE, Fedoroff P, Berthier ML, et al (1991). Manic-depressive and pure manic states after brain lesions. <i>Biol Psychiatry</i> , 29(2): 149-58.
44449	Starkstein SE, Mayberg HS, Berthier ML, et al (1990). Mania after brain injury: neuroradiological and metabolic findings. <i>Ann Neurol</i> , 27(6): 652-9.
44444	Starkstein SE, Pearlson GD, Boston J, et al (1987). Mania after brain injury. A controlled study of causative factors. <i>Arch Neurol</i> , 44(10): 1069-73.
80440	Stevens A, Geerling B, Kupka RW (2014). Postpartum mania in a man with bipolar disorder: case report and a review of the role of sleep loss. <i>Bipolar Disord</i> , 16: 93-6.

44493	Stewart JT, Hemsath RH (1998). Bipolar illness following traumatic brain injury: treatment with lithium and carbamazepine. <i>J Clin Psychiatry</i> , 49(2): 74-5.
5397	Stoll AL, Mayer PV, Kolbrener M, Goldstein E, et al (1994). Antidepressant-associated mania: a controlled comparison with spontaneous mania. <i>Am J Psychiatry</i> , 151(11): 1642-5.
45389	Stone K (1989). Mania in the elderly. <i>British Journal of Psychiatry</i> , 155: 220-4.
44496	Stowell CP, Barnhill JW (2005). Acute mania in the setting of severe hypothyroidism. <i>Psychosomatics</i> , 46(3): 259-61.
80406	Stubbs B, Eggermont L, Mitchell AJ, et al (2015). The prevalence of pain in bipolar disorder: a systematic review and large-scale meta-analysis. <i>Acta Psychiatr Scand</i> , 131: 75-88.
5398	Styra R, Joffe SR, Singer W (1991). Hyperthyroxinemia in major affective disorders. <i>Acta Psychiatr Scand</i> , 83: 61-3.
44381	Subramaniam H, Dennis MS, Byrne EJ (2007). The role of vascular risk factors in late onset bipolar disorder. <i>Int J Geriatr Psychiatry</i> , 22(8): 733-7.
45878	Sullivan MA, Nunes EV (2005). [Comment] New-onset mania and psychosis following heroin detoxification and naltrexone maintenance. <i>The American Journal on Addictions</i> , 14: 486-7.
44186	Sultzer DL, Cummings JL (1989). Drug-induced mania-causative agents, clinical characteristics and management. A retrospective analysis of the literature. <i>Medical Toxicology and Adverse Drug Experience</i> , 4: 127-43.
86572	Suppes T (2018). Bipolar disorder in adults. Retrieved 3 May 2018, from https://www.uptodate.com/contents/bipolar-disorder-in-adults-clinical-features
83674	Susser LC, Hermann AD (2017). Protection against hormone-mediated mood symptoms. <i>Arch Womens Ment Health</i> , 20(2): 355-6.
5399	Swann AC (1995). Mixed or dysphoric manic states: psychopathology and treatment. <i>J Clin Psychiatry</i> , 56(Suppl 3): 6-10.
5400	Swann AC, Secunda, SK Stokes, PE Croughan, et al (1990). Stress depression and mania: relationship between perceived role of stressful events and clinical and biochemical characteristics. <i>Acta Psychiatr Scand</i> , 81: 389-97.
85498	Sylvia LG, Alloy LB, Hafner JA, et al (2009). Life events and social rhythms in bipolar spectrum disorders: a prospective studyLife events and social rhythms in bipolar spectrum disorders: a prospective study. <i>Behavior Therapy</i> , 40: 131-41.
5401	Szabo CP, Terre Blanche MJ (1995). Seasonal variation in mood disorder presentation: further evidence of this phenomenon in a South African sample. <i>J Affect Disord</i> , 33: 209-14.
85577	Takaesu Y, Inoue Y, Murakoshi A, et al (2016). Prevalence of circadian rhythm sleep-wake disorders and associated factors in euthymic patients with bipolar disorder. <i>PLoS One</i> , 11(7): e0159578.
45366	Talih F, Fattal O, Malone D Jr (2007). Anabolic steroid abuse: psychiatric and physical costs. <i>Cleveland Clinic Journal of Medicine</i> , 74(5): 341-52.
80460	Tan EC, Aziz NA, Ahmad S (2012). Neuropsychiatric manifestation after a stroke: newly developed symptoms or side-effect of drug? <i>BMJ Case Reports</i> , doi:10.1136/bcr-2012-006518.
83676	Tanaka T, Matsuda T, Hayes LN (2017). Infection and inflammation in schizophrenia and bipolar disorder. <i>Neurosci Res</i> , 115: 59-63.
44792	Terao T (1993). [Comment] Subclinical hypothyroidism in recurrent mania. <i>Biol Psychiatry</i> , 33(11-12): 853-4.
80494	Thapliyal N, Rawat V, Singh S, et al (2011). [Comment] Leukemia with malaria: an unusual presentation. <i>Indian J Cancer</i> , 48(2): 264-5.

86559	The National Academies of Sciences, Engineering, and Medicine (2009). Mood disorders. Gulf War and Health: Long-Term Consequences of Traumatic Brain Injury, Vol 7 Chapter 8: 266-75. National Academies Press - Washington, DC.
86563	The National Academies of Sciences, Engineering, and Medicine (2006). Exposures in the Persian Gulf. Gulf War and Health: Health Effects of Serving in the Gulf War, Vol 4 Chapter 2: 21-44. National Academies Press - Washington, DC.
75048	The National Academies of Sciences, Engineering, and Medicine (2016). Mental and behavioral health conditions. Gulf War and Health: Update of Health Effects of Serving in the Gulf War, Vol 10: 126-40. National Academies Press - Washington, DC.
5402	Thomas CS, Neale TJ (1991). Organic manic syndrome associated with advanced uraemia due to polycystic kidney disease. <i>Br J Psychiatry</i> , 158: 119-21.
5403	Thompson C, Raheja SK, King EA (1995). A follow-up study of seasonal affective disorder. <i>Br J Psychiatry</i> , 167: 380-4.
44390	Thomsen AF, Kvist TK, Andersen PK, et al (2005). Increased risk of affective disorder following hospitalisation with hyperthyroidism - a register-based study. <i>European Journal of Endocrinology</i> , 152: 535-43.
44392	Thomsen AF, Kvist TK, Andersen PK, et al (2005). Increased risk of developing affective disorder in patients with hypothyroidism: a register-based study. <i>Thyroid</i> , 15(7): 700-7.
5404	Tohen M, Shulman KI, Satlin A (1994). First-episode mania in late life. <i>Am J Psychiatry</i> , 151(1): 130-2.
85310	Tommaso Morrison DI, Carinci F, Lessiani G, et al (2017). Fibromyalgia and bipolar disorder: extent of comorbidity and therapeutic implications. <i>J Biol Regul Homeost Agents</i> , 31(1): 17-20.
45562	Tondo L, Rudas N (1991). The course of a seasonal bipolar disorder influenced by caffeine. <i>Journal of Affective Disorders</i> , 22: 249-51.
44495	Tor PC, Lee HY, Fones CSL (2007). Late-onset mania with psychosis associated with hypothyroidism in an elderly Chinese lady. <i>Singapore Med J</i> , 48(4): 354-357.
44148	Torrey EF, Yolken RH (1998). At issue: is household crowding a risk factor for Schizophrenia and Bipolar Disorder? <i>Schizophrenia Bulletin</i> , 24(3): 321-4.
85832	Traber R, Schneiter R, Modestin J (2007). [Comment] A case of aripiprazole-induced mania. <i>Pharmacopsychiatry</i> , 40(1): 37-8.
51465	Trakada G, Steiropoulos P, Bouros D (2008). Continuous positive airways pressure treatment in a patient with sleep apnea-hypopnea syndrome and coexisting bipolar disorder. <i>Psychopharmacol Bull</i> , 41(2): 89-92. [Abstract]
44278	Treisman G, Fishman M, Schwartz J, et al (1998). Mood disorders in HIV Infection. <i>Depression and Anxiety</i> , 7(4): 178-87.
45917	Truman CJ, Goldberg JF, Nassir Ghaemi S, et al (2007). Self-reported history of manic-hypomanic switch associated with antidepressant use: data from the systematic treatment enhancement program for bipolar disorder (STEP-BD). <i>J Clin Psychiatry</i> , 68(10): 1472-9.
44475	Tsuchiya KJ, Agerbo E, Mortensen PB (2005). Parental death and bipolar disorder: A robust association was found in early maternal suicide. <i>Journal of Affective Disorders</i> , 86(2-3): 151-9.
44479	Tsuchiya KJ, Byrne M, Mortensen PB (2003). Risk factors in relation to an emergence of bipolar disorder: a systemic review. <i>Bipolar disorders</i> , 5(4): 231-42.
80467	Ulla M, Thobois S, Llorca P-M, et al (2011). Contact dependent reproducible hypomania induced by deep brain stimulation in Parkinson's disease: clinical, anatomical and functional imaging study. <i>J Neuro Neurosurg Psychiatry</i> , 82(6): 607-14.

7024	Umberson D, Wortman CB, Kessler RC (1992). Widowhood and depression: Explaining long-term gender differences in vulnerability. <i>Journal of Health and Social Behaviour</i> , 33: 10-24.
44292	Umlauf MG, Shattell M (2005). The ecology of bipolar disorder: the importance of sleep. <i>Issues in Mental Health Nursing</i> , 26(7): 699-720.
44287	Van Gerpen MW, Johnson JE, Winstead DK (1999). Mania in the geriatric patient population. A review of the literature. <i>The American Journal of Geriatric Psychiatry</i> , 7(3): 188-202. Retrieved 29 June 2007, from pp 188-202
45039	van Laar M, van Dorsselaer S, Monshouwer K, et al (2007). Does cannabis use predict the first incidence of mood and anxiety disorders in the adult population? <i>Addiction</i> , 102(8): 1251-60.
50512	van Melle JP, Verbeek DEP, van den Berg M, et al (2006). Beta-blockers and depression after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 48(11): 2209-14.
44455	Van Reekum R, Bolago I, Finlayson MAJ, et al (1996). Psychiatric disorders after traumatic brain injury. <i>Brain Injury</i> , 10(5): 319-27.
80408	Vazquez GH, Baldessarini RJ, Tondo L, (2014). Co-occurrence of anxiety and bipolar disorders: clinical and therapeutic overview. <i>Depress Anxiety</i> , 31: 196-206.
80432	Velakoulis D, Ting A, Winton-Brown T, et al (2014). Metachromatic leukodystrophy presenting as bipolar disorder. <i>Aust N Z J Psychiatry</i> , 48(12): 1171-2.
5405	Venn AJ, Guest CS (1991). Chronic morbidity of former prisoners of war and other Australian veterans. <i>MJA</i> , 155: 705-7, 710-2.
80505	Verret WJ, Arinaitwe E, Wanzira H, et al (2011). Effect of nutritional status on response to treatment with artemisinin-based combination therapy in young Ugandan children with malaria. <i>Antimicrob Agents Chemother</i> , 55(6): 2629-35.
44623	Videbech P, Gouliaev G (1995). First admission with puerperal psychosis: 7-14 years of follow-up. <i>Acta Psychiatr Scand</i> , 91: 167-73.
44333	Vieta E (2003). [Comment] Case for caution, case for action. <i>Bipolar Disorders</i> , 5(6): 434-5. Retrieved 9 July 2007, from pp 434-435
50126	Viguera AC, Whitfield T, Baldessarini RJ, Newport DJ (2007). Risk of recurrence in women with bipolar disorder during pregnancy: prospective study of mood stabilizer discontinuation. <i>Am J Psychiatry</i> , 164(12): 1817-24.
83682	Viktorin A, Ryden E, Thase ME, et al (2017). The risk of treatment-emergent mania with methylphenidate in bipolar disorder. <i>Am J Psychiatry</i> , 174(4): 341-8.
50075	Vinkers DJ, van der Wee NJA (2007). [Comment] A case of mania after long-term use of quinagolide. <i>Gen Hosp Psychiatry</i> , 29: 464.
5406	Vocisano C, Klein DN, Keefe RSE, Dienst ER, Kincaid MM (1996). Demographics family history premorbid functioning developmental characteristics and course of patients with deteriorated affective disorder. <i>Am J Psychiatry</i> , 153(2): 248-55.
5407	Vogel-Scibilia SE, Mulsant BH, Keshavan MS (1988). HIV infection presenting as psychosis: a critique. <i>Acta Psychiatr Scand</i> , 78: 652-6.
70941	Vogt D, Vaughn R, Glickman ME, et al (2011). Gender differences in combat-related stressors and their association with postdeployment mental health in a nationally representative sample of U.S. OEF/OIF veterans. <i>J Abnorm Psychol</i> , 120(4): 797-806.
80410	Volavka J (2014). Comorbid personality disorders and violent behavior in psychotic patients. <i>Psychiatr Q</i> , 85: 65-78.
50513	von Kanel R, Begre S (2006). [Comment] Depression after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 48(11): 2215-7.
85814	Vorspan F, Warot D, Consoli, D, et al (2005). Mania in a boy treated with modafinil for narcolepsy. <i>American Journal of Psychiatry</i> , 162(4): 813-4.

45915	Wada K, Sasaki T, Jitsuiki H, et al (2006). Manic/hypomanic switch during acute antidepressant treatment for unipolar depression. <i>J Clin Psychopharmacology</i> , 26(5): 512-5.
85845	Wang HR, Woo YS, Bahk WM (2015). Caffeine-induced psychiatric manifestations: a review. <i>International Clinical Psychopharmacology</i> , 30: 179-82.
85833	Wang WT, Chen CH, Lu ML, et al (2010). Paliperidone-induced mania-like symptoms: A case report. <i>Progress in Neuro-Psychopharmacology</i> , 34: 1351-2.
80486	Watkins B, Sibley C (2011). Vivax malaria: old drug, new uses? <i>J Infect Dis</i> , 203(2): 144-5.
80424	Watson S, Gallagher P, Dougall D, et al (2014). Childhood trauma in bipolar disorder. <i>Aust N Z J Psychiatry</i> , 48(6): 564-70.
44182	Wehr TA (1989). Sleep loss: a preventable cause of mania and other excited states. <i>J Clin Psychiatry</i> , 50(S12): 8-16.
5408	Wehr TA, Goodwin FK (1979). Rapid cycling in manic-depressives induced by tricyclic antidepressant. <i>Arch Gen Psychiatry</i> , 36: 555-9.
44531	Wehr TA, Sack DA, Rosenthal NE, et al (1988). Rapid cycling affective disorder: contributing factors and treatment responses in 51 patients. <i>Am J Psychiatry</i> , 145(2): 179-184.
44335	Wernicke JF (2004). Safety and side effect profile of fluoxetine. <i>Expert Opin. Drug Saf</i> , 3(5): 495-504.
5409	West SA, McElroy SL, Strakowski SM, Keck PE, McConville BJ (1995). Attention Deficit Hyperactivity Disorder in adolescent mania. <i>Am J Psychiatry</i> , 152(2): 271-3.
5410	White AJ, Barraclough B (1988). Thyroid disease and mental illness: a study of thyroid disease in psychiatric admissions. <i>J Psychosom Res</i> , 32(1): 99-106.
44441	Wilcox JA, Nasrallah HA (1987). Childhood head trauma and psychosis. <i>Psychiatry Research</i> , 21(4): 303-6.
44360	Wilson R (1998). Mania associated with dialysis. A literature review and new patient report. <i>Psychosomatics</i> , 39(6): 543-6.
5411	Wilson R, McKillop JH, Crocket GT, Pearson C, et al (1991). The effect of lithium therapy on parameters thought to be involved in the development of autoimmune thyroid disease. <i>Clin Endocrinol (Oxf)</i> , 34: 357-61.
6058	Winokur G, Coryell W, Akiskal HS, Maser JD, et al (1995). Alcoholism in manic-depressive (bipolar) illness: familial illness, course of illness, and the primary-secondary distinction. <i>Am J Psychiatry</i> , 152: 365-72.
5412	Winokur G, Coryell W, Endicott J, Akiskal H (1993). Further distinctions between manic-depressive illness (bipolar disorder) and primary depressive disorder (unipolar depression). <i>Am J Psychiatry</i> , 150(8): 1176-81.
6742	Winokur G, Coryell W, Endicott J, Akiskal H (1993). Further distinctions between manic-depressive illness (Bipolar Disorder) and primary depressive disorder (Unipolar Depression). <i>Am J Psychiatry</i> , 150(8): 1176-81.
5413	Winokur G, Coryell W, Keller M, Endicott J, Leon A (1995). A family study of manic-depressive (bipolar I) disease. <i>Arch Gen Psychiatry</i> , 52: 367-73.
7023	Wittchen HU, Kessler RC, Zhao S, Abelson J (1995). Reliability and clinical validity of UM-CIDI DSM-III-R generalized anxiety disorder. <i>Journal of Psychiatric Research</i> , 29(2): 95-110.
45144	Won M, Minabe Y, Sekine Y, et al (2003). [Comment] Manic-switch induced by fluvoxamine in abstinent pure methamphetamine abusers. <i>J Psychiatry Neurosci</i> , 28(2): 134-5.
5356	Work Group on Bipolar Disorder: American Psychiatric Association (1994). Practice Guidelines for the treatment of patients with bipolar disorder. <i>Am J Psychiatry</i> , 151(12 Suppl): 1-36.

45143	Wozniak J (2005). [Comment] Adding mixed amphetamine salts to divalproex sodium improves ADHD symptoms in children with bipolar disorder and comorbid ADHD. <i>Evid Based Ment Health</i> , 8(3): 78.
44457	Wright JBD (1993). Mania following sleep deprivation. <i>British Journal of Psychiatry</i> , 163: 679-80.
46238	Wu LT, Howard MO (2007). Psychiatric disorders in inhalant users: results from the National Epidemiologic Survey on Alcohol and Related Conditions. <i>Drug and Alcohol Dependence</i> , 88(2-3): 146-55.
80397	Wu M-K, Wang H-Y, Chen Y-W, et al (2016). Significantly higher prevalence rate of asthma and bipolar disorder co-morbidity. <i>Medicine</i> , 95(13): e3217.
80421	Yang C-H, Lin Y-C, Chou P-H, et al (2016). A case report of late onset mania caused by hyponatremia in a patient with empty sella syndrome. <i>Medicine</i> , 95(6): e2629.
44476	Yang CY, Su TP, Wong WW, et al (2005). Association of AIDS and bipolar mania with rapid progression to dementia and death. <i>J Chin Med Assoc</i> , 68(2): 92-5.
85834	Yang FW, Liang CS (2011). [Comment] Manic symptoms during a switch from risperidone to paliperidone: a case report. <i>The Journal of Neuropsychiatry and Clinical Neurosciences</i> , 23(3): E29.
44185	Yassa, RY, Iskandar HL (1988). Baclofen-induced psychosis: two cases and a review. <i>J Clin Psychiatry</i> , 49(8): 318-20.
44443	Yatham LN (1987). Mania following head injury. <i>Br J Psychiatry</i> , 151: 558.
44447	Yatham LN, Benbow JC, Jeffers AM (1988). Mania following head injury. <i>Acta Psychiatr. Scand</i> , 77(3): 359-60.
80450	Yeh Y-W, Peng G-S (2011). Post-stroke mania precipitated by withdrawal of antidepressant in an elderly patient with chronic major depression. <i>Gen Hosp Psych</i> , 33: 301.e13-5.
5414	Yolken RH, Torrey EF (1995). Viruses, schizophrenia, and bipolar disorder. <i>Clin Microbiol Rev</i> , 8(1): 131-45.
21977	Young CR, Weiss EL, Bowers MB, et al (1997). [Letter]. The differential diagnosis of multiple sclerosis and bipolar disorder. <i>Journal Clinical Psychiatry</i> , 58(3): 123.
5415	Young LT, Cooke RG, Robb JC, Levitt AJ, Joffe RT (1993). Anxious and non-anxious bipolar disorder. <i>J Affect Disord</i> , 29: 49-52.
44289	Young RC, Moline M, Kleyman F (1997). Hormone replacement therapy and late-life mania. <i>Am J Geriatr Psychiatry</i> , 5(2): 179-81.
83831	Yrondi A, Arbus C, Valton L, et al (2017). Mood disorders and epilepsy surgery [Article in French]. <i>Encephale</i> , 43(2): 154-9.
83671	Yu MG, Flores KM, Isip-Tan IT (2017). Acute mania after levothyroxine replacement for hypothyroid-induced heart block. <i>BMJ Case Reports</i> , 2017: 218819.
50162	Zarzar MN, Graham J, Roberts J, Thompson T, Nanny K (2007). Effectiveness and weight effects of open-label lamotrigine with and without concomitant psychotropic medications in patients with bipolar I disorder. <i>Medscape General Medicine</i> , 9(2): 41.
44723	Zhang ZJ, Li Q, Kang WH, et al (2006). Differences in hypothyroidism between lithium-free and -treated patients with bipolar disorders. <i>Life Sciences</i> , 78(7): 771-6.
45275	Zimmer JE, Gregory RJ (1998). Bipolar depression associated with fenfluramine and phentermine. <i>J Clin Psychiatry</i> , 59(7): 383-4.
80412	Zimmerman M, Morgan TA (2013). The relationship between borderline personality disorder and bipolar disorder. <i>Dialogues Clin Neurosci</i> , 15(2): 155-69.
80439	Zincir SB, Izci F, Acar G (2014). Mania secondary to traumatic brain injury: a case report. <i>J Neuropsychiatry and Clin Neurosci</i> , 26(2): e31.
44454	Zwil AS, McAllister TW, Cohen I, et al (1993). Ultra-rapid cycling bipolar affective disorder following a closed-head injury. <i>Brain Injury</i> , 7(2): 147-52.

