



BARRETT'S OESOPHAGUS

RMA ID Number	Reference List for RMA402-1 as at June 2016
---------------	---

76661	Alexandre L, Broughton T, Loke Y, et al (2012). Meta-analysis: risk of esophageal adenocarcinoma with medications which relax the lower esophageal sphincter. <i>Dis Esophagus</i> , 25(6): 535-44.
76784	Anderson LA, Watson RG, Murphy SJ, et al (2007). Risk factors for Barrett's oesophagus and oesophageal adenocarcinoma: Results from the FINBAR study. <i>World J Gastroenterol</i> , 13(10): 1585-94.
76658	Andrici J, Cox MR, Eslick GD (2013). Cigarette smoking and the risk of Barrett's esophagus: a systematic review and meta-analysis. <i>J Gastroenterol Hepatol</i> , 28(8): 1258-73.
76657	Andrici J, Tio M, Cox MR, et al (2013). Hiatal hernia and the risk of Barrett's esophagus. <i>J Gastroenterol Hepatol</i> , 28(3): 415-31.
76826	Butt J, Kandel G (2014). Barrett esophagus: when to endoscope. <i>Clin Endosc</i> , 47: 40-6.
76660	Coleman HG, Murray LJ, Hicks B, et al (2013). Dietary fibre and the risk of precancerous lesions and cancer of the esophagus: a systematic review and meta-analysis. <i>Nutr Rev</i> , 71(7): 474-82.
76659	Cook MB, Greenwood DC, Hardie LJ, et al (2008). A systematic review and meta-analysis of the risk of increasing adiposity on Barrett's esophagus. <i>Am J Gastroenterol</i> , 103(2): 292-300.
76785	De Ceglie A, Fisher DA, Filiberti R, et al (2011). Barrett's esophagus, esophageal and esophagogastric junction adenocarcinomas: The role of diet. <i>Clin Res Hepatol Gastroenterol</i> , 35(1): 7-16; Erratum: 35(3): 242-5.
76671	Eslami L, Nasser-Moghaddam S (2013). Meta-analyses: does long-term PPI use increase the risk of gastric premalignant lesions? <i>Arch Iran Med</i> , 16(8): 449-58.
76664	Fischbach LA, Nordenstedt H, Kramer JR, et al (2012). The association between Barrett's esophagus and <i>Helicobacter pylori</i> infection: a meta-analysis. <i>Helicobacter</i> , 17(3): 163-75.
76631	Halland M, Katzka D, Iyer PG (2015). Recent developments in pathogenesis, diagnosis and therapy of Barrett's esophagus. <i>World J Gastroenterol</i> , 21(21): 6479-90.
76786	Hilal J, El-Serag HB, Ramsey D, et al (2015). Physical activity and the risk of Barrett's esophagus. <i>Dis Esophagus</i> , : Epub of print.
76862	Ibibebe TI, Hughes MC, Nagle CM, et al (2013). Dietary antioxidants and risk of Barrett's esophagus and adenocarcinoma of the esophagus in an Australian population. <i>Int J Cancer</i> , 133(1): 214-24.
76842	Jiao L, Kramer JR, Chen L, et al (2013). Dietary consumption of meat, fat, animal products and advanced glycation end-products and the risk of Barrett's oesophagus. <i>Aliment Pharmacol Ther</i> , 38(7): 817-24.

76787	Jiao L, Kramer JR, Rugge M, et al (2013). Dietary intake of vegetables, folate, and antioxidants and the risk of Barrett's esophagus. <i>Cancer Cause Control</i> , 24(5): 1005-14.
76788	Johnston MH (2014). Barrett esophagus. . Retrieved 16 December 2015, from http://emedicine.medscape.com/article/171002-overview
76656	Kamat P, Wen S, Morris J, et al (2009). Exploring the association between elevated body mass index and Barrett's esophagus: a systematic review and meta-analysis. <i>Ann Thorac Surg</i> , 87(2): 655-62.
76790	Keszei AP, Schouten LJ, Driessen AL, et al (2013). Meat consumption and the risk of Barrett's esophagus in a large Dutch cohort. <i>Cancer Epidemiol Biomark Prev</i> , 22(6): 1162-6.
76789	Keszei AP, Schouten LJ, Driessen AL, et al (2014). Vegetable, fruit and nitrate intake in relation to the risk of Barrett's oesophagus in a large Dutch cohort. <i>Br J Nutr</i> , 111: 1452-62.
76792	Kubo A, Block G, Quesenberry CP Jr, et al (2009). Effects of dietary fiber, fats, and meat intakes on the risk of Barrett's esophagus. <i>Nutr Cancer</i> , 61(5): 607-16.
76793	Kubo A, Cook MB, Shaheen NJ, et al (2013). Sex-specific associations between body mass index, waist circumference and the risk of Barrett's oesophagus: a pooled analysis from the international BEACON consortium. <i>Gut</i> , 62(12): 1684-91.
76791	Kubo A, Levin TR, Block G, et al (2008). Dietary antioxidants, fruits and vegetables, and the risk of Barrett's esophagus. <i>Am J Gastroenterol</i> , 103(7): 1614-24.
76655	Leggett CL, Gorospe EC, Calvin AD, et al (2014). Obstructive sleep apnea is a risk factor for Barrett's esophagus. <i>Clin Gastroenterol Hepatol</i> , 12(4): 583-8.e1.
76794	Lin D, Kramer JR, Ramsey D, et al (2013). Oral bisphosphonates and the risk of Barrett's esophagus: case-control analysis of US veterans. <i>Am J Gastroenterol</i> , 108(10): 1576-83.
76666	Lou Z, Xing H, Li D (2013). Alcohol consumption and the neoplastic progression in Barrett's esophagus: A systematic review and meta-analysis. <i>PLoS One</i> , 9(10): e105612.
76668	Matsuzaki J, Suzuki H, Kobayakawa M, et al (2015). Association of visceral fat area, smoking, and alcohol consumption with reflux esophagitis and Barrett's esophagus in Japan. <i>PLoS One</i> , 10(7): e0133865.
76841	Mulholland HG, Cantwell MM, Anderson LA, et al (2009). Glycemic index, carbohydrate and fiber intakes and risk of reflux esophagitis, Barrett's esophagus, and esophageal adenocarcinoma. <i>Cancer Causes Control</i> , 20(3): 279-88.
76795	O'Doherty MG, Cantwell MM, Murray LJ, et al (2011). Dietary fat and meat intakes and risk of reflux esophagitis, Barrett's esophagus and esophageal adenocarcinoma. <i>Int J Cancer</i> , 129(6): 1493-502.
76825	Petrack JL, Li N, McClain KM, et al (2015). Dietary risk reduction factors for the Barrett's esophagus-esophageal adenocarcinoma continuum: A review of the recent literature. <i>Curr Nutr Rep</i> , 4(1): 47-65.
76827	Pohl H, Wrobel K, Bojarski C, et al (2013). Risk factors in the development of esophageal adenocarcinoma. <i>Am J Gastroenterol</i> , 108: 200-7.
76829	Ren LL, Yan TT, Wang ZH, et al (2015). Alcohol consumption and the risk of Barrett's esophagus: a comprehensive meta-analysis. <i>Sci Rep</i> , 5: 16048.
76670	Singh S, Devanna S, Edakkanambeth Varayil J, et al (2014). Physical activity is associated with reduced risk of esophageal cancer, particularly esophageal adenocarcinoma: a systematic review and meta-analysis. <i>BMC Gastroenterology</i> , 14: 101.
76669	Singh S, Sharma AN, Murad MH, et al (2013). Central adiposity is associated with increased risk of esophageal inflammation, metaplasia, and adenocarcinoma: a systematic review and meta-analysis. <i>Clin Gastroenterol Hepatol</i> , 11(11): 1399-412.

76783	Song H, Zhu J, Lu D (2014). Long-term proton pump inhibitor (PPI) use and the development of gastric pre-malignant lesions. <i>Cochrane Database of Systematic Review</i> , 12: CD010623.
76672	Spechler SJ (2014). Barrett's esophagus: epidemiology, clinical manifestations, and diagnosis. Retrieved 7 December 2015, from http://www.uptodate.com/contents/barretts-esophagus-epidemiology-clinical-manifestations-and-diagnosis
76796	Thompson OM, Beresford SA, Kirk EA, et al (2009). Vegetable and fruit intakes and risk of Barrett's esophagus in men and women. <i>Am J Clin Nutr</i> , 89: 890-6.
76667	Thrift AP, Cook MB, Vaughan TL, et al (2014). Alcohol and risk of Barrett's esophagus: a pooled analysis from the international BEACON consortium. <i>Am J Gastroenterol</i> , 109(10): 1586-94.
76863	Thrift AP, Kramer JR, Richardson PA, et al (2014). No significant effects of smoking or alcohol consumption on risk of Barrett's esophagus. <i>Dig Dis Sci</i> , 59(1): 108-16.
76833	Thrift AP, Shaheen NJ, Gammon MD, et al (2014). Obesity and risk of esophageal adenocarcinoma and Barrett's esophagus: a mendelian randomization study. <i>J Natl Cancer Inst</i> , 106(11): pii: dju252.
77536	World Health Organisation (WHO) (2010). Adenocarcinoma of the oesophagus (Eds) F Bosman, F Carneir, R Hruban, N Theise. <i>WHO Classification of Tumours of the Digestive System</i> , 4th edition,,: 25-31. International Agency for Research on Cancer (IARC), Lyon France.
76665	Xu Q, Guo W, Shi X, et al (2015). Association between alcohol consumption and the risk of Barrett's esophagus: A meta-analysis of observational studies. <i>Medicine (Baltimore)</i> , 94(32): e1244.
76835	Yates M, Cheong E, Luben R, et al (2014). Body mass index, smoking, and alcohol and risks of Barrett's esophagus and esophageal adenocarcinoma: a UK prospective cohort study. <i>Dig Dis Sci</i> , 59: 1552-9.